

thm_2Eiterate_2ENSUM__INJECTION
 (TMJR_xVJRFXCb-
 sNABBtbMk9ji8s9QDdE5Kx4)

October 26, 2020

Definition 1 We define $c_2Emin_2E_3D$ to be $\lambda A.\lambda x \in A.\lambda y \in A.inj_o (x = y)$ of type $\iota \Rightarrow \iota$.

Definition 2 We define c_2Ebool_2ET to be $(ap (ap (c_2Emin_2E_3D (2^2)) (\lambda V0x \in 2.V0x)) (\lambda V1x \in 2.V1x))$

Definition 3 We define $c_2Ebool_2E_21$ to be $\lambda A_27a : \iota.(\lambda V0P \in (2^{A-27a}).(ap (ap (c_2Emin_2E_3D (2^{A-27a}))$

Definition 4 We define c_2Ebool_2EF to be $(ap (c_2Ebool_2E_21 2) (\lambda V0t \in 2.V0t))$.

Definition 5 We define $c_2Emin_2E_3D_3D_3E$ to be $\lambda P \in 2.\lambda Q \in 2.inj_o (p P \Rightarrow p Q)$ of type ι .

Definition 6 We define $c_2Ebool_2E_7E$ to be $(\lambda V0t \in 2.(ap (ap c_2Emin_2E_3D_3D_3E V0t) c_2Ebool_2EF$

Definition 7 We define $c_2Ecombin_2Eo$ to be $\lambda A_27a : \iota.\lambda A_27b : \iota.\lambda A_27c : \iota.\lambda V0f \in (A_27b^{A-27c}).\lambda V1g$

Definition 8 We define c_2Ebool_2EIN to be $\lambda A_27a : \iota.(\lambda V0x \in A_27a.(\lambda V1f \in (2^{A-27a}).(ap V1f V0x)))$

Definition 9 We define $c_2Ebool_2E_5C_2F$ to be $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap (c_2Ebool_2E_21 2) (\lambda V2t \in 2.V2t))$

Definition 10 We define $c_2Ebool_2E_2F_5C$ to be $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap (c_2Ebool_2E_21 2) (\lambda V2t \in 2.V2t))$

Let $ty_2Epair_2Eprod : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0.nonempty A0 \Rightarrow \forall A1.nonempty A1 \Rightarrow nonempty (ty_2Epair_2Eprod A0 A1) \tag{1}$$

Let $c_2Epair_2EABS_prod : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty A_27a \Rightarrow \forall A_27b.nonempty A_27b \Rightarrow c_2Epair_2EABS_prod A_27a A_27b \in ((ty_2Epair_2Eprod A_27a A_27b)^{(2^{A-27b})^{A-27a}}) \tag{2}$$

Definition 11 We define $c_2Epair_2E_2C$ to be $\lambda A_27a : \iota.\lambda A_27b : \iota.\lambda V0x \in A_27a.\lambda V1y \in A_27b.(ap (c_2Ebool_2E_21 2) (c_2Epair_2EABS_prod V0x V1y))$

Let $c_2Epred_set_2EGSPEC : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\begin{aligned} \forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow c_2Epred_set_2EGSPEC \\ A_27a\ A_27b \in ((2^{A_27a})^{(ty_2Epair_2Eprod\ A_27a\ 2)^{A_27b}}) \end{aligned} \quad (3)$$

Definition 12 We define $c_2Epred_set_2EINSERT$ to be $\lambda A_27a : \iota.\lambda V0x \in A_27a.\lambda V1s \in (2^{A_27a}).(ap\ (c_2Ebool_2E21\ s\ x))$

Definition 13 We define $c_2Epred_set_2EEMPTY$ to be $\lambda A_27a : \iota.(\lambda V0x \in A_27a.c_2Ebool_2EF)$.

Definition 14 We define $c_2Epred_set_2EFINITE$ to be $\lambda A_27a : \iota.\lambda V0s \in (2^{A_27a}).(ap\ (c_2Ebool_2E21\ s\ s))$

Definition 15 We define c_2Emin_2E40 to be $\lambda A.\lambda P \in 2^A.\mathbf{if}\ (\exists x \in A.p\ (ap\ P\ x))\ \mathbf{then}\ (the\ (\lambda x.x \in A \wedge P\ x))$ of type $\iota \Rightarrow \iota$.

Definition 16 We define $c_2Eiterate_2Eneutral$ to be $\lambda A_27a : \iota.\lambda V0op \in ((A_27a^{A_27a})^{A_27a}).(ap\ (c_2Emin_2E40\ op))$

Definition 17 We define $c_2Eiterate_2Esupport$ to be $\lambda A_27a : \iota.\lambda A_27b : \iota.\lambda V0op \in ((A_27b^{A_27b})^{A_27b}).\lambda V1x \in A_27b.(ap\ op\ x)$

Definition 18 We define c_2Ebool_2ECOND to be $\lambda A_27a : \iota.(\lambda V0t \in 2.(\lambda V1t1 \in A_27a.(\lambda V2t2 \in A_27a.(ap\ (c_2Ebool_2E21\ t2\ t1))\ t1)))$

Definition 19 We define $c_2Eiterate_2EITSET$ to be $\lambda A_27a : \iota.\lambda A_27b : \iota.\lambda V0f \in ((A_27a^{A_27a})^{A_27b}).\lambda V1x \in A_27b.(ap\ f\ x)$

Definition 20 We define $c_2Eiterate_2Eiterate$ to be $\lambda A_27a : \iota.\lambda A_27b : \iota.\lambda V0op \in ((A_27b^{A_27b})^{A_27b}).\lambda V1x \in A_27b.(ap\ op\ x)$

Let $ty_2Enum_2Enum : \iota$ be given. Assume the following.

$$nonempty\ ty_2Enum_2Enum \quad (4)$$

Let $c_2Earithmetic_2E_2B : \iota$ be given. Assume the following.

$$c_2Earithmetic_2E_2B \in ((ty_2Enum_2Enum^{ty_2Enum_2Enum})^{ty_2Enum_2Enum}) \quad (5)$$

Definition 21 We define $c_2Eiterate_2Eenum$ to be $\lambda A_27a : \iota.(ap\ (c_2Eiterate_2Eiterate\ A_27a\ ty_2Enum_2Enum))$

Definition 22 We define $c_2Eiterate_2Emonoidal$ to be $\lambda A_27a : \iota.\lambda V0op \in ((A_27a^{A_27a})^{A_27a}).(ap\ (ap\ c_2Eiterate_2Eiterate\ op))$

Assume the following.

$$True \quad (6)$$

Assume the following.

$$\begin{aligned} (\forall V0t \in 2.(((True \Leftrightarrow (p\ V0t)) \Leftrightarrow (p\ V0t)) \wedge (((p\ V0t) \Leftrightarrow True) \Leftrightarrow \\ (p\ V0t)) \wedge (((False \Leftrightarrow (p\ V0t)) \Leftrightarrow \neg(p\ V0t)) \wedge (((p\ V0t) \Leftrightarrow False) \Leftrightarrow \neg(p\ V0t)))))) \end{aligned} \quad (7)$$

Assume the following.

$$\begin{aligned}
& \forall A.27a.nonempty\ A.27a \Rightarrow \forall A.27b.nonempty\ A.27b \Rightarrow (\\
& \quad \forall V0op \in ((A.27b^{A.27b})^{A.27b}).((p\ (ap\ (c.2Eiterate.2Emonoidal \\
& \quad A.27b)\ V0op)) \Rightarrow (\forall V1f \in (A.27b^{A.27a}).(\forall V2p \in (A.27a^{A.27a}). \\
& \quad (\forall V3s \in (2^{A.27a}).(((p\ (ap\ (c.2Epred_set.2EFINITE\ A.27a) \\
& \quad V3s)) \wedge ((\forall V4x \in A.27a.((p\ (ap\ (ap\ (c.2Ebool.2EIN\ A.27a)\ V4x) \\
V3s)) \Rightarrow (p\ (ap\ (ap\ (c.2Ebool.2EIN\ A.27a)\ (ap\ V2p\ V4x))\ V3s)))) \wedge (\forall V5x \in \\
& \quad A.27a.(\forall V6y \in A.27a.(((p\ (ap\ (ap\ (c.2Ebool.2EIN\ A.27a)\ V5x) \\
V3s)) \wedge ((p\ (ap\ (ap\ (c.2Ebool.2EIN\ A.27a)\ V6y)\ V3s)) \wedge ((ap\ V2p\ V5x) = \\
& \quad (ap\ V2p\ V6y)))) \Rightarrow (V5x = V6y)))))) \Rightarrow ((ap\ (ap\ (ap\ (c.2Eiterate.2Eiterate \\
& \quad A.27a\ A.27b)\ V0op)\ V3s)\ (ap\ (ap\ (c.2Ecombin.2Eo\ A.27a\ A.27b\ A.27a) \\
& \quad V1f)\ V2p)) = (ap\ (ap\ (ap\ (c.2Eiterate.2Eiterate\ A.27a\ A.27b)\ V0op) \\
& \quad V3s)\ V1f)))))))))
\end{aligned} \tag{8}$$

Assume the following.

$$(p\ (ap\ (c.2Eiterate.2Emonoidal\ ty.2Enum.2Enum)\ c.2Earithmetic.2E.2B)) \tag{9}$$

Theorem 1

$$\begin{aligned}
& \forall A.27a.nonempty\ A.27a \Rightarrow (\forall V0f \in (ty.2Enum.2Enum^{A.27a}). \\
& \quad (\forall V1p \in (A.27a^{A.27a}).(\forall V2s \in (2^{A.27a}).(((p\ (ap\ (\\
& \quad c.2Epred_set.2EFINITE\ A.27a)\ V2s)) \wedge ((\forall V3x \in A.27a.((\\
p\ (ap\ (ap\ (c.2Ebool.2EIN\ A.27a)\ V3x)\ V2s)) \Rightarrow (p\ (ap\ (ap\ (c.2Ebool.2EIN \\
& \quad A.27a)\ (ap\ V1p\ V3x))\ V2s)))) \wedge (\forall V4x \in A.27a.(\forall V5y \in \\
& \quad A.27a.(((p\ (ap\ (ap\ (c.2Ebool.2EIN\ A.27a)\ V4x)\ V2s)) \wedge ((p\ (ap\ (ap \\
(c.2Ebool.2EIN\ A.27a)\ V5y)\ V2s)) \wedge ((ap\ V1p\ V4x) = (ap\ V1p\ V5y)))) \Rightarrow \\
& \quad (V4x = V5y)))))) \Rightarrow ((ap\ (ap\ (c.2Eiterate.2Eenum\ A.27a)\ V2s)\ (ap\ (\\
ap\ (c.2Ecombin.2Eo\ A.27a\ ty.2Enum.2Enum\ A.27a)\ V0f)\ V1p)) = (ap \\
& \quad (ap\ (c.2Eiterate.2Eenum\ A.27a)\ V2s)\ V0f))))))
\end{aligned}$$