

thm_2Eiterate_2ENSUM__NSUM__RESTRICT
(TM-
PEqT2WKHNhbJS37FH3Zw4PJ8Ytvc6qHTE)

October 26, 2020

Definition 1 We define $c_2Emin_2E_3D$ to be $\lambda A.\lambda x \in A.\lambda y \in A.inj_o (x = y)$ of type $\iota \Rightarrow \iota$.

Definition 2 We define c_2Ebool_2ET to be $(ap (ap (c_2Emin_2E_3D (2^2)) (\lambda V0x \in 2.V0x)) (\lambda V1x \in 2.V1x))$

Definition 3 We define $c_2Ebool_2E_21$ to be $\lambda A_27a : \iota.(\lambda V0P \in (2^{A_27a}).(ap (ap (c_2Emin_2E_3D (2^{A_27a}))$

Definition 4 We define c_2Ebool_2EF to be $(ap (c_2Ebool_2E_21 2) (\lambda V0t \in 2.V0t))$.

Definition 5 We define $c_2Emin_2E_3D_3D_3E$ to be $\lambda P \in 2.\lambda Q \in 2.inj_o (p \Rightarrow q)$ of type ι .

Definition 6 We define $c_2Ebool_2E_7E$ to be $(\lambda V0t \in 2.(ap (ap c_2Emin_2E_3D_3D_3E V0t) c_2Ebool_2EF$

Definition 7 We define c_2Ebool_2EIN to be $\lambda A_27a : \iota.(\lambda V0x \in A_27a.(\lambda V1f \in (2^{A_27a}).(ap V1f V0x)))$

Definition 8 We define $c_2Ebool_2E_5C_2F$ to be $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap (c_2Ebool_2E_21 2) (\lambda V2t \in 2.V2t))$

Definition 9 We define $c_2Ebool_2E_2F_5C$ to be $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap (c_2Ebool_2E_21 2) (\lambda V2t \in 2.V2t))$

Let $ty_2Epair_2Eprod : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0.nonempty A0 \Rightarrow \forall A1.nonempty A1 \Rightarrow nonempty (ty_2Epair_2Eprod A0 A1) \tag{1}$$

Let $c_2Epair_2EABS_prod : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty A_27a \Rightarrow \forall A_27b.nonempty A_27b \Rightarrow c_2Epair_2EABS_prod A_27a A_27b \in ((ty_2Epair_2Eprod A_27a A_27b)^{(2^{A_27b})^{A_27a}}) \tag{2}$$

Definition 10 We define $c_2Epair_2E_2C$ to be $\lambda A_27a : \iota.\lambda A_27b : \iota.\lambda V0x \in A_27a.\lambda V1y \in A_27b.(ap (c_2E$

Let $c_2Epred_set_2EGSPEC : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\begin{aligned} \forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow c_2Epred_set_2EGSPEC \\ A_27a\ A_27b \in ((2^{A_27a})^{(ty_2Epair_2Eprod\ A_27a\ 2)^{A_27b}}) \end{aligned} \quad (3)$$

Definition 11 We define $c_2Epred_set_2EINSERT$ to be $\lambda A_27a : \iota. \lambda V0x \in A_27a. \lambda V1s \in (2^{A_27a}). (ap\ (c_2Ebool_2E21\ s)\ x)$

Definition 12 We define $c_2Epred_set_2EEMPTY$ to be $\lambda A_27a : \iota. (\lambda V0x \in A_27a. c_2Ebool_2E2F)$.

Definition 13 We define $c_2Epred_set_2EFINITE$ to be $\lambda A_27a : \iota. \lambda V0s \in (2^{A_27a}). (ap\ (c_2Ebool_2E21\ s)\ 0)$

Let $c_2Enum_2EZERO_REP : \iota$ be given. Assume the following.

$$c_2Enum_2EZERO_REP \in \omega \quad (4)$$

Let $ty_2Enum_2Enum : \iota$ be given. Assume the following.

$$nonempty\ ty_2Enum_2Enum \quad (5)$$

Let $c_2Enum_2EABS_num : \iota$ be given. Assume the following.

$$c_2Enum_2EABS_num \in (ty_2Enum_2Enum^{\omega}) \quad (6)$$

Definition 14 We define c_2Enum_2E0 to be $(ap\ c_2Enum_2EABS_num\ c_2Enum_2EZERO_REP)$.

Definition 15 We define c_2Emin_2E40 to be $\lambda A. \lambda P \in 2^A. \text{if } (\exists x \in A. P\ x) \text{ then } (the\ (\lambda x. x \in A \wedge P\ x)) \text{ of type } \iota \Rightarrow \iota.$

Definition 16 We define c_2Ebool_2ECOND to be $\lambda A_27a : \iota. (\lambda V0t \in 2. (\lambda V1t1 \in A_27a. (\lambda V2t2 \in A_27a. (c_2Ebool_2E21\ t1\ t2))))$

Let $c_2Earithmetic_2E_2B : \iota$ be given. Assume the following.

$$c_2Earithmetic_2E_2B \in ((ty_2Enum_2Enum^{ty_2Enum_2Enum})^{ty_2Enum_2Enum}) \quad (7)$$

Definition 17 We define $c_2Eiterate_2Eneutral$ to be $\lambda A_27a : \iota. \lambda V0op \in ((A_27a^{A_27a})^{A_27a}). (ap\ (c_2Emin_2E40\ op))$

Definition 18 We define $c_2Eiterate_2Esupport$ to be $\lambda A_27a : \iota. \lambda A_27b : \iota. \lambda V0op \in ((A_27b^{A_27b})^{A_27b}). \lambda V1f \in (A_27b \rightarrow A_27b). (c_2Eiterate_2Eneutral\ op\ f)$

Definition 19 We define $c_2Eiterate_2EITSET$ to be $\lambda A_27a : \iota. \lambda A_27b : \iota. \lambda V0f \in ((A_27a^{A_27a})^{A_27b}). \lambda V1g \in (A_27b \rightarrow A_27b). (c_2Eiterate_2Esupport\ f\ g)$

Definition 20 We define $c_2Eiterate_2Eiterate$ to be $\lambda A_27a : \iota. \lambda A_27b : \iota. \lambda V0op \in ((A_27b^{A_27b})^{A_27b}). \lambda V1f \in (A_27b \rightarrow A_27b). (c_2Eiterate_2Eiterate\ op\ f)$

Definition 21 We define $c_2Eiterate_2Eenum$ to be $\lambda A_27a : \iota. (ap\ (c_2Eiterate_2Eiterate\ A_27a\ ty_2Enum_2Enum))$

Assume the following.

$$True \quad (8)$$

Assume the following.

$$\begin{aligned} & (\forall V0t \in 2.(((True \wedge (p \ V0t)) \Leftrightarrow (p \ V0t)) \wedge (((p \ V0t) \wedge True) \Leftrightarrow \\ & (p \ V0t)) \wedge (((False \wedge (p \ V0t)) \Leftrightarrow False) \wedge (((p \ V0t) \wedge False) \Leftrightarrow False) \wedge \\ & (((p \ V0t) \wedge (p \ V0t)) \Leftrightarrow (p \ V0t)))))) \end{aligned} \quad (9)$$

Assume the following.

$$\begin{aligned} & (\forall V0t \in 2.(((True \Rightarrow (p \ V0t)) \Leftrightarrow (p \ V0t)) \wedge (((p \ V0t) \Rightarrow True) \Leftrightarrow \\ & True) \wedge (((False \Rightarrow (p \ V0t)) \Leftrightarrow True) \wedge (((p \ V0t) \Rightarrow (p \ V0t)) \Leftrightarrow True) \wedge ((\\ & (p \ V0t) \Rightarrow False) \Leftrightarrow (\neg (p \ V0t)))))) \end{aligned} \quad (10)$$

Assume the following.

$$\forall A.27a.nonempty \ A.27a \Rightarrow (\forall V0x \in A.27a.((V0x = V0x) \Leftrightarrow True)) \quad (11)$$

Assume the following.

$$\forall A.27a.nonempty \ A.27a \Rightarrow (\forall V0x \in A.27a.(\forall V1y \in A.27a.((V0x = V1y) \Leftrightarrow (V1y = V0x)))) \quad (12)$$

Assume the following.

$$\begin{aligned} & (\forall V0t \in 2.(((True \Leftrightarrow (p \ V0t)) \Leftrightarrow (p \ V0t)) \wedge (((p \ V0t) \Leftrightarrow True) \Leftrightarrow \\ & (p \ V0t)) \wedge (((False \Leftrightarrow (p \ V0t)) \Leftrightarrow (\neg (p \ V0t))) \wedge (((p \ V0t) \Leftrightarrow False) \Leftrightarrow (\neg (\\ & p \ V0t)))))) \end{aligned} \quad (13)$$

Assume the following.

$$\begin{aligned} & (\forall V0t1 \in 2.(\forall V1t2 \in 2.(\forall V2t3 \in 2.(((p \ V0t1) \Rightarrow \\ & ((p \ V1t2) \Rightarrow (p \ V2t3))) \Leftrightarrow (((p \ V0t1) \wedge (p \ V1t2)) \Rightarrow (p \ V2t3)))))) \end{aligned} \quad (14)$$

Assume the following.

$$\begin{aligned} & (\forall V0x \in 2.(\forall V1x.27 \in 2.(\forall V2y \in 2.(\forall V3y.27 \in \\ & 2.(((p \ V0x) \Leftrightarrow (p \ V1x.27)) \wedge ((p \ V1x.27) \Rightarrow ((p \ V2y) \Leftrightarrow (p \ V3y.27)))) \Rightarrow \\ & (((p \ V0x) \Rightarrow (p \ V2y)) \Leftrightarrow ((p \ V1x.27) \Rightarrow (p \ V3y.27)))))) \end{aligned} \quad (15)$$

Assume the following.

$$\begin{aligned} & \forall A.27a.nonempty \ A.27a \Rightarrow \forall A.27b.nonempty \ A.27b \Rightarrow (\\ & \forall V0f \in ((ty.2Enum.2Enum^{A.27b})^{A.27a}).(\forall V1s \in (2^{A.27a}). \\ & (\forall V2t \in (2^{A.27b}).(((p \ (ap \ (c.2Epred_set.2EFINITE \ A.27a) \\ & V1s)) \wedge (p \ (ap \ (c.2Epred_set.2EFINITE \ A.27b) \ V2t))) \Rightarrow ((ap \ (ap \ (\\ & c.2Eiterate.2Ensum \ A.27a) \ V1s) \ (\lambda V3i \in A.27a.(ap \ (ap \ (c.2Eiterate.2Ensum \\ & A.27b) \ V2t) \ (ap \ V0f \ V3i)))) = (ap \ (ap \ (c.2Eiterate.2Ensum \ A.27b) \\ & V2t) \ (\lambda V4j \in A.27b.(ap \ (ap \ (c.2Eiterate.2Ensum \ A.27a) \ V1s) \ (\\ & \lambda V5i \in A.27a.(ap \ (ap \ V0f \ V5i) \ V4j)))))))))) \end{aligned} \quad (16)$$

Assume the following.

$$\begin{aligned}
& \forall A_27a.nonempty\ A_27a \Rightarrow (\forall V0P \in (2^{A_27a}). (\forall V1s \in \\
& (2^{A_27a}). (\forall V2f \in (ty_2Enum_2Enum^{A_27a}). ((ap\ (ap\ (c_2Eiterate_2Ensum \\
& A_27a)\ (ap\ (c_2Epred_set_2EGSPEC\ A_27a\ A_27a)\ (\lambda V3x \in A_27a. \\
& (ap\ (ap\ (c_2Epair_2E_2C\ A_27a\ 2)\ V3x)\ (ap\ (ap\ c_2Ebool_2E_2F_5C \\
& (ap\ (ap\ (c_2Ebool_2EIN\ A_27a)\ V3x)\ V1s))\ (ap\ V0P\ V3x))))))\ V2f) = \\
& (ap\ (ap\ (c_2Eiterate_2Ensum\ A_27a)\ V1s)\ (\lambda V4x \in A_27a. (ap\ (ap \\
& (ap\ (c_2Ebool_2ECOND\ ty_2Enum_2Enum)\ (ap\ V0P\ V4x))\ (ap\ V2f\ V4x)) \\
& c_2Enum_2E0))))))
\end{aligned} \tag{17}$$

Theorem 1

$$\begin{aligned}
& \forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow (\\
& \forall V0R \in ((2^{A_27b})^{A_27a}). (\forall V1f \in ((ty_2Enum_2Enum^{A_27b})^{A_27a}). \\
& (\forall V2s \in (2^{A_27a}). (\forall V3t \in (2^{A_27b}). (((p\ (ap\ (c_2Epred_set_2EFINITE \\
& A_27a)\ V2s)) \wedge (p\ (ap\ (c_2Epred_set_2EFINITE\ A_27b)\ V3t)))) \Rightarrow ((\\
& ap\ (ap\ (c_2Eiterate_2Ensum\ A_27a)\ V2s)\ (\lambda V4x \in A_27a. (ap\ (ap \\
& (c_2Eiterate_2Ensum\ A_27b)\ (ap\ (c_2Epred_set_2EGSPEC\ A_27b \\
& A_27b)\ (\lambda V5y \in A_27b. (ap\ (ap\ (c_2Epair_2E_2C\ A_27b\ 2)\ V5y)\ (\\
& ap\ (ap\ c_2Ebool_2E_2F_5C\ (ap\ (ap\ (c_2Ebool_2EIN\ A_27b)\ V5y)\ V3t)) \\
& (ap\ (ap\ V0R\ V4x)\ V5y))))))\ (\lambda V6y \in A_27b. (ap\ (ap\ V1f\ V4x)\ V6y)))))) = \\
& (ap\ (ap\ (c_2Eiterate_2Ensum\ A_27b)\ V3t)\ (\lambda V7y \in A_27b. (ap\ (ap \\
& (c_2Eiterate_2Ensum\ A_27a)\ (ap\ (c_2Epred_set_2EGSPEC\ A_27a \\
& A_27a)\ (\lambda V8x \in A_27a. (ap\ (ap\ (c_2Epair_2E_2C\ A_27a\ 2)\ V8x)\ (\\
& ap\ (ap\ c_2Ebool_2E_2F_5C\ (ap\ (ap\ (c_2Ebool_2EIN\ A_27a)\ V8x)\ V2s)) \\
& (ap\ (ap\ V0R\ V8x)\ V7y))))))\ (\lambda V9x \in A_27a. (ap\ (ap\ V1f\ V9x)\ V7y))))))
\end{aligned}$$