

# thm\_2Eiterate\_2ENSUM\_\_OFFSET\_\_0 (TMbtczAqsYfLarSDqUttMwu3AaqhZdMbFFc)

October 26, 2020

Let  $ty\_2Enum\_2Enum : \iota$  be given. Assume the following.

$$nonempty\ ty\_2Enum\_2Enum \tag{1}$$

Let  $c\_2Enum\_2EREP\_num : \iota$  be given. Assume the following.

$$c\_2Enum\_2EREP\_num \in (\omega^{ty\_2Enum\_2Enum}) \tag{2}$$

Let  $c\_2Enum\_2ESUC\_REP : \iota$  be given. Assume the following.

$$c\_2Enum\_2ESUC\_REP \in (\omega^{\omega}) \tag{3}$$

Let  $c\_2Enum\_2EABS\_num : \iota$  be given. Assume the following.

$$c\_2Enum\_2EABS\_num \in (ty\_2Enum\_2Enum^{\omega}) \tag{4}$$

**Definition 1** We define  $c\_2Emin\_2E3D$  to be  $\lambda A.\lambda x \in A.\lambda y \in A.inj\_o (x = y)$  of type  $\iota \Rightarrow \iota$ .

**Definition 2** We define  $c\_2Ebool\_2ET$  to be  $(ap (ap (c\_2Emin\_2E3D (2^2)) (\lambda V0x \in 2.V0x)) (\lambda V1x \in 2.V1x))$

**Definition 3** We define  $c\_2Ebool\_2E21$  to be  $\lambda A.27a : \iota.(\lambda V0P \in (2^{A-27a}).(ap (ap (c\_2Emin\_2E3D (2^{A-27a})) (\lambda V1x \in 2.V1x)) (\lambda V2x \in 2.V2x)))$

**Definition 4** We define  $c\_2Enum\_2ESUC$  to be  $\lambda V0m \in ty\_2Enum\_2Enum.(ap c\_2Enum\_2EABS\_num (ap (ap (c\_2Emin\_2E3D (2^2)) (\lambda V0x \in 2.V0x)) (\lambda V1x \in 2.V1x)))$

Let  $c\_2Enum\_2EZERO\_REP : \iota$  be given. Assume the following.

$$c\_2Enum\_2EZERO\_REP \in \omega \tag{5}$$

**Definition 5** We define  $c\_2Enum\_2E0$  to be  $(ap c\_2Enum\_2EABS\_num c\_2Enum\_2EZERO\_REP)$ .

Let  $c\_2Earithmetic\_2E2D : \iota$  be given. Assume the following.

$$c\_2Earithmetic\_2E2D \in ((ty\_2Enum\_2Enum^{ty\_2Enum\_2Enum})^{ty\_2Enum\_2Enum}) \tag{6}$$

**Definition 6** We define  $c\_2Ebool\_2EF$  to be  $(ap (c\_2Ebool\_2E21 2) (\lambda V0t \in 2.V0t))$ .



**Definition 21** We define `c_2Epred_set_2EINSERT` to be  $\lambda A.27a : \iota.\lambda V0x \in A.27a.\lambda V1s \in (2^{A.27a}).(ap (c_2E$

**Definition 22** We define `c_2Epred_set_2EEMPTY` to be  $\lambda A.27a : \iota.(\lambda V0x \in A.27a.c_2Ebool_2EF)$ .

**Definition 23** We define `c_2Epred_set_2EFINITE` to be  $\lambda A.27a : \iota.\lambda V0s \in (2^{A.27a}).(ap (c_2Ebool_2E.21 (2$

**Definition 24** We define `c_2Eiterate_2EITSET` to be  $\lambda A.27a : \iota.\lambda A.27b : \iota.\lambda V0f \in ((A.27a^{A.27a})^{A.27b}).\lambda V$

**Definition 25** We define `c_2Eiterate_2Eiterate` to be  $\lambda A.27a : \iota.\lambda A.27b : \iota.\lambda V0op \in ((A.27b^{A.27b})^{A.27b}).\lambda V$

**Definition 26** We define `c_2Eiterate_2Eenum` to be  $\lambda A.27a : \iota.(ap (c_2Eiterate_2Eiterate A.27a ty_2Enum.$

Assume the following.

$$\begin{aligned} & (\forall V0m \in ty_2Enum_2Enum.(\forall V1n \in ty_2Enum_2Enum.( \\ & ((ap (ap c_2Earithmetic_2E_2B c_2Enum_2E0) V0m) = V0m) \wedge ((ap ( \\ & ap c_2Earithmetic_2E_2B V0m) c_2Enum_2E0) = V0m) \wedge ((ap (ap c_2Earithmetic_2E_2B \\ & (ap c_2Enum_2ESUC V0m)) V1n) = (ap c_2Enum_2ESUC (ap (ap c_2Earithmetic_2E_2B \\ & V0m) V1n))) \wedge ((ap (ap c_2Earithmetic_2E_2B V0m) (ap c_2Enum_2ESUC \\ & V1n)) = (ap c_2Enum_2ESUC (ap (ap c_2Earithmetic_2E_2B V0m) V1n)))))) \\ & \end{aligned} \tag{11}$$

Assume the following.

$$\begin{aligned} & (\forall V0m \in ty_2Enum_2Enum.(\forall V1n \in ty_2Enum_2Enum.( \\ & (p (ap (ap c_2Earithmetic_2E_3C_3D V1n) V0m)) \Rightarrow ((ap (ap c_2Earithmetic_2E_2B \\ & (ap (ap c_2Earithmetic_2E_2D V0m) V1n)) V1n) = V0m))) \\ & \end{aligned} \tag{12}$$

Assume the following.

$$True \tag{13}$$

Assume the following.

$$\forall A.27a.nonempty A.27a \Rightarrow (\forall V0t \in 2.((\forall V1x \in A.27a.(p V0t)) \Leftrightarrow (p V0t))) \tag{14}$$

Assume the following.

$$\begin{aligned} & (\forall V0t \in 2.(((True \Rightarrow (p V0t)) \Leftrightarrow (p V0t)) \wedge (((p V0t) \Rightarrow True) \Leftrightarrow \\ & True) \wedge (((False \Rightarrow (p V0t)) \Leftrightarrow True) \wedge (((p V0t) \Rightarrow (p V0t)) \Leftrightarrow True) \wedge (( \\ & (p V0t) \Rightarrow False) \Leftrightarrow (\neg (p V0t)))))) \\ & \end{aligned} \tag{15}$$

Assume the following.

$$\forall A.27a.nonempty A.27a \Rightarrow (\forall V0x \in A.27a.((V0x = V0x) \Leftrightarrow True)) \tag{16}$$

Assume the following.

$$\forall A.27a.nonempty A.27a \Rightarrow (\forall V0x \in A.27a.(\forall V1y \in A.27a.((V0x = V1y) \Leftrightarrow (V1y = V0x)))) \tag{17}$$

Assume the following.

$$\begin{aligned}
& (\forall V0t \in 2.(((True \Leftrightarrow (p \ V0t)) \Leftrightarrow (p \ V0t)) \wedge (((p \ V0t) \Leftrightarrow True) \Leftrightarrow \\
& (p \ V0t)) \wedge (((False \Leftrightarrow (p \ V0t)) \Leftrightarrow \neg(p \ V0t)) \wedge (((p \ V0t) \Leftrightarrow False) \Leftrightarrow \neg( \\
& p \ V0t))))))
\end{aligned} \tag{18}$$

Assume the following.

$$\begin{aligned}
& (\forall V0t1 \in 2.(\forall V1t2 \in 2.(\forall V2t3 \in 2.(((p \ V0t1) \Rightarrow \\
& ((p \ V1t2) \Rightarrow (p \ V2t3))) \Leftrightarrow (((p \ V0t1) \wedge (p \ V1t2)) \Rightarrow (p \ V2t3))))))
\end{aligned} \tag{19}$$

Assume the following.

$$\begin{aligned}
& (\forall V0x \in 2.(\forall V1x_{27} \in 2.(\forall V2y \in 2.(\forall V3y_{27} \in \\
& 2.(((p \ V0x) \Leftrightarrow (p \ V1x_{27})) \wedge ((p \ V1x_{27}) \Rightarrow ((p \ V2y) \Leftrightarrow (p \ V3y_{27})))) \Rightarrow \\
& ((p \ V0x) \Rightarrow (p \ V2y)) \Leftrightarrow ((p \ V1x_{27}) \Rightarrow (p \ V3y_{27}))))))
\end{aligned} \tag{20}$$

Assume the following.

$$\begin{aligned}
& (\forall V0p \in ty\_2Enum\_2Enum.(\forall V1f \in (ty\_2Enum\_2Enum^{ty\_2Enum\_2Enum}). \\
& (\forall V2m \in ty\_2Enum\_2Enum.(\forall V3n \in ty\_2Enum\_2Enum.( \\
& (ap \ (ap \ (c\_2Eiterate\_2Ensum \ ty\_2Enum\_2Enum) \ (ap \ (ap \ c\_2Eiterate\_2E\_2E\_2E \\
& (ap \ (ap \ c\_2Earithmetic\_2E\_2B \ V2m) \ V0p)) \ (ap \ (ap \ c\_2Earithmetic\_2E\_2B \\
& V3n) \ V0p))) \ V1f) = (ap \ (ap \ (c\_2Eiterate\_2Ensum \ ty\_2Enum\_2Enum) \\
& (ap \ (ap \ c\_2Eiterate\_2E\_2E\_2E \ V2m) \ V3n)) \ (\lambda V4i \in ty\_2Enum\_2Enum. \\
& (ap \ V1f \ (ap \ (ap \ c\_2Earithmetic\_2E\_2B \ V4i) \ V0p)))))))))
\end{aligned} \tag{21}$$

### Theorem 1

$$\begin{aligned}
& (\forall V0f \in (ty\_2Enum\_2Enum^{ty\_2Enum\_2Enum}).(\forall V1m \in \\
& ty\_2Enum\_2Enum.(\forall V2n \in ty\_2Enum\_2Enum.((p \ (ap \ (ap \ c\_2Earithmetic\_2E\_3C\_3D \\
& V1m) \ V2n)) \Rightarrow ((ap \ (ap \ (c\_2Eiterate\_2Ensum \ ty\_2Enum\_2Enum) \ (ap \ ( \\
& ap \ c\_2Eiterate\_2E\_2E\_2E \ V1m) \ V2n)) \ V0f) = (ap \ (ap \ (c\_2Eiterate\_2Ensum \\
& ty\_2Enum\_2Enum) \ (ap \ (ap \ c\_2Eiterate\_2E\_2E\_2E \ c\_2Enum\_2E0) \ (ap \\
& (ap \ c\_2Earithmetic\_2E\_2D \ V2n) \ V1m))) \ (\lambda V3i \in ty\_2Enum\_2Enum. \\
& (ap \ V0f \ (ap \ (ap \ c\_2Earithmetic\_2E\_2B \ V3i) \ V1m)))))))))
\end{aligned}$$