

thm_2Eiterate_2ENSUM__RMUL (TMYmiyyd3m8EdRMSVy9gqVzMjXz3rHkYRzj)

October 26, 2020

Definition 1 We define $c_2Emin_2E_3D$ to be $\lambda A.\lambda x \in A.\lambda y \in A.inj_o (x = y)$ of type $\iota \Rightarrow \iota$.

Definition 2 We define $c_2Ebool_2E_21$ to be $(ap (ap (c_2Emin_2E_3D (2^2))) (\lambda V0x \in 2.V0x)) (\lambda V1x \in 2.V1x)$

Let $ty_2Enum_2Enum : \iota$ be given. Assume the following.

$$nonempty\ ty_2Enum_2Enum \tag{1}$$

Let $c_2Earithmetic_2E_2A : \iota$ be given. Assume the following.

$$c_2Earithmetic_2E_2A \in ((ty_2Enum_2Enum^{ty_2Enum_2Enum})^{ty_2Enum_2Enum})^{ty_2Enum_2Enum} \tag{2}$$

Let $c_2Earithmetic_2E_2B : \iota$ be given. Assume the following.

$$c_2Earithmetic_2E_2B \in ((ty_2Enum_2Enum^{ty_2Enum_2Enum})^{ty_2Enum_2Enum})^{ty_2Enum_2Enum} \tag{3}$$

Definition 3 We define $c_2Emin_2E_3D_3D_3E$ to be $\lambda P \in 2.\lambda Q \in 2.inj_o (p \Rightarrow q)$ of type ι .

Definition 4 We define $c_2Ebool_2E_21$ to be $\lambda A.\lambda a : \iota.(\lambda V0P \in (2^{A-27a}).(ap (ap (c_2Emin_2E_3D (2^{A-27a})))$

Definition 5 We define $c_2Ebool_2E_2F_5C$ to be $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap (c_2Ebool_2E_21 2)) (\lambda V2t \in 2.V2t)))$

Definition 6 We define $c_2Emin_2E_40$ to be $\lambda A.\lambda P \in 2^A.if (\exists x \in A.p (ap P x)) \mathbf{then} (the (\lambda x.x \in A \wedge p))$ of type $\iota \Rightarrow \iota$.

Definition 7 We define $c_2Eiterate_2Eneutral$ to be $\lambda A.\lambda a : \iota.\lambda V0op \in ((A-27a)^{A-27a})^{A-27a}.(ap (c_2Emin_2E_3D (2^{A-27a})))$

Definition 8 We define $c_2Ebool_2E_2F$ to be $(ap (c_2Ebool_2E_21 2)) (\lambda V0t \in 2.V0t)$.

Definition 9 We define $c_2Ebool_2E_7E$ to be $(\lambda V0t \in 2.(ap (ap c_2Emin_2E_3D_3D_3E V0t) c_2Ebool_2E_2F))$

Definition 10 We define $c_2Ebool_2E_2IN$ to be $\lambda A.\lambda a : \iota.(\lambda V0x \in A-27a.(\lambda V1f \in (2^{A-27a}).(ap V1f V0x)))$

Let $ty_2Epair_2Eprod : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0.nonempty\ A0 \Rightarrow \forall A1.nonempty\ A1 \Rightarrow nonempty\ (ty_2Epair_2Eprod\ A0\ A1) \quad (4)$$

Let $c_2Epair_2EABS_prod : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow c_2Epair_2EABS_prod\ A_27a\ A_27b \in ((ty_2Epair_2Eprod\ A_27a\ A_27b)^{(2^{A_27b})^{A_27a}}) \quad (5)$$

Definition 11 We define $c_2Epair_2E_2C$ to be $\lambda A_27a : \iota.\lambda A_27b : \iota.\lambda V0x \in A_27a.\lambda V1y \in A_27b.(ap\ (c_2Epair_2EABS_prod\ A_27a\ A_27b)\ (V0x\ V1y))$

Let $c_2Epred_set_2EGSPEC : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow c_2Epred_set_2EGSPEC\ A_27a\ A_27b \in ((2^{A_27a})^{(ty_2Epair_2Eprod\ A_27a\ 2)^{A_27b}}) \quad (6)$$

Definition 12 We define $c_2Eiterate_2Esupport$ to be $\lambda A_27a : \iota.\lambda A_27b : \iota.\lambda V0op \in ((A_27b^{A_27b})^{A_27a}).\lambda V1x \in A_27a.\lambda V2y \in A_27b.(ap\ (c_2Eiterate_2Esupport\ A_27a\ A_27b\ op)\ (V1x\ V2y))$

Definition 13 We define c_2Ebool_2ECOND to be $\lambda A_27a : \iota.\lambda V0t \in 2.(\lambda V1t1 \in A_27a.(\lambda V2t2 \in A_27a.(ap\ (c_2Ebool_2E_2C_2F\ A_27a)\ (V1t1\ V2t2))))$

Definition 14 We define $c_2Ebool_2E_5C_2F$ to be $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap\ (c_2Ebool_2E_21\ 2)\ (V0t1\ V1t2))))$

Definition 15 We define $c_2Epred_set_2EINSERT$ to be $\lambda A_27a : \iota.\lambda V0x \in A_27a.\lambda V1s \in (2^{A_27a}).(ap\ (c_2Epred_set_2EINSERT\ A_27a)\ (V0x\ V1s))$

Definition 16 We define $c_2Epred_set_2EEMPTY$ to be $\lambda A_27a : \iota.(\lambda V0x \in A_27a.c_2Ebool_2E_2F)$.

Definition 17 We define $c_2Epred_set_2EFINITE$ to be $\lambda A_27a : \iota.\lambda V0s \in (2^{A_27a}).(ap\ (c_2Ebool_2E_21\ 2)\ (V0s))$

Definition 18 We define $c_2Eiterate_2EITSET$ to be $\lambda A_27a : \iota.\lambda A_27b : \iota.\lambda V0f \in ((A_27a^{A_27a})^{A_27b}).\lambda V1x \in A_27a.\lambda V2y \in A_27b.(ap\ (c_2Eiterate_2EITSET\ A_27a\ A_27b\ f)\ (V1x\ V2y))$

Definition 19 We define $c_2Eiterate_2Eiterate$ to be $\lambda A_27a : \iota.\lambda A_27b : \iota.\lambda V0op \in ((A_27b^{A_27b})^{A_27a}).\lambda V1x \in A_27a.\lambda V2y \in A_27b.(ap\ (c_2Eiterate_2Eiterate\ A_27a\ A_27b\ op)\ (V1x\ V2y))$

Definition 20 We define $c_2Eiterate_2Esum$ to be $\lambda A_27a : \iota.(ap\ (c_2Eiterate_2Eiterate\ A_27a\ ty_2Enum_2Enum)\ (A_27a\ ty_2Enum_2Enum))$

Assume the following.

$$\begin{aligned} & (\forall V0m \in ty_2Enum_2Enum.(\forall V1n \in ty_2Enum_2Enum.(\\ & (ap\ (ap\ c_2Earithmetic_2E_2A\ V0m)\ V1n) = (ap\ (ap\ c_2Earithmetic_2E_2A\ V1n)\ V0m)))) \end{aligned} \quad (7)$$

Assume the following.

$$True \quad (8)$$

Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow (\forall V0t \in 2.((\forall V1x \in A_27a.(p\ V0t)) \Leftrightarrow (p\ V0t))) \quad (9)$$

Assume the following.

$$\forall A.27a.nonempty\ A.27a \Rightarrow (\forall V0x \in A.27a.((V0x = V0x) \Leftrightarrow True)) \quad (10)$$

Assume the following.

$$\begin{aligned} & \forall A.27a.nonempty\ A.27a \Rightarrow (\forall V0f \in (ty_2Enum_2Enum^{A.27a}). \\ & (\forall V1c \in ty_2Enum_2Enum.(\forall V2s \in (2^{A.27a}).((ap\ (ap \\ (c_2Eiterate_2Ensum\ A.27a)\ V2s)\ (\lambda V3x \in A.27a.(ap\ (ap\ c_2Earithmetic_2E_2A \\ V1c)\ (ap\ V0f\ V3x)))) = (ap\ (ap\ c_2Earithmetic_2E_2A\ V1c)\ (ap\ (ap\ (\\ c_2Eiterate_2Ensum\ A.27a)\ V2s)\ V0f))))))) \end{aligned} \quad (11)$$

Theorem 1

$$\begin{aligned} & \forall A.27a.nonempty\ A.27a \Rightarrow (\forall V0f \in (ty_2Enum_2Enum^{A.27a}). \\ & (\forall V1c \in ty_2Enum_2Enum.(\forall V2s \in (2^{A.27a}).((ap\ (ap \\ (c_2Eiterate_2Ensum\ A.27a)\ V2s)\ (\lambda V3x \in A.27a.(ap\ (ap\ c_2Earithmetic_2E_2A \\ (ap\ V0f\ V3x)\ V1c))) = (ap\ (ap\ c_2Earithmetic_2E_2A\ (ap\ (ap\ (c_2Eiterate_2Ensum \\ A.27a)\ V2s)\ V0f))\ V1c)))))) \end{aligned}$$