

thm_2Eiterate_2EREAL__SUP__UNIQUE (TMYedk2Vyq3zXSHXgiDeiBJA1LfrVhqyvpX)

October 26, 2020

Definition 1 We define $c_2Emin_2E_3D$ to be $\lambda A.\lambda x \in A.\lambda y \in A.inj_o (x = y)$ of type $\iota \Rightarrow \iota$.

Definition 2 We define $c_2Ebool_2E_T$ to be $(ap (ap (c_2Emin_2E_3D (2^2)) (\lambda V0x \in 2.V0x)) (\lambda V1x \in 2.V1x))$

Definition 3 We define $c_2Emin_2E_40$ to be $\lambda A.\lambda P \in 2^A.if (\exists x \in A.p (ap P x))$ then (the $(\lambda x.x \in A \wedge p (ap P x))$) of type $\iota \Rightarrow \iota$.

Definition 4 We define $c_2Ebool_2E_3F$ to be $\lambda A_27a : \iota.(\lambda V0P \in (2^{A_27a}).(ap V0P (ap (c_2Emin_2E_40 A_27a P))))$

Definition 5 We define $c_2Ebool_2E_IN$ to be $\lambda A_27a : \iota.(\lambda V0x \in A_27a.(\lambda V1f \in (2^{A_27a}).(ap V1f V0x)))$

Let $ty_2Ehreal_2Ehreal : \iota$ be given. Assume the following.

$$nonempty\ ty_2Ehreal_2Ehreal \tag{1}$$

Let $ty_2Epair_2Eprod : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0.nonempty\ A0 \Rightarrow \forall A1.nonempty\ A1 \Rightarrow nonempty\ (ty_2Epair_2Eprod\ A0\ A1) \tag{2}$$

Let $ty_2Erealax_2Ereal : \iota$ be given. Assume the following.

$$nonempty\ ty_2Erealax_2Ereal \tag{3}$$

Let $c_2Erealax_2Ereal_REP_CLASS : \iota$ be given. Assume the following.

$$c_2Erealax_2Ereal_REP_CLASS \in ((2^{(ty_2Epair_2Eprod\ ty_2Ehreal_2Ehreal\ ty_2Ehreal_2Ehreal)})\ ty_2Erealax_2Ereal) \tag{4}$$

Definition 6 We define $c_2Ebool_2E_21$ to be $\lambda A_27a : \iota.(\lambda V0P \in (2^{A_27a}).(ap (ap (c_2Emin_2E_3D (2^{A_27a} P))))$

Definition 7 We define $c_2Erealax_2Ereal_REP$ to be $\lambda V0a \in ty_2Erealax_2Ereal.(ap (c_2Emin_2E_40 (ty_2Emin_2E_40 V0a)))$

Let $c_2Erealax_2Etrealt_lt : \iota$ be given. Assume the following.

$$c_2Erealax_2Etrealt_lt \in ((2^{(ty_2Epair_2Eprod\ ty_2Ehreal_2Ehreal\ ty_2Ehreal_2Ehreal)})\ (ty_2Epair_2Eprod\ ty_2Ehreal_2Ehreal\ ty_2Ehreal_2Ehreal)) \tag{5}$$

Definition 8 We define $c_2Erealax_2Ereal_lt$ to be $\lambda V0T1 \in ty_2Erealax_2Ereal.\lambda V1T2 \in ty_2Erealax_2Ereal$

Definition 9 We define $c_2Emin_2E_3D_3D_3E$ to be $\lambda P \in 2.\lambda Q \in 2.inj_o (p P \Rightarrow p Q)$ of type ι .

Definition 10 We define $c_2Ebool_2E_2F_5C$ to be $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap (c_2Ebool_2E_21) 2) (\lambda V2t \in 2.V0t1)))$

Definition 11 We define c_2Ereal_2Esup to be $\lambda V0P \in (2^{ty_2Erealax_2Ereal}).(ap (c_2Emin_2E_40) ty_2Erealax_2Ereal)$

Definition 12 We define $c_2Ebool_2E_EF$ to be $(ap (c_2Ebool_2E_21) 2) (\lambda V0t \in 2.V0t1)$.

Definition 13 We define $c_2Ebool_2E_7E$ to be $(\lambda V0t \in 2.(ap (ap c_2Emin_2E_3D_3D_3E) V0t) c_2Ebool_2E_21)$

Definition 14 We define $c_2Ereal_2Ereal_lte$ to be $\lambda V0x \in ty_2Erealax_2Ereal.\lambda V1y \in ty_2Erealax_2Ereal$

Definition 15 We define $c_2Ebool_2E_5C_2F$ to be $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap (c_2Ebool_2E_21) 2) (\lambda V2t \in 2.V0t1)))$

Assume the following.

$$True \tag{6}$$

Assume the following.

$$(\forall V0t1 \in 2.(\forall V1t2 \in 2.(((p V0t1) \Rightarrow (p V1t2)) \Rightarrow (((p V1t2) \Rightarrow (p V0t1)) \Rightarrow ((p V0t1) \Leftrightarrow (p V1t2)))))) \tag{7}$$

Assume the following.

$$(\forall V0t \in 2.(False \Rightarrow (p V0t))) \tag{8}$$

Assume the following.

$$(\forall V0t \in 2.((p V0t) \vee \neg(p V0t))) \tag{9}$$

Assume the following.

$$(\forall V0t1 \in 2.(\forall V1t2 \in 2.(\forall V2t3 \in 2.(((p V0t1) \wedge ((p V1t2) \wedge (p V2t3))) \Leftrightarrow (((p V0t1) \wedge (p V1t2)) \wedge (p V2t3)))))) \tag{10}$$

Assume the following.

$$(\forall V0t \in 2.(((p V0t) \Rightarrow False) \Rightarrow \neg(p V0t))) \tag{11}$$

Assume the following.

$$(\forall V0t \in 2.(\neg(p V0t) \Rightarrow ((p V0t) \Rightarrow False))) \tag{12}$$

Assume the following.

$$(\forall V0t \in 2.(((True \wedge (p V0t)) \Leftrightarrow (p V0t)) \wedge (((p V0t) \wedge True) \Leftrightarrow (p V0t)) \wedge (((False \wedge (p V0t)) \Leftrightarrow False) \wedge (((p V0t) \wedge False) \Leftrightarrow False) \wedge (((p V0t) \wedge (p V0t)) \Leftrightarrow (p V0t)))))) \tag{13}$$

Assume the following.

$$\begin{aligned}
& (\forall V0t \in 2.(((True \vee (p \ V0t)) \Leftrightarrow True) \wedge (((p \ V0t) \vee True) \Leftrightarrow True) \wedge \\
& (((False \vee (p \ V0t)) \Leftrightarrow (p \ V0t)) \wedge (((p \ V0t) \vee False) \Leftrightarrow (p \ V0t)) \wedge (((p \ V0t) \vee \\
& (p \ V0t)) \Leftrightarrow (p \ V0t))))))
\end{aligned} \tag{14}$$

Assume the following.

$$\begin{aligned}
& (\forall V0t \in 2.(((True \Rightarrow (p \ V0t)) \Leftrightarrow (p \ V0t)) \wedge (((p \ V0t) \Rightarrow True) \Leftrightarrow \\
& True) \wedge (((False \Rightarrow (p \ V0t)) \Leftrightarrow True) \wedge (((p \ V0t) \Rightarrow (p \ V0t)) \Leftrightarrow True) \wedge ((\\
& (p \ V0t) \Rightarrow False) \Leftrightarrow (\neg(p \ V0t))))))
\end{aligned} \tag{15}$$

Assume the following.

$$\begin{aligned}
& ((\forall V0t \in 2.((\neg(\neg(p \ V0t))) \Leftrightarrow (p \ V0t)) \wedge ((\neg True) \Leftrightarrow False) \wedge \\
& ((\neg False) \Leftrightarrow True)))
\end{aligned} \tag{16}$$

Assume the following.

$$\begin{aligned}
& \forall A_27a.nonempty \ A_27a \Rightarrow (\forall V0x \in A_27a.((V0x = V0x) \Leftrightarrow \\
& True))
\end{aligned} \tag{17}$$

Assume the following.

$$\begin{aligned}
& \forall A_27a.nonempty \ A_27a \Rightarrow (\forall V0x \in A_27a.(\forall V1y \in \\
& A_27a.((V0x = V1y) \Leftrightarrow (V1y = V0x))))
\end{aligned} \tag{18}$$

Assume the following.

$$\begin{aligned}
& (\forall V0t \in 2.(((True \Leftrightarrow (p \ V0t)) \Leftrightarrow (p \ V0t)) \wedge (((p \ V0t) \Leftrightarrow True) \Leftrightarrow \\
& (p \ V0t)) \wedge (((False \Leftrightarrow (p \ V0t)) \Leftrightarrow (\neg(p \ V0t))) \wedge (((p \ V0t) \Leftrightarrow False) \Leftrightarrow (\neg(\\
& p \ V0t))))))
\end{aligned} \tag{19}$$

Assume the following.

$$\begin{aligned}
& \forall A_27a.nonempty \ A_27a \Rightarrow (\forall V0P \in (2^{A_27a}).(\forall V1x \in \\
& A_27a.((\forall V2y \in A_27a.((p \ (ap \ V0P \ V2y)) \Leftrightarrow (V2y = V1x))) \Rightarrow ((ap \\
& (c.2Emin.2E.40 \ A_27a) \ V0P) = V1x))))
\end{aligned} \tag{20}$$

Assume the following.

$$\begin{aligned}
& \forall A_27a.nonempty \ A_27a \Rightarrow (\forall V0P \in (2^{A_27a}).((\neg(\forall V1x \in \\
& A_27a.(p \ (ap \ V0P \ V1x)))) \Leftrightarrow (\exists V2x \in A_27a.(\neg(p \ (ap \ V0P \ V2x))))))
\end{aligned} \tag{21}$$

Assume the following.

$$\begin{aligned}
& \forall A_27a.nonempty \ A_27a \Rightarrow (\forall V0P \in (2^{A_27a}).(\forall V1Q \in \\
& (2^{A_27a}).((\exists V2x \in A_27a.((p \ (ap \ V0P \ V2x)) \vee (p \ (ap \ V1Q \ V2x)))) \Leftrightarrow \\
& ((\exists V3x \in A_27a.(p \ (ap \ V0P \ V3x))) \vee (\exists V4x \in A_27a.(p \ (\\
& ap \ V1Q \ V4x))))))
\end{aligned} \tag{22}$$

Assume the following.

$$\begin{aligned} \forall A.27a.nonempty\ A.27a \Rightarrow (\forall V0P \in (2^{A-27a}).(\forall V1Q \in \\ 2.((\exists V2x \in A.27a.(p\ (ap\ V0P\ V2x))) \vee (p\ V1Q))) \Leftrightarrow (\exists V3x \in \\ A.27a.((p\ (ap\ V0P\ V3x)) \vee (p\ V1Q)))))) \end{aligned} \quad (23)$$

Assume the following.

$$\begin{aligned} \forall A.27a.nonempty\ A.27a \Rightarrow (\forall V0P \in 2.(\forall V1Q \in (\\ 2^{A-27a}).((p\ V0P) \vee (\exists V2x \in A.27a.(p\ (ap\ V1Q\ V2x)))) \Leftrightarrow (\exists V3x \in \\ A.27a.((p\ V0P) \vee (p\ (ap\ V1Q\ V3x)))))) \end{aligned} \quad (24)$$

Assume the following.

$$\begin{aligned} \forall A.27a.nonempty\ A.27a \Rightarrow (\forall V0P \in (2^{A-27a}).(\forall V1Q \in \\ 2.((\exists V2x \in A.27a.((p\ (ap\ V0P\ V2x)) \wedge (p\ V1Q))) \Leftrightarrow ((\exists V3x \in \\ A.27a.(p\ (ap\ V0P\ V3x)) \wedge (p\ V1Q)))))) \end{aligned} \quad (25)$$

Assume the following.

$$\begin{aligned} \forall A.27a.nonempty\ A.27a \Rightarrow (\forall V0P \in 2.(\forall V1Q \in (\\ 2^{A-27a}).((\exists V2x \in A.27a.((p\ V0P) \wedge (p\ (ap\ V1Q\ V2x)))) \Leftrightarrow ((p \\ V0P) \wedge (\exists V3x \in A.27a.(p\ (ap\ V1Q\ V3x)))))) \end{aligned} \quad (26)$$

Assume the following.

$$\begin{aligned} (\forall V0A \in 2.(\forall V1B \in 2.(\forall V2C \in 2.(((p\ V0A) \vee (\\ (p\ V1B) \vee (p\ V2C))) \Leftrightarrow (((p\ V0A) \vee (p\ V1B)) \vee (p\ V2C)))))) \end{aligned} \quad (27)$$

Assume the following.

$$\begin{aligned} (\forall V0A \in 2.(\forall V1B \in 2.(((p\ V0A) \vee (p\ V1B)) \Leftrightarrow ((p\ V1B) \vee \\ (p\ V0A)))) \end{aligned} \quad (28)$$

Assume the following.

$$\begin{aligned} (\forall V0A \in 2.(\forall V1B \in 2.(((\neg((p\ V0A) \wedge (p\ V1B))) \Leftrightarrow ((\neg(\\ p\ V0A)) \vee (\neg(p\ V1B)))))) \wedge (((\neg((p\ V0A) \vee (p\ V1B))) \Leftrightarrow ((\neg(p\ V0A)) \wedge (\neg(p\ V1B)))))) \end{aligned} \quad (29)$$

Assume the following.

$$\begin{aligned} \forall A.27a.nonempty\ A.27a \Rightarrow \forall A.27b.nonempty\ A.27b \Rightarrow (\\ \forall V0P \in ((2^{A-27b})^{A-27a}).((\forall V1x \in A.27a.(\exists V2y \in \\ A.27b.(p\ (ap\ (ap\ V0P\ V1x)\ V2y)))) \Leftrightarrow (\exists V3f \in (A.27b^{A-27a}).(\\ \forall V4x \in A.27a.(p\ (ap\ (ap\ V0P\ V4x)\ (ap\ V3f\ V4x)))))) \end{aligned} \quad (30)$$

Assume the following.

$$\begin{aligned}
& (\forall V0s \in (2^{ty_2Erealax_2Ereal}).((ap\ c_2Ereal_2Esup\ V0s) = \\
& (ap\ (c_2Emin_2E_40\ ty_2Erealax_2Ereal)\ (\lambda V1a \in ty_2Erealax_2Ereal. \\
& (ap\ (ap\ c_2Ebool_2E_2F_5C\ (ap\ (c_2Ebool_2E_21\ ty_2Erealax_2Ereal) \\
& (\lambda V2x \in ty_2Erealax_2Ereal.(ap\ (ap\ c_2Emin_2E_3D_3D_3E\ (ap \\
& (ap\ (c_2Ebool_2EIN\ ty_2Erealax_2Ereal)\ V2x)\ V0s))\ (ap\ (ap\ c_2Ereal_2Ereal_lte \\
& V2x)\ V1a))))))\ (ap\ (c_2Ebool_2E_21\ ty_2Erealax_2Ereal)\ (\lambda V3b \in \\
& ty_2Erealax_2Ereal.(ap\ (ap\ c_2Emin_2E_3D_3D_3E\ (ap\ (c_2Ebool_2E_21 \\
& ty_2Erealax_2Ereal)\ (\lambda V4x \in ty_2Erealax_2Ereal.(ap\ (ap\ c_2Emin_2E_3D_3D_3E \\
& (ap\ (ap\ (c_2Ebool_2EIN\ ty_2Erealax_2Ereal)\ V4x)\ V0s))\ (ap\ (ap\ c_2Ereal_2Ereal_lte \\
& V4x)\ V3b))))))\ (ap\ (ap\ c_2Ereal_2Ereal_lte\ V1a)\ V3b)))))))))
\end{aligned} \tag{31}$$

Assume the following.

$$\begin{aligned}
& (\forall V0x \in ty_2Erealax_2Ereal.(\forall V1y \in ty_2Erealax_2Ereal. \\
& ((\neg(p\ (ap\ (ap\ c_2Ereal_2Ereal_lte\ V0x)\ V1y))) \Leftrightarrow (p\ (ap\ (ap\ c_2Erealax_2Ereal_lte \\
& V1y)\ V0x))))))
\end{aligned} \tag{32}$$

Assume the following.

$$\begin{aligned}
& (\forall V0x \in ty_2Erealax_2Ereal.(\forall V1y \in ty_2Erealax_2Ereal. \\
& (((p\ (ap\ (ap\ c_2Ereal_2Ereal_lte\ V0x)\ V1y)) \wedge (p\ (ap\ (ap\ c_2Ereal_2Ereal_lte \\
& V1y)\ V0x)))) \Leftrightarrow (V0x = V1y))))
\end{aligned} \tag{33}$$

Assume the following.

$$(\forall V0t \in 2.((\neg(\neg(p\ V0t))) \Leftrightarrow (p\ V0t))) \tag{34}$$

Assume the following.

$$(\forall V0A \in 2.((p\ V0A) \Rightarrow ((\neg(p\ V0A)) \Rightarrow False))) \tag{35}$$

Assume the following.

$$\begin{aligned}
& (\forall V0A \in 2.(\forall V1B \in 2.(((\neg((p\ V0A) \vee (p\ V1B))) \Rightarrow False) \Leftrightarrow \\
& (((p\ V0A) \Rightarrow False) \Rightarrow ((\neg(p\ V1B)) \Rightarrow False))))))
\end{aligned} \tag{36}$$

Assume the following.

$$\begin{aligned}
& (\forall V0A \in 2.(\forall V1B \in 2.(((\neg((\neg(p\ V0A)) \vee (p\ V1B))) \Rightarrow False) \Leftrightarrow \\
& ((p\ V0A) \Rightarrow ((\neg(p\ V1B)) \Rightarrow False))))))
\end{aligned} \tag{37}$$

Assume the following.

$$(\forall V0A \in 2.(((\neg(p\ V0A)) \Rightarrow False) \Rightarrow (((p\ V0A) \Rightarrow False) \Rightarrow False))) \tag{38}$$

Assume the following.

$$\begin{aligned}
& (\forall V0p \in 2.(\forall V1q \in 2.(\forall V2r \in 2.(((p\ V0p) \Leftrightarrow (\\
& (p\ V1q) \Leftrightarrow (p\ V2r))) \Leftrightarrow (((p\ V0p) \vee ((p\ V1q) \vee (p\ V2r))) \wedge (((p\ V0p) \vee ((\neg \\
& p\ V2r)) \vee (\neg(p\ V1q)))) \wedge (((p\ V1q) \vee ((\neg(p\ V2r)) \vee (\neg(p\ V0p)))) \wedge ((p\ V2r) \vee \\
& ((\neg(p\ V1q)) \vee (\neg(p\ V0p))))))))))
\end{aligned} \tag{39}$$

Assume the following.

$$\begin{aligned}
& (\forall V0p \in 2. (\forall V1q \in 2. (\forall V2r \in 2. (((p \ V0p) \Leftrightarrow (\\
& (p \ V1q) \wedge (p \ V2r))) \Leftrightarrow (((p \ V0p) \vee (\neg(p \ V1q)) \vee (\neg(p \ V2r)))) \wedge (((p \ V1q) \vee \\
& (\neg(p \ V0p))) \wedge ((p \ V2r) \vee (\neg(p \ V0p))))))))))
\end{aligned} \tag{40}$$

Assume the following.

$$\begin{aligned}
& (\forall V0p \in 2. (\forall V1q \in 2. (\forall V2r \in 2. (((p \ V0p) \Leftrightarrow (\\
& (p \ V1q) \vee (p \ V2r))) \Leftrightarrow (((p \ V0p) \vee (\neg(p \ V1q))) \wedge ((p \ V0p) \vee (\neg(p \ V2r)))) \wedge \\
& ((p \ V1q) \vee ((p \ V2r) \vee (\neg(p \ V0p))))))))))
\end{aligned} \tag{41}$$

Assume the following.

$$\begin{aligned}
& (\forall V0p \in 2. (\forall V1q \in 2. (\forall V2r \in 2. (((p \ V0p) \Leftrightarrow (\\
& (p \ V1q) \Rightarrow (p \ V2r))) \Leftrightarrow (((p \ V0p) \vee (p \ V1q)) \wedge (((p \ V0p) \vee (\neg(p \ V2r))) \wedge (\\
& \neg(p \ V1q)) \vee ((p \ V2r) \vee (\neg(p \ V0p))))))))))
\end{aligned} \tag{42}$$

Assume the following.

$$\begin{aligned}
& (\forall V0p \in 2. (\forall V1q \in 2. (((p \ V0p) \Leftrightarrow (\neg(p \ V1q))) \Leftrightarrow (((p \ V0p) \vee \\
& (p \ V1q)) \wedge ((\neg(p \ V1q)) \vee (\neg(p \ V0p))))))
\end{aligned} \tag{43}$$

Assume the following.

$$(\forall V0p \in 2. (\forall V1q \in 2. ((\neg((p \ V0p) \Rightarrow (p \ V1q))) \Rightarrow (p \ V0p))) \tag{44}$$

Assume the following.

$$(\forall V0p \in 2. (\forall V1q \in 2. ((\neg((p \ V0p) \Rightarrow (p \ V1q))) \Rightarrow (\neg(p \ V1q)))) \tag{45}$$

Assume the following.

$$(\forall V0p \in 2. (\forall V1q \in 2. ((\neg((p \ V0p) \vee (p \ V1q))) \Rightarrow (\neg(p \ V0p)))) \tag{46}$$

Assume the following.

$$(\forall V0p \in 2. (\forall V1q \in 2. ((\neg((p \ V0p) \vee (p \ V1q))) \Rightarrow (\neg(p \ V1q)))) \tag{47}$$

Assume the following.

$$(\forall V0p \in 2. ((\neg(\neg(p \ V0p))) \Rightarrow (p \ V0p))) \tag{48}$$

Theorem 1

$$\begin{aligned}
& (\forall V0s \in (2^{ty_2Erealax_2Ereal}). (\forall V1b \in ty_2Erealax_2Ereal. \\
& (((\forall V2x \in ty_2Erealax_2Ereal. ((p \ (ap \ (ap \ (c_2Ebool_2EIN \\
& ty_2Erealax_2Ereal) \ V2x) \ V0s)) \Rightarrow (p \ (ap \ (ap \ c_2Ereal_2Ereal_lte \\
& V2x) \ V1b)))) \wedge (\forall V3b_27 \in ty_2Erealax_2Ereal. ((p \ (ap \ (ap \\
& c_2Erealax_2Ereal_lt \ V3b_27) \ V1b)) \Rightarrow (\exists V4x \in ty_2Erealax_2Ereal. \\
& ((p \ (ap \ (ap \ (c_2Ebool_2EIN \ ty_2Erealax_2Ereal) \ V4x) \ V0s)) \wedge (p \ (\\
& ap \ (ap \ c_2Erealax_2Ereal_lt \ V3b_27) \ V4x)))))) \Rightarrow ((ap \ c_2Ereal_2Esup \\
& V0s) = V1b)))
\end{aligned}$$