

# thm\_2Eiterate\_2ESUM\_ADD\_GEN (TMP4ZXLfos7HSQbc5KiiYgT2o19io44JitC)

October 26, 2020

**Definition 1** We define  $c\_2Emin\_2E\_3D$  to be  $\lambda A.\lambda x \in A.\lambda y \in A.inj\_o (x = y)$  of type  $\iota \Rightarrow \iota$ .

**Definition 2** We define  $c\_2Ebool\_2E\_2T$  to be  $(ap (ap (c\_2Emin\_2E\_3D (2^2)) (\lambda V0x \in 2.V0x)) (\lambda V1x \in 2.V1x))$

**Definition 3** We define  $c\_2Ebool\_2E\_21$  to be  $\lambda A\_27a : \iota.(\lambda V0P \in (2^{A\_27a}).(ap (ap (c\_2Emin\_2E\_3D (2^{A\_27a}))$

**Definition 4** We define  $c\_2Ebool\_2E\_2F$  to be  $(ap (c\_2Ebool\_2E\_21 2) (\lambda V0t \in 2.V0t))$ .

**Definition 5** We define  $c\_2Emin\_2E\_3D\_3D\_3E$  to be  $\lambda P \in 2.\lambda Q \in 2.inj\_o (p P \Rightarrow p Q)$  of type  $\iota$ .

**Definition 6** We define  $c\_2Ebool\_2E\_27E$  to be  $(\lambda V0t \in 2.(ap (ap c\_2Emin\_2E\_3D\_3D\_3E V0t) c\_2Ebool\_2E\_2F$

**Definition 7** We define  $c\_2Ebool\_2E\_2IN$  to be  $\lambda A\_27a : \iota.(\lambda V0x \in A\_27a.(\lambda V1f \in (2^{A\_27a}).(ap V1f V0x)))$

**Definition 8** We define  $c\_2Ebool\_2E\_2F\_5C$  to be  $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap (c\_2Ebool\_2E\_21 2) (\lambda V2t \in 2.V2t))$

Let  $ty\_2Epair\_2Eprod : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A0.nonempty A0 \Rightarrow \forall A1.nonempty A1 \Rightarrow nonempty (ty\_2Epair\_2Eprod A0 A1) \tag{1}$$

Let  $c\_2Epair\_2EABS\_prod : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.nonempty A\_27a \Rightarrow \forall A\_27b.nonempty A\_27b \Rightarrow c\_2Epair\_2EABS\_prod A\_27a A\_27b \in ((ty\_2Epair\_2Eprod A\_27a A\_27b)^{(2^{A\_27b})^{A\_27a}}) \tag{2}$$

**Definition 9** We define  $c\_2Epair\_2E\_2C$  to be  $\lambda A\_27a : \iota.\lambda A\_27b : \iota.\lambda V0x \in A\_27a.\lambda V1y \in A\_27b.(ap (c\_2E$

Let  $c\_2Epred\_set\_2EGSPEC : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.nonempty A\_27a \Rightarrow \forall A\_27b.nonempty A\_27b \Rightarrow c\_2Epred\_set\_2EGSPEC A\_27a A\_27b \in ((2^{A\_27a})^{(ty\_2Epair\_2Eprod A\_27a 2)^{A\_27b}}) \tag{3}$$



**Definition 21** We define  $c\_2Erealax\_2Ereal\_ABS$  to be  $\lambda V0r \in (ty\_2Epair\_2Eprod\ ty\_2Ehreal\_2Ehreal\ ty$

**Definition 22** We define  $c\_2Erealax\_2Ereal\_add$  to be  $\lambda V0T1 \in ty\_2Erealax\_2Ereal.\lambda V1T2 \in ty\_2Erealax$

**Definition 23** We define  $c\_2Eiterate\_2ESum$  to be  $\lambda A\_27a : \iota.(ap\ (c\_2Eiterate\_2Eiterate\ A\_27a\ ty\_2Erealax$

Let  $c\_2Enum\_2EZERO\_REP : \iota$  be given. Assume the following.

$$c\_2Enum\_2EZERO\_REP \in \omega \tag{10}$$

Let  $ty\_2Enum\_2Enum : \iota$  be given. Assume the following.

$$nonempty\ ty\_2Enum\_2Enum \tag{11}$$

Let  $c\_2Enum\_2EABS\_num : \iota$  be given. Assume the following.

$$c\_2Enum\_2EABS\_num \in (ty\_2Enum\_2Enum^{\omega}) \tag{12}$$

**Definition 24** We define  $c\_2Enum\_2E0$  to be  $(ap\ c\_2Enum\_2EABS\_num\ c\_2Enum\_2EZERO\_REP)$ .

Let  $c\_2Ereal\_2Ereal\_of\_num : \iota$  be given. Assume the following.

$$c\_2Ereal\_2Ereal\_of\_num \in (ty\_2Erealax\_2Ereal^{ty\_2Enum\_2Enum}) \tag{13}$$

**Definition 25** We define  $c\_2Eiterate\_2Emonoidal$  to be  $\lambda A\_27a : \iota.\lambda V0op \in ((A\_27a^{A\_27a})^{A\_27a}).(ap\ (ap\ c\_2$

Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow (\forall V0x \in A\_27a. (\forall V1y \in A\_27a. ((V0x = V1y) \Leftrightarrow (V1y = V0x)))) \tag{14}$$

Assume the following.

$$\begin{aligned} & \forall A\_27a.nonempty\ A\_27a \Rightarrow \forall A\_27b.nonempty\ A\_27b \Rightarrow ( \\ & \forall V0op \in ((A\_27b^{A\_27b})^{A\_27b}). ((p\ (ap\ (c\_2Eiterate\_2Emonoidal \\ & A\_27b)\ V0op)) \Rightarrow (\forall V1f \in (A\_27b^{A\_27a}). (\forall V2g \in (A\_27b^{A\_27a}). \\ & (\forall V3s \in (2^{A\_27a}). (((p\ (ap\ (c\_2Epred\_set\_2EFINITE\ A\_27a) \\ & (ap\ (ap\ (ap\ (c\_2Eiterate\_2Esupport\ A\_27a\ A\_27b)\ V0op)\ V1f)\ V3s)))) \wedge \\ & (p\ (ap\ (c\_2Epred\_set\_2EFINITE\ A\_27a)\ (ap\ (ap\ (ap\ (c\_2Eiterate\_2Esupport \\ & A\_27a\ A\_27b)\ V0op)\ V2g)\ V3s)))) \Rightarrow ((ap\ (ap\ (ap\ (c\_2Eiterate\_2Eiterate \\ & A\_27a\ A\_27b)\ V0op)\ V3s)\ (\lambda V4x \in A\_27a.(ap\ (ap\ V0op\ (ap\ V1f\ V4x)) \\ & (ap\ V2g\ V4x)))) = (ap\ (ap\ V0op\ (ap\ (ap\ (ap\ (c\_2Eiterate\_2Eiterate \\ & A\_27a\ A\_27b)\ V0op)\ V3s)\ V1f))\ (ap\ (ap\ (ap\ (c\_2Eiterate\_2Eiterate \\ & A\_27a\ A\_27b)\ V0op)\ V3s)\ V2g))))))))) \end{aligned} \tag{15}$$

Assume the following.

$$((ap\ (c\_2Eiterate\_2Eneutral\ ty\_2Erealax\_2Ereal)\ c\_2Erealax\_2Ereal\_add) = (ap\ c\_2Ereal\_2Ereal\_of\_num\ c\_2Enum\_2E0)) \tag{16}$$

Assume the following.

$$(p\ (ap\ (c\_2Eiterate\_2Emonoidal\ ty\_2Erealax\_2Ereal)\ c\_2Erealax\_2Ereal\_add)) \tag{17}$$

**Theorem 1**

$$\begin{aligned}
& \forall A\_27a.nonempty\ A\_27a \Rightarrow (\forall V0f \in (ty\_2Erealax\_2Ereal^{A\_27a}). \\
& \quad (\forall V1g \in (ty\_2Erealax\_2Ereal^{A\_27a}). (\forall V2s \in (2^{A\_27a}). \\
& \quad ((p\ (ap\ (c\_2Epred\_set\_2EFINITE\ A\_27a)\ (ap\ (c\_2Epred\_set\_2EGSPEC \\
& \quad A\_27a\ A\_27a)\ (\lambda V3x \in A\_27a.(ap\ (ap\ (c\_2Epair\_2E\_2C\ A\_27a\ 2) \\
& \quad V3x)\ (ap\ (ap\ c\_2Ebool\_2E\_2F\_5C\ (ap\ (ap\ (c\_2Ebool\_2EIN\ A\_27a)\ V3x) \\
& \quad V2s))\ (ap\ c\_2Ebool\_2E\_7E\ (ap\ (ap\ (c\_2Emin\_2E\_3D\ ty\_2Erealax\_2Ereal) \\
& \quad (ap\ V0f\ V3x))\ (ap\ c\_2Ereal\_2Ereal\_of\_num\ c\_2Enum\_2E0)))))) \wedge \\
& \quad (p\ (ap\ (c\_2Epred\_set\_2EFINITE\ A\_27a)\ (ap\ (c\_2Epred\_set\_2EGSPEC \\
& \quad A\_27a\ A\_27a)\ (\lambda V4x \in A\_27a.(ap\ (ap\ (c\_2Epair\_2E\_2C\ A\_27a\ 2) \\
& \quad V4x)\ (ap\ (ap\ c\_2Ebool\_2E\_2F\_5C\ (ap\ (ap\ (c\_2Ebool\_2EIN\ A\_27a)\ V4x) \\
& \quad V2s))\ (ap\ c\_2Ebool\_2E\_7E\ (ap\ (ap\ (c\_2Emin\_2E\_3D\ ty\_2Erealax\_2Ereal) \\
& \quad (ap\ V1g\ V4x))\ (ap\ c\_2Ereal\_2Ereal\_of\_num\ c\_2Enum\_2E0)))))) \Rightarrow \\
& \quad ((ap\ (ap\ (c\_2Eiterate\_2ESum\ A\_27a)\ V2s)\ (\lambda V5x \in A\_27a.(ap\ (ap \\
& \quad c\_2Erealax\_2Ereal\_add\ (ap\ V0f\ V5x))\ (ap\ V1g\ V5x)))) = (ap\ (ap\ c\_2Erealax\_2Ereal\_add \\
& \quad (ap\ (ap\ (c\_2Eiterate\_2ESum\ A\_27a)\ V2s)\ V0f))\ (ap\ (ap\ (c\_2Eiterate\_2ESum \\
& \quad A\_27a)\ V2s)\ V1g))))))
\end{aligned}$$