

thm_2Eiterate_2ESUM_CASES (TMXGbC- ScyMQqCvTkoQ4YWm3McyhpQKmnFLE)

October 26, 2020

Definition 1 We define $c_2Emin_2E_3D$ to be $\lambda A.\lambda x \in A.\lambda y \in A.inj_o (x = y)$ of type $\iota \Rightarrow \iota$.

Definition 2 We define $c_2Ebool_2E_2E$ to be $(ap (ap (c_2Emin_2E_3D (2^2)) (\lambda V0x \in 2.V0x)) (\lambda V1x \in 2.V1x))$

Definition 3 We define $c_2Ebool_2E_21$ to be $\lambda A_27a : \iota.(\lambda V0P \in (2^{A_27a}).(ap (ap (c_2Emin_2E_3D (2^{A_27a}))$

Definition 4 We define $c_2Ebool_2E_2E$ to be $(ap (c_2Ebool_2E_21 2) (\lambda V0t \in 2.V0t))$.

Definition 5 We define $c_2Emin_2E_3D_3D_3E$ to be $\lambda P \in 2.\lambda Q \in 2.inj_o (p P \Rightarrow p Q)$ of type ι .

Definition 6 We define $c_2Ebool_2E_7E$ to be $(\lambda V0t \in 2.(ap (ap c_2Emin_2E_3D_3D_3E V0t) c_2Ebool_2E_2E$

Definition 7 We define $c_2Ebool_2E_IN$ to be $\lambda A_27a : \iota.(\lambda V0x \in A_27a.(\lambda V1f \in (2^{A_27a}).(ap V1f V0x)))$

Definition 8 We define $c_2Ebool_2E_2F_5C$ to be $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap (c_2Ebool_2E_21 2) (\lambda V2t \in 2.V2t))$

Let $ty_2Epair_2Eprod : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0.nonempty A0 \Rightarrow \forall A1.nonempty A1 \Rightarrow nonempty (ty_2Epair_2Eprod A0 A1) \quad (1)$$

Let $c_2Epair_2EABS_prod : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty A_27a \Rightarrow \forall A_27b.nonempty A_27b \Rightarrow c_2Epair_2EABS_prod A_27a A_27b \in ((ty_2Epair_2Eprod A_27a A_27b)^{(2^{A_27b})^{A_27a}}) \quad (2)$$

Definition 9 We define $c_2Epair_2E_2C$ to be $\lambda A_27a : \iota.\lambda A_27b : \iota.\lambda V0x \in A_27a.\lambda V1y \in A_27b.(ap (c_2E$

Let $c_2Epred_set_2EGSPEC : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty A_27a \Rightarrow \forall A_27b.nonempty A_27b \Rightarrow c_2Epred_set_2EGSPEC A_27a A_27b \in ((2^{A_27a})^{(ty_2Epair_2Eprod A_27a 2)^{A_27b}}) \quad (3)$$

Definition 10 We define c_2Emin_2E40 to be $\lambda A.\lambda P \in 2^A.$ if $(\exists x \in A.p (ap P x))$ then $(the (\lambda x.x \in A.\lambda p.p$
of type $\iota \Rightarrow \iota$.

Definition 11 We define c_2Ebool_2ECOND to be $\lambda A.27a : \iota.(\lambda V0t \in 2.(\lambda V1t1 \in A.27a.(\lambda V2t2 \in A.27a.($

Definition 12 We define $c_2Ebool_2E5C_2E2F$ to be $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap (c_2Ebool_2E21 2) (\lambda V2t \in$

Definition 13 We define $c_2Epred_set_2EINSERT$ to be $\lambda A.27a : \iota.\lambda V0x \in A.27a.\lambda V1s \in (2^{A.27a}).(ap (c_$

Definition 14 We define $c_2Epred_set_2EEMPTY$ to be $\lambda A.27a : \iota.(\lambda V0x \in A.27a.c_2Ebool_2E2F).$

Definition 15 We define $c_2Epred_set_2EFINITE$ to be $\lambda A.27a : \iota.\lambda V0s \in (2^{A.27a}).(ap (c_2Ebool_2E21 (2$

Definition 16 We define $c_2Eiterate_2Eneutral$ to be $\lambda A.27a : \iota.\lambda V0op \in ((A.27a^{A.27a})^{A.27a}).(ap (c_2Emin$

Definition 17 We define $c_2Eiterate_2Esupport$ to be $\lambda A.27a : \iota.\lambda A.27b : \iota.\lambda V0op \in ((A.27b^{A.27b})^{A.27b}).\lambda V$

Definition 18 We define $c_2Eiterate_2EITSET$ to be $\lambda A.27a : \iota.\lambda A.27b : \iota.\lambda V0f \in ((A.27a^{A.27a})^{A.27b}).\lambda V$

Definition 19 We define $c_2Eiterate_2Eiterate$ to be $\lambda A.27a : \iota.\lambda A.27b : \iota.\lambda V0op \in ((A.27b^{A.27b})^{A.27b}).\lambda V$

Let $ty_2Ehreal_2Ehreal : \iota$ be given. Assume the following.

$$nonempty\ ty_2Ehreal_2Ehreal \quad (4)$$

Let $ty_2Erealax_2Ereal : \iota$ be given. Assume the following.

$$nonempty\ ty_2Erealax_2Ereal \quad (5)$$

Let $c_2Erealax_2Ereal_REP_CLASS : \iota$ be given. Assume the following.

$$c_2Erealax_2Ereal_REP_CLASS \in ((2^{(ty_2Epair_2Eprod\ ty_2Ehreal_2Ehreal\ ty_2Ehreal_2Ehreal)})^{ty_2Erealax} \quad (6)$$

Definition 20 We define $c_2Erealax_2Ereal_REP$ to be $\lambda V0a \in ty_2Erealax_2Ereal.(ap (c_2Emin_2E40 (t$

Let $c_2Erealax_2Etrealm_add : \iota$ be given. Assume the following.

$$c_2Erealax_2Etrealm_add \in (((ty_2Epair_2Eprod\ ty_2Ehreal_2Ehreal\ ty_2Ehreal_2Ehreal) \quad (7)$$

Let $c_2Erealax_2Etrealm_eq : \iota$ be given. Assume the following.

$$c_2Erealax_2Etrealm_eq \in ((2^{(ty_2Epair_2Eprod\ ty_2Ehreal_2Ehreal\ ty_2Ehreal_2Ehreal)})^{ty_2Epair_2Eprod\ ty_2Ehreal_2Ehreal} \quad (8)$$

Let $c_2Erealax_2Ereal_ABS_CLASS : \iota$ be given. Assume the following.

$$c_2Erealax_2Ereal_ABS_CLASS \in (ty_2Erealax_2Ereal)^{(2^{(ty_2Epair_2Eprod\ ty_2Ehreal_2Ehreal\ ty_2Ehreal_2Ehreal)}) \quad (9)$$

Definition 21 We define $c_2Erealax_2Ereal_ABS$ to be $\lambda V0r \in (ty_2Epair_2Eprod\ ty_2Ehreal_2Ehreal\ ty$

Definition 22 We define $c_2Erealax_2Ereal_add$ to be $\lambda V0T1 \in ty_2Erealax_2Ereal.\lambda V1T2 \in ty_2Erealax$

Definition 23 We define $c_2Eiterate_2ESum$ to be $\lambda A_27a : \iota.(ap\ (c_2Eiterate_2Eiterate\ A_27a\ ty_2Erealax$

Definition 24 We define $c_2Eiterate_2Emonoidal$ to be $\lambda A_27a : \iota.\lambda V0op \in ((A_27a^{A_27a})^{A_27a}).(ap\ (ap\ c_2$

Assume the following.

$$True \tag{10}$$

Assume the following.

$$\begin{aligned} & (\forall V0t \in 2.(((True \Leftrightarrow (p\ V0t)) \Leftrightarrow (p\ V0t)) \wedge (((p\ V0t) \Leftrightarrow True) \Leftrightarrow \\ & (p\ V0t)) \wedge (((False \Leftrightarrow (p\ V0t)) \Leftrightarrow \neg(p\ V0t)) \wedge (((p\ V0t) \Leftrightarrow False) \Leftrightarrow \neg(\\ & p\ V0t)))))) \end{aligned} \tag{11}$$

Assume the following.

$$\begin{aligned} & \forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow (\\ & \forall V0op \in ((A_27b^{A_27b})^{A_27b}).((p\ (ap\ (c_2Eiterate_2Emonoidal \\ & A_27b)\ V0op)) \Rightarrow (\forall V1s \in (2^{A_27a}).(\forall V2P \in (2^{A_27a}). \\ & (\forall V3f \in (A_27b^{A_27a}).(\forall V4g \in (A_27b^{A_27a}).((p\ (ap \\ & (c_2Epred_set_2EFINITE\ A_27a)\ V1s)) \Rightarrow ((ap\ (ap\ (ap\ (c_2Eiterate_2Eiterate \\ & A_27a\ A_27b)\ V0op)\ V1s)\ (\lambda V5x \in A_27a.(ap\ (ap\ (ap\ (c_2Ebool_2ECOND \\ & A_27b)\ (ap\ V2P\ V5x))\ (ap\ V3f\ V5x))\ (ap\ V4g\ V5x)))))) = (ap\ (ap\ V0op\ (ap \\ & (ap\ (ap\ (c_2Eiterate_2Eiterate\ A_27a\ A_27b)\ V0op)\ (ap\ (c_2Epred_set_2EGSPEC \\ & A_27a\ A_27a)\ (\lambda V6x \in A_27a.(ap\ (ap\ (c_2Epair_2E_2C\ A_27a\ 2)\ \\ & V6x)\ (ap\ (ap\ c_2Ebool_2E_2F_5C\ (ap\ (ap\ (c_2Ebool_2EIN\ A_27a)\ V6x)\ \\ & V1s))\ (ap\ V2P\ V6x))))))\ V3f))\ (ap\ (ap\ (ap\ (c_2Eiterate_2Eiterate \\ & A_27a\ A_27b)\ V0op)\ (ap\ (c_2Epred_set_2EGSPEC\ A_27a\ A_27a)\ (\lambda V7x \in \\ & A_27a.(ap\ (ap\ (c_2Epair_2E_2C\ A_27a\ 2)\ V7x)\ (ap\ (ap\ c_2Ebool_2E_2F_5C \\ & (ap\ (ap\ (c_2Ebool_2EIN\ A_27a)\ V7x)\ V1s))\ (ap\ c_2Ebool_2E_7E\ (ap \\ & V2P\ V7x))))))\ V4g))))))\ V4g)))))) \end{aligned} \tag{12}$$

Assume the following.

$$(p\ (ap\ (c_2Eiterate_2Emonoidal\ ty_2Erealax_2Ereal)\ c_2Erealax_2Ereal_add)) \tag{13}$$

Theorem 1

$$\begin{aligned} & \forall A_{.27a}.nonempty\ A_{.27a} \Rightarrow (\forall V0s \in (2^{A_{.27a}}).(\forall V1P \in \\ & (2^{A_{.27a}}).(\forall V2f \in (ty_2Erealax_2Ereal^{A_{.27a}}).(\forall V3g \in \\ & (ty_2Erealax_2Ereal^{A_{.27a}}).((p\ (ap\ (c_2Epred_set_2EFINITE \\ & A_{.27a})\ V0s)) \Rightarrow ((ap\ (ap\ (c_2Eiterate_2ESum\ A_{.27a})\ V0s)\ (\lambda V4x \in \\ & A_{.27a}.(ap\ (ap\ (ap\ (c_2Ebool_2ECOND\ ty_2Erealax_2Ereal)\ (ap\ V1P \\ & V4x))\ (ap\ V2f\ V4x))\ (ap\ V3g\ V4x)))))) = (ap\ (ap\ c_2Erealax_2Ereal_add \\ & (ap\ (ap\ (c_2Eiterate_2ESum\ A_{.27a})\ (ap\ (c_2Epred_set_2EGSPEC \\ & A_{.27a}\ A_{.27a})\ (\lambda V5x \in A_{.27a}.(ap\ (ap\ (c_2Epair_2E_2C\ A_{.27a}\ 2) \\ & V5x)\ (ap\ (ap\ c_2Ebool_2E_2F_5C\ (ap\ (ap\ (c_2Ebool_2EIN\ A_{.27a})\ V5x) \\ & V0s))\ (ap\ V1P\ V5x))))))\ V2f))\ (ap\ (ap\ (c_2Eiterate_2ESum\ A_{.27a}) \\ & (ap\ (c_2Epred_set_2EGSPEC\ A_{.27a}\ A_{.27a})\ (\lambda V6x \in A_{.27a}.(ap\ (\\ & ap\ (c_2Epair_2E_2C\ A_{.27a}\ 2)\ V6x)\ (ap\ (ap\ c_2Ebool_2E_2F_5C\ (ap \\ & (ap\ (c_2Ebool_2EIN\ A_{.27a})\ V6x)\ V0s))\ (ap\ c_2Ebool_2E_7E\ (ap\ V1P \\ & V6x))))))\ V3g)))))) \end{aligned}$$