

thm_2Eiterate_2ESUM_COMBINE_L (TMYHgBiYnADgQq3WtSXKfLeY1ij6XaFoJr)

October 26, 2020

Let $ty_2Enum_2Enum : \iota$ be given. Assume the following.

$$nonempty\ ty_2Enum_2Enum \quad (1)$$

Definition 1 We define $c_2Emin_2E_3D$ to be $\lambda A. \lambda x \in A. \lambda y \in A. inj_o (x = y)$ of type $\iota \Rightarrow \iota$.

Definition 2 We define c_2Ebool_2ET to be $(ap (ap (c_2Emin_2E_3D (2^2)) (\lambda V0x \in 2.V0x)) (\lambda V1x \in 2.V1x))$

Definition 3 We define $c_2Ebool_2E_21$ to be $\lambda A_27a : \iota. (\lambda V0P \in (2^{A_27a}). (ap (ap (c_2Emin_2E_3D (2^{A_27a})) (\lambda V1P \in 2.V1P)) (\lambda V2P \in 2.V2P)))$

Definition 4 We define c_2Ebool_2EF to be $(ap (c_2Ebool_2E_21 2) (\lambda V0t \in 2.V0t))$.

Definition 5 We define $c_2Emin_2E_3D_3D_3E$ to be $\lambda P \in 2. \lambda Q \in 2. inj_o (p \ P \Rightarrow p \ Q)$ of type ι .

Definition 6 We define $c_2Ebool_2E_7E$ to be $(\lambda V0t \in 2. (ap (ap c_2Emin_2E_3D_3D_3E V0t) c_2Ebool_2EF))$

Definition 7 We define $c_2Ebool_2E_2F_5C$ to be $(\lambda V0t1 \in 2. (\lambda V1t2 \in 2. (ap (c_2Ebool_2E_21 2) (\lambda V2t \in 2. (ap (c_2Ebool_2E_7E V2t) c_2Ebool_2EF))))$

Let $c_2Enum_2EREP_num : \iota$ be given. Assume the following.

$$c_2Enum_2EREP_num \in (\omega^{ty_2Enum_2Enum}) \quad (2)$$

Let $c_2Enum_2ESUC_REP : \iota$ be given. Assume the following.

$$c_2Enum_2ESUC_REP \in (\omega^{\omega}) \quad (3)$$

Let $c_2Enum_2EAABS_num : \iota$ be given. Assume the following.

$$c_2Enum_2EAABS_num \in (ty_2Enum_2Enum^{\omega}) \quad (4)$$

Definition 8 We define c_2Enum_2ESUC to be $\lambda V0m \in ty_2Enum_2Enum. (ap c_2Enum_2EAABS_num m)$

Definition 9 We define $c_2Emin_2E_40$ to be $\lambda A. \lambda P \in 2^A. \text{if } (\exists x \in A. p (ap P x)) \text{ then } (\text{the } (\lambda x. x \in A \wedge p$ of type $\iota \Rightarrow \iota$.

Definition 10 We define $c_2Ebool_2E_3F$ to be $\lambda A_27a : \iota. (\lambda V0P \in (2^{A_27a}).(ap\ V0P\ (ap\ (c_2Emin_2E_40$

Definition 11 We define $c_2Eprim_rec_2E_3C$ to be $\lambda V0m \in ty_2Enum_2Enum. \lambda V1n \in ty_2Enum_2Enum.$

Definition 12 We define $c_2Ebool_2E_5C_2F$ to be $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap\ (c_2Ebool_2E_21\ 2)\ (\lambda V2t \in$

Definition 13 We define $c_2Earithmetic_2E_3C_3D$ to be $\lambda V0m \in ty_2Enum_2Enum. \lambda V1n \in ty_2Enum_2Enum.$

Let $ty_2Epair_2Eprod : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\begin{aligned} \forall A0.nonempty\ A0 \Rightarrow & \forall A1.nonempty\ A1 \Rightarrow nonempty\ (ty_2Epair_2Eprod \\ & A0\ A1) \end{aligned} \quad (5)$$

Let $c_2Epair_2EABS_prod : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\begin{aligned} \forall A_27a.nonempty\ A_27a \Rightarrow & \forall A_27b.nonempty\ A_27b \Rightarrow c_2Epair_2EABS_prod \\ & A_27a\ A_27b \in ((ty_2Epair_2Eprod\ A_27a\ A_27b)^{(2^{A_27b})^{A_27a}}) \end{aligned} \quad (6)$$

Definition 14 We define $c_2Epair_2E_2C$ to be $\lambda A_27a : \iota. \lambda A_27b : \iota. \lambda V0x \in A_27a. \lambda V1y \in A_27b. (ap\ (c_2$

Let $c_2Epred_set_2EGSPEC : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\begin{aligned} \forall A_27a.nonempty\ A_27a \Rightarrow & \forall A_27b.nonempty\ A_27b \Rightarrow c_2Epred_set_2EGSPEC \\ & A_27a\ A_27b \in ((2^{A_27a})^{(ty_2Epair_2Eprod\ A_27a\ 2)^{A_27b}}) \end{aligned} \quad (7)$$

Definition 15 We define $c_2Eiterate_2E_2E$ to be $\lambda V0m \in ty_2Enum_2Enum. \lambda V1n \in ty_2Enum_2Enum.$

Let $ty_2Ehreal_2Ehreal : \iota$ be given. Assume the following.

$$nonempty\ ty_2Ehreal_2Ehreal \quad (8)$$

Let $ty_2Erealax_2Ereal : \iota$ be given. Assume the following.

$$nonempty\ ty_2Erealax_2Ereal \quad (9)$$

Let $c_2Erealax_2Ereal_REP_CLASS : \iota$ be given. Assume the following.

$$c_2Erealax_2Ereal_REP_CLASS \in ((2^{(ty_2Epair_2Eprod\ ty_2Ehreal_2Ehreal\ ty_2Ehreal_2Ehreal)})^{ty_2Erealax}) \quad (10)$$

Definition 16 We define $c_2Erealax_2Ereal_REP$ to be $\lambda V0a \in ty_2Erealax_2Ereal. (ap\ (c_2Emin_2E_40\ (t$

Let $c_2Erealax_2Etreal_add : \iota$ be given. Assume the following.

$$c_2Erealax_2Etreal_add \in (((ty_2Epair_2Eprod\ ty_2Ehreal_2Ehreal\ ty_2Ehreal_2Ehreal)^{(ty_2Epair_2Eprod\ ty_2Ehreal_2Ehreal\ ty_2Ehreal_2Ehreal)})^{(ty_2Epair_2Eprod\ ty_2Ehreal_2Ehreal)})^{(ty_2Epair_2Eprod\ ty_2Ehreal_2Ehreal)} \quad (11)$$

Let $c_2Erealax_2Etreal_eq : \iota$ be given. Assume the following.

$$c_2Erealax_2Etreal_eq \in ((2^{(ty_2Epair_2Eprod\ ty_2Ehreal_2Ehreal\ ty_2Ehreal_2Ehreal)})^{(ty_2Epair_2Eprod\ ty_2Ehreal_2Ehreal\ ty_2Ehreal_2Ehreal)})^{(ty_2Epair_2Eprod\ ty_2Ehreal_2Ehreal\ ty_2Ehreal_2Ehreal)} \quad (12)$$

Let $c_2Erealax_2Ereal_ABS_CLASS : \iota$ be given. Assume the following.

$$c_2Erealax_2Ereal_ABS_CLASS \in (ty_2Erealax_2Ereal)^{(2^{(ty_2Epair_2Eprod\ ty_2Ehreal_2Ehreal\ ty_2Ehreal_2Ehreal)})^{(ty_2Epair_2Eprod\ ty_2Ehreal_2Ehreal\ ty_2Ehreal_2Ehreal)}} \quad (13)$$

Definition 17 We define $c_2Erealax_2Ereal_ABS$ to be $\lambda V0r \in (ty_2Epair_2Eprod\ ty_2Ehreal_2Ehreal\ ty_2Ehreal_2Ehreal)$.

Definition 18 We define $c_2Erealax_2Ereal_add$ to be $\lambda V0T1 \in ty_2Erealax_2Ereal.\lambda V1T2 \in ty_2Erealax_2Ereal$.

Definition 19 We define $c_2Eiterate_2Eneutral$ to be $\lambda A_27a : \iota.\lambda V0op \in ((A_27a^{A_27a})^{A_27a}).(ap\ (c_2Emin\ A_27a)\ V0op)$.

Definition 20 We define c_2Ebool_2EIN to be $\lambda A_27a : \iota.(\lambda V0x \in A_27a.(\lambda V1f \in (2^{A_27a}).(ap\ V1f\ V0x)))$.

Definition 21 We define $c_2Eiterate_2Esupport$ to be $\lambda A_27a : \iota.\lambda A_27b : \iota.\lambda V0op \in ((A_27b^{A_27b})^{A_27b}).(ap\ (c_2Emin\ A_27b)\ V0op)$.

Definition 22 We define c_2Ebool_2ECOND to be $\lambda A_27a : \iota.(\lambda V0t \in 2.(\lambda V1t1 \in A_27a.(\lambda V2t2 \in A_27a.(V2t2 = t1))))$.

Definition 23 We define $c_2Epred_set_2EINSERT$ to be $\lambda A_27a : \iota.\lambda V0x \in A_27a.\lambda V1s \in (2^{A_27a}).(ap\ (c_2Epred_set\ A_27a)\ V1s)$.

Definition 24 We define $c_2Epred_set_2EEEMPTY$ to be $\lambda A_27a : \iota.(\lambda V0x \in A_27a.c_2Ebool_2EF)$.

Definition 25 We define $c_2Epred_set_2EFINITE$ to be $\lambda A_27a : \iota.\lambda V0s \in (2^{A_27a}).(ap\ (c_2Ebool_2E_21\ (2^{A_27a}))\ V0s)$.

Definition 26 We define $c_2Eiterate_2EITSET$ to be $\lambda A_27a : \iota.\lambda A_27b : \iota.\lambda V0f \in ((A_27a^{A_27a})^{A_27b}).\lambda V0op \in ((A_27b^{A_27b})^{A_27b}).(ap\ (c_2Emin\ A_27b)\ V0op)$.

Definition 27 We define $c_2Eiterate_2Eiterate$ to be $\lambda A_27a : \iota.\lambda A_27b : \iota.\lambda V0op \in ((A_27b^{A_27b})^{A_27b}).\lambda V0f \in ((A_27a^{A_27a})^{A_27b}).(ap\ (c_2Emin\ A_27a)\ V0f)$.

Definition 28 We define $c_2Eiterate_2ESum$ to be $\lambda A_27a : \iota.(ap\ (c_2Eiterate_2Eiterate\ A_27a)\ ty_2Erealax_2Ereal)$.

Let $c_2Earithmetic_2EEVEN : \iota$ be given. Assume the following.

$$c_2Earithmetic_2EEVEN \in (2^{ty_2Enum_2Enum}) \quad (14)$$

Let $c_2Earithmetic_2EODD : \iota$ be given. Assume the following.

$$c_2Earithmetic_2EODD \in (2^{ty_2Enum_2Enum}) \quad (15)$$

Definition 29 We define $c_2Earithmetic_2E_3E$ to be $\lambda V0m \in ty_2Enum_2Enum.\lambda V1n \in ty_2Enum_2Enum$.

Definition 30 We define $c_2Earithmetic_2E_3E_3D$ to be $\lambda V0m \in ty_2Enum_2Enum.\lambda V1n \in ty_2Enum_2Enum$.

Let $c_2Enum_2EZERO_REP : \iota$ be given. Assume the following.

$$c_2Enum_2EZERO_REP \in omega \quad (16)$$

Definition 31 We define c_2Enum_2E0 to be $(ap\ c_2Enum_2EABS_num\ c_2Enum_2EZERO_REP)$.

Definition 32 We define $c_2Eprim_rec_2EPRE$ to be $\lambda V0m \in ty_2Enum_2Enum.(ap (ap (ap (c_2Ebool_2B$

Let $c_2Earithmetic_2EEXP : \iota$ be given. Assume the following.

$$c_2Earithmetic_2EEXP \in ((ty_2Enum_2Enum^{ty_2Enum_2Enum})^{ty_2Enum_2Enum}) \quad (17)$$

Let $c_2Earithmetic_2E_2D : \iota$ be given. Assume the following.

$$c_2Earithmetic_2E_2D \in ((ty_2Enum_2Enum^{ty_2Enum_2Enum})^{ty_2Enum_2Enum}) \quad (18)$$

Let $c_2Earithmetic_2E_2A : \iota$ be given. Assume the following.

$$c_2Earithmetic_2E_2A \in ((ty_2Enum_2Enum^{ty_2Enum_2Enum})^{ty_2Enum_2Enum}) \quad (19)$$

Definition 33 We define $c_2Earithmetic_2ENUMERAL$ to be $\lambda V0x \in ty_2Enum_2Enum.V0x$.

Definition 34 We define $c_2Enumeral_2EiiSUC$ to be $\lambda V0n \in ty_2Enum_2Enum.(ap c_2Enum_2ESUC (ap$

Let $c_2Earithmetic_2E_2B : \iota$ be given. Assume the following.

$$c_2Earithmetic_2E_2B \in ((ty_2Enum_2Enum^{ty_2Enum_2Enum})^{ty_2Enum_2Enum}) \quad (20)$$

Definition 35 We define $c_2Enumeral_2EiZ$ to be $\lambda V0x \in ty_2Enum_2Enum.V0x$.

Definition 36 We define $c_2Earithmetic_2EBIT2$ to be $\lambda V0n \in ty_2Enum_2Enum.(ap (ap c_2Earithmetic$

Definition 37 We define $c_2Earithmetic_2EBIT1$ to be $\lambda V0n \in ty_2Enum_2Enum.(ap (ap c_2Earithmetic$

Definition 38 We define $c_2Earithmetic_2EZERO$ to be c_2Enum_2E0 .

Definition 39 We define $c_2Epred_set_2EUNION$ to be $\lambda A_27a : \iota.\lambda V0s \in (2^{A_27a}).\lambda V1t \in (2^{A_27a}).(ap (c$

Definition 40 We define $c_2Epred_set_2EINTER$ to be $\lambda A_27a : \iota.\lambda V0s \in (2^{A_27a}).\lambda V1t \in (2^{A_27a}).(ap (c$

Assume the following.

$$\begin{aligned} & (\forall V0m \in ty_2Enum_2Enum.(\forall V1n \in ty_2Enum_2Enum. \\ & ((ap (ap c_2Earithmetic_2E_2B c_2Enum_2E0) V0m) = V0m) \wedge (((ap (\\ & ap c_2Earithmetic_2E_2B V0m) c_2Enum_2E0) = V0m) \wedge (((ap (ap c_2Earithmetic_2E_2B \\ & (ap c_2Enum_2ESUC V0m)) V1n) = (ap c_2Enum_2ESUC (ap (ap c_2Earithmetic_2E_2B \\ & V0m) V1n))) \wedge ((ap (ap c_2Earithmetic_2E_2B V0m) (ap c_2Enum_2ESUC \\ & V1n)) = (ap c_2Enum_2ESUC (ap (ap c_2Earithmetic_2E_2B V0m) V1n))))))) \end{aligned} \quad (21)$$

Assume the following.

$$\begin{aligned} & (\forall V0m \in ty_2Enum_2Enum.(\forall V1n \in ty_2Enum_2Enum. \\ & (ap (ap c_2Earithmetic_2E_2B V0m) V1n) = (ap (ap c_2Earithmetic_2E_2B \\ & V1n) V0m)))) \end{aligned} \quad (22)$$

Assume the following.

$$\begin{aligned}
 & (\forall V0m \in ty_2Enum_2Enum. (\forall V1n \in ty_2Enum_2Enum. (\\
 & (p (ap (ap c_2Eprim_rec_2E_3C V0m) V1n)) \Leftrightarrow (p (ap (ap c_2Earithmetic_2E_3C_3D \\
 & (ap c_2Enum_2ESUC V0m)) V1n)))))) \\
 \end{aligned} \tag{23}$$

Assume the following.

$$(\forall V0n \in ty_2Enum_2Enum. (p (ap (ap c_2Earithmetic_2E_3C_3D \\
 c_2Enum_2E0) V0n))) \tag{24}$$

Assume the following.

$$\begin{aligned}
 & (\forall V0m \in ty_2Enum_2Enum. (\forall V1n \in ty_2Enum_2Enum. (\\
 & ((ap (ap c_2Earithmetic_2E_2A c_2Enum_2E0) V0m) = c_2Enum_2E0) \wedge \\
 & (((ap (ap c_2Earithmetic_2E_2A V0m) c_2Enum_2E0) = c_2Enum_2E0) \wedge \\
 & (((ap (ap c_2Earithmetic_2E_2A (ap c_2Earithmetic_2ENUMERAL \\
 & (ap c_2Earithmetic_2EBIT1 c_2Earithmetic_2EZERO))) V0m) = V0m) \wedge \\
 & (((ap (ap c_2Earithmetic_2E_2A V0m) (ap c_2Earithmetic_2ENUMERAL \\
 & (ap c_2Earithmetic_2EBIT1 c_2Earithmetic_2EZERO))) = V0m) \wedge \\
 & ((ap (ap c_2Earithmetic_2E_2A (ap c_2Enum_2ESUC V0m)) V1n) = (ap \\
 & (ap c_2Earithmetic_2E_2B (ap (ap c_2Earithmetic_2E_2A V0m) V1n)) \\
 & V1n)) \wedge ((ap (ap c_2Earithmetic_2E_2A V0m) (ap c_2Enum_2ESUC V1n)) = \\
 & (ap (ap c_2Earithmetic_2E_2B V0m) (ap (ap c_2Earithmetic_2E_2A \\
 & V0m) V1n))))))) \\
 \end{aligned} \tag{25}$$

Assume the following.

$$\begin{aligned}
 & (\forall V0m \in ty_2Enum_2Enum. (\forall V1n \in ty_2Enum_2Enum. (\\
 & \forall V2p \in ty_2Enum_2Enum. (((p (ap (ap c_2Earithmetic_2E_3C_3D \\
 & V0m) V1n)) \wedge (p (ap (ap c_2Earithmetic_2E_3C_3D V1n) V2p))) \Rightarrow (p (\\
 & ap (ap c_2Earithmetic_2E_3C_3D V0m) V2p)))))) \\
 \end{aligned} \tag{26}$$

Assume the following.

$$\begin{aligned}
 & (\forall V0m \in ty_2Enum_2Enum. (\forall V1n \in ty_2Enum_2Enum. (\\
 & (V0m = V1n) \Leftrightarrow ((p (ap (ap c_2Earithmetic_2E_3C_3D V0m) V1n)) \wedge (p (\\
 & ap (ap c_2Earithmetic_2E_3C_3D V1n) V0m)))))) \\
 \end{aligned} \tag{27}$$

Assume the following.

$$\begin{aligned}
 & (\forall V0m \in ty_2Enum_2Enum. (\forall V1n \in ty_2Enum_2Enum. (\\
 & \forall V2p \in ty_2Enum_2Enum. ((p (ap (ap c_2Earithmetic_2E_3C_3D \\
 & (ap (ap c_2Earithmetic_2E_2B V0m) V1n)) (ap (ap c_2Earithmetic_2E_2B \\
 & V0m) V2p))) \Leftrightarrow (p (ap (ap c_2Earithmetic_2E_3C_3D V1n) V2p)))))) \\
 \end{aligned} \tag{28}$$

Assume the following.

$$(\forall V0m \in ty_2Enum_2Enum. (\forall V1n \in ty_2Enum_2Enum. (\neg(p (ap (ap c_2Earithmetic_2E_3C_3D V0m) V1n)) \Leftrightarrow (p (ap (ap c_2Earithmetic_2E_3C_3D (ap c_2Enum_2ESUC V1n)) V0m)))))) \quad (29)$$

Assume the following.

$$(\forall V0n \in ty_2Enum_2Enum. ((ap c_2Enum_2ESUC V0n) = (ap (ap c_2Earithmetic_2E_2B (ap c_2Earithmetic_2ENUMERAL (ap c_2Earithmetic_2EBIT1 c_2Earithmetic_2EZERO))) V0n))) \quad (30)$$

Assume the following.

$$(\forall V0P \in (2^{ty_2Enum_2Enum}). (\forall V1a \in ty_2Enum_2Enum. (\forall V2b \in ty_2Enum_2Enum. ((p (ap V0P (ap (ap c_2Earithmetic_2E_2D V1a) V2b))) \Leftrightarrow (\forall V3d \in ty_2Enum_2Enum. (((V2b = (ap (ap c_2Earithmetic_2E_2B V1a) V3d)) \Rightarrow (p (ap V0P c_2Enum_2E0))) \wedge ((V1a = (ap (ap c_2Earithmetic_2E_2B V2b) V3d)) \Rightarrow (p (ap V0P V3d)))))))))) \quad (31)$$

Assume the following.

$$True \quad (32)$$

Assume the following.

$$(\forall V0t1 \in 2. (\forall V1t2 \in 2. (((p V0t1) \Rightarrow (p V1t2)) \Rightarrow (((p V1t2) \Rightarrow (p V0t1)) \Rightarrow ((p V0t1) \Leftrightarrow (p V1t2)))))) \quad (33)$$

Assume the following.

$$(\forall V0t \in 2. (False \Rightarrow (p V0t))) \quad (34)$$

Assume the following.

$$\forall A_27a. nonempty A_27a \Rightarrow (\forall V0t \in 2. ((\forall V1x \in A_27a. (p V0t)) \Leftrightarrow (p V0t))) \quad (35)$$

Assume the following.

$$(\forall V0t1 \in 2. (\forall V1t2 \in 2. (\forall V2t3 \in 2. (((p V0t1) \wedge ((p V1t2) \wedge (p V2t3))) \Leftrightarrow (((p V0t1) \wedge (p V1t2)) \wedge (p V2t3)))))) \quad (36)$$

Assume the following.

$$(\forall V0t \in 2. (((True \wedge (p V0t)) \Leftrightarrow (p V0t)) \wedge (((p V0t) \wedge True) \Leftrightarrow (p V0t)) \wedge (((False \wedge (p V0t)) \Leftrightarrow False) \wedge (((p V0t) \wedge False) \Leftrightarrow False) \wedge (((p V0t) \wedge (p V0t)) \Leftrightarrow (p V0t)))))) \quad (37)$$

Assume the following.

$$(\forall V0t \in 2. (((True \vee (p V0t)) \Leftrightarrow True) \wedge (((p V0t) \vee True) \Leftrightarrow True) \wedge (((False \vee (p V0t)) \Leftrightarrow (p V0t)) \wedge (((p V0t) \vee False) \Leftrightarrow (p V0t)) \wedge (((p V0t) \vee (p V0t)) \Leftrightarrow (p V0t)))))) \quad (38)$$

Assume the following.

$$((\forall V0t \in 2.((\neg(\neg(p V0t))) \Leftrightarrow (p V0t))) \wedge (((\neg True) \Leftrightarrow False) \wedge ((\neg False) \Leftrightarrow True))) \quad (39)$$

Assume the following.

$$(\forall V0t \in 2.(((True \Leftrightarrow (p V0t)) \Leftrightarrow (p V0t)) \wedge (((p V0t) \Leftrightarrow True) \Leftrightarrow (p V0t)) \wedge (((False \Leftrightarrow (p V0t)) \Leftrightarrow (\neg(p V0t))) \wedge (((p V0t) \Leftrightarrow False) \Leftrightarrow (\neg(p V0t))))))) \quad (40)$$

Assume the following.

$$(\forall V0A \in 2.(\forall V1B \in 2.(\forall V2C \in 2.(((p V0A) \vee (p V1B) \vee (p V2C))) \Leftrightarrow (((p V0A) \vee (p V1B)) \vee (p V2C))))) \quad (41)$$

Assume the following.

$$(\forall V0A \in 2.(\forall V1B \in 2.(((\neg((p V0A) \wedge (p V1B))) \Leftrightarrow ((\neg(p V0A)) \vee (\neg(p V1B)))) \wedge ((\neg((p V0A) \vee (p V1B))) \Leftrightarrow ((\neg(p V0A)) \wedge (\neg(p V1B))))))) \quad (42)$$

Assume the following.

$$(\forall V0A \in 2.(\forall V1B \in 2.(((p V0A) \Rightarrow (p V1B)) \Leftrightarrow ((\neg(p V0A)) \vee (p V1B)))) \quad (43)$$

Assume the following.

$$(\forall V0t \in 2.(((p V0t) \Rightarrow False) \Leftrightarrow ((p V0t) \Leftrightarrow False))) \quad (44)$$

Assume the following.

$$(\forall V0t1 \in 2.(\forall V1t2 \in 2.(\forall V2t3 \in 2.(((p V0t1) \Rightarrow (p V1t2)) \Rightarrow ((p V0t1) \wedge (p V1t2)) \Rightarrow (p V2t3)))) \quad (45)$$

Assume the following.

$$(\forall V0t1 \in 2.(\forall V1t2 \in 2.(((p V0t1) \Leftrightarrow (p V1t2)) \Leftrightarrow (((p V0t1) \wedge (p V1t2)) \vee ((\neg(p V0t1)) \wedge (\neg(p V1t2))))))) \quad (46)$$

Assume the following.

$$\begin{aligned} &(\forall V0m \in ty_2Enum_2Enum.(\forall V1n \in ty_2Enum_2Enum.(\\ &p (ap (c_2Epred_set_2EFINITE ty_2Enum_2Enum) (ap (ap c_2Eiterate_2E_2E_2E \\ &\quad V0m) V1n)))))) \end{aligned} \quad (47)$$

Assume the following.

$$\begin{aligned} &(\forall V0m \in ty_2Enum_2Enum.(\forall V1n \in ty_2Enum_2Enum.(\\ &\forall V2p \in ty_2Enum_2Enum.((p (ap (ap (c_2Ebool_2EIN ty_2Enum_2Enum) \\ &\quad V2p) (ap (ap c_2Eiterate_2E_2E_2E V0m) V1n))) \Leftrightarrow ((p (ap (ap c_2Earithmetic_2E_3C_3D \\ &\quad V0m) V2p)) \wedge (p (ap (ap c_2Earithmetic_2E_3C_3D V2p) V1n))))))) \end{aligned} \quad (48)$$

Assume the following.

$$\begin{aligned}
& \forall A_{.27a}. \text{nonempty } A_{.27a} \Rightarrow (\forall V0f \in (ty_2Erealax_2Ereal^{A_{.27a}}). \\
& \quad (\forall V1s \in (2^{A_{.27a}}).(\forall V2t \in (2^{A_{.27a}}).(\forall V3u \in \\
& \quad (2^{A_{.27a}}).(((p (ap (c_2Epred_set_2EFINITE A_{.27a}) V3u)) \wedge (((\\
& \quad ap (ap (c_2Epred_set_2EINTER A_{.27a}) V1s) V2t) = (c_2Epred_set_2EEMPTY \\
& \quad A_{.27a})) \wedge ((ap (ap (c_2Epred_set_2EUNION A_{.27a}) V1s) V2t) = V3u))) \Rightarrow \\
& \quad ((ap (ap c_2Erealax_2Ereal_add (ap (ap (c_2Eiterate_2ESum A_{.27a}) \\
& \quad V1s) V0f)) (ap (ap (c_2Eiterate_2ESum A_{.27a}) V2t) V0f)) = (ap (ap \\
& \quad (c_2Eiterate_2ESum A_{.27a}) V3u) V0f)))))))
\end{aligned} \tag{49}$$

Assume the following.

$((\forall V0n \in ty_2Enum_2Enum.((ap (ap c_2Earithmetic_2E_2B c_2Enum_2E0) V0n) = V0n)) \wedge ((\forall V1n \in ty_2Enum_2Enum.((ap (ap c_2Earithmetic_2E_2B V1n) c_2Enum_2E0) = V1n)) \wedge ((\forall V2n \in ty_2Enum_2Enum.(\forall V3m \in ty_2Enum_2Enum.((ap (ap c_2Earithmetic_2E_2B ap c_2Earithmetic_2ENUMERAL V2n)) (ap c_2Earithmetic_2ENUMERAL V3m)) = (ap c_2Earithmetic_2ENUMERAL (ap c_2Enum_2EiZ (ap (ap c_2Earithmetic_2E_2B V2n) V3m))))))) \wedge ((\forall V4n \in ty_2Enum_2Enum.((ap (ap c_2Earithmetic_2E_2A c_2Enum_2E0) V4n) = c_2Enum_2E0)) \wedge ((\forall V5n \in ty_2Enum_2Enum.((ap (ap c_2Earithmetic_2E_2A V5n) c_2Enum_2E0) = c_2Enum_2E0)) \wedge ((\forall V6n \in ty_2Enum_2Enum.((\forall V7m \in ty_2Enum_2Enum.((ap (ap c_2Earithmetic_2E_2A (ap c_2Earithmetic_2ENUMERAL V6n)) (ap c_2Earithmetic_2ENUMERAL V7m)) = (ap c_2Earithmetic_2ENUMERAL (ap (ap c_2Earithmetic_2E_2A V6n) V7m))))))) \wedge ((\forall V8n \in ty_2Enum_2Enum.((ap (ap c_2Earithmetic_2E_2D c_2Enum_2E0) V8n) = c_2Enum_2E0)) \wedge ((\forall V9n \in ty_2Enum_2Enum.((ap (ap c_2Earithmetic_2E_2D V9n) c_2Enum_2E0) = V9n)) \wedge ((\forall V10n \in ty_2Enum_2Enum.(\forall V11m \in ty_2Enum_2Enum.((ap (ap c_2Earithmetic_2E_2D (ap c_2Earithmetic_2ENUMERAL V10n)) (ap c_2Earithmetic_2ENUMERAL V11m)) = (ap c_2Earithmetic_2ENUMERAL (ap (ap c_2Earithmetic_2E_2D V10n) V11m))))))) \wedge ((\forall V12n \in ty_2Enum_2Enum.((ap (ap c_2Earithmetic_2EEEXP c_2Enum_2E0) (ap c_2Earithmetic_2ENUMERAL (ap c_2Earithmetic_2EBIT1 V12n))) = c_2Enum_2E0)) \wedge ((\forall V13n \in ty_2Enum_2Enum.((ap (ap c_2Earithmetic_2EEEXP c_2Enum_2E0) (ap c_2Earithmetic_2ENUMERAL (ap c_2Earithmetic_2EBIT2 V13n))) = c_2Enum_2E0)) \wedge ((\forall V14n \in ty_2Enum_2Enum.((ap (ap c_2Earithmetic_2EEEXP V14n) c_2Enum_2E0) = (ap c_2Earithmetic_2ENUMERAL (ap c_2Earithmetic_2EBIT1 c_2Earithmetic_2EZERO))))))) \wedge ((\forall V15n \in ty_2Enum_2Enum.(\forall V16m \in ty_2Enum_2Enum.((ap (ap c_2Earithmetic_2EEEXP (ap c_2Earithmetic_2ENUMERAL V15n)) (ap c_2Earithmetic_2ENUMERAL V16m)) = (ap c_2Earithmetic_2ENUMERAL (ap (ap c_2Earithmetic_2EEEXP V15n) V16m))))))) \wedge (((ap c_2Enum_2ESUC c_2Enum_2E0) = (ap c_2Earithmetic_2ENUMERAL (ap c_2Earithmetic_2EBIT1 c_2Earithmetic_2EZERO)))) \wedge ((\forall V17n \in ty_2Enum_2Enum.((ap c_2Enum_2ESUC (ap c_2Earithmetic_2ENUMERAL V17n)) = (ap c_2Earithmetic_2ENUMERAL (ap c_2Enum_2ESUC V17n))))))) \wedge (((ap c_2Eprim_rec_2EPRE c_2Enum_2E0) = c_2Enum_2E0) \wedge ((\forall V18n \in ty_2Enum_2Enum.((ap c_2Eprim_rec_2EPRE (ap c_2Earithmetic_2ENUMERAL V18n)) = (ap c_2Earithmetic_2ENUMERAL (ap c_2Eprim_rec_2EPRE V18n))))))) \wedge ((\forall V19n \in ty_2Enum_2Enum.(((ap c_2Earithmetic_2ENUMERAL V19n) = c_2Enum_2E0) \Leftrightarrow (V19n = c_2Earithmetic_2EZERO))) \wedge ((\forall V20n \in ty_2Enum_2Enum.((c_2Enum_2E0 = (ap c_2Earithmetic_2ENUMERAL V20n)) \Leftrightarrow (V20n = c_2Earithmetic_2EZERO))) \wedge ((\forall V21n \in ty_2Enum_2Enum.((\forall V22m \in ty_2Enum_2Enum.(((ap c_2Earithmetic_2ENUMERAL V21n) = (ap c_2Earithmetic_2ENUMERAL V22m)) \Leftrightarrow (V21n = V22m))))))) \wedge ((\forall V23n \in ty_2Enum_2Enum.((p (ap (ap c_2Eprim_rec_2E_3C c_2Enum_2E0) (ap c_2Earithmetic_2ENUMERAL V23n)) \Leftrightarrow False))) \wedge ((\forall V24n \in ty_2Enum_2Enum.((p (ap (ap c_2Eprim_rec_2E_3C c_2Enum_2E0) (ap c_2Earithmetic_2ENUMERAL V24n)) \Leftrightarrow (p (ap (ap c_2Eprim_rec_2E_3C c_2Earithmetic_2EZERO) V24n)))) \wedge ((\forall V25n \in ty_2Enum_2Enum.((\forall V26m \in ty_2Enum_2Enum.((p (ap (ap c_2Eprim_rec_2E_3C c_2Enum_2E0) (ap c_2Earithmetic_2ENUMERAL V25n)) (ap c_2Earithmetic_2ENUMERAL V26m)) \Leftrightarrow (p (ap (ap c_2Eprim_rec_2E_3C c_2Enum_2E0) (ap c_2Earithmetic_2ENUMERAL V25n) V26m))))))) \wedge ((\forall V27n \in ty_2Enum_2Enum.((p (ap (ap c_2Earithmetic_2E_3E c_2Enum_2E0) V27n)) \Leftrightarrow False))) \wedge ((\forall V28n \in ty_2Enum_2Enum.((p (ap (ap c_2Earithmetic_2E_3E (ap c_2Earithmetic_2ENUMERAL V28n)) c_2Enum_2E0) \Leftrightarrow (p (ap (ap c_2Eprim_rec_2E_3C c_2Earithmetic_2EZERO) V28n)))) \wedge ((\forall V29n \in ty_2Enum_2Enum.((\forall V30m \in ty_2Enum_2Enum.((p (ap (ap c_2Earithmetic_2E_3E c_2Enum_2E0) (ap c_2Earithmetic_2ENUMERAL V29n)) (ap c_2Earithmetic_2ENUMERAL V30m)) \Leftrightarrow (p (ap (ap c_2Eprim_rec_2E_3C c_2Enum_2E0) (ap c_2Earithmetic_2ENUMERAL V29n))))))) \wedge ((\forall V31n \in ty_2Enum_2Enum.((p (ap (ap c_2Earithmetic_2E_3D c_2Enum_2E0) V31n)) \Leftrightarrow True))) \wedge ((\forall V32n \in ty_2Enum_2Enum.((p (ap (ap c_2Earithmetic_2E_3D c_2Enum_2E0) V32n)) \Leftrightarrow False))) \wedge ((\forall V33n \in ty_2Enum_2Enum.((p (ap (ap c_2Earithmetic_2E_3D c_2Enum_2E0) (ap c_2Earithmetic_2ENUMERAL V33n)) \Leftrightarrow True))) \wedge ((\forall V34n \in ty_2Enum_2Enum.((p (ap (ap c_2Earithmetic_2E_3D c_2Enum_2E0) (ap c_2Earithmetic_2ENUMERAL V34n)) \Leftrightarrow False)))$

Assume the following.

Assume the following.

$$\begin{aligned}
& (\forall V0n \in ty_2Enum_2Enum. (\forall V1m \in ty_2Enum_2Enum. \\
& ((p (ap (ap c_2Earithmetic_2E_3C_3D c_2Earithmetic_2EZERO) V0n)) \Leftrightarrow \\
& True) \wedge (((p (ap (ap c_2Earithmetic_2E_3C_3D (ap c_2Earithmetic_2EBIT1 \\
& V0n)) c_2Earithmetic_2EZERO)) \Leftrightarrow False) \wedge (((p (ap (ap c_2Earithmetic_2E_3C_3D \\
& (ap c_2Earithmetic_2EBIT2 V0n)) c_2Earithmetic_2EZERO)) \Leftrightarrow False) \wedge \\
& (((p (ap (ap c_2Earithmetic_2E_3C_3D (ap c_2Earithmetic_2EBIT1 \\
& V0n)) (ap c_2Earithmetic_2EBIT1 V1m))) \Leftrightarrow (p (ap (ap c_2Earithmetic_2E_3C_3D \\
& V0n) V1m))) \wedge (((p (ap (ap c_2Earithmetic_2E_3C_3D (ap c_2Earithmetic_2EBIT1 \\
& V0n)) (ap c_2Earithmetic_2EBIT2 V1m))) \Leftrightarrow (p (ap (ap c_2Earithmetic_2E_3C_3D \\
& V0n) V1m))) \wedge (((p (ap (ap c_2Earithmetic_2E_3C_3D (ap c_2Earithmetic_2EBIT2 \\
& V0n)) (ap c_2Earithmetic_2EBIT1 V1m))) \Leftrightarrow (\neg(p (ap (ap c_2Earithmetic_2E_3C_3D \\
& V1m) V0n))) \wedge ((p (ap (ap c_2Earithmetic_2E_3C_3D (ap c_2Earithmetic_2EBIT2 \\
& V0n)) (ap c_2Earithmetic_2EBIT2 V1m))) \Leftrightarrow (p (ap (ap c_2Earithmetic_2E_3C_3D \\
& V0n) V1m))))))))))) \\
\end{aligned} \tag{52}$$

Assume the following.

$$\begin{aligned}
& \forall A_27a.\text{nonempty } A_27a \Rightarrow (\forall V0s \in (2^{A_27a}). (\forall V1t \in \\
& (2^{A_27a}). ((V0s = V1t) \Leftrightarrow (\forall V2x \in A_27a. ((p (ap (ap (c_2Ebool_2EIN \\
& A_27a) V2x) V0s)) \Leftrightarrow (p (ap (ap (c_2Ebool_2EIN A_27a) V2x) V1t))))))) \\
\end{aligned} \tag{53}$$

Assume the following.

$$\forall A_27a.\text{nonempty } A_27a \Rightarrow (\forall V0x \in A_27a. (\neg(p (ap (ap \\
(c_2Ebool_2EIN A_27a) V0x) (c_2Epred_set_2EEMPTY A_27a))))) \tag{54}$$

Assume the following.

$$\begin{aligned}
& \forall A_27a.\text{nonempty } A_27a \Rightarrow (\forall V0s \in (2^{A_27a}). (\forall V1t \in \\
& (2^{A_27a}). (\forall V2x \in A_27a. ((p (ap (ap (c_2Ebool_2EIN A_27a) \\
& V2x) (ap (ap (c_2Epred_set_2EUNION A_27a) V0s) V1t))) \Leftrightarrow ((p (ap \\
& (ap (c_2Ebool_2EIN A_27a) V2x) V0s)) \vee (p (ap (ap (c_2Ebool_2EIN \\
& A_27a) V2x) V1t))))))) \\
\end{aligned} \tag{55}$$

Assume the following.

$$\begin{aligned}
& \forall A_27a.\text{nonempty } A_27a \Rightarrow (\forall V0s \in (2^{A_27a}). (\forall V1t \in \\
& (2^{A_27a}). (\forall V2x \in A_27a. ((p (ap (ap (c_2Ebool_2EIN A_27a) \\
& V2x) (ap (ap (c_2Epred_set_2EINTER A_27a) V0s) V1t))) \Leftrightarrow ((p (ap \\
& (ap (c_2Ebool_2EIN A_27a) V2x) V0s)) \wedge (p (ap (ap (c_2Ebool_2EIN \\
& A_27a) V2x) V1t))))))) \\
\end{aligned} \tag{56}$$

Assume the following.

$$(\forall V0t \in 2. ((\neg(\neg(p V0t))) \Leftrightarrow (p V0t))) \tag{57}$$

Assume the following.

$$(\forall V0A \in 2.((p V0A) \Rightarrow ((\neg(p V0A)) \Rightarrow False))) \quad (58)$$

Assume the following.

$$(\forall V0A \in 2.(\forall V1B \in 2.(((\neg((p V0A) \vee (p V1B))) \Rightarrow False) \Leftrightarrow ((p V0A) \Rightarrow False) \Rightarrow ((\neg(p V1B)) \Rightarrow False)))) \quad (59)$$

Assume the following.

$$(\forall V0A \in 2.(\forall V1B \in 2.(((\neg((\neg(p V0A)) \vee (p V1B))) \Rightarrow False) \Leftrightarrow ((p V0A) \Rightarrow ((\neg(p V1B)) \Rightarrow False)))))) \quad (60)$$

Assume the following.

$$(\forall V0A \in 2.(((\neg(p V0A)) \Rightarrow False) \Rightarrow (((p V0A) \Rightarrow False) \Rightarrow False))) \quad (61)$$

Assume the following.

$$\begin{aligned} & (\forall V0p \in 2.(\forall V1q \in 2.(\forall V2r \in 2.(((p V0p) \Leftrightarrow \\ & (p V1q) \Leftrightarrow (p V2r))) \Leftrightarrow ((p V0p) \vee ((p V1q) \vee (p V2r))) \wedge ((p V0p) \vee ((\neg(p V1q) \vee (p V2r)) \vee ((\neg(p V1q) \vee (p V2r)) \vee ((\neg(p V1q) \vee (p V0p)))))))))) \end{aligned} \quad (62)$$

Assume the following.

$$\begin{aligned} & (\forall V0p \in 2.(\forall V1q \in 2.(\forall V2r \in 2.(((p V0p) \Leftrightarrow \\ & (p V1q) \wedge (p V2r))) \Leftrightarrow ((p V0p) \vee ((\neg(p V1q) \vee (p V2r))) \wedge ((p V1q) \vee \\ & (\neg(p V0p)) \wedge ((p V2r) \vee ((\neg(p V0p)))))))))) \end{aligned} \quad (63)$$

Assume the following.

$$\begin{aligned} & (\forall V0p \in 2.(\forall V1q \in 2.(\forall V2r \in 2.(((p V0p) \Leftrightarrow \\ & (p V1q) \vee (p V2r))) \Leftrightarrow ((p V0p) \vee ((\neg(p V1q) \vee (p V2r))) \wedge ((p V0p) \vee ((\neg(p V1q) \vee (p V2r)) \vee ((\neg(p V0p) \vee (p V2r)) \vee ((\neg(p V0p) \vee (p V1q)))))))))) \end{aligned} \quad (64)$$

Assume the following.

$$(\forall V0p \in 2.(\forall V1q \in 2.(((p V0p) \Leftrightarrow (\neg(p V1q))) \Leftrightarrow (((p V0p) \vee \\ (p V1q)) \wedge ((\neg(p V1q)) \vee (\neg(p V0p))))))) \quad (65)$$

Theorem 1

$$\begin{aligned}
 & (\forall V0f \in (ty_2Erealax_2Ereal^{ty_2Enum_2Enum}).(\forall V1m \in \\
 & ty_2Enum_2Enum.(\forall V2n \in ty_2Enum_2Enum.(\forall V3p \in ty_2Enum_2Enum. \\
 & (((p (ap (ap c_2Eprim_rec_2E_3C c_2Enum_2E0) V2n)) \wedge ((p (ap (ap \\
 & c_2Earithmetic_2E_3C_3D V1m) V2n)) \wedge (p (ap (ap c_2Earithmetic_2E_3C_3D \\
 & V2n) (ap (ap c_2Earithmetic_2E_2B V3p) (ap c_2Earithmetic_2ENUMERAL \\
 & (ap c_2Earithmetic_2EBIT1 c_2Earithmetic_2EZERO))))))) \Rightarrow ((\\
 & ap (ap c_2Erealax_2Ereal_add (ap (ap (c_2Eiterate_2ESum ty_2Enum_2Enum) \\
 & (ap (ap c_2Eiterate_2E_2E V1m) (ap (ap c_2Earithmetic_2E_2D \\
 & V2n) (ap c_2Earithmetic_2ENUMERAL (ap c_2Earithmetic_2EBIT1 \\
 & c_2Earithmetic_2EZERO))))))) V0f))) (ap (ap (c_2Eiterate_2ESum \\
 & ty_2Enum_2Enum) (ap (ap c_2Eiterate_2E_2E V2n) V3p)) V0f)) = \\
 & (ap (ap (c_2Eiterate_2ESum ty_2Enum_2Enum) (ap (ap c_2Eiterate_2E_2E \\
 & V1m) V3p))) V0f)))))))
 \end{aligned}$$