

thm_2Eiterate_2ESUM_EQ_GENERAL_INVERSES (TMYFtj3vsKSsErUNGxXp8hSJ5tPVDEv1wMp)

October 26, 2020

Definition 1 We define $c_2Emin_2E_3D$ to be $\lambda A.\lambda x \in A.\lambda y \in A.inj_o (x = y)$ of type $\iota \Rightarrow \iota$.

Definition 2 We define $c_2Ebool_2E_2ET$ to be $(ap (ap (c_2Emin_2E_3D (2^2)) (\lambda V0x \in 2.V0x)) (\lambda V1x \in 2.V1x))$

Definition 3 We define $c_2Ebool_2E_2E21$ to be $\lambda A_27a : \iota.(\lambda V0P \in (2^{A_27a}).(ap (ap (c_2Emin_2E_3D (2^{A_27a}))$

Definition 4 We define $c_2Ebool_2E_2EF$ to be $(ap (c_2Ebool_2E_2E21 2) (\lambda V0t \in 2.V0t))$.

Definition 5 We define $c_2Emin_2E_3D_3D_3E$ to be $\lambda P \in 2.\lambda Q \in 2.inj_o (p P \Rightarrow p Q)$ of type ι .

Definition 6 We define $c_2Ebool_2E_2E7E$ to be $(\lambda V0t \in 2.(ap (ap c_2Emin_2E_3D_3D_3E V0t) c_2Ebool_2E_2EF$

Definition 7 We define $c_2Ebool_2E_2EIN$ to be $\lambda A_27a : \iota.(\lambda V0x \in A_27a.(\lambda V1f \in (2^{A_27a}).(ap V1f V0x)))$

Definition 8 We define $c_2Ebool_2E_2E2F_5C$ to be $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap (c_2Ebool_2E_2E21 2) (\lambda V2t \in 2.V2t))$

Definition 9 We define $c_2Emin_2E_40$ to be $\lambda A.\lambda P \in 2^A.if (\exists x \in A.p (ap P x)) \mathbf{then} (the (\lambda x.x \in A \wedge p$ of type $\iota \Rightarrow \iota$.

Definition 10 We define $c_2Eiterate_2Eneutral$ to be $\lambda A_27a : \iota.\lambda V0op \in ((A_27a^{A_27a})^{A_27a}).(ap (c_2Emin$

Let $ty_2Epair_2Eprod : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0.nonempty A0 \Rightarrow \forall A1.nonempty A1 \Rightarrow nonempty (ty_2Epair_2Eprod A0 A1) \tag{1}$$

Let $c_2Epair_2EABS_prod : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty A_27a \Rightarrow \forall A_27b.nonempty A_27b \Rightarrow c_2Epair_2EABS_prod A_27a A_27b \in ((ty_2Epair_2Eprod A_27a A_27b)^{(2^{A_27b})^{A_27a}}) \tag{2}$$

Definition 11 We define $c_2Epair_2E_2C$ to be $\lambda A_27a : \iota.\lambda A_27b : \iota.\lambda V0x \in A_27a.\lambda V1y \in A_27b.(ap (c_2Epred_set_2EGSPEC : \iota \Rightarrow \iota \Rightarrow \iota)$ be given. Assume the following.

$$\forall A_27a.nonempty A_27a \Rightarrow \forall A_27b.nonempty A_27b \Rightarrow c_2Epred_set_2EGSPEC \\ A_27a A_27b \in ((2^{A_27a})^{(ty_2Epair_2Eprod A_27a 2)^{A_27b}})$$
(3)

Definition 12 We define $c_2Eiterate_2Esupport$ to be $\lambda A_27a : \iota.\lambda A_27b : \iota.\lambda V0op \in ((A_27b^{A_27b})^{A_27b}).\lambda V$

Definition 13 We define c_2Ebool_2ECOND to be $\lambda A_27a : \iota.(\lambda V0t \in 2.(\lambda V1t1 \in A_27a.(\lambda V2t2 \in A_27a.(\lambda V$

Definition 14 We define $c_2Ebool_2E_5C_2F$ to be $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap (c_2Ebool_2E_21 2) (\lambda V2t \in$

Definition 15 We define $c_2Epred_set_2EINSERT$ to be $\lambda A_27a : \iota.\lambda V0x \in A_27a.\lambda V1s \in (2^{A_27a}).(ap (c_2E$

Definition 16 We define $c_2Epred_set_2EEMPTY$ to be $\lambda A_27a : \iota.(\lambda V0x \in A_27a.c_2Ebool_2EF)$.

Definition 17 We define $c_2Epred_set_2EFINITE$ to be $\lambda A_27a : \iota.\lambda V0s \in (2^{A_27a}).(ap (c_2Ebool_2E_21 2)$

Definition 18 We define $c_2Eiterate_2EITSET$ to be $\lambda A_27a : \iota.\lambda A_27b : \iota.\lambda V0f \in ((A_27a^{A_27a})^{A_27b}).\lambda V$

Definition 19 We define $c_2Eiterate_2Eiterate$ to be $\lambda A_27a : \iota.\lambda A_27b : \iota.\lambda V0op \in ((A_27b^{A_27b})^{A_27b}).\lambda V$

Let $ty_2Ehreal_2Ehreal : \iota$ be given. Assume the following.

$$nonempty ty_2Ehreal_2Ehreal$$
(4)

Let $ty_2Erealx_2Ereal : \iota$ be given. Assume the following.

$$nonempty ty_2Erealx_2Ereal$$
(5)

Let $c_2Erealx_2Ereal_REP_CLASS : \iota$ be given. Assume the following.

$$c_2Erealx_2Ereal_REP_CLASS \in ((2^{(ty_2Epair_2Eprod ty_2Ehreal_2Ehreal ty_2Ehreal_2Ehreal)} ty_2Erealx_2Ereal)$$
(6)

Definition 20 We define $c_2Erealx_2Ereal_REP$ to be $\lambda V0a \in ty_2Erealx_2Ereal.(ap (c_2Emin_2E_40 ($

Let $c_2Erealx_2Etreall_add : \iota$ be given. Assume the following.

$$c_2Erealx_2Etreall_add \in (((ty_2Epair_2Eprod ty_2Ehreal_2Ehreal ty_2Ehreal_2Ehreal) ty_2Erealx_2Etreall_add) ty_2Epair_2Eprod ty_2Ehreal_2Ehreal ty_2Ehreal_2Ehreal)$$
(7)

Let $c_2Erealx_2Etreall_eq : \iota$ be given. Assume the following.

$$c_2Erealx_2Etreall_eq \in ((2^{(ty_2Epair_2Eprod ty_2Ehreal_2Ehreal ty_2Ehreal_2Ehreal)} ty_2Epair_2Eprod ty_2Ehreal_2Ehreal ty_2Ehreal_2Ehreal)$$
(8)

Let $c_2Erealx_2Ereal_ABS_CLASS : \iota$ be given. Assume the following.

$$c_2Erealx_2Ereal_ABS_CLASS \in (ty_2Erealx_2Ereal)^{(2^{(ty_2Epair_2Eprod ty_2Ehreal_2Ehreal ty_2Ehreal_2Ehreal)} ty_2Epair_2Eprod ty_2Ehreal_2Ehreal ty_2Ehreal_2Ehreal)}$$
(9)

Definition 21 We define $c_Erealax_Ereal_ABS$ to be $\lambda V0r \in (ty_2Epair_2Eprod\ ty_2Ehreal_2Ehreal\ ty_2Erealax_2Ereal)$

Definition 22 We define $c_Erealax_Ereal_add$ to be $\lambda V0T1 \in ty_2Erealax_2Ereal.\lambda V1T2 \in ty_2Erealax_2Ereal$

Definition 23 We define $c_Eiterate_2ESum$ to be $\lambda A_27a : \iota.(ap\ (c_Eiterate_2Eiterate\ A_27a\ ty_2Erealax_2Ereal))$

Definition 24 We define $c_Eiterate_2Emonoidal$ to be $\lambda A_27a : \iota.\lambda V0op \in ((A_27a^{A_27a})^{A_27a}).(ap\ (ap\ c_2Ebool_2EIN\ A_27a\ V0op))$

Assume the following.

$$True \tag{10}$$

Assume the following.

$$\begin{aligned} & (\forall V0t \in 2.(((True \Leftrightarrow (p\ V0t)) \Leftrightarrow (p\ V0t)) \wedge (((p\ V0t) \Leftrightarrow True) \Leftrightarrow \\ & (p\ V0t)) \wedge (((False \Leftrightarrow (p\ V0t)) \Leftrightarrow \neg(p\ V0t)) \wedge (((p\ V0t) \Leftrightarrow False) \Leftrightarrow \neg(\\ & p\ V0t)))))) \end{aligned} \tag{11}$$

Assume the following.

$$\begin{aligned} & \forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow \forall A_27c. \\ & nonempty\ A_27c \Rightarrow (\forall V0op \in ((A_27c^{A_27c})^{A_27c}).((p\ (ap\ (c_2Eiterate_2Emonoidal \\ & A_27c)\ V0op)) \Rightarrow (\forall V1s \in (2^{A_27a}).(\forall V2t \in (2^{A_27b}). \\ & (\forall V3f \in (A_27c^{A_27a}).(\forall V4g \in (A_27c^{A_27b}).(\forall V5h \in \\ & (A_27b^{A_27a}).(\forall V6k \in (A_27a^{A_27b}).(((\forall V7y \in A_27b. \\ & ((p\ (ap\ (ap\ (c_2Ebool_2EIN\ A_27b)\ V7y)\ V2t)) \Rightarrow ((p\ (ap\ (ap\ (c_2Ebool_2EIN \\ & A_27a)\ (ap\ V6k\ V7y))\ V1s)) \wedge ((ap\ V5h\ (ap\ V6k\ V7y)) = V7y)))) \wedge (\forall V8x \in \\ & A_27a.((p\ (ap\ (ap\ (c_2Ebool_2EIN\ A_27a)\ V8x)\ V1s)) \Rightarrow ((p\ (ap\ (ap\ (\\ & c_2Ebool_2EIN\ A_27b)\ (ap\ V5h\ V8x))\ V2t)) \wedge ((ap\ V6k\ (ap\ V5h\ V8x)) = \\ & V8x) \wedge ((ap\ V4g\ (ap\ V5h\ V8x)) = (ap\ V3f\ V8x)))))) \Rightarrow ((ap\ (ap\ (ap\ (c_2Eiterate_2Eiterate \\ & A_27a\ A_27c)\ V0op)\ V1s)\ V3f) = (ap\ (ap\ (ap\ (c_2Eiterate_2Eiterate \\ & A_27b\ A_27c)\ V0op)\ V2t)\ V4g))))))))) \end{aligned} \tag{12}$$

Assume the following.

$$(p\ (ap\ (c_2Eiterate_2Emonoidal\ ty_2Erealax_2Ereal)\ c_2Erealax_2Ereal_add)) \tag{13}$$

Theorem 1

$$\begin{aligned} & \forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow (\\ & \forall V0s \in (2^{A_27a}).(\forall V1t \in (2^{A_27b}).(\forall V2f \in \\ & (ty_2Erealax_2Ereal^{A_27a}).(\forall V3g \in (ty_2Erealax_2Ereal^{A_27b}). \\ & (\forall V4h \in (A_27b^{A_27a}).(\forall V5k \in (A_27a^{A_27b}).(((\forall V6y \in \\ & A_27b.((p\ (ap\ (ap\ (c_2Ebool_2EIN\ A_27b)\ V6y)\ V1t)) \Rightarrow ((p\ (ap\ (ap\ (\\ & c_2Ebool_2EIN\ A_27a)\ (ap\ V5k\ V6y))\ V0s)) \wedge ((ap\ V4h\ (ap\ V5k\ V6y)) = \\ & V6y)))) \wedge (\forall V7x \in A_27a.((p\ (ap\ (ap\ (c_2Ebool_2EIN\ A_27a) \\ & V7x)\ V0s)) \Rightarrow ((p\ (ap\ (ap\ (c_2Ebool_2EIN\ A_27b)\ (ap\ V4h\ V7x))\ V1t)) \wedge \\ & (((ap\ V5k\ (ap\ V4h\ V7x)) = V7x) \wedge ((ap\ V3g\ (ap\ V4h\ V7x)) = (ap\ V2f\ V7x)))))) \Rightarrow \\ & ((ap\ (ap\ (c_2Eiterate_2ESum\ A_27a)\ V0s)\ V2f) = (ap\ (ap\ (c_2Eiterate_2ESum \\ & A_27b)\ V1t)\ V3g))))))))) \end{aligned}$$