

thm_2Eiterate_2ESUM_IMAGE (TMaFHU- JDN3FQ5Gp2ePQfokE7WuqjGZcz3Dz)

October 26, 2020

Definition 1 We define $c_2Emin_2E_3D$ to be $\lambda A.\lambda x \in A.\lambda y \in A.inj_o (x = y)$ of type $\iota \Rightarrow \iota$.

Definition 2 We define c_2Ebool_2ET to be $(ap (ap (c_2Emin_2E_3D (2^2)) (\lambda V0x \in 2.V0x)) (\lambda V1x \in 2.V1x))$

Definition 3 We define $c_2Ebool_2E_21$ to be $\lambda A_27a : \iota.(\lambda V0P \in (2^{A_27a}).(ap (ap (c_2Emin_2E_3D (2^{A_27a}))$

Definition 4 We define c_2Ebool_2EF to be $(ap (c_2Ebool_2E_21 2) (\lambda V0t \in 2.V0t))$.

Definition 5 We define $c_2Emin_2E_3D_3D_3E$ to be $\lambda P \in 2.\lambda Q \in 2.inj_o (p \Rightarrow q)$ of type ι .

Definition 6 We define $c_2Ebool_2E_7E$ to be $(\lambda V0t \in 2.(ap (ap c_2Emin_2E_3D_3D_3E V0t) c_2Ebool_2EF$

Definition 7 We define $c_2Ecombin_2Eo$ to be $\lambda A_27a : \iota.\lambda A_27b : \iota.\lambda A_27c : \iota.\lambda V0f \in (A_27b^{A_27c}).\lambda V1g$

Definition 8 We define c_2Ebool_2EIN to be $\lambda A_27a : \iota.(\lambda V0x \in A_27a.(\lambda V1f \in (2^{A_27a}).(ap V1f V0x)))$

Definition 9 We define $c_2Ebool_2E_2F_5C$ to be $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap (c_2Ebool_2E_21 2) (\lambda V2t \in 2.V2t)))$

Let $ty_2Epair_2Eprod : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0.nonempty A0 \Rightarrow \forall A1.nonempty A1 \Rightarrow nonempty (ty_2Epair_2Eprod A0 A1) \tag{1}$$

Let $c_2Epair_2EABS_prod : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty A_27a \Rightarrow \forall A_27b.nonempty A_27b \Rightarrow c_2Epair_2EABS_prod A_27a A_27b \in ((ty_2Epair_2Eprod A_27a A_27b)^{(2^{A_27b})^{A_27a}}) \tag{2}$$

Definition 10 We define $c_2Epair_2E_2C$ to be $\lambda A_27a : \iota.\lambda A_27b : \iota.\lambda V0x \in A_27a.\lambda V1y \in A_27b.(ap (c_2Ebool_2EIN$

Let $c_2Epred_set_2EGSPEC : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty A_27a \Rightarrow \forall A_27b.nonempty A_27b \Rightarrow c_2Epred_set_2EGSPEC A_27a A_27b \in ((2^{A_27a})^{(ty_2Epair_2Eprod A_27a 2)^{A_27b}}) \tag{3}$$

Definition 11 We define $c_2Epred_set_2EIMAGE$ to be $\lambda A_27a : \iota. \lambda A_27b : \iota. \lambda V0f \in (A_27b^{A_27a}). \lambda V1s \in$

Definition 12 We define c_2Emin_2E40 to be $\lambda A. \lambda P \in 2^A. \text{if } (\exists x \in A. p (ap P x)) \text{ then } (the (\lambda x. x \in A) P)$ of type $\iota \Rightarrow \iota$.

Definition 13 We define $c_2Eiterate_2Eneutral$ to be $\lambda A_27a : \iota. \lambda V0op \in ((A_27a^{A_27a})^{A_27a}). (ap (c_2Emin$

Definition 14 We define $c_2Eiterate_2Esupport$ to be $\lambda A_27a : \iota. \lambda A_27b : \iota. \lambda V0op \in ((A_27b^{A_27b})^{A_27b}). \lambda V$

Definition 15 We define c_2Ebool_2ECOND to be $\lambda A_27a : \iota. (\lambda V0t \in 2. (\lambda V1t1 \in A_27a. (\lambda V2t2 \in A_27a. ($

Definition 16 We define $c_2Ebool_2E5C_2E2F$ to be $(\lambda V0t1 \in 2. (\lambda V1t2 \in 2. (ap (c_2Ebool_2E21 2) (\lambda V2t$

Definition 17 We define $c_2Epred_set_2EINSERT$ to be $\lambda A_27a : \iota. \lambda V0x \in A_27a. \lambda V1s \in (2^{A_27a}). (ap (c_$

Definition 18 We define $c_2Epred_set_2EEEMPTY$ to be $\lambda A_27a : \iota. (\lambda V0x \in A_27a. c_2Ebool_2E2F)$.

Definition 19 We define $c_2Epred_set_2EFINITE$ to be $\lambda A_27a : \iota. \lambda V0s \in (2^{A_27a}). (ap (c_2Ebool_2E21 2)$

Definition 20 We define $c_2Eiterate_2EITSET$ to be $\lambda A_27a : \iota. \lambda A_27b : \iota. \lambda V0f \in ((A_27a^{A_27a})^{A_27b}). \lambda V$

Definition 21 We define $c_2Eiterate_2Eiterate$ to be $\lambda A_27a : \iota. \lambda A_27b : \iota. \lambda V0op \in ((A_27b^{A_27b})^{A_27b}). \lambda V$

Let $ty_2Ehreal_2Ehreal : \iota$ be given. Assume the following.

$$nonempty\ ty_2Ehreal_2Ehreal \tag{4}$$

Let $ty_2Erealax_2Ereal : \iota$ be given. Assume the following.

$$nonempty\ ty_2Erealax_2Ereal \tag{5}$$

Let $c_2Erealax_2Ereal_REP_CLASS : \iota$ be given. Assume the following.

$$c_2Erealax_2Ereal_REP_CLASS \in ((2^{(ty_2Epair_2Eprod\ ty_2Ehreal_2Ehreal\ ty_2Ehreal_2Ehreal)})^{ty_2Erealax_2Ereal}) \tag{6}$$

Definition 22 We define $c_2Erealax_2Ereal_REP$ to be $\lambda V0a \in ty_2Erealax_2Ereal. (ap (c_2Emin_2E40 (t$

Let $c_2Erealax_2Etrealm_add : \iota$ be given. Assume the following.

$$c_2Erealax_2Etrealm_add \in (((ty_2Epair_2Eprod\ ty_2Ehreal_2Ehreal\ ty_2Ehreal_2Ehreal)^{(ty_2Epair_2Eprod\ ty_2Ehreal_2Ehreal\ ty_2Ehreal_2Ehreal)})^{(ty_2Epair_2Eprod\ ty_2Ehreal_2Ehreal\ ty_2Ehreal_2Ehreal)}) \tag{7}$$

Let $c_2Erealax_2Etrealm_eq : \iota$ be given. Assume the following.

$$c_2Erealax_2Etrealm_eq \in ((2^{(ty_2Epair_2Eprod\ ty_2Ehreal_2Ehreal\ ty_2Ehreal_2Ehreal)})^{(ty_2Epair_2Eprod\ ty_2Ehreal_2Ehreal\ ty_2Ehreal_2Ehreal)}) \tag{8}$$

Let $c_2Erealax_2Ereal_ABS_CLASS : \iota$ be given. Assume the following.

$$c_2Erealax_2Ereal_ABS_CLASS \in (ty_2Erealax_2Ereal)^{(2^{(ty_2Epair_2Eprod\ ty_2Ehreal_2Ehreal\ ty_2Ehreal_2Ehreal)})^{(ty_2Epair_2Eprod\ ty_2Ehreal_2Ehreal\ ty_2Ehreal_2Ehreal)}} \tag{9}$$

Definition 23 We define $c_2Erealax_2Ereal_ABS$ to be $\lambda V0r \in (ty_2Epair_2Eprod\ ty_2Ehreal_2Ehreal\ ty_2Erealax_2Ereal)$

Definition 24 We define $c_2Erealax_2Ereal_add$ to be $\lambda V0T1 \in ty_2Erealax_2Ereal.\lambda V1T2 \in ty_2Erealax_2Ereal$

Definition 25 We define $c_2Eiterate_2ESum$ to be $\lambda A_27a : \iota.(ap\ (c_2Eiterate_2Eiterate\ A_27a\ ty_2Erealax_2Ereal))$

Definition 26 We define $c_2Eiterate_2Emonoidal$ to be $\lambda A_27a : \iota.\lambda V0op \in ((A_27a^{A_27a})^{A_27a}).(ap\ (ap\ c_2Eiterate_2Eiterate\ A_27a\ ty_2Erealax_2Ereal))$

Assume the following.

$$True \quad (10)$$

Assume the following.

$$\begin{aligned} & (\forall V0t \in 2.(((True \Leftrightarrow (p\ V0t)) \Leftrightarrow (p\ V0t)) \wedge (((p\ V0t) \Leftrightarrow True) \Leftrightarrow \\ & (p\ V0t)) \wedge (((False \Leftrightarrow (p\ V0t)) \Leftrightarrow \neg(p\ V0t)) \wedge (((p\ V0t) \Leftrightarrow False) \Leftrightarrow \neg(\\ & p\ V0t)))))) \end{aligned} \quad (11)$$

Assume the following.

$$\begin{aligned} & \forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow \forall A_27c. \\ & nonempty\ A_27c \Rightarrow (\forall V0op \in ((A_27c^{A_27c})^{A_27c}).((p\ (ap\ (c_2Eiterate_2Emonoidal \\ & A_27c)\ V0op)) \Rightarrow (\forall V1f \in (A_27b^{A_27a}).(\forall V2g \in (A_27c^{A_27b}). \\ & (\forall V3s \in (2^{A_27a}).((\forall V4x \in A_27a.(\forall V5y \in A_27a. \\ & (((p\ (ap\ (ap\ (c_2Ebool_2EIN\ A_27a)\ V4x)\ V3s)) \wedge ((p\ (ap\ (ap\ (c_2Ebool_2EIN \\ & A_27a)\ V5y)\ V3s)) \wedge ((ap\ V1f\ V4x) = (ap\ V1f\ V5y)))) \Rightarrow (V4x = V5y)))) \Rightarrow \\ & ((ap\ (ap\ (ap\ (c_2Eiterate_2Eiterate\ A_27b\ A_27c)\ V0op)\ (ap\ (ap\ (\\ & c_2Epred_set_2EIMAGE\ A_27a\ A_27b)\ V1f)\ V3s))\ V2g) = (ap\ (ap\ (ap \\ & (c_2Eiterate_2Eiterate\ A_27a\ A_27c)\ V0op)\ V3s)\ (ap\ (ap\ (c_2Ecombin_2Eo \\ & A_27a\ A_27c\ A_27b)\ V2g)\ V1f))))))))) \end{aligned} \quad (12)$$

Assume the following.

$$(p\ (ap\ (c_2Eiterate_2Emonoidal\ ty_2Erealax_2Ereal)\ c_2Erealax_2Ereal_add)) \quad (13)$$

Theorem 1

$$\begin{aligned} & \forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow (\\ & \forall V0f \in (A_27b^{A_27a}).(\forall V1g \in (ty_2Erealax_2Ereal^{A_27b}). \\ & (\forall V2s \in (2^{A_27a}).((\forall V3x \in A_27a.(\forall V4y \in A_27a. \\ & (((p\ (ap\ (ap\ (c_2Ebool_2EIN\ A_27a)\ V3x)\ V2s)) \wedge ((p\ (ap\ (ap\ (c_2Ebool_2EIN \\ & A_27a)\ V4y)\ V2s)) \wedge ((ap\ V0f\ V3x) = (ap\ V0f\ V4y)))) \Rightarrow (V3x = V4y)))) \Rightarrow \\ & ((ap\ (ap\ (c_2Eiterate_2ESum\ A_27b)\ (ap\ (ap\ (c_2Epred_set_2EIMAGE \\ & A_27a\ A_27b)\ V0f)\ V2s))\ V1g) = (ap\ (ap\ (c_2Eiterate_2ESum\ A_27a) \\ & V2s)\ (ap\ (ap\ (c_2Ecombin_2Eo\ A_27a\ ty_2Erealax_2Ereal\ A_27b)\ V1g) \\ & V0f))))))))) \end{aligned}$$