

# thm\_2Eiterate\_2ESUM\_\_IMAGE\_\_NONZERO (TMPZArTEi1iGYeuD2Tt4KrzXEyn3tNn6rPS)

October 26, 2020

**Definition 1** We define  $c\_2Emin\_2E\_3D$  to be  $\lambda A.\lambda x \in A.\lambda y \in A.inj\_o (x = y)$  of type  $\iota \Rightarrow \iota$ .

**Definition 2** We define  $c\_2Ebool\_2E\_2T$  to be  $(ap (ap (c\_2Emin\_2E\_3D (2^2)) (\lambda V0x \in 2.V0x)) (\lambda V1x \in 2.V1x))$

**Definition 3** We define  $c\_2Ebool\_2E\_21$  to be  $\lambda A\_27a : \iota.(\lambda V0P \in (2^{A\_27a}).(ap (ap (c\_2Emin\_2E\_3D (2^{A\_27a})) (\lambda V1f \in 2.V1f) V0x)))$

**Definition 4** We define  $c\_2Ebool\_2E\_2F$  to be  $(ap (c\_2Ebool\_2E\_21 2) (\lambda V0t \in 2.V0t))$ .

**Definition 5** We define  $c\_2Ecombin\_2E\_o$  to be  $\lambda A\_27a : \iota.\lambda A\_27b : \iota.\lambda A\_27c : \iota.\lambda V0f \in (A\_27b^{A\_27c}).\lambda V1g \in (A\_27c^{A\_27b}).(ap (ap (c\_2Ebool\_2E\_2F (2^{A\_27a})) (\lambda V2h \in 2.V2h) V1g))$

**Definition 6** We define  $c\_2Ebool\_2E\_2IN$  to be  $\lambda A\_27a : \iota.(\lambda V0x \in A\_27a.(\lambda V1f \in (2^{A\_27a}).(ap V1f V0x)))$

**Definition 7** We define  $c\_2Emin\_2E\_3D\_3D\_3E$  to be  $\lambda P \in 2.\lambda Q \in 2.inj\_o (p P \Rightarrow p Q)$  of type  $\iota$ .

**Definition 8** We define  $c\_2Ebool\_2E\_2F\_5C$  to be  $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap (c\_2Ebool\_2E\_21 2) (\lambda V2t \in 2.V2t) V1t2)))$

Let  $ty\_2Epair\_2Eprod : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A0.nonempty A0 \Rightarrow \forall A1.nonempty A1 \Rightarrow nonempty (ty\_2Epair\_2Eprod A0 A1) \tag{1}$$

Let  $c\_2Epair\_2EABS\_prod : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.nonempty A\_27a \Rightarrow \forall A\_27b.nonempty A\_27b \Rightarrow c\_2Epair\_2EABS\_prod A\_27a A\_27b \in ((ty\_2Epair\_2Eprod A\_27a A\_27b)^{(2^{A\_27b})^{A\_27a}}) \tag{2}$$

**Definition 9** We define  $c\_2Epair\_2E\_2C$  to be  $\lambda A\_27a : \iota.\lambda A\_27b : \iota.\lambda V0x \in A\_27a.\lambda V1y \in A\_27b.(ap (c\_2Ebool\_2E\_2F (2^{A\_27a})) (\lambda V2z \in 2.V2z) V1y))$

Let  $c\_2Epred\_set\_2EGSPEC : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.nonempty A\_27a \Rightarrow \forall A\_27b.nonempty A\_27b \Rightarrow c\_2Epred\_set\_2EGSPEC A\_27a A\_27b \in ((2^{A\_27a})^{(ty\_2Epair\_2Eprod A\_27a 2)^{A\_27b}}) \tag{3}$$

**Definition 10** We define `c_2Epred_set_2EIMAGE` to be  $\lambda A.27a : \iota.\lambda A.27b : \iota.\lambda V0f \in (A.27b^{A.27a}).\lambda V1s \in$

**Definition 11** We define `c_2Ebool_2E_7E` to be  $(\lambda V0t \in 2.(ap (ap c_2Emin_2E_3D_3D_3E V0t) c_2Ebool_2E_7E$

**Definition 12** We define `c_2Ebool_2E_5C_2F` to be  $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap (c_2Ebool_2E_21 2) (\lambda V2t \in$

**Definition 13** We define `c_2Epred_set_2EINSERT` to be  $\lambda A.27a : \iota.\lambda V0x \in A.27a.\lambda V1s \in (2^{A.27a}).(ap (c_2E$

**Definition 14** We define `c_2Epred_set_2EEMPTY` to be  $\lambda A.27a : \iota.(\lambda V0x \in A.27a.c_2Ebool_2E_2F).$

**Definition 15** We define `c_2Epred_set_2EFINITE` to be  $\lambda A.27a : \iota.\lambda V0s \in (2^{A.27a}).(ap (c_2Ebool_2E_21 2)$

**Definition 16** We define `c_2Emin_2E_40` to be  $\lambda A.\lambda P \in 2^A.\mathbf{if} (\exists x \in A.p (ap P x)) \mathbf{then} (the (\lambda x.x \in A \wedge P x))$   
of type  $\iota \Rightarrow \iota$ .

**Definition 17** We define `c_2Eiterate_2Eneutral` to be  $\lambda A.27a : \iota.\lambda V0op \in ((A.27a^{A.27a})^{A.27a}).(ap (c_2Emin_2E_40$

**Definition 18** We define `c_2Eiterate_2Esupport` to be  $\lambda A.27a : \iota.\lambda A.27b : \iota.\lambda V0op \in ((A.27b^{A.27b})^{A.27b}).\lambda V$

**Definition 19** We define `c_2Ebool_2ECOND` to be  $\lambda A.27a : \iota.(\lambda V0t \in 2.(\lambda V1t1 \in A.27a.(\lambda V2t2 \in A.27a.($

**Definition 20** We define `c_2Eiterate_2EITSET` to be  $\lambda A.27a : \iota.\lambda A.27b : \iota.\lambda V0f \in ((A.27a^{A.27a})^{A.27b}).\lambda V$

**Definition 21** We define `c_2Eiterate_2Eiterate` to be  $\lambda A.27a : \iota.\lambda A.27b : \iota.\lambda V0op \in ((A.27b^{A.27b})^{A.27b}).\lambda V$

Let `ty_2Ehreal_2Ehreal` :  $\iota$  be given. Assume the following.

$$\mathit{nonempty} \ \mathit{ty\_2Ehreal\_2Ehreal} \tag{4}$$

Let `ty_2Erealax_2Ereal` :  $\iota$  be given. Assume the following.

$$\mathit{nonempty} \ \mathit{ty\_2Erealax\_2Ereal} \tag{5}$$

Let `c_2Erealax_2Ereal__REP__CLASS` :  $\iota$  be given. Assume the following.

$$c\_2Erealax\_2Ereal\_REP\_CLASS \in ((2^{(\mathit{ty\_2Epair\_2Eprod} \ \mathit{ty\_2Ehreal\_2Ehreal} \ \mathit{ty\_2Ehreal\_2Ehreal})} \ \mathit{ty\_2Erealax\_2Ereal}) \tag{6}$$

**Definition 22** We define `c_2Erealax_2Ereal__REP` to be  $\lambda V0a \in \mathit{ty\_2Erealax\_2Ereal}.(ap (c_2Emin_2E_40 (the$

Let `c_2Erealax_2Etrealm__add` :  $\iota$  be given. Assume the following.

$$c\_2Erealax\_2Etrealm\_add \in (((\mathit{ty\_2Epair\_2Eprod} \ \mathit{ty\_2Ehreal\_2Ehreal} \ \mathit{ty\_2Ehreal\_2Ehreal})^{(\mathit{ty\_2Epair\_2Eprod} \ \mathit{ty\_2Ehreal\_2Ehreal} \ \mathit{ty\_2Ehreal\_2Ehreal})} \ \mathit{ty\_2Epair\_2Eprod} \ \mathit{ty\_2Ehreal\_2Ehreal}) \tag{7}$$

Let `c_2Erealax_2Etrealm__eq` :  $\iota$  be given. Assume the following.

$$c\_2Erealax\_2Etrealm\_eq \in ((2^{(\mathit{ty\_2Epair\_2Eprod} \ \mathit{ty\_2Ehreal\_2Ehreal} \ \mathit{ty\_2Ehreal\_2Ehreal})} \ \mathit{ty\_2Epair\_2Eprod} \ \mathit{ty\_2Ehreal\_2Ehreal}) \tag{8}$$

Let `c_2Erealax_2Ereal__ABS__CLASS` :  $\iota$  be given. Assume the following.

$$c\_2Erealax\_2Ereal\_ABS\_CLASS \in (\mathit{ty\_2Erealax\_2Ereal}^{(2^{(\mathit{ty\_2Epair\_2Eprod} \ \mathit{ty\_2Ehreal\_2Ehreal} \ \mathit{ty\_2Ehreal\_2Ehreal})} \ \mathit{ty\_2Epair\_2Eprod} \ \mathit{ty\_2Ehreal\_2Ehreal})} \tag{9}$$

**Definition 23** We define  $c\_2Erealax\_2Ereal\_ABS$  to be  $\lambda V0r \in (ty\_2Epair\_2Eprod\ ty\_2Ehreal\_2Ehreal\ ty$

**Definition 24** We define  $c\_2Erealax\_2Ereal\_add$  to be  $\lambda V0T1 \in ty\_2Erealax\_2Ereal.\lambda V1T2 \in ty\_2Erealax$

**Definition 25** We define  $c\_2Eiterate\_2ESum$  to be  $\lambda A\_27a : \iota.(ap\ (c\_2Eiterate\_2Eiterate\ A\_27a\ ty\_2Erealax$

Let  $c\_2Enum\_2EZERO\_REP : \iota$  be given. Assume the following.

$$c\_2Enum\_2EZERO\_REP \in \omega \tag{10}$$

Let  $ty\_2Enum\_2Enum : \iota$  be given. Assume the following.

$$nonempty\ ty\_2Enum\_2Enum \tag{11}$$

Let  $c\_2Enum\_2EABS\_num : \iota$  be given. Assume the following.

$$c\_2Enum\_2EABS\_num \in (ty\_2Enum\_2Enum^{\omega}) \tag{12}$$

**Definition 26** We define  $c\_2Enum\_2E0$  to be  $(ap\ c\_2Enum\_2EABS\_num\ c\_2Enum\_2EZERO\_REP)$ .

Let  $c\_2Ereal\_2Ereal\_of\_num : \iota$  be given. Assume the following.

$$c\_2Ereal\_2Ereal\_of\_num \in (ty\_2Erealax\_2Ereal^{ty\_2Enum\_2Enum}) \tag{13}$$

**Definition 27** We define  $c\_2Eiterate\_2Emonoidal$  to be  $\lambda A\_27a : \iota.\lambda V0op \in ((A\_27a^{A\_27a})^{A\_27a}).(ap\ (ap\ c\_2$

Assume the following.

$$True \tag{14}$$

Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow (\forall V0x \in A\_27a.(\forall V1y \in A\_27a.((V0x = V1y) \Leftrightarrow (V1y = V0x)))) \tag{15}$$

Assume the following.

$$\begin{aligned} & (\forall V0t \in 2.(((True \Leftrightarrow (p\ V0t)) \Leftrightarrow (p\ V0t)) \wedge (((p\ V0t) \Leftrightarrow True) \Leftrightarrow \\ & (p\ V0t)) \wedge (((False \Leftrightarrow (p\ V0t)) \Leftrightarrow \neg(p\ V0t)) \wedge (((p\ V0t) \Leftrightarrow False) \Leftrightarrow \neg( \\ & p\ V0t)))))) \end{aligned} \tag{16}$$

Assume the following.

$$\begin{aligned} & \forall A\_27a.nonempty\ A\_27a \Rightarrow \forall A\_27b.nonempty\ A\_27b \Rightarrow \forall A\_27c. \\ & nonempty\ A\_27c \Rightarrow (\forall V0op \in ((A\_27c^{A\_27c})^{A\_27c}).((p\ (ap\ (c\_2Eiterate\_2Emonoidal \\ & A\_27c)\ V0op)) \Rightarrow (\forall V1g \in (A\_27c^{A\_27b}).(\forall V2f \in (A\_27b^{A\_27a}). \\ & (\forall V3s \in (2^{A\_27a}).(((p\ (ap\ (c\_2Epred\_set\_2EFINITE\ A\_27a) \\ & V3s)) \wedge (\forall V4x \in A\_27a.(\forall V5y \in A\_27a.(((p\ (ap\ (ap\ (c\_2Ebool\_2EIN \\ & A\_27a)\ V4x)\ V3s)) \wedge ((p\ (ap\ (ap\ (c\_2Ebool\_2EIN\ A\_27a)\ V5y)\ V3s)) \wedge \\ & ((\neg(V4x = V5y)) \wedge ((ap\ V2f\ V4x) = (ap\ V2f\ V5y)))))) \Rightarrow ((ap\ V1g\ (ap\ V2f\ V4x)) = \\ & (ap\ (c\_2Eiterate\_2Eneutral\ A\_27c)\ V0op)))))) \Rightarrow ((ap\ (ap\ (ap\ (c\_2Eiterate\_2Eiterate \\ & A\_27b\ A\_27c)\ V0op)\ (ap\ (ap\ (c\_2Epred\_set\_2EIMAGE\ A\_27a\ A\_27b) \\ & V2f)\ V3s))\ V1g) = (ap\ (ap\ (ap\ (c\_2Eiterate\_2Eiterate\ A\_27a\ A\_27c) \\ & V0op)\ V3s)\ (ap\ (ap\ (c\_2Ecombin\_2Eo\ A\_27a\ A\_27c\ A\_27b)\ V1g)\ V2f)))))) \end{aligned} \tag{17}$$

Assume the following.

$$\begin{aligned} & ((ap (c\_2Eiterate\_2Eneutral \ ty\_2Erealax\_2Ereal) \ c\_2Erealax\_2Ereal\_add) = \\ & \quad (ap \ c\_2Ereal\_2Ereal\_of\_num \ c\_2Enum\_2E0)) \end{aligned} \tag{18}$$

Assume the following.

$$(p \ (ap \ (c\_2Eiterate\_2Emonoidal \ ty\_2Erealax\_2Ereal) \ c\_2Erealax\_2Ereal\_add)) \tag{19}$$

**Theorem 1**

$$\begin{aligned} & \forall A\_27a.nonempty \ A\_27a \Rightarrow \forall A\_27b.nonempty \ A\_27b \Rightarrow ( \\ & \quad \forall V0d \in (ty\_2Erealax\_2Ereal^{A\_27b}). (\forall V1i \in (A\_27b^{A\_27a}). \\ & \quad (\forall V2s \in (2^{A\_27a}). ((p \ (ap \ (c\_2Epred\_set\_2EFINITE \ A\_27a) \\ & \quad V2s)) \wedge (\forall V3x \in A\_27a. (\forall V4y \in A\_27a. ((p \ (ap \ (ap \ (c\_2Ebool\_2EIN \\ & \quad A\_27a) \ V3x) \ V2s)) \wedge (p \ (ap \ (ap \ (c\_2Ebool\_2EIN \ A\_27a) \ V4y) \ V2s)) \wedge \\ & \quad ((\neg(V3x = V4y)) \wedge ((ap \ V1i \ V3x) = (ap \ V1i \ V4y)))))) \Rightarrow ((ap \ V0d \ (ap \ V1i \ V3x)) = \\ & \quad (ap \ c\_2Ereal\_2Ereal\_of\_num \ c\_2Enum\_2E0)))))) \Rightarrow ((ap \ (ap \ (c\_2Eiterate\_2ESum \\ & \quad A\_27b) \ (ap \ (ap \ (c\_2Epred\_set\_2EIMAGE \ A\_27a \ A\_27b) \ V1i) \ V2s)) \ V0d) = \\ & \quad (ap \ (ap \ (c\_2Eiterate\_2ESum \ A\_27a) \ V2s) \ (ap \ (ap \ (c\_2Ecombin\_2Eo \\ & \quad A\_27a \ ty\_2Erealax\_2Ereal \ A\_27b) \ V0d) \ V1i)))))) \end{aligned}$$