

thm_2Eiterate_2ESUM__SWAP__NUMSEG
(TMb-
sQER642TjpiUPtnTarh79RxFnCuEyUNH)

October 26, 2020

Definition 1 We define $c_2Emin_2E_3D$ to be $\lambda A.\lambda x \in A.\lambda y \in A.inj_o (x = y)$ of type $\iota \Rightarrow \iota$.

Definition 2 We define $c_2Ebool_2E_2T$ to be $(ap (ap (c_2Emin_2E_3D (2^2)) (\lambda V0x \in 2.V0x)) (\lambda V1x \in 2.V1x))$

Definition 3 We define $c_2Ebool_2E_21$ to be $\lambda A.\lambda a : \iota.(\lambda V0P \in (2^{A-27a}).(ap (ap (c_2Emin_2E_3D (2^{A-27a}))$

Definition 4 We define $c_2Ebool_2E_2F$ to be $(ap (c_2Ebool_2E_21 2) (\lambda V0t \in 2.V0t))$.

Definition 5 We define $c_2Emin_2E_3D_3D_3E$ to be $\lambda P \in 2.\lambda Q \in 2.inj_o (p \Rightarrow q)$ of type ι .

Definition 6 We define $c_2Ebool_2E_27E$ to be $(\lambda V0t \in 2.(ap (ap c_2Emin_2E_3D_3D_3E V0t) c_2Ebool_2E_2F))$

Let $ty_2Enum_2Enum : \iota$ be given. Assume the following.

$$nonempty\ ty_2Enum_2Enum \tag{1}$$

Definition 7 We define $c_2Ebool_2E_2F_5C$ to be $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap (c_2Ebool_2E_21 2) (\lambda V2t \in 2.V2t))$

Let $c_2Enum_2EREP_num : \iota$ be given. Assume the following.

$$c_2Enum_2EREP_num \in (\omega^{ty_2Enum_2Enum}) \tag{2}$$

Let $c_2Enum_2ESUC_REP : \iota$ be given. Assume the following.

$$c_2Enum_2ESUC_REP \in (\omega^{\omega}) \tag{3}$$

Let $c_2Enum_2EABS_num : \iota$ be given. Assume the following.

$$c_2Enum_2EABS_num \in (ty_2Enum_2Enum^{\omega}) \tag{4}$$

Definition 8 We define c_2Enum_2ESUC to be $\lambda V0m \in ty_2Enum_2Enum.(ap c_2Enum_2EABS_num (c_2Enum_2ESUC_REP m))$

Definition 9 We define `c_2Emin_2E_40` to be $\lambda A. \lambda P \in 2^A. \text{if } (\exists x \in A. p \text{ (ap } P \ x)) \text{ then (the } (\lambda x. x \in A \wedge p \text{ of type } \iota \Rightarrow \iota).$

Definition 10 We define `c_2Ebool_2E_3F` to be $\lambda A_27a : \iota. (\lambda V0P \in (2^{A_27a}). (\text{ap } V0P \text{ (ap (c_2Emin_2E_40$

Definition 11 We define `c_2Eprim_rec_2E_3C` to be $\lambda V0m \in \text{ty_2Enum_2Enum}. \lambda V1n \in \text{ty_2Enum_2Enum}$

Definition 12 We define `c_2Ebool_2E_5C_2F` to be $(\lambda V0t1 \in 2. (\lambda V1t2 \in 2. (\text{ap (c_2Ebool_2E_21 } 2) (\lambda V2t \in$

Definition 13 We define `c_2Earithmetic_2E_3C_3D` to be $\lambda V0m \in \text{ty_2Enum_2Enum}. \lambda V1n \in \text{ty_2Enum_2Enum}$

Let `ty_2Epair_2Eprod` : $\iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0. \text{nonempty } A0 \Rightarrow \forall A1. \text{nonempty } A1 \Rightarrow \text{nonempty (ty_2Epair_2Eprod } A0 \ A1) \tag{5}$$

Let `c_2Epair_2EABS_prod` : $\iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a. \text{nonempty } A_27a \Rightarrow \forall A_27b. \text{nonempty } A_27b \Rightarrow c_2Epair_2EABS_prod \ A_27a \ A_27b \in ((\text{ty_2Epair_2Eprod } A_27a \ A_27b)^{(2^{A_27b})^{A_27a}}) \tag{6}$$

Definition 14 We define `c_2Epair_2E_2C` to be $\lambda A_27a : \iota. \lambda A_27b : \iota. \lambda V0x \in A_27a. \lambda V1y \in A_27b. (\text{ap (c_2E$

Let `c_2Epred_set_2EGSPEC` : $\iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a. \text{nonempty } A_27a \Rightarrow \forall A_27b. \text{nonempty } A_27b \Rightarrow c_2Epred_set_2EGSPEC \ A_27a \ A_27b \in ((2^{A_27a})^{(\text{ty_2Epair_2Eprod } A_27a \ 2)^{A_27b}}) \tag{7}$$

Definition 15 We define `c_2Eiterate_2E_2E_2E` to be $\lambda V0m \in \text{ty_2Enum_2Enum}. \lambda V1n \in \text{ty_2Enum_2Enum}$

Let `ty_2Ehreal_2Ehreal` : ι be given. Assume the following.

$$\text{nonempty ty_2Ehreal_2Ehreal} \tag{8}$$

Let `ty_2Erealax_2Ereal` : ι be given. Assume the following.

$$\text{nonempty ty_2Erealax_2Ereal} \tag{9}$$

Let `c_2Erealax_2Ereal_REP_CLASS` : ι be given. Assume the following.

$$c_2Erealax_2Ereal_REP_CLASS \in ((2^{(\text{ty_2Epair_2Eprod } \text{ty_2Ehreal_2Ehreal } \ \text{ty_2Ehreal_2Ehreal}) \ \text{ty_2Erealax_2Ereal}}) \tag{10}$$

Definition 16 We define `c_2Erealax_2Ereal_REP` to be $\lambda V0a \in \text{ty_2Erealax_2Ereal}. (\text{ap (c_2Emin_2E_40 (t$

Assume the following.

$$p \left(\text{ap} \left(\text{c_2Epred_set_2EFINITE } ty_2Enum_2Enum \right) \left(\text{ap} \left(\text{ap } \text{c_2Eiterate_2E_2E_2E } V0m \right) V1n \right) \right) \quad (17)$$

Assume the following.

$$\begin{aligned} & \forall A_27a. \text{nonempty } A_27a \Rightarrow \forall A_27b. \text{nonempty } A_27b \Rightarrow (\\ & \quad \forall V0f \in ((ty_2Erealax_2Ereal^{A_27b})^{A_27a}). (\forall V1s \in \\ & \quad (2^{A_27a}). (\forall V2t \in (2^{A_27b}). (((p \left(\text{ap} \left(\text{c_2Epred_set_2EFINITE } \right. \right. \\ & \quad A_27a \right) V1s)) \wedge (p \left(\text{ap} \left(\text{c_2Epred_set_2EFINITE } A_27b \right) V2t))) \Rightarrow ((\\ & \quad \text{ap} \left(\text{ap} \left(\text{c_2Eiterate_2ESum } A_27a \right) V1s \right) (\lambda V3i \in A_27a. (\text{ap} \left(\text{ap} \left(\right. \right. \\ & \quad \text{c_2Eiterate_2ESum } A_27b \right) V2t) \left(\text{ap } V0f \ V3i \right)))) = (\text{ap} \left(\text{ap} \left(\text{c_2Eiterate_2ESum } \right. \right. \\ & \quad A_27b \right) V2t) (\lambda V4j \in A_27b. (\text{ap} \left(\text{ap} \left(\text{c_2Eiterate_2ESum } A_27a \right) \right. \\ & \quad V1s \right) (\lambda V5i \in A_27a. (\text{ap} \left(\text{ap} \left(V0f \ V5i \right) V4j \right)))))))))) \quad (18) \end{aligned}$$

Theorem 1

$$\begin{aligned} & (\forall V0a \in ty_2Enum_2Enum. (\forall V1b \in ty_2Enum_2Enum. (\\ & \quad \forall V2c \in ty_2Enum_2Enum. (\forall V3d \in ty_2Enum_2Enum. (\forall V4f \in \\ & \quad ((ty_2Erealax_2Ereal^{ty_2Enum_2Enum})^{ty_2Enum_2Enum}). ((\text{ap} \\ & \quad (\text{ap} \left(\text{c_2Eiterate_2ESum } ty_2Enum_2Enum \right) \left(\text{ap} \left(\text{ap } \text{c_2Eiterate_2E_2E_2E } \right. \right. \\ & \quad V0a \right) V1b)) (\lambda V5i \in ty_2Enum_2Enum. (\text{ap} \left(\text{ap} \left(\text{c_2Eiterate_2ESum } \right. \right. \\ & \quad ty_2Enum_2Enum \right) \left(\text{ap} \left(\text{ap } \text{c_2Eiterate_2E_2E_2E } V2c \right) V3d)) \left(\text{ap } V4f \right. \\ & \quad V5i)))) = (\text{ap} \left(\text{ap} \left(\text{c_2Eiterate_2ESum } ty_2Enum_2Enum \right) \left(\text{ap} \left(\text{ap } \text{c_2Eiterate_2E_2E_2E } \right. \right. \\ & \quad V2c \right) V3d)) (\lambda V6j \in ty_2Enum_2Enum. (\text{ap} \left(\text{ap} \left(\text{c_2Eiterate_2ESum } \right. \right. \\ & \quad ty_2Enum_2Enum \right) \left(\text{ap} \left(\text{ap } \text{c_2Eiterate_2E_2E_2E } V0a \right) V1b)) (\lambda V7i \in \\ & \quad ty_2Enum_2Enum. (\text{ap} \left(\text{ap} \left(V4f \ V7i \right) V6j \right)))))))))) \end{aligned}$$