

thm_2Eiterate_2ESUP__EQ (TMbWfRWzp- KUnCccnSSgzHhNp3NpvQfAtRv5)

October 26, 2020

Definition 1 We define $c_2Emin_2E_3D$ to be $\lambda A.\lambda x \in A.\lambda y \in A.inj_o (x = y)$ of type $\iota \Rightarrow \iota$.

Definition 2 We define $c_2Ebool_2E_2T$ to be $(ap (ap (c_2Emin_2E_3D (2^2)) (\lambda V0x \in 2.V0x)) (\lambda V1x \in 2.V1x))$

Definition 3 We define $c_2Ebool_2E_21$ to be $\lambda A.27a : \iota.(\lambda V0P \in (2^{A-27a}).(ap (ap (c_2Emin_2E_3D (2^{A-27a}))$

Definition 4 We define $c_2Ebool_2E_2F$ to be $(ap (c_2Ebool_2E_21 2) (\lambda V0t \in 2.V0t))$.

Definition 5 We define $c_2Emin_2E_3D_3D_3E$ to be $\lambda P \in 2.\lambda Q \in 2.inj_o (p P \Rightarrow p Q)$ of type ι .

Definition 6 We define $c_2Ebool_2E_7E$ to be $(\lambda V0t \in 2.(ap (ap c_2Emin_2E_3D_3D_3E V0t) c_2Ebool_2E_2F$

Let $ty_2Ehreal_2Ehreal : \iota$ be given. Assume the following.

$$nonempty\ ty_2Ehreal_2Ehreal \tag{1}$$

Let $ty_2Epair_2Eprod : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0.nonempty\ A0 \Rightarrow \forall A1.nonempty\ A1 \Rightarrow nonempty\ (ty_2Epair_2Eprod\ A0\ A1) \tag{2}$$

Let $ty_2Erealax_2Ereal : \iota$ be given. Assume the following.

$$nonempty\ ty_2Erealax_2Ereal \tag{3}$$

Let $c_2Erealax_2Ereal_REP_CLASS : \iota$ be given. Assume the following.

$$c_2Erealax_2Ereal_REP_CLASS \in ((2^{(ty_2Epair_2Eprod\ ty_2Ehreal_2Ehreal\ ty_2Ehreal_2Ehreal)})\ ty_2Erealax_2Ereal) \tag{4}$$

Definition 7 We define $c_2Emin_2E_40$ to be $\lambda A.\lambda P \in 2^A.if (\exists x \in A.p (ap P x)) \mathbf{then} (the (\lambda x.x \in A \wedge p$ of type $\iota \Rightarrow \iota$.

Definition 8 We define $c_2Erealax_2Ereal_REP$ to be $\lambda V0a \in ty_2Erealax_2Ereal.(ap (c_2Emin_2E_40 (ty$

Let $c_2Erealax_2Etreall_lt : \iota$ be given. Assume the following.

$$c_2Erealax_2Etreall_lt \in ((2^{(ty_2Epair_2Eprod \ ty_2Ehreal_2Ehreal \ ty_2Ehreal_2Ehreal)}) (ty_2Epair_2Eprod \ ty_2Ehreal)) \quad (5)$$

Definition 9 We define $c_2Erealax_2Ereal_lt$ to be $\lambda V0T1 \in ty_2Erealax_2Ereal. \lambda V1T2 \in ty_2Erealax_2Ereal.$

Definition 10 We define $c_2Ereal_2Ereal_lte$ to be $\lambda V0x \in ty_2Erealax_2Ereal. \lambda V1y \in ty_2Erealax_2Ereal.$

Definition 11 We define c_2Ebool_2EIN to be $\lambda A_27a : \iota. (\lambda V0x \in A_27a. (\lambda V1f \in (2^{A_27a}). (ap \ V1f \ V0x)))$

Definition 12 We define $c_2Ebool_2E_2F_5C$ to be $(\lambda V0t1 \in 2. (\lambda V1t2 \in 2. (ap \ (c_2Ebool_2E_21 \ 2) \ (\lambda V2t \in 2. (ap \ (c_2Ebool_2E_21 \ 2) \ V2t))))$

Definition 13 We define $c_2Ebool_2E_3F$ to be $\lambda A_27a : \iota. (\lambda V0P \in (2^{A_27a}). (ap \ V0P \ (ap \ (c_2Emin_2E_40 \ V0P))))$

Definition 14 We define c_2Ereal_2Esup to be $\lambda V0P \in (2^{ty_2Erealax_2Ereal}). (ap \ (c_2Emin_2E_40 \ ty_2Erealax_2Ereal \ V0P))$

Assume the following.

$$True \quad (6)$$

Assume the following.

$$\forall A_27a. nonempty \ A_27a \Rightarrow (\forall V0t \in 2. ((\forall V1x \in A_27a. (p \ V0t)) \Leftrightarrow (p \ V0t))) \quad (7)$$

Assume the following.

$$\begin{aligned} & (\forall V0t \in 2. (((True \Rightarrow (p \ V0t)) \Leftrightarrow (p \ V0t)) \wedge (((p \ V0t) \Rightarrow True) \Leftrightarrow \\ & True) \wedge (((False \Rightarrow (p \ V0t)) \Leftrightarrow True) \wedge (((p \ V0t) \Rightarrow (p \ V0t)) \Leftrightarrow True) \wedge ((\\ & (p \ V0t) \Rightarrow False) \Leftrightarrow (\neg (p \ V0t)))))) \quad (8) \end{aligned}$$

Assume the following.

$$\forall A_27a. nonempty \ A_27a \Rightarrow (\forall V0x \in A_27a. ((V0x = V0x) \Leftrightarrow True)) \quad (9)$$

Assume the following.

$$\forall A_27a. nonempty \ A_27a \Rightarrow (\forall V0x \in A_27a. (\forall V1y \in A_27a. ((V0x = V1y) \Leftrightarrow (V1y = V0x)))) \quad (10)$$

Assume the following.

$$\begin{aligned} & (\forall V0t1 \in 2. (\forall V1t2 \in 2. (\forall V2t3 \in 2. (((p \ V0t1) \Rightarrow \\ & ((p \ V1t2) \Rightarrow (p \ V2t3))) \Leftrightarrow (((p \ V0t1) \wedge (p \ V1t2)) \Rightarrow (p \ V2t3))))) \quad (11) \end{aligned}$$

Assume the following.

$$\begin{aligned} & (\forall V0x \in 2. (\forall V1x_27 \in 2. (\forall V2y \in 2. (\forall V3y_27 \in 2. \\ & (((((p \ V0x) \Leftrightarrow (p \ V1x_27)) \wedge ((p \ V1x_27) \Rightarrow ((p \ V2y) \Leftrightarrow (p \ V3y_27)))) \Rightarrow \\ & (((p \ V0x) \Rightarrow (p \ V2y)) \Leftrightarrow ((p \ V1x_27) \Rightarrow (p \ V3y_27))))))) \quad (12) \end{aligned}$$

Assume the following.

$$\begin{aligned}
& (\forall V0s \in (2^{ty_2Erealax_2Ereal}).((ap\ c_2Ereal_2Esup\ V0s) = \\
& (ap\ (c_2Emin_2E_40\ ty_2Erealax_2Ereal)\ (\lambda V1a \in ty_2Erealax_2Ereal. \\
& (ap\ (ap\ c_2Ebool_2E_2F_5C\ (ap\ (c_2Ebool_2E_21\ ty_2Erealax_2Ereal) \\
& (\lambda V2x \in ty_2Erealax_2Ereal.(ap\ (ap\ c_2Emin_2E_3D_3D_3E\ (ap \\
& (ap\ (c_2Ebool_2EIN\ ty_2Erealax_2Ereal)\ V2x)\ V0s))\ (ap\ (ap\ c_2Ereal_2Ereal_lte \\
& V2x)\ V1a))))))\ (ap\ (c_2Ebool_2E_21\ ty_2Erealax_2Ereal)\ (\lambda V3b \in \\
& ty_2Erealax_2Ereal.(ap\ (ap\ c_2Emin_2E_3D_3D_3E\ (ap\ (c_2Ebool_2E_21 \\
& ty_2Erealax_2Ereal)\ (\lambda V4x \in ty_2Erealax_2Ereal.(ap\ (ap\ c_2Emin_2E_3D_3D_3E \\
& (ap\ (ap\ (c_2Ebool_2EIN\ ty_2Erealax_2Ereal)\ V4x)\ V0s))\ (ap\ (ap\ c_2Ereal_2Ereal_lte \\
& V4x)\ V3b))))))\ (ap\ (ap\ c_2Ereal_2Ereal_lte\ V1a)\ V3b))))))))) \\
& \hspace{15em} (13)
\end{aligned}$$

Theorem 1

$$\begin{aligned}
& (\forall V0s \in (2^{ty_2Erealax_2Ereal}).(\forall V1t \in (2^{ty_2Erealax_2Ereal}). \\
& ((\forall V2b \in ty_2Erealax_2Ereal.((\forall V3x \in ty_2Erealax_2Ereal. \\
& ((p\ (ap\ (ap\ (c_2Ebool_2EIN\ ty_2Erealax_2Ereal)\ V3x)\ V0s)) \Rightarrow (p\ (\\
& ap\ (ap\ c_2Ereal_2Ereal_lte\ V3x)\ V2b)))))) \Leftrightarrow (\forall V4x \in ty_2Erealax_2Ereal. \\
& ((p\ (ap\ (ap\ (c_2Ebool_2EIN\ ty_2Erealax_2Ereal)\ V4x)\ V1t)) \Rightarrow (p\ (\\
& ap\ (ap\ c_2Ereal_2Ereal_lte\ V4x)\ V2b)))))) \Rightarrow ((ap\ c_2Ereal_2Esup \\
& V0s) = (ap\ c_2Ereal_2Esup\ V1t))))))
\end{aligned}$$