

thm_2Elbtree_2Ebf_flatten_append (TM- cBdL4ZHFMyxUzaGA6HxtpwRPaMgVZ7eu3)

October 26, 2020

Definition 1 We define $c_2Emin_2E_3D$ to be $\lambda A.\lambda x \in A.\lambda y \in A.inj_o (x = y)$ of type $\iota \Rightarrow \iota$.

Definition 2 We define $c_2Ebool_2E_2T$ to be $(ap (ap (c_2Emin_2E_3D (2^2)) (\lambda V0x \in 2.V0x)) (\lambda V1x \in 2.V1x))$

Definition 3 We define $c_2Ebool_2E_21$ to be $\lambda A.\lambda a : \iota.(\lambda V0P \in (2^{A-27a}).(ap (ap (c_2Emin_2E_3D (2^{A-27a}))$

Definition 4 We define $c_2Ebool_2E_2F$ to be $(ap (c_2Ebool_2E_21 2) (\lambda V0t \in 2.V0t))$.

Definition 5 We define $c_2Emin_2E_3D_3D_3E$ to be $\lambda P \in 2.\lambda Q \in 2.inj_o (p P \Rightarrow p Q)$ of type ι .

Definition 6 We define $c_2Ebool_2E_27E$ to be $(\lambda V0t \in 2.(ap (ap c_2Emin_2E_3D_3D_3E V0t) c_2Ebool_2E_2F$

Let $c_2Enum_2EZERO_REP : \iota$ be given. Assume the following.

$$c_2Enum_2EZERO_REP \in \omega \tag{1}$$

Let $ty_2Enum_2Enum : \iota$ be given. Assume the following.

$$nonempty\ ty_2Enum_2Enum \tag{2}$$

Let $c_2Enum_2EABS_num : \iota$ be given. Assume the following.

$$c_2Enum_2EABS_num \in (ty_2Enum_2Enum^{\omega}) \tag{3}$$

Definition 7 We define c_2Enum_2E0 to be $(ap c_2Enum_2EABS_num c_2Enum_2EZERO_REP)$.

Definition 8 We define $c_2Earithmic_2EZERO$ to be c_2Enum_2E0 .

Let $c_2Enum_2EREP_num : \iota$ be given. Assume the following.

$$c_2Enum_2EREP_num \in (\omega^{ty_2Enum_2Enum}) \tag{4}$$

Let $c_2Enum_2ESUC_REP : \iota$ be given. Assume the following.

$$c_2Enum_2ESUC_REP \in (\omega^{\omega}) \tag{5}$$

Definition 9 We define c_2Enum_2ESUC to be $\lambda V0m \in ty_2Enum_2Enum.(ap\ c_2Enum_2EABS_num$

Let $c_2Earithmetic_2E_2B : \iota$ be given. Assume the following.

$$c_2Earithmetic_2E_2B \in ((ty_2Enum_2Enum^{ty_2Enum_2Enum})^{ty_2Enum_2Enum}) \quad (6)$$

Definition 10 We define $c_2Earithmetic_2EBIT1$ to be $\lambda V0n \in ty_2Enum_2Enum.(ap\ (ap\ c_2Earithmetic$

Definition 11 We define $c_2Earithmetic_2ENUMERAL$ to be $\lambda V0x \in ty_2Enum_2Enum.V0x$.

Let $c_2Earithmetic_2E_2D : \iota$ be given. Assume the following.

$$c_2Earithmetic_2E_2D \in ((ty_2Enum_2Enum^{ty_2Enum_2Enum})^{ty_2Enum_2Enum}) \quad (7)$$

Let $ty_2Eoption_2Eoption : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0.nonempty\ A0 \Rightarrow nonempty\ (ty_2Eoption_2Eoption\ A0) \quad (8)$$

Let $ty_2Ellist_2Ellist : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0.nonempty\ A0 \Rightarrow nonempty\ (ty_2Ellist_2Ellist\ A0) \quad (9)$$

Let $c_2Ellist_2Ellist_rep : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow c_2Ellist_2Ellist_rep\ A_27a \in ((ty_2Eoption_2Eoption\ A_27a)^{ty_2Enum_2Enum})^{(ty_2Ellist_2Ellist\ A_27a)} \quad (10)$$

Let $ty_2Eone_2Eone : \iota$ be given. Assume the following.

$$nonempty\ ty_2Eone_2Eone \quad (11)$$

Definition 12 We define $c_2Ebool_2E_2F_5C$ to be $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap\ (c_2Ebool_2E_21\ 2)\ (\lambda V2t \in$

Let $ty_2Esum_2Esum : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0.nonempty\ A0 \Rightarrow \forall A1.nonempty\ A1 \Rightarrow nonempty\ (ty_2Esum_2Esum\ A0\ A1) \quad (12)$$

Let $c_2Esum_2EABS_sum : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow c_2Esum_2EABS_sum\ A_27a\ A_27b \in ((ty_2Esum_2Esum\ A_27a\ A_27b)^{((2^{A_27b})^{A_27a})^2}) \quad (13)$$

Definition 13 We define c_2Esum_2EINL to be $\lambda A_27a : \iota.\lambda A_27b : \iota.\lambda V0e \in A_27a.(ap\ (c_2Esum_2EABS$

Let $c_2Eoption_2Eoption_ABS : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow c_2Eoption_2Eoption_ABS\ A_27a \in ((ty_2Eoption_2Eoption\ A_27a)^{ty_2Esum_2Esum\ A_27a\ ty_2Eone_2Eone}) \quad (14)$$

Definition 14 We define $c_2Eoption_2ESOME$ to be $\lambda A_27a : \iota. \lambda V0x \in A_27a. (ap (c_2Eoption_2Eoption_2ESOME A_27a) x)$

Definition 15 We define c_2Emin_2E40 to be $\lambda A. \lambda P \in 2^A. \text{if } (\exists x \in A. P x) \text{ then } (the (\lambda x. x \in A) P)$ of type $\iota \Rightarrow \iota$.

Definition 16 We define c_2Ebool_2ECOND to be $\lambda A_27a : \iota. (\lambda V0t \in 2. (\lambda V1t1 \in A_27a. (\lambda V2t2 \in A_27a. (ap (c_2Ebool_2ECOND A_27a) t1) t2)))$

Let $c_2Ellist_2Ellist_abs : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a. nonempty A_27a \Rightarrow c_2Ellist_2Ellist_abs A_27a \in ((ty_2Ellist_2Ellist A_27a)^{(ty_2Eoption_2Eoption A_27a)^{ty_2Enum_2Enum}}) \quad (15)$$

Definition 17 We define $c_2Ellist_2ELCONS$ to be $\lambda A_27a : \iota. \lambda V0h \in A_27a. \lambda V1t \in (ty_2Ellist_2Ellist A_27a) (ap (c_2Ellist_2ELCONS A_27a) h) t$

Let $ty_2Elist_2Elist : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0. nonempty A0 \Rightarrow nonempty (ty_2Elist_2Elist A0) \quad (16)$$

Let $ty_2Elbtree_2Elbtree : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0. nonempty A0 \Rightarrow nonempty (ty_2Elbtree_2Elbtree A0) \quad (17)$$

Let $c_2Elbtree_2Elbtree_rep : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a. nonempty A_27a \Rightarrow c_2Elbtree_2Elbtree_rep A_27a \in (((ty_2Eoption_2Eoption A_27a)^{(ty_2Elist_2Elist 2)})^{(ty_2Elbtree_2Elbtree A_27a)}) \quad (18)$$

Let $c_2Elist_2Elist_CASE : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a. nonempty A_27a \Rightarrow \forall A_27b. nonempty A_27b \Rightarrow c_2Elist_2Elist_CASE A_27a A_27b \in (((A_27b^{(A_27b^{(ty_2Elist_2Elist A_27a)})^{A_27a}})^{A_27b})^{(ty_2Elist_2Elist A_27a)}) \quad (19)$$

Definition 18 We define $c_2Elbtree_2ENDrep$ to be $\lambda A_27a : \iota. \lambda V0a \in A_27a. \lambda V1t1 \in ((ty_2Eoption_2Eoption A_27a) a)$

Let $c_2Elbtree_2Elbtree_abs : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a. nonempty A_27a \Rightarrow c_2Elbtree_2Elbtree_abs A_27a \in ((ty_2Elbtree_2Elbtree A_27a)^{(ty_2Eoption_2Eoption A_27a)^{(ty_2Elist_2Elist 2)}}) \quad (20)$$

Definition 19 We define $c_2Elbtree_2END$ to be $\lambda A_27a : \iota. \lambda V0a \in A_27a. \lambda V1t1 \in (ty_2Elbtree_2Elbtree A_27a) (ap (c_2Elbtree_2END A_27a) a) t1$

Definition 20 We define c_2Eone_2Eone to be $(ap (c_2Emin_2E40 ty_2Eone_2Eone) (\lambda V0x \in ty_2Eone_2Eone. x))$

Definition 21 We define c_2Esum_2EINR to be $\lambda A_27a : \iota. \lambda A_27b : \iota. \lambda V0e \in A_27b. (ap (c_2Esum_2EABS A_27a A_27b) e)$

Definition 22 We define $c_2Eoption_2ENONE$ to be $\lambda A_27a : \iota. (ap (c_2Eoption_2Eoption_ABS A_27a) (the (\lambda x. x \in A) P))$

Definition 23 We define $c_2Elbtree_2ELfrep$ to be $\lambda A_27a : \iota. \lambda A_27b : \iota. (\lambda V0l \in A_27a. (c_2Eoption_2ENONE A_27a) (ap (c_2Elbtree_2ELfrep A_27a A_27b) l)))$

Definition 24 We define $c_Elbtree_2Elf$ to be $\lambda A_27a : \iota.(ap (c_Elbtree_2Elbtree_abs A_27a) (c_Elbtree_2Elf))$

Definition 25 We define c_Ellist_2ENIL to be $\lambda A_27a : \iota.(ap (c_Ellist_2Ellist_abs A_27a) (\lambda V0n \in ty_2Ellist_2Ellist A_27a))$

Let $c_Elbtree_2Ebf_flatten : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty A_27a \Rightarrow c_Elbtree_2Ebf_flatten A_27a \in ((ty_2Ellist_2Ellist A_27a)^{(ty_2Ellist_2Ellist (ty_2Elbtree_2Elbtree A_27a))}) \quad (21)$$

Let $c_Elist_2EAPPEND : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty A_27a \Rightarrow c_Elist_2EAPPEND A_27a \in (((ty_2Ellist_2Ellist A_27a)^{(ty_2Ellist_2Ellist A_27a)})^{(ty_2Ellist_2Ellist A_27a)}) \quad (22)$$

Let $c_Elist_2EEVERY : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty A_27a \Rightarrow c_Elist_2EEVERY A_27a \in ((2^{(ty_2Ellist_2Ellist A_27a)})^{(2^{A_27a})}) \quad (23)$$

Let $c_Elist_2ECONS : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty A_27a \Rightarrow c_Elist_2ECONS A_27a \in (((ty_2Ellist_2Ellist A_27a)^{(ty_2Ellist_2Ellist A_27a)})^{A_27a}) \quad (24)$$

Let $c_Elist_2ENIL : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty A_27a \Rightarrow c_Elist_2ENIL A_27a \in (ty_2Ellist_2Ellist A_27a) \quad (25)$$

Assume the following.

$$True \quad (26)$$

Assume the following.

$$\begin{aligned} & (\forall V0t \in 2.(((True \Rightarrow (p V0t)) \Leftrightarrow (p V0t)) \wedge (((p V0t) \Rightarrow True) \Leftrightarrow \\ & True) \wedge (((False \Rightarrow (p V0t)) \Leftrightarrow True) \wedge (((p V0t) \Rightarrow (p V0t)) \Leftrightarrow True) \wedge ((\\ & (p V0t) \Rightarrow False) \Leftrightarrow \neg (p V0t)))))) \end{aligned} \quad (27)$$

Assume the following.

$$\forall A_27a.nonempty A_27a \Rightarrow (\forall V0x \in A_27a.((V0x = V0x) \Leftrightarrow True)) \quad (28)$$

Assume the following.

$$\forall A_27a.nonempty A_27a \Rightarrow (\forall V0x \in A_27a.(\forall V1y \in A_27a.((V0x = V1y) \Leftrightarrow (V1y = V0x)))) \quad (29)$$

Assume the following.

$$\begin{aligned} & (\forall V0t \in 2.(((True \Leftrightarrow (p V0t)) \Leftrightarrow (p V0t)) \wedge (((p V0t) \Leftrightarrow True) \Leftrightarrow \\ & (p V0t)) \wedge (((False \Leftrightarrow (p V0t)) \Leftrightarrow \neg (p V0t)) \wedge (((p V0t) \Leftrightarrow False) \Leftrightarrow \neg (\\ & p V0t)))))) \end{aligned} \quad (30)$$

Assume the following.

$$(\forall V0t1 \in 2.(\forall V1t2 \in 2.(\forall V2t3 \in 2.(((p V0t1) \Rightarrow (p V1t2) \Rightarrow (p V2t3))) \Leftrightarrow (((p V0t1) \wedge (p V1t2)) \Rightarrow (p V2t3)))))) \quad (31)$$

Assume the following.

$$2.(((p V0x) \Leftrightarrow (p V1x_{.27})) \wedge ((p V1x_{.27}) \Rightarrow ((p V2y) \Leftrightarrow (p V3y_{.27})))) \Rightarrow 2.(((p V0x) \Rightarrow (p V2y)) \Leftrightarrow ((p V1x_{.27}) \Rightarrow (p V3y_{.27})))) \quad (32)$$

Assume the following.

$$\begin{aligned} \forall A_{.27a}.nonempty\ A_{.27a} \Rightarrow & (((ap\ (c_{.2}Elbtree_{.2}Ebf_flatten\ A_{.27a})\ (c_{.2}Elist_{.2}ENIL\ (ty_{.2}Elbtree_{.2}Elbtree\ A_{.27a}))) = (c_{.2}Elist_{.2}ELNIL\ A_{.27a})) \wedge ((\forall V0ts \in (ty_{.2}Elist_{.2}Elist\ (ty_{.2}Elbtree_{.2}Elbtree\ A_{.27a})).(ap\ (c_{.2}Elbtree_{.2}Ebf_flatten\ A_{.27a})\ (ap\ (ap\ (c_{.2}Elist_{.2}ECONS\ (ty_{.2}Elbtree_{.2}Elbtree\ A_{.27a})\ (c_{.2}Elbtree_{.2}ELf\ A_{.27a})\ V0ts))) = (ap\ (c_{.2}Elbtree_{.2}Ebf_flatten\ A_{.27a})\ V0ts))) \wedge (\forall V1a \in A_{.27a}.(\forall V2t1 \in (ty_{.2}Elbtree_{.2}Elbtree\ A_{.27a}).(\forall V3t2 \in (ty_{.2}Elbtree_{.2}Elbtree\ A_{.27a}).(\forall V4ts \in (ty_{.2}Elist_{.2}Elist\ (ty_{.2}Elbtree_{.2}Elbtree\ A_{.27a})).(ap\ (c_{.2}Elbtree_{.2}Ebf_flatten\ A_{.27a})\ (ap\ (ap\ (c_{.2}Elist_{.2}ECONS\ (ty_{.2}Elbtree_{.2}Elbtree\ A_{.27a})\ (ap\ (ap\ (ap\ (c_{.2}Elbtree_{.2}ENd\ A_{.27a})\ V1a)\ V2t1)\ V3t2))\ V4ts)) = (ap\ (ap\ (c_{.2}Elist_{.2}ELCONS\ A_{.27a})\ V1a)\ (ap\ (c_{.2}Elbtree_{.2}Ebf_flatten\ A_{.27a})\ (ap\ (ap\ (c_{.2}Elist_{.2}EAPPEND\ (ty_{.2}Elbtree_{.2}Elbtree\ A_{.27a})\ V4ts)\ (ap\ (ap\ (c_{.2}Elist_{.2}ECONS\ (ty_{.2}Elbtree_{.2}Elbtree\ A_{.27a})\ V2t1)\ (ap\ (ap\ (c_{.2}Elist_{.2}ECONS\ (ty_{.2}Elbtree_{.2}Elbtree\ A_{.27a})\ V3t2)\ (c_{.2}Elist_{.2}ENIL\ (ty_{.2}Elbtree_{.2}Elbtree\ A_{.27a)))))))))))))) \quad (33) \end{aligned}$$

Assume the following.

$$\begin{aligned} \forall A_{.27a}.nonempty\ A_{.27a} \Rightarrow & ((\forall V0l \in (ty_{.2}Elist_{.2}Elist\ A_{.27a}).(ap\ (ap\ (c_{.2}Elist_{.2}EAPPEND\ A_{.27a})\ (c_{.2}Elist_{.2}ENIL\ A_{.27a}))\ V0l) = V0l)) \wedge (\forall V1l1 \in (ty_{.2}Elist_{.2}Elist\ A_{.27a}).(\forall V2l2 \in (ty_{.2}Elist_{.2}Elist\ A_{.27a}).(\forall V3h \in A_{.27a}.(ap\ (ap\ (c_{.2}Elist_{.2}EAPPEND\ A_{.27a})\ (ap\ (ap\ (c_{.2}Elist_{.2}ECONS\ A_{.27a})\ V3h)\ V1l1))\ V2l2) = (ap\ (ap\ (c_{.2}Elist_{.2}ECONS\ A_{.27a})\ V3h)\ (ap\ (ap\ (c_{.2}Elist_{.2}EAPPEND\ A_{.27a})\ V1l1)\ V2l2)))))) \quad (34) \end{aligned}$$

Assume the following.

$$\begin{aligned} \forall A_{.27a}.nonempty\ A_{.27a} \Rightarrow & ((\forall V0P \in (2^{A_{.27a}}).((p\ (ap\ (ap\ (c_{.2}Elist_{.2}EEVERY\ A_{.27a})\ V0P)\ (c_{.2}Elist_{.2}ENIL\ A_{.27a}))) \Leftrightarrow True)) \wedge (\forall V1P \in (2^{A_{.27a}}).(\forall V2h \in A_{.27a}.(\forall V3t \in (ty_{.2}Elist_{.2}Elist\ A_{.27a}).((p\ (ap\ (ap\ (c_{.2}Elist_{.2}EEVERY\ A_{.27a})\ V1P)\ (ap\ (ap\ (c_{.2}Elist_{.2}ECONS\ A_{.27a})\ V2h)\ V3t))) \Leftrightarrow ((p\ (ap\ V1P\ V2h)) \wedge (p\ (ap\ (ap\ (c_{.2}Elist_{.2}EEVERY\ A_{.27a})\ V1P)\ V3t)))))) \quad (35) \end{aligned}$$

Assume the following.

$$\begin{aligned}
& \forall A.27a.nonempty\ A.27a \Rightarrow (\forall V0P \in (2^{(ty_2Elist_2Elist\ A.27a)}), \\
& (((p\ (ap\ V0P\ (c_2Elist_2ENIL\ A.27a))) \wedge (\forall V1t \in (ty_2Elist_2Elist \\
& A.27a).(p\ (ap\ V0P\ V1t))) \Rightarrow (\forall V2h \in A.27a.(p\ (ap\ V0P\ (ap\ (ap\ (\\
& c_2Elist_2ECONS\ A.27a\ V2h\ V1t)))))) \Rightarrow (\forall V3l \in (ty_2Elist_2Elist \\
& A.27a).(p\ (ap\ V0P\ V3l))))))
\end{aligned} \tag{36}$$

Theorem 1

$$\begin{aligned}
& \forall A.27a.nonempty\ A.27a \Rightarrow (\forall V0l2 \in (ty_2Elist_2Elist \\
& (ty_2Elbtree_2Elbtree\ A.27a)).(\forall V1l1 \in (ty_2Elist_2Elist \\
& (ty_2Elbtree_2Elbtree\ A.27a)).(p\ (ap\ (ap\ (c_2Elist_2EVERY \\
& (ty_2Elbtree_2Elbtree\ A.27a))\ (ap\ (c_2Emin_2E_3D\ (ty_2Elbtree_2Elbtree \\
& A.27a))\ (c_2Elbtree_2ELf\ A.27a)))\ V1l1)) \Rightarrow ((ap\ (c_2Elbtree_2Ebf_flatten \\
& A.27a)\ (ap\ (ap\ (c_2Elist_2EAPPEND\ (ty_2Elbtree_2Elbtree\ A.27a)) \\
& V1l1)\ V0l2)) = (ap\ (c_2Elbtree_2Ebf_flatten\ A.27a)\ V0l2))))))
\end{aligned}$$