

thm_2Elbtree_2Efinite_ind
(TMb3wjxSkdp9XKW5sA5MsrtT2CZJcCh1gYF)

October 26, 2020

Definition 1 We define $c_2Emin_2E_3D$ to be $\lambda A.\lambda x \in A.\lambda y \in A.inj_o (x = y)$ of type $\iota \Rightarrow \iota$.

Definition 2 We define $c_2Ebool_2E_ET$ to be $(ap (ap (c_2Emin_2E_3D (2^2)) (\lambda V0x \in 2.V0x)) (\lambda V1x \in 2.V1x))$

Definition 3 We define $c_2Ebool_2E_21$ to be $\lambda A.\lambda 27a : \iota.(\lambda V0P \in (2^{A-27a}).(ap (ap (c_2Emin_2E_3D (2^{A-27a})) (\lambda V1P \in 2.V1P)) (\lambda V2P \in 2.V2P)) (\lambda V3P \in 2.V3P))$

Definition 4 We define $c_2Ebool_2E_EF$ to be $(ap (c_2Ebool_2E_21 2) (\lambda V0t \in 2.V0t))$.

Definition 5 We define $c_2Emin_2E_3D_3D_3E$ to be $\lambda P \in 2.\lambda Q \in 2.inj_o (p P \Rightarrow p Q)$ of type ι .

Definition 6 We define $c_2Ebool_2E_7E$ to be $(\lambda V0t \in 2.(ap (ap c_2Emin_2E_3D_3D_3E V0t) c_2Ebool_2E_EF))$

Let $ty_2Eoption_2Eoption : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0.nonempty A0 \Rightarrow nonempty (ty_2Eoption_2Eoption A0) \quad (1)$$

Let $ty_2Elist_2Elist : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0.nonempty A0 \Rightarrow nonempty (ty_2Elist_2Elist A0) \quad (2)$$

Let $ty_2Elbtree_2Elbtree : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0.nonempty A0 \Rightarrow nonempty (ty_2Elbtree_2Elbtree A0) \quad (3)$$

Let $c_2Elbtree_2Elbtree_rep : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A.\lambda 27a.nonempty A.\lambda 27a \Rightarrow c_2Elbtree_2Elbtree_rep A.\lambda 27a \in ((ty_2Eoption_2Eoption A.\lambda 27a)(ty_2Elist_2Elist 2))(ty_2Elbtree_2Elbtree A.\lambda 27a) \quad (4)$$

Definition 7 We define $c_2Ebool_2E_2F_5C$ to be $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap (c_2Ebool_2E_21 2) (\lambda V2t \in 2.V2t)) (\lambda V3t \in 2.V3t)) (\lambda V4t \in 2.V4t))$

Definition 8 We define $c_2Emin_2E_40$ to be $\lambda A.\lambda P \in 2^A.if (\exists x \in A.p (ap P x)) \mathbf{then} (the (\lambda x.x \in A \wedge p x))$ of type $\iota \Rightarrow \iota$.

Definition 9 We define c_2Ebool_2ECOND to be $\lambda A_27a : \iota. (\lambda V0t \in 2. (\lambda V1t1 \in A_27a. (\lambda V2t2 \in A_27a. (ap (c_2Emin_2E40 ty_2Eone_2Eone) (V0t (V1t1 V2t2))))))$.
Let $ty_2Eone_2Eone : \iota$ be given. Assume the following.

$$nonempty\ ty_2Eone_2Eone \quad (5)$$

Let $ty_2Esum_2Esum : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0.nonempty\ A0 \Rightarrow \forall A1.nonempty\ A1 \Rightarrow nonempty\ (ty_2Esum_2Esum\ A0\ A1) \quad (6)$$

Let $c_2Esum_2EABS_sum : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow c_2Esum_2EABS_sum\ A_27a\ A_27b \in ((ty_2Esum_2Esum\ A_27a\ A_27b)^{((2^{A_27b})^{A_27a})^2}) \quad (7)$$

Definition 10 We define c_2Esum_2EINL to be $\lambda A_27a : \iota. \lambda A_27b : \iota. \lambda V0e \in A_27a. (ap (c_2Esum_2EABS_sum (A_27a A_27b) (V0e)))$.

Let $c_2Eoption_2Eoption_ABS : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow c_2Eoption_2Eoption_ABS\ A_27a \in ((ty_2Eoption_2Eoption\ A_27a)^{(ty_2Esum_2Esum\ A_27a\ ty_2Eone_2Eone)}) \quad (8)$$

Definition 11 We define $c_2Eoption_2ESOME$ to be $\lambda A_27a : \iota. \lambda V0x \in A_27a. (ap (c_2Eoption_2Eoption_ABS (A_27a) (V0x)))$.

Let $c_2Elist_2Elist_CASE : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow c_2Elist_2Elist_CASE\ A_27a\ A_27b \in (((A_27b)^{(A_27b)^{(ty_2Elist_2Elist\ A_27a)}})^{A_27a})_{A_27b} (ty_2Elist_2Elist\ A_27a) \quad (9)$$

Definition 12 We define $c_2Elbtree_2ENDrep$ to be $\lambda A_27a : \iota. \lambda V0a \in A_27a. \lambda V1t1 \in ((ty_2Eoption_2Eoption_ABS (A_27a) (V0a)))$.

Let $c_2Elbtree_2Elbtree_abs : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow c_2Elbtree_2Elbtree_abs\ A_27a \in ((ty_2Elbtree_2Elbtree\ A_27a)^{(ty_2Eoption_2Eoption_ABS (A_27a) (ty_2Elist_2Elist\ 2))}) \quad (10)$$

Definition 13 We define $c_2Elbtree_2END$ to be $\lambda A_27a : \iota. \lambda V0a \in A_27a. \lambda V1t1 \in (ty_2Elbtree_2Elbtree_abs (A_27a) (V0a))$.

Definition 14 We define $c_2Ebool_2E_3F$ to be $\lambda A_27a : \iota. (\lambda V0P \in (2^{A_27a}). (ap V0P (ap (c_2Emin_2E40 (A_27a) (V0P))))))$.

Definition 15 We define c_2Eone_2Eone to be $(ap (c_2Emin_2E40 ty_2Eone_2Eone) (\lambda V0x \in ty_2Eone_2Eone. (ap (c_2Emin_2E40 (A_27a) (V0x))))))$.

Definition 16 We define c_2Esum_2EINR to be $\lambda A_27a : \iota. \lambda A_27b : \iota. \lambda V0e \in A_27b. (ap (c_2Esum_2EABS_sum (A_27a A_27b) (V0e)))$.

Definition 17 We define $c_2Eoption_2ENONE$ to be $\lambda A_27a : \iota. (ap (c_2Eoption_2Eoption_ABS (A_27a) (A_27a)))$.

Definition 18 We define $c_2Elbtree_2ELfrep$ to be $\lambda A_27a : \iota. \lambda A_27b : \iota. (\lambda V0l \in A_27a. (c_2Eoption_2ENONE (A_27a) (V0l)))$.

Definition 19 We define $c_2Elbtree_2Elf$ to be $\lambda A_27a : \iota.(ap (c_2Elbtree_2Elbtree_abs A_27a) (c_2Elbtree_2Elf A_27a))$

Definition 20 We define $c_2Ebool_2E_5C_2F$ to be $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap (c_2Ebool_2E_21 2) (\lambda V2t \in 2.(ap (c_2Ebool_2E_5C_2F A_27a) (c_2Ebool_2E_21 2) V2t) V1t2) V0t1)))$

Definition 21 We define $c_2Elbtree_2Efinite$ to be $\lambda A_27a : \iota.(\lambda V0a0 \in (ty_2Elbtree_2Elbtree A_27a).(ap (c_2Elbtree_2Efinite A_27a) (c_2Elbtree_2Efinite A_27a) V0a0)))$

Assume the following.

$$True \tag{11}$$

Assume the following.

$$(\forall V0t1 \in 2.(\forall V1t2 \in 2.(((p V0t1) \Rightarrow (p V1t2)) \Rightarrow (((p V1t2) \Rightarrow (p V0t1)) \Rightarrow ((p V0t1) \Leftrightarrow (p V1t2)))))) \tag{12}$$

Assume the following.

$$\begin{aligned} & (\forall V0t \in 2.(((True \Rightarrow (p V0t)) \Leftrightarrow (p V0t)) \wedge (((p V0t) \Rightarrow True) \Leftrightarrow \\ & True) \wedge (((False \Rightarrow (p V0t)) \Leftrightarrow True) \wedge (((p V0t) \Rightarrow (p V0t)) \Leftrightarrow True) \wedge ((\\ & (p V0t) \Rightarrow False) \Leftrightarrow (\neg (p V0t)))))) \end{aligned} \tag{13}$$

Assume the following.

$$\begin{aligned} & (\forall V0x \in 2.(\forall V1y \in 2.(\forall V2z \in 2.(\forall V3w \in \\ & 2.(((p V0x) \Rightarrow (p V1y)) \wedge ((p V2z) \Rightarrow (p V3w))) \Rightarrow (((p V0x) \wedge (p V2z)) \Rightarrow \\ & ((p V1y) \wedge (p V3w)))))) \end{aligned} \tag{14}$$

Assume the following.

$$\begin{aligned} & (\forall V0x \in 2.(\forall V1y \in 2.(\forall V2z \in 2.(\forall V3w \in \\ & 2.(((p V0x) \Rightarrow (p V1y)) \wedge ((p V2z) \Rightarrow (p V3w))) \Rightarrow (((p V0x) \vee (p V2z)) \Rightarrow \\ & ((p V1y) \vee (p V3w)))))) \end{aligned} \tag{15}$$

Assume the following.

$$\begin{aligned} & \forall A_27a.nonempty A_27a \Rightarrow (\forall V0P \in (2^{A_27a}).(\forall V1Q \in \\ & (2^{A_27a}).((\forall V2x \in A_27a.((p (ap V0P V2x)) \Rightarrow (p (ap V1Q V2x)))) \Rightarrow \\ & ((\exists V3x \in A_27a.(p (ap V0P V3x))) \Rightarrow (\exists V4x \in A_27a.(p (\\ & ap V1Q V4x)))))) \end{aligned} \tag{16}$$

Theorem 1

$$\begin{aligned} & \forall A_27a.nonempty A_27a \Rightarrow (\forall V0finite_27 \in (2^{(ty_2Elbtree_2Elbtree A_27a)}). \\ & (((p (ap V0finite_27 (c_2Elbtree_2Elf A_27a))) \wedge (\forall V1a \in \\ & A_27a.(\forall V2t1 \in (ty_2Elbtree_2Elbtree A_27a).(\forall V3t2 \in \\ & (ty_2Elbtree_2Elbtree A_27a).(((p (ap V0finite_27 V2t1)) \wedge (p \\ & (ap V0finite_27 V3t2))) \Rightarrow (p (ap V0finite_27 (ap (ap (ap (c_2Elbtree_2END \\ & A_27a) V1a) V2t1) V3t2)))))) \Rightarrow (\forall V4a0 \in (ty_2Elbtree_2Elbtree \\ & A_27a).(p (ap (c_2Elbtree_2Efinite A_27a) V4a0)) \Rightarrow (p (ap V0finite_27 \\ & V4a0)))))) \end{aligned}$$