

thm_2Elbtree_2Elbtree__cases
(TMP2gkck6r9dUpkzMwqe3gzSkyfTQPYexfp)

October 26, 2020

Definition 1 We define `c_2Emin_2E_40` to be $\lambda A. \lambda P \in 2^A. \text{if } (\exists x \in A. p \text{ (ap } P \ x)) \text{ then (the } (\lambda x. x \in A \wedge p \ x) \text{ of type } \iota \Rightarrow \iota).$

Definition 2 We define `c_2Emin_2E_3D` to be $\lambda A. \lambda x \in A. \lambda y \in A. \text{inj_o } (x = y)$ of type $\iota \Rightarrow \iota$.

Definition 3 We define `c_2Ebool_2E_2T` to be $(\text{ap } (\text{ap } (\text{c_2Emin_2E_3D } (2^2)) (\lambda V0x \in 2. V0x)) (\lambda V1x \in 2. V1x))$

Definition 4 We define `c_2Ebool_2E_3F` to be $\lambda A. 27a : \iota. (\lambda V0P \in (2^{A-27a}). (\text{ap } V0P \text{ (ap } (\text{c_2Emin_2E_40 } A \ P))$

Let `ty_2Eoption_2Eoption` : $\iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0. \text{nonempty } A0 \Rightarrow \text{nonempty } (\text{ty_2Eoption_2Eoption } A0) \quad (1)$$

Definition 5 We define `c_2Ebool_2E_21` to be $\lambda A. 27a : \iota. (\lambda V0P \in (2^{A-27a}). (\text{ap } (\text{ap } (\text{c_2Emin_2E_3D } (2^{A-27a}) \ P))$

Definition 6 We define `c_2Ebool_2E_2F` to be $(\text{ap } (\text{c_2Ebool_2E_21 } 2) (\lambda V0t \in 2. V0t))$.

Definition 7 We define `c_2Emin_2E_3D_3D_3E` to be $\lambda P \in 2. \lambda Q \in 2. \text{inj_o } (p \ P \Rightarrow p \ Q)$ of type ι .

Definition 8 We define `c_2Ebool_2E_2F_5C` to be $(\lambda V0t1 \in 2. (\lambda V1t2 \in 2. (\text{ap } (\text{c_2Ebool_2E_21 } 2) (\lambda V2t \in 2. V2t))$

Definition 9 We define `c_2Ebool_2ECOND` to be $\lambda A. 27a : \iota. (\lambda V0t \in 2. (\lambda V1t1 \in A. 27a. (\lambda V2t2 \in A. 27a. (\text{ap } (\text{c_2Emin_2E_3D_3D_3E } (V0t1 \ V2t2))$

Let `ty_2Elist_2Elist` : $\iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0. \text{nonempty } A0 \Rightarrow \text{nonempty } (\text{ty_2Elist_2Elist } A0) \quad (2)$$

Let `ty_2Eone_2Eone` : ι be given. Assume the following.

$$\text{nonempty } \text{ty_2Eone_2Eone} \quad (3)$$

Let `ty_2Esum_2Esum` : $\iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0. \text{nonempty } A0 \Rightarrow \forall A1. \text{nonempty } A1 \Rightarrow \text{nonempty } (\text{ty_2Esum_2Esum } A0 \ A1) \quad (4)$$

Let $c_2Esum_2EABS_sum : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\begin{aligned} \forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow c_2Esum_2EABS_sum \\ A_27a\ A_27b \in ((ty_2Esum_2Esum\ A_27a\ A_27b)^{((2^{A_27b})^{A_27a})^2}) \end{aligned} \quad (5)$$

Definition 10 We define c_2Esum_2EINL to be $\lambda A_27a : \iota.\lambda A_27b : \iota.\lambda V0e \in A_27a.(ap\ (c_2Esum_2EABS_sum\ V0e))$

Let $c_2Eoption_2Eoption_ABS : \iota \Rightarrow \iota$ be given. Assume the following.

$$\begin{aligned} \forall A_27a.nonempty\ A_27a \Rightarrow c_2Eoption_2Eoption_ABS\ A_27a \in \\ ((ty_2Eoption_2Eoption\ A_27a)^{(ty_2Esum_2Esum\ A_27a\ ty_2Eone_2Eone)}) \end{aligned} \quad (6)$$

Definition 11 We define $c_2Eoption_2ESOME$ to be $\lambda A_27a : \iota.\lambda V0x \in A_27a.(ap\ (c_2Eoption_2Eoption_ABS\ V0x))$

Let $c_2Elist_2Elist_CASE : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\begin{aligned} \forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow c_2Elist_2Elist_CASE \\ A_27a\ A_27b \in (((A_27b)^{(A_27b)^{(ty_2Elist_2Elist\ A_27a)^{A_27a}}})^{A_27b})^{(ty_2Elist_2Elist\ A_27a)} \end{aligned} \quad (7)$$

Definition 12 We define $c_2Elbtree_2ENDrep$ to be $\lambda A_27a : \iota.\lambda V0a \in A_27a.\lambda V1t1 \in ((ty_2Eoption_2Eoption_ABS\ V0a))$

Definition 13 We define c_2Eone_2Eone to be $(ap\ (c_2Emin_2E_40\ ty_2Eone_2Eone))\ (\lambda V0x \in ty_2Eone_2Eone)$

Definition 14 We define $c_2Ebool_2E_7E$ to be $(\lambda V0t \in 2).(ap\ (ap\ c_2Emin_2E_3D_3D_3E\ V0t)\ c_2Ebool_2E_7E)$

Definition 15 We define c_2Esum_2EINR to be $\lambda A_27a : \iota.\lambda A_27b : \iota.\lambda V0e \in A_27b.(ap\ (c_2Esum_2EABS_sum\ V0e))$

Definition 16 We define $c_2Eoption_2ENONE$ to be $\lambda A_27a : \iota.(ap\ (c_2Eoption_2Eoption_ABS\ A_27a))$

Definition 17 We define $c_2Elbtree_2ELfrep$ to be $\lambda A_27a : \iota.\lambda A_27b : \iota.(\lambda V0l \in A_27a.(c_2Eoption_2ENONE\ V0l))$

Definition 18 We define $c_2Ebool_2E_5C_2F$ to be $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap\ (c_2Ebool_2E_21\ 2)\ V1t2))\ V0t1)$

Definition 19 We define $c_2Elbtree_2Eis_lbtree$ to be $\lambda A_27a : \iota.\lambda V0t \in ((ty_2Eoption_2Eoption\ A_27a))^{(ty_2Elist_2Elist\ 2)}$

Let $ty_2Elbtree_2Elbtree : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0.nonempty\ A0 \Rightarrow nonempty\ (ty_2Elbtree_2Elbtree\ A0) \quad (8)$$

Let $c_2Elbtree_2Elbtree_abs : \iota \Rightarrow \iota$ be given. Assume the following.

$$\begin{aligned} \forall A_27a.nonempty\ A_27a \Rightarrow c_2Elbtree_2Elbtree_abs\ A_27a \in \\ ((ty_2Elbtree_2Elbtree\ A_27a)^{(ty_2Eoption_2Eoption\ A_27a)^{(ty_2Elist_2Elist\ 2)}}) \end{aligned} \quad (9)$$

Definition 20 We define $c_2Elbtree_2ELf$ to be $\lambda A_27a : \iota.(ap\ (c_2Elbtree_2Elbtree_abs\ A_27a)\ (c_2Elbtree_2Elbtree\ A_27a))$

Let $c_2Elbtree_2Elbtree_rep : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow c_2Elbtree_2Elbtree_rep\ A_27a \in ((ty_2Eoption_2Eoption\ A_27a)^{(ty_2Elist_2Elist\ 2)}(ty_2Elbtree_2Elbtree\ A_27a)) \quad (10)$$

Definition 21 We define $c_2Elbtree_2ENd$ to be $\lambda A_27a : \iota.\lambda V0a \in A_27a.\lambda V1t1 \in (ty_2Elbtree_2Elbtree$

Assume the following.

$$True \quad (11)$$

Assume the following.

$$(\forall V0t1 \in 2.(\forall V1t2 \in 2.(((p\ V0t1) \Rightarrow (p\ V1t2)) \Rightarrow (((p\ V1t2) \Rightarrow (p\ V0t1)) \Rightarrow ((p\ V0t1) \Leftrightarrow (p\ V1t2)))))) \quad (12)$$

Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow (\forall V0t \in 2.((\forall V1x \in A_27a.(p\ V0t)) \Leftrightarrow (p\ V0t))) \quad (13)$$

Assume the following.

$$(\forall V0t \in 2.(((True \wedge (p\ V0t)) \Leftrightarrow (p\ V0t)) \wedge (((p\ V0t) \wedge True) \Leftrightarrow (p\ V0t)) \wedge (((False \wedge (p\ V0t)) \Leftrightarrow False) \wedge (((p\ V0t) \wedge False) \Leftrightarrow False) \wedge (((p\ V0t) \wedge (p\ V0t)) \Leftrightarrow (p\ V0t)))))) \quad (14)$$

Assume the following.

$$(\forall V0t \in 2.(((True \vee (p\ V0t)) \Leftrightarrow True) \wedge (((p\ V0t) \vee True) \Leftrightarrow True) \wedge (((False \vee (p\ V0t)) \Leftrightarrow (p\ V0t)) \wedge (((p\ V0t) \vee False) \Leftrightarrow (p\ V0t)) \wedge (((p\ V0t) \vee (p\ V0t)) \Leftrightarrow (p\ V0t)))))) \quad (15)$$

Assume the following.

$$(\forall V0t \in 2.(((True \Rightarrow (p\ V0t)) \Leftrightarrow (p\ V0t)) \wedge (((p\ V0t) \Rightarrow True) \Leftrightarrow True) \wedge (((False \Rightarrow (p\ V0t)) \Leftrightarrow True) \wedge (((p\ V0t) \Rightarrow (p\ V0t)) \Leftrightarrow True) \wedge (((p\ V0t) \Rightarrow False) \Leftrightarrow \neg(p\ V0t)))))) \quad (16)$$

Assume the following.

$$((\forall V0t \in 2.((\neg(p\ V0t)) \Leftrightarrow (p\ V0t)) \wedge ((\neg True) \Leftrightarrow False) \wedge ((\neg False) \Leftrightarrow True))) \quad (17)$$

Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow (\forall V0x \in A_27a.(V0x = V0x)) \quad (18)$$

Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow (\forall V0x \in A_27a.((V0x = V0x) \Leftrightarrow True)) \quad (19)$$

Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow (\forall V0x \in A_27a. (\forall V1y \in A_27a. ((V0x = V1y) \Leftrightarrow (V1y = V0x)))) \quad (20)$$

Assume the following.

$$(\forall V0t \in 2. (((True \Leftrightarrow (p\ V0t)) \Leftrightarrow (p\ V0t)) \wedge (((p\ V0t) \Leftrightarrow True) \Leftrightarrow (p\ V0t)) \wedge (((False \Leftrightarrow (p\ V0t)) \Leftrightarrow \neg(p\ V0t)) \wedge (((p\ V0t) \Leftrightarrow False) \Leftrightarrow \neg(p\ V0t)))))) \quad (21)$$

Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow (\forall V0P \in 2. (\forall V1Q \in (2^{A_27a}). (((p\ V0P) \wedge (\forall V2x \in A_27a. (p\ (ap\ V1Q\ V2x)))) \Leftrightarrow (\forall V3x \in A_27a. ((p\ V0P) \wedge (ap\ V1Q\ V3x)))))) \quad (22)$$

Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow (\forall V0P \in (2^{A_27a}). (\forall V1Q \in 2. ((\forall V2x \in A_27a. ((p\ (ap\ V0P\ V2x)) \Rightarrow (p\ V1Q))) \Leftrightarrow ((\exists V3x \in A_27a. (p\ (ap\ V0P\ V3x)) \Rightarrow (p\ V1Q)))))) \quad (23)$$

Assume the following.

$$(\forall V0A \in 2. (\forall V1B \in 2. (\forall V2C \in 2. (((p\ V0A) \vee (p\ V1B) \wedge (p\ V2C)) \Leftrightarrow (((p\ V0A) \vee (p\ V1B)) \wedge ((p\ V0A) \vee (p\ V2C)))))) \quad (24)$$

Assume the following.

$$(\forall V0A \in 2. (\forall V1B \in 2. (\forall V2C \in 2. (((p\ V1B) \wedge (p\ V2C)) \vee (p\ V0A)) \Leftrightarrow (((p\ V1B) \vee (p\ V0A)) \wedge ((p\ V2C) \vee (p\ V0A)))))) \quad (25)$$

Assume the following.

$$(\forall V0P \in 2. (\forall V1Q \in 2. (\forall V2R \in 2. (((p\ V0P) \vee (p\ V1Q)) \Rightarrow (p\ V2R)) \Leftrightarrow (((p\ V0P) \Rightarrow (p\ V2R)) \wedge ((p\ V1Q) \Rightarrow (p\ V2R)))))) \quad (26)$$

Assume the following.

$$(\forall V0t1 \in 2. (\forall V1t2 \in 2. (\forall V2t3 \in 2. (((p\ V0t1) \Rightarrow ((p\ V1t2) \Rightarrow (p\ V2t3))) \Leftrightarrow (((p\ V0t1) \wedge (p\ V1t2)) \Rightarrow (p\ V2t3)))))) \quad (27)$$

Assume the following.

$$(\forall V0t1 \in 2. (\forall V1t2 \in 2. (((p\ V0t1) \Leftrightarrow (p\ V1t2)) \Leftrightarrow (((p\ V0t1) \Rightarrow (p\ V1t2)) \wedge ((p\ V1t2) \Rightarrow (p\ V0t1)))))) \quad (28)$$

Assume the following.

$$(\forall V0x \in 2. (\forall V1x_27 \in 2. (\forall V2y \in 2. (\forall V3y_27 \in 2. (((p\ V0x) \Leftrightarrow (p\ V1x_27)) \wedge ((p\ V1x_27) \Rightarrow ((p\ V2y) \Leftrightarrow (p\ V3y_27)))) \Rightarrow (((p\ V0x) \Rightarrow (p\ V2y)) \Leftrightarrow ((p\ V1x_27) \Rightarrow (p\ V3y_27)))))) \quad (29)$$

Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow (\forall V0P \in (2^{A_27a}). (\forall V1a \in A_27a. ((\exists V2x \in A_27a. ((V2x = V1a) \wedge (p\ (ap\ V0P\ V2x)))) \Leftrightarrow (p\ (ap\ V0P\ V1a)))))) \quad (30)$$

Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow ((\forall V0a \in (ty_2Elbtree_2Elbtree\ A_27a). ((ap\ (c_2Elbtree_2Elbtree_abs\ A_27a)\ (ap\ (c_2Elbtree_2Elbtree_rep\ A_27a)\ V0a)) = V0a)) \wedge (\forall V1r \in ((ty_2Eoption_2Eoption\ A_27a)^{(ty_2Elist_2Elist\ 2)}). ((p\ (ap\ (c_2Elbtree_2Eis_lbtree\ A_27a)\ V1r)) \Leftrightarrow ((ap\ (c_2Elbtree_2Elbtree_rep\ A_27a)\ (ap\ (c_2Elbtree_2Elbtree_abs\ A_27a)\ V1r)) = V1r)))) \quad (31)$$

Assume the following.

$$(\forall V0t \in 2. ((\neg(\neg(p\ V0t))) \Leftrightarrow (p\ V0t))) \quad (32)$$

Assume the following.

$$(\forall V0A \in 2. ((p\ V0A) \Rightarrow ((\neg(p\ V0A)) \Rightarrow False))) \quad (33)$$

Assume the following.

$$(\forall V0A \in 2. (\forall V1B \in 2. (((\neg((p\ V0A) \vee (p\ V1B))) \Rightarrow False) \Leftrightarrow (((p\ V0A) \Rightarrow False) \Rightarrow ((\neg(p\ V1B)) \Rightarrow False)))))) \quad (34)$$

Assume the following.

$$(\forall V0A \in 2. (\forall V1B \in 2. (((\neg((\neg(p\ V0A)) \vee (p\ V1B))) \Rightarrow False) \Leftrightarrow ((p\ V0A) \Rightarrow ((\neg(p\ V1B)) \Rightarrow False)))))) \quad (35)$$

Assume the following.

$$(\forall V0A \in 2. (((\neg(p\ V0A)) \Rightarrow False) \Rightarrow (((p\ V0A) \Rightarrow False) \Rightarrow False))) \quad (36)$$

Assume the following.

$$(\forall V0p \in 2. (\forall V1q \in 2. (\forall V2r \in 2. (((p\ V0p) \Leftrightarrow ((p\ V1q) \Leftrightarrow (p\ V2r))) \Leftrightarrow (((p\ V0p) \vee ((p\ V1q) \vee (p\ V2r))) \wedge (((p\ V0p) \vee ((\neg(p\ V2r)) \vee (\neg(p\ V1q)))) \wedge (((p\ V1q) \vee ((\neg(p\ V2r)) \vee (\neg(p\ V0p)))) \wedge ((p\ V2r) \vee ((\neg(p\ V1q)) \vee (\neg(p\ V0p)))))))))) \quad (37)$$

Assume the following.

$$(\forall V0p \in 2. (\forall V1q \in 2. (\forall V2r \in 2. (((p\ V0p) \Leftrightarrow ((p\ V1q) \wedge (p\ V2r))) \Leftrightarrow (((p\ V0p) \vee ((\neg(p\ V1q)) \vee (\neg(p\ V2r)))) \wedge (((p\ V1q) \vee (\neg(p\ V0p))) \wedge ((p\ V2r) \vee (\neg(p\ V0p)))))))))) \quad (38)$$

Assume the following.

$$\begin{aligned}
& (\forall V0p \in 2. (\forall V1q \in 2. (\forall V2r \in 2. (((p \ V0p) \Leftrightarrow (\\
& (p \ V1q) \vee (p \ V2r))) \Leftrightarrow (((p \ V0p) \vee \neg(p \ V1q)) \wedge ((p \ V0p) \vee \neg(p \ V2r))) \wedge \\
& ((p \ V1q) \vee ((p \ V2r) \vee \neg(p \ V0p))))))))))
\end{aligned} \tag{39}$$

Assume the following.

$$\begin{aligned}
& (\forall V0p \in 2. (\forall V1q \in 2. (\forall V2r \in 2. (((p \ V0p) \Leftrightarrow (\\
& (p \ V1q) \Rightarrow (p \ V2r))) \Leftrightarrow (((p \ V0p) \vee (p \ V1q)) \wedge ((p \ V0p) \vee \neg(p \ V2r))) \wedge ((\\
& \neg(p \ V1q) \vee ((p \ V2r) \vee \neg(p \ V0p))))))))))
\end{aligned} \tag{40}$$

Assume the following.

$$\begin{aligned}
& (\forall V0p \in 2. (\forall V1q \in 2. (((p \ V0p) \Leftrightarrow \neg(p \ V1q))) \Leftrightarrow (((p \ V0p) \vee \\
& (p \ V1q)) \wedge (\neg(p \ V1q) \vee \neg(p \ V0p))))))
\end{aligned} \tag{41}$$

Assume the following.

$$(\forall V0p \in 2. (\forall V1q \in 2. (\neg((p \ V0p) \Rightarrow (p \ V1q))) \Rightarrow (p \ V0p))) \tag{42}$$

Assume the following.

$$(\forall V0p \in 2. (\forall V1q \in 2. (\neg((p \ V0p) \Rightarrow (p \ V1q))) \Rightarrow \neg(p \ V1q))) \tag{43}$$

Assume the following.

$$(\forall V0p \in 2. (\forall V1q \in 2. (\neg((p \ V0p) \vee (p \ V1q))) \Rightarrow \neg(p \ V0p))) \tag{44}$$

Assume the following.

$$(\forall V0p \in 2. (\forall V1q \in 2. (\neg((p \ V0p) \vee (p \ V1q))) \Rightarrow \neg(p \ V1q))) \tag{45}$$

Assume the following.

$$(\forall V0p \in 2. (\neg(\neg(p \ V0p))) \Rightarrow (p \ V0p)) \tag{46}$$

Theorem 1

$$\begin{aligned}
& \forall A_27a. \text{nonempty } A_27a \Rightarrow (\forall V0t \in (ty_2Elbtree_2Elbtree \\
& A_27a). ((V0t = (c_2Elbtree_2Elf A_27a)) \vee (\exists V1a \in A_27a. \\
& (\exists V2t1 \in (ty_2Elbtree_2Elbtree A_27a). (\exists V3t2 \in (\\
& ty_2Elbtree_2Elbtree A_27a). (V0t = (ap (ap (ap (c_2Elbtree_2End \\
& A_27a) V1a) V2t1) V3t2))))))
\end{aligned}$$