

thm\_2Elebesgue\_2Efinite\_\_POW\_\_prod\_\_measure\_\_reduce3  
(TMGgmBZjGPKenhcjZT-  
CYE426bmW1JUXns7a)

October 26, 2020

**Definition 1** We define  $c\_2Emin\_2E\_40$  to be  $\lambda A.\lambda P \in 2^A.$ if  $(\exists x \in A.p (ap P x))$  then (the  $(\lambda x.x \in A \wedge p)$  of type  $\iota \Rightarrow \iota$ ).

**Definition 2** We define  $c\_2Emin\_2E\_3D$  to be  $\lambda A.\lambda x \in A.\lambda y \in A.inj\_o (x = y)$  of type  $\iota \Rightarrow \iota$ .

**Definition 3** We define  $c\_2Ebool\_2E\_3F$  to be  $\lambda A\_27a : \iota.(\lambda V0P \in (2^{A\_27a}).(ap V0P (ap (c\_2Emin\_2E\_40 A\_27a) P)))$

**Definition 4** We define  $c\_2Ebool\_2E\_2ET$  to be  $(ap (ap (c\_2Emin\_2E\_3D (2^2)) (\lambda V0x \in 2.V0x)) (\lambda V1x \in 2.V1x))$

**Definition 5** We define  $c\_2Ebool\_2E\_2EIN$  to be  $\lambda A\_27a : \iota.(\lambda V0x \in A\_27a.(\lambda V1f \in (2^{A\_27a}).(ap V1f V0x)))$

**Definition 6** We define  $c\_2Emin\_2E\_3D\_3D\_3E$  to be  $\lambda P \in 2.\lambda Q \in 2.inj\_o (p P \Rightarrow p Q)$  of type  $\iota$ .

**Definition 7** We define  $c\_2Ebool\_2E\_2E21$  to be  $\lambda A\_27a : \iota.(\lambda V0P \in (2^{A\_27a}).(ap (ap (c\_2Emin\_2E\_3D (2^{A\_27a}) P) P)))$

**Definition 8** We define  $c\_2Ebool\_2E\_2E2F\_5C$  to be  $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap (c\_2Ebool\_2E\_2E21 2) (\lambda V2t \in 2.V2t))))$

Let  $ty\_2Epair\_2Eprod : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A0.nonempty A0 \Rightarrow \forall A1.nonempty A1 \Rightarrow nonempty (ty\_2Epair\_2Eprod A0 A1) \tag{1}$$

Let  $c\_2Epair\_2ESND : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.nonempty A\_27a \Rightarrow \forall A\_27b.nonempty A\_27b \Rightarrow c\_2Epair\_2ESND A\_27a A\_27b \in (A\_27b^{(ty\_2Epair\_2Eprod A\_27a A\_27b)}) \tag{2}$$

Let  $c\_2Epair\_2EFST : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\begin{aligned} \forall A\_27a.nonempty\ A\_27a \Rightarrow \forall A\_27b.nonempty\ A\_27b \Rightarrow c\_2Epair\_2EFST \\ A\_27a\ A\_27b \in (A\_27a^{(ty\_2Epair\_2Eprod\ A\_27a\ A\_27b)}) \end{aligned} \quad (3)$$

Let  $c\_2Epair\_2EABS\_prod : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\begin{aligned} \forall A\_27a.nonempty\ A\_27a \Rightarrow \forall A\_27b.nonempty\ A\_27b \Rightarrow c\_2Epair\_2EABS\_prod \\ A\_27a\ A\_27b \in ((ty\_2Epair\_2Eprod\ A\_27a\ A\_27b)^{(2^{A\_27b})^{A\_27a}}) \end{aligned} \quad (4)$$

**Definition 9** We define  $c\_2Epair\_2E\_2C$  to be  $\lambda A\_27a : \iota. \lambda A\_27b : \iota. \lambda V0x \in A\_27a. \lambda V1y \in A\_27b. (ap\ (c\_2E$

Let  $c\_2Epred\_set\_2EGSPEC : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\begin{aligned} \forall A\_27a.nonempty\ A\_27a \Rightarrow \forall A\_27b.nonempty\ A\_27b \Rightarrow c\_2Epred\_set\_2EGSPEC \\ A\_27a\ A\_27b \in ((2^{A\_27a})^{(ty\_2Epair\_2Eprod\ A\_27a\ 2)^{A\_27b}}) \end{aligned} \quad (5)$$

**Definition 10** We define  $c\_2Epred\_set\_2ECROSS$  to be  $\lambda A\_27a : \iota. \lambda A\_27b : \iota. \lambda V0P \in (2^{A\_27a}). \lambda V1Q \in (2^{A\_27b})$

**Definition 11** We define  $c\_2Epair\_2EUNCURRY$  to be  $\lambda A\_27a : \iota. \lambda A\_27b : \iota. \lambda A\_27c : \iota. \lambda V0f \in ((A\_27c)^{A\_27a})$

**Definition 12** We define  $c\_2Eutil\_prob\_2Eprod\_sets$  to be  $\lambda A\_27a : \iota. \lambda A\_27b : \iota. \lambda V0a \in (2^{(2^{A\_27a})}). \lambda V1b \in (2^{(2^{A\_27b})})$

Let  $c\_2Emeasure\_2Esubsets : \iota \Rightarrow \iota$  be given. Assume the following.

$$\begin{aligned} \forall A\_27a.nonempty\ A\_27a \Rightarrow c\_2Emeasure\_2Esubsets\ A\_27a \in ( \\ (2^{(2^{A\_27a})})^{(ty\_2Epair\_2Eprod\ (2^{A\_27a})\ (2^{(2^{A\_27a})}))}) \end{aligned} \quad (6)$$

**Definition 13** We define  $c\_2Epred\_set\_2EBIGUNION$  to be  $\lambda A\_27a : \iota. \lambda V0P \in (2^{(2^{A\_27a})}). (ap\ (c\_2Epred\_set\_2EGSPEC\ P))$

**Definition 14** We define  $c\_2Epred\_set\_2ESUBSET$  to be  $\lambda A\_27a : \iota. \lambda V0s \in (2^{A\_27a}). \lambda V1t \in (2^{A\_27a}). (ap\ (c\_2Epred\_set\_2EBIGUNION\ s\ t))$

Let  $ty\_2Enum\_2Enum : \iota$  be given. Assume the following.

$$nonempty\ ty\_2Enum\_2Enum \quad (7)$$

**Definition 15** We define  $c\_2Epred\_set\_2EUNIV$  to be  $\lambda A\_27a : \iota. (\lambda V0x \in A\_27a. c\_2Ebool\_2ET)$ .

**Definition 16** We define  $c\_2Epred\_set\_2EINJ$  to be  $\lambda A\_27a : \iota. \lambda A\_27b : \iota. \lambda V0f \in (A\_27b)^{A\_27a}. \lambda V1s \in (2^{A\_27a})$

**Definition 17** We define  $c\_2Epred\_set\_2Ecountable$  to be  $\lambda A\_27a : \iota. \lambda V0s \in (2^{A\_27a}). (ap\ (c\_2Ebool\_2E\_3F\ s))$

**Definition 18** We define  $c\_2Ebool\_2E\_5C\_2F$  to be  $(\lambda V0t1 \in 2. (\lambda V1t2 \in 2. (ap\ (c\_2Ebool\_2E\_21\ 2)\ t1\ t2)))$

**Definition 19** We define  $c\_2Epred\_set\_2EUNION$  to be  $\lambda A\_27a : \iota. \lambda V0s \in (2^{A\_27a}). \lambda V1t \in (2^{A\_27a}). (ap\ (c\_2Epred\_set\_2EBIGUNION\ s\ t))$

Let  $c\_2Emeasure\_2Espace : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow c\_2Emeasure\_2Espace\ A\_27a \in ((2^{A\_27a})^{(ty\_2Epair\_2Eprod\ (2^{A\_27a})\ (2^{(2^{A\_27a})})})) \quad (8)$$

**Definition 20** We define  $c\_2Ebool\_2EF$  to be  $(ap\ (c\_2Ebool\_2E\_21\ 2)\ (\lambda V0t \in 2.V0t))$ .

**Definition 21** We define  $c\_2Ebool\_2E\_7E$  to be  $(\lambda V0t \in 2.(ap\ (ap\ c\_2Emin\_2E\_3D\_3D\_3E\ V0t)\ c\_2Ebool\_2EF))$ .

**Definition 22** We define  $c\_2Epred\_set\_2EDIFF$  to be  $\lambda A\_27a : \iota.\lambda V0s \in (2^{A\_27a}).\lambda V1t \in (2^{A\_27a}).(ap\ (c\_2Ebool\_2EF))$ .

**Definition 23** We define  $c\_2Epred\_set\_2EEMPTY$  to be  $\lambda A\_27a : \iota.(\lambda V0x \in A\_27a.c\_2Ebool\_2EF)$ .

**Definition 24** We define  $c\_2Emeasure\_2Esubset\_class$  to be  $\lambda A\_27a : \iota.\lambda V0sp \in (2^{A\_27a}).\lambda V1sts \in (2^{(2^{A\_27a})})$ .

**Definition 25** We define  $c\_2Emeasure\_2Ealgebra$  to be  $\lambda A\_27a : \iota.\lambda V0a \in (ty\_2Epair\_2Eprod\ (2^{A\_27a})\ (2^{(2^{A\_27a})}))$ .

**Definition 26** We define  $c\_2Emeasure\_2Esigma\_algebra$  to be  $\lambda A\_27a : \iota.\lambda V0a \in (ty\_2Epair\_2Eprod\ (2^{A\_27a})\ (2^{(2^{A\_27a})}))$ .

**Definition 27** We define  $c\_2Epred\_set\_2EBIGINTER$  to be  $\lambda A\_27a : \iota.\lambda V0P \in (2^{(2^{A\_27a})}).(ap\ (c\_2Epred\_set\_2EDIFF))$ .

**Definition 28** We define  $c\_2Emeasure\_2Esigma$  to be  $\lambda A\_27a : \iota.\lambda V0sp \in (2^{A\_27a}).\lambda V1st \in (2^{(2^{A\_27a})}).(ap\ (c\_2Ebool\_2EF))$ .

**Definition 29** We define  $c\_2Epred\_set\_2EPREIMAGE$  to be  $\lambda A\_27a : \iota.\lambda A\_27b : \iota.\lambda V0f \in (A\_27b^{A\_27a}).\lambda V1g \in (A\_27a^{A\_27b}).(ap\ (c\_2Ebool\_2EF))$ .

Let  $ty\_2Erealax\_2Ereal : \iota$  be given. Assume the following.

$$nonempty\ ty\_2Erealax\_2Ereal \quad (9)$$

Let  $c\_2Emeasure\_2Emeasure : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow c\_2Emeasure\_2Emeasure\ A\_27a \in ( (ty\_2Erealax\_2Ereal^{(2^{A\_27a})})^{(ty\_2Epair\_2Eprod\ (2^{A\_27a})\ (ty\_2Epair\_2Eprod\ (2^{(2^{A\_27a})})\ (ty\_2Erealax\_2Ereal^{(2^{A\_27a})}))}) \quad (10)$$

Let  $ty\_2Eextreal\_2Eextreal : \iota$  be given. Assume the following.

$$nonempty\ ty\_2Eextreal\_2Eextreal \quad (11)$$

Let  $c\_2Eextreal\_2ENormal : \iota$  be given. Assume the following.

$$c\_2Eextreal\_2ENormal \in (ty\_2Eextreal\_2Eextreal^{ty\_2Erealax\_2Ereal}) \quad (12)$$

Let  $c\_2Enum\_2EZERO\_REP : \iota$  be given. Assume the following.

$$c\_2Enum\_2EZERO\_REP \in \omega \quad (13)$$

Let  $c\_2Enum\_2EABS\_num : \iota$  be given. Assume the following.

$$c\_2Enum\_2EABS\_num \in (ty\_2Enum\_2Enum^{\omega}) \quad (14)$$

**Definition 30** We define  $c\_2Enum\_2E0$  to be  $(ap\ c\_2Enum\_2EABS\_num\ c\_2Enum\_2EZERO\_REP)$ .

Let  $c\_2Ereal\_2Ereal\_of\_num : \iota$  be given. Assume the following.

$$c\_2Ereal\_2Ereal\_of\_num \in (ty\_2Erealax\_2Ereal^{ty\_2Enum\_2Enum}) \quad (15)$$

**Definition 31** We define  $c\_2Eextreal\_2Eextreal\_of\_num$  to be  $\lambda V0n \in ty\_2Enum\_2Enum.(ap\ c\_2Eextreal$

Let  $c\_2Eextreal\_2Eextreal\_ainv : \iota$  be given. Assume the following.

$$c\_2Eextreal\_2Eextreal\_ainv \in (ty\_2Eextreal\_2Eextreal^{ty\_2Eextreal\_2Eextreal}) \quad (16)$$

Let  $c\_2Eextreal\_2Eextreal\_le : \iota$  be given. Assume the following.

$$c\_2Eextreal\_2Eextreal\_le \in ((2^{ty\_2Eextreal\_2Eextreal})^{ty\_2Eextreal\_2Eextreal}) \quad (17)$$

**Definition 32** We define  $c\_2Eextreal\_2Eextreal\_lt$  to be  $\lambda V0x \in ty\_2Eextreal\_2Eextreal.\lambda V1y \in ty\_2Eextreal$

**Definition 33** We define  $c\_2Ebool\_2ECOND$  to be  $\lambda A\_27a : \iota.(\lambda V0t \in 2.(\lambda V1t1 \in A\_27a.(\lambda V2t2 \in A\_27a.($

**Definition 34** We define  $c\_2Emeasure\_2Efn\_minus$  to be  $\lambda A\_27a : \iota.\lambda V0f \in (ty\_2Eextreal\_2Eextreal^{A\_27a})$

Let  $c\_2Emeasure\_2Em\_space : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow c\_2Emeasure\_2Em\_space\ A\_27a \in ((2^{A\_27a})^{(ty\_2Epair\_2Eprod\ (2^{A\_27a})\ (ty\_2Epair\_2Eprod\ (2^{(2^{A\_27a})})\ (ty\_2Erealax\_2Ereal^{(2^{A\_27a})})))) \quad (18)$$

**Definition 35** We define  $c\_2Epred\_set\_2EIMAGE$  to be  $\lambda A\_27a : \iota.\lambda A\_27b : \iota.\lambda V0f \in (A\_27b^{A\_27a}).\lambda V1s \in$

**Definition 36** We define  $c\_2Epred\_set\_2EINTER$  to be  $\lambda A\_27a : \iota.\lambda V0s \in (2^{A\_27a}).\lambda V1t \in (2^{A\_27a}).(ap\ (c\_2E$

**Definition 37** We define  $c\_2Epred\_set\_2EDISJOINT$  to be  $\lambda A\_27a : \iota.\lambda V0s \in (2^{A\_27a}).\lambda V1t \in (2^{A\_27a}).(ap\ (c\_2E$

Let  $ty\_2Ehreal\_2Ehreal : \iota$  be given. Assume the following.

$$nonempty\ ty\_2Ehreal\_2Ehreal \quad (19)$$

Let  $c\_2Erealax\_2Ereal\_REP\_CLASS : \iota$  be given. Assume the following.

$$c\_2Erealax\_2Ereal\_REP\_CLASS \in ((2^{(ty\_2Epair\_2Eprod\ ty\_2Ehreal\_2Ehreal\ ty\_2Ehreal\_2Ehreal)})^{ty\_2Erealax}) \quad (20)$$

**Definition 38** We define  $c\_2Erealax\_2Ereal\_REP$  to be  $\lambda V0a \in ty\_2Erealax\_2Ereal.(ap\ (c\_2Emin\_2E40\ (t$

Let  $c\_2Erealax\_2Etrealm\_lt : \iota$  be given. Assume the following.

$$c\_2Erealax\_2Etrealm\_lt \in ((2^{(ty\_2Epair\_2Eprod\ ty\_2Ehreal\_2Ehreal\ ty\_2Ehreal\_2Ehreal)})^{(ty\_2Epair\_2Eprod\ ty\_2Ehreal\_2Ehreal)}) \quad (21)$$

**Definition 39** We define  $c\_2Erealax\_2Ereal\_lt$  to be  $\lambda V0T1 \in ty\_2Erealax\_2Ereal.\lambda V1T2 \in ty\_2Erealax\_2Ereal$

**Definition 40** We define  $c\_Ereal\_Ereal\_lte$  to be  $\lambda V0x \in ty\_Erealax\_Ereal.\lambda V1y \in ty\_Erealax\_Ereal$

**Definition 41** We define  $c\_Epred\_set\_EINSERT$  to be  $\lambda A\_27a : \iota.\lambda V0x \in A\_27a.\lambda V1s \in (2^{A\_27a}).(ap (c\_E$

**Definition 42** We define  $c\_Epred\_set\_EFINITE$  to be  $\lambda A\_27a : \iota.\lambda V0s \in (2^{A\_27a}).(ap (c\_Ebool\_E21 (2$

Let  $c\_Emeasure\_Emeasurable\_sets : \iota \Rightarrow \iota$  be given. Assume the following.

$$\begin{aligned} & \forall A\_27a.nonempty\ A\_27a \Rightarrow c\_Emeasure\_Emeasurable\_sets \\ A\_27a \in & ((2^{(2^{A\_27a})})(ty\_Epair\_Eprod\ (2^{A\_27a})\ (ty\_Epair\_Eprod\ (2^{(2^{A\_27a})})\ (ty\_Erealax\_Ereal^{(2^{A\_27a})})))) \end{aligned} \quad (22)$$

**Definition 43** We define  $c\_Earithmic\_EZERO$  to be  $c\_Eenum\_E0$ .

Let  $c\_Eenum\_EERP\_num : \iota$  be given. Assume the following.

$$c\_Eenum\_EERP\_num \in (\omega^{ty\_Eenum\_Eenum}) \quad (23)$$

Let  $c\_Eenum\_ESUC\_REP : \iota$  be given. Assume the following.

$$c\_Eenum\_ESUC\_REP \in (\omega^{\omega}) \quad (24)$$

**Definition 44** We define  $c\_Eenum\_ESUC$  to be  $\lambda V0m \in ty\_Eenum\_Eenum.(ap\ c\_Eenum\_EABS\_num$

Let  $c\_Earithmetic\_E2B : \iota$  be given. Assume the following.

$$c\_Earithmetic\_E2B \in ((ty\_Eenum\_Eenum^{ty\_Eenum\_Eenum})^{ty\_Eenum\_Eenum}) \quad (25)$$

**Definition 45** We define  $c\_Earithmetic\_EBIT1$  to be  $\lambda V0n \in ty\_Eenum\_Eenum.(ap\ (ap\ c\_Earithmetic$

**Definition 46** We define  $c\_Earithmetic\_ENUMERAL$  to be  $\lambda V0x \in ty\_Eenum\_Eenum.V0x$ .

**Definition 47** We define  $c\_Emeasure\_Eindicator\_fn$  to be  $\lambda A\_27a : \iota.\lambda V0s \in (2^{A\_27a}).(\lambda V1x \in A\_27a.(ap$

Let  $c\_Eextreal\_Eextreal\_mul : \iota$  be given. Assume the following.

$$c\_Eextreal\_Eextreal\_mul \in ((ty\_Eextreal\_Eextreal^{ty\_Eextreal\_Eextreal})^{ty\_Eextreal\_Eextreal}) \quad (26)$$

Let  $c\_Eextreal\_Eextreal\_add : \iota$  be given. Assume the following.

$$c\_Eextreal\_Eextreal\_add \in ((ty\_Eextreal\_Eextreal^{ty\_Eextreal\_Eextreal})^{ty\_Eextreal\_Eextreal}) \quad (27)$$

Let  $c\_Epred\_set\_EITSET : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\begin{aligned} & \forall A\_27a.nonempty\ A\_27a \Rightarrow \forall A\_27b.nonempty\ A\_27b \Rightarrow c\_Epred\_set\_EITSET \\ & A\_27a\ A\_27b \in (((A\_27b^{A\_27b})^{(2^{A\_27a})})^{((A\_27b^{A\_27b})^{A\_27a})}) \end{aligned} \quad (28)$$

**Definition 48** We define  $c\_Eextreal\_EEXTREAL\_SUM\_IMAGE$  to be  $\lambda A\_27a : \iota.\lambda V0f \in (ty\_Eextreal\_E$

**Definition 49** We define  $c\_2Emeasure\_2Epos\_simple\_fn$  to be  $\lambda A\_27a : \iota.\lambda V0m \in (ty\_2Epair\_2Eprod (2^A$

**Definition 50** We define  $c\_2Elebesgue\_2Epsfs$  to be  $\lambda A\_27a : \iota.\lambda V0m \in (ty\_2Epair\_2Eprod (2^{A-27a}) (ty\_2E$

Let  $c\_2Erealax\_2Etrealmul : \iota$  be given. Assume the following.

$$c\_2Erealax\_2Etrealmul \in (((ty\_2Epair\_2Eprod ty\_2Ehreal\_2Ehreal ty\_2Ehreal\_2Ehreal)(ty\_2Epair\_2Eprod ty\_2Ehreal\_2Ehreal ty\_2Ehreal\_2Ehreal)(ty\_2Epair\_2Eprod ty\_2Ehreal\_2Ehreal ty\_2Ehreal\_2Ehreal)))(ty\_2Epair\_2Eprod ty\_2Ehreal\_2Ehreal ty\_2Ehreal\_2Ehreal) \quad (29)$$

Let  $c\_2Erealax\_2Etrealeq : \iota$  be given. Assume the following.

$$c\_2Erealax\_2Etrealeq \in ((2^{(ty\_2Epair\_2Eprod ty\_2Ehreal\_2Ehreal ty\_2Ehreal\_2Ehreal)})(ty\_2Epair\_2Eprod ty\_2Ehreal\_2Ehreal ty\_2Ehreal\_2Ehreal)) \quad (30)$$

Let  $c\_2Erealax\_2Ereal\_ABS\_CLASS : \iota$  be given. Assume the following.

$$c\_2Erealax\_2Ereal\_ABS\_CLASS \in (ty\_2Erealax\_2Ereal)^{(2^{(ty\_2Epair\_2Eprod ty\_2Ehreal\_2Ehreal ty\_2Ehreal\_2Ehreal)})} \quad (31)$$

**Definition 51** We define  $c\_2Erealax\_2Ereal\_ABS$  to be  $\lambda V0r \in (ty\_2Epair\_2Eprod ty\_2Ehreal\_2Ehreal ty\_2Ehreal\_2Ehreal)$

**Definition 52** We define  $c\_2Erealax\_2Ereal\_mul$  to be  $\lambda V0T1 \in ty\_2Erealax\_2Ereal.\lambda V1T2 \in ty\_2Erealax\_2Ereal$

Let  $c\_2Erealax\_2Etrealeq : \iota$  be given. Assume the following.

$$c\_2Erealax\_2Etrealeq \in (((ty\_2Epair\_2Eprod ty\_2Ehreal\_2Ehreal ty\_2Ehreal\_2Ehreal)(ty\_2Epair\_2Eprod ty\_2Ehreal\_2Ehreal ty\_2Ehreal\_2Ehreal)(ty\_2Epair\_2Eprod ty\_2Ehreal\_2Ehreal ty\_2Ehreal\_2Ehreal)))(ty\_2Epair\_2Eprod ty\_2Ehreal\_2Ehreal ty\_2Ehreal\_2Ehreal) \quad (32)$$

**Definition 53** We define  $c\_2Erealax\_2Ereal\_add$  to be  $\lambda V0T1 \in ty\_2Erealax\_2Ereal.\lambda V1T2 \in ty\_2Erealax\_2Ereal$

**Definition 54** We define  $c\_2Ereal\_sigma\_2EREAL\_SUM\_IMAGE$  to be  $\lambda A\_27a : \iota.\lambda V0f \in (ty\_2Erealax\_2Ereal$

**Definition 55** We define  $c\_2Elebesgue\_2Epos\_simple\_fn\_integral$  to be  $\lambda A\_27a : \iota.\lambda V0m \in (ty\_2Epair\_2Eprod (2^A$

**Definition 56** We define  $c\_2Elebesgue\_2Epsfs$  to be  $\lambda A\_27a : \iota.\lambda V0m \in (ty\_2Epair\_2Eprod (2^{A-27a}) (ty\_2E$

**Definition 57** We define  $c\_2Ereal\_2Esup$  to be  $\lambda V0P \in (2^{ty\_2Erealax\_2Ereal}).(ap (c\_2Emin\_2E\_40 ty\_2Ereal$

Let  $c\_2Eextreal\_2ENegInf : \iota$  be given. Assume the following.

$$c\_2Eextreal\_2ENegInf \in ty\_2Eextreal\_2Eextreal \quad (33)$$

Let  $c\_2Eextreal\_2EPosInf : \iota$  be given. Assume the following.

$$c\_2Eextreal\_2EPosInf \in ty\_2Eextreal\_2Eextreal \quad (34)$$

**Definition 58** We define  $c\_2Eextreal\_2Eextreal\_sup$  to be  $\lambda V0p \in (2^{ty\_2Eextreal\_2Eextreal}).(ap (ap (ap (c\_2E$

**Definition 59** We define  $c\_2Elebesgue\_2Epos\_fn\_integral$  to be  $\lambda A\_27a : \iota.\lambda V0m \in (ty\_2Epair\_2Eprod (2^A$



**Definition 73** We define  $c\_2Emetric\_2Emr1$  to be  $(ap (c\_2Emetric\_2Emetric\ ty\_2Erealx\_2Ereal) (ap (c\_2Emetric\_2Edist : \iota \Rightarrow \iota)$  be given. Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow c\_2Emetric\_2Edist\ A\_27a \in ((ty\_2Erealx\_2Ereal^{(ty\_2Epair\_2Eprod\ A\_27a\ A\_27a)}) \quad (40)$$

Let  $ty\_2Etopology\_2Etopology : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A0.nonempty\ A0 \Rightarrow nonempty\ (ty\_2Etopology\_2Etopology\ A0) \quad (41)$$

Let  $c\_2Etopology\_2Etopology : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow c\_2Etopology\_2Etopology\ A\_27a \in ((ty\_2Etopology\_2Etopology\ A\_27a)^{(2^{(2^{A\_27a})})}) \quad (42)$$

**Definition 74** We define  $c\_2Emetric\_2Emtop$  to be  $\lambda A\_27a : \iota.\lambda V0m \in (ty\_2Emetric\_2Emetric\ A\_27a).(ap$

Let  $c\_2Enets\_2Etends : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow \forall A\_27b.nonempty\ A\_27b \Rightarrow c\_2Enets\_2Etends\ A\_27a\ A\_27b \in (((2^{(ty\_2Epair\_2Eprod\ (ty\_2Etopology\_2Etopology\ A\_27a)\ ((2^{A\_27b})^{A\_27b})}))_{A\_27a})_{(A\_27a\ A\_27b)}) \quad (43)$$

**Definition 75** We define  $c\_2Eseq\_2E\_2D\_2D\_3E$  to be  $\lambda V0x \in (ty\_2Erealx\_2Ereal^{ty\_2Enum\_2Enum}).\lambda V1x$

**Definition 76** We define  $c\_2Eseq\_2Esums$  to be  $\lambda V0f \in (ty\_2Erealx\_2Ereal^{ty\_2Enum\_2Enum}).\lambda V1s \in ty\_2$

**Definition 77** We define  $c\_2Epred\_set\_2EFUNSET$  to be  $\lambda A\_27a : \iota.\lambda A\_27b : \iota.\lambda V0P \in (2^{A\_27a}).\lambda V1Q \in (2^{A\_27b})$

**Definition 78** We define  $c\_2Emeasure\_2Ecountably\_additive$  to be  $\lambda A\_27a : \iota.\lambda V0m \in (ty\_2Epair\_2Eprod\ (2^{A\_27a})$

**Definition 79** We define  $c\_2Emeasure\_2Epositive$  to be  $\lambda A\_27a : \iota.\lambda V0m \in (ty\_2Epair\_2Eprod\ (2^{A\_27a})$

**Definition 80** We define  $c\_2Emeasure\_2Emeasure\_space$  to be  $\lambda A\_27a : \iota.\lambda V0m \in (ty\_2Epair\_2Eprod\ (2^{A\_27a})$

**Definition 81** We define  $c\_2Epred\_set\_2EPOW$  to be  $\lambda A\_27a : \iota.\lambda V0set \in (2^{A\_27a}).(ap (c\_2Epred\_set\_2E$

Assume the following.

$$True \quad (44)$$

Assume the following.

$$(\forall V0t1 \in 2.(\forall V1t2 \in 2.(((p\ V0t1) \Rightarrow (p\ V1t2)) \Rightarrow (((p\ V1t2) \Rightarrow (p\ V0t1)) \Rightarrow ((p\ V0t1) \Leftrightarrow (p\ V1t2)))))) \quad (45)$$

Assume the following.

$$(\forall V0t \in 2.(((True \wedge (p\ V0t)) \Leftrightarrow (p\ V0t)) \wedge (((p\ V0t) \wedge True) \Leftrightarrow (p\ V0t)) \wedge (((False \wedge (p\ V0t)) \Leftrightarrow False) \wedge (((p\ V0t) \wedge False) \Leftrightarrow False) \wedge (((p\ V0t) \wedge (p\ V0t)) \Leftrightarrow (p\ V0t)))))) \quad (46)$$

Assume the following.

$$(\forall V0t \in 2.(((True \Rightarrow (p V0t)) \Leftrightarrow (p V0t)) \wedge (((p V0t) \Rightarrow True) \Leftrightarrow True) \wedge (((False \Rightarrow (p V0t)) \Leftrightarrow True) \wedge (((p V0t) \Rightarrow (p V0t)) \Leftrightarrow True) \wedge ((p V0t) \Rightarrow False) \Leftrightarrow (\neg (p V0t)))))) \quad (47)$$

Assume the following.

$$((\forall V0t \in 2.((\neg(\neg(p V0t))) \Leftrightarrow (p V0t)) \wedge (((\neg True) \Leftrightarrow False) \wedge ((\neg False) \Leftrightarrow True))) \quad (48)$$

Assume the following.

$$\forall A\_27a.nonempty A\_27a \Rightarrow (\forall V0x \in A\_27a.(V0x = V0x)) \quad (49)$$

Assume the following.

$$\forall A\_27a.nonempty A\_27a \Rightarrow (\forall V0x \in A\_27a.((V0x = V0x) \Leftrightarrow True)) \quad (50)$$

Assume the following.

$$\forall A\_27a.nonempty A\_27a \Rightarrow (\forall V0x \in A\_27a.(\forall V1y \in A\_27a.((V0x = V1y) \Leftrightarrow (V1y = V0x)))) \quad (51)$$

Assume the following.

$$(\forall V0t \in 2.(((True \Leftrightarrow (p V0t)) \Leftrightarrow (p V0t)) \wedge (((p V0t) \Leftrightarrow True) \Leftrightarrow (p V0t)) \wedge (((False \Leftrightarrow (p V0t)) \Leftrightarrow (\neg(p V0t))) \wedge (((p V0t) \Leftrightarrow False) \Leftrightarrow (\neg(p V0t)))))) \quad (52)$$

Assume the following.

$$\forall A\_27a.nonempty A\_27a \Rightarrow (\forall V0P \in 2.(\forall V1Q \in (2^{A\_27a}).(((p V0P) \wedge (\forall V2x \in A\_27a.(p (ap V1Q V2x)))) \Leftrightarrow (\forall V3x \in A\_27a.((p V0P) \wedge (p (ap V1Q V3x))))))) \quad (53)$$

Assume the following.

$$\forall A\_27a.nonempty A\_27a \Rightarrow (\forall V0Q \in 2.(\forall V1P \in (2^{A\_27a}).(((\forall V2x \in A\_27a.((p (ap V1P V2x)) \vee (p V0Q))) \Leftrightarrow ((\forall V3x \in A\_27a.(p (ap V1P V3x)) \vee (p V0Q)))))) \quad (54)$$

Assume the following.

$$\forall A\_27a.nonempty A\_27a \Rightarrow (\forall V0P \in 2.(\forall V1Q \in (2^{A\_27a}).(((\forall V2x \in A\_27a.((p V0P) \vee (p (ap V1Q V2x)))) \Leftrightarrow ((p V0P) \vee (\forall V3x \in A\_27a.(p (ap V1Q V3x))))))) \quad (55)$$

Assume the following.

$$(\forall V0A \in 2.(\forall V1B \in 2.(\forall V2C \in 2.(((p V0A) \vee ((p V1B) \wedge (p V2C))) \Leftrightarrow (((p V0A) \vee (p V1B)) \wedge ((p V0A) \vee (p V2C)))))) \quad (56)$$

Assume the following.

$$(\forall V0t1 \in 2.(\forall V1t2 \in 2.(\forall V2t3 \in 2.(((p V0t1) \Rightarrow ((p V1t2) \Rightarrow (p V2t3))) \Leftrightarrow (((p V0t1) \wedge (p V1t2)) \Rightarrow (p V2t3)))))) \quad (57)$$

Assume the following.

$$2.(((p V0x) \Leftrightarrow (p V1x_{.27})) \wedge ((p V1x_{.27}) \Rightarrow ((p V2y) \Leftrightarrow (p V3y_{.27})))) \Rightarrow 2.(((p V0x) \Rightarrow (p V2y)) \Leftrightarrow ((p V1x_{.27}) \Rightarrow (p V3y_{.27})))) \quad (58)$$

Assume the following.

$$\begin{aligned} & \forall A_{.27a}.nonempty A_{.27a} \Rightarrow \forall A_{.27b}.nonempty A_{.27b} \Rightarrow ( \\ & \forall V0m0 \in (ty\_2Epair\_2Eprod (2^{A_{.27a}}) (ty\_2Epair\_2Eprod \\ & (2^{(2^{A_{.27a}})}) (ty\_2Erealx\_2Ereal(2^{A_{.27a}}))))).(\forall V1m1 \in \\ & (ty\_2Epair\_2Eprod (2^{A_{.27b}}) (ty\_2Epair\_2Eprod (2^{(2^{A_{.27b}})}) \\ & (ty\_2Erealx\_2Ereal(2^{A_{.27b}}))))).(((p (ap (c\_2Emeasure\_2Emeasure\_space \\ & A_{.27a}) V0m0)) \wedge ((p (ap (c\_2Emeasure\_2Emeasure\_space A_{.27b}) V1m1)) \wedge \\ & ((p (ap (c\_2Epred\_set\_2EFINITE A_{.27a}) (ap (c\_2Emeasure\_2Em\_space \\ & A_{.27a}) V0m0))) \wedge ((p (ap (c\_2Epred\_set\_2EFINITE A_{.27b}) (ap (c\_2Emeasure\_2Em\_space \\ & A_{.27b}) V1m1)))) \wedge (((ap (c\_2Epred\_set\_2EPOW A_{.27a}) (ap (c\_2Emeasure\_2Em\_space \\ & A_{.27a}) V0m0)) = (ap (c\_2Emeasure\_2Emeasurable\_sets A_{.27a}) V0m0)) \wedge \\ & ((ap (c\_2Epred\_set\_2EPOW A_{.27b}) (ap (c\_2Emeasure\_2Em\_space \\ & A_{.27b}) V1m1)) = (ap (c\_2Emeasure\_2Emeasurable\_sets A_{.27b}) V1m1)))))) \Rightarrow \\ & (\forall V2a0 \in (2^{A_{.27a}}).(\forall V3a1 \in (2^{A_{.27b}}).(((p (ap (ap \\ & (c\_2Ebool\_2EIN (2^{A_{.27a}})) V2a0) (ap (c\_2Emeasure\_2Emeasurable\_sets \\ & A_{.27a}) V0m0)) \wedge (p (ap (ap (c\_2Ebool\_2EIN (2^{A_{.27b}})) V3a1) (ap ( \\ & c\_2Emeasure\_2Emeasurable\_sets A_{.27b}) V1m1)))) \Rightarrow ((ap (ap (ap \\ & (c\_2Elebesgue\_2Eprod\_measure A_{.27a} A_{.27b}) V0m0) V1m1) (ap (ap \\ & (c\_2Epred\_set\_2ECROSS A_{.27a} A_{.27b}) V2a0) V3a1)) = (ap (ap c\_2Erealx\_2Ereal\_mul \\ & (ap (ap (c\_2Emeasure\_2Emeasure A_{.27a}) V0m0) V2a0)) (ap (ap (c\_2Emeasure\_2Emeasure \\ & A_{.27b}) V1m1) V3a1)))))))))) \end{aligned} \quad (59)$$

Assume the following.

$$\begin{aligned}
& \forall A_{.27a}.nonempty\ A_{.27a} \Rightarrow \forall A_{.27b}.nonempty\ A_{.27b} \Rightarrow ( \\
& \forall V0m0 \in (ty\_2Epair\_2Eprod\ (2^{A_{.27a}})\ (ty\_2Epair\_2Eprod \\
& \quad (2^{(2^{A_{.27a}})})\ (ty\_2Erealax\_2Ereal^{(2^{A_{.27a}})}))) . (\forall V1m1 \in \\
& \quad (ty\_2Epair\_2Eprod\ (2^{A_{.27b}})\ (ty\_2Epair\_2Eprod\ (2^{(2^{A_{.27b}})}) \\
& \quad (ty\_2Erealax\_2Ereal^{(2^{A_{.27b}})}))) . (((p\ (ap\ (c\_2Emeasure\_2Emeasure\_space \\
& \quad A_{.27a})\ V0m0)) \wedge ((p\ (ap\ (c\_2Emeasure\_2Emeasure\_space\ A_{.27b})\ V1m1)) \wedge \\
& \quad ((p\ (ap\ (c\_2Epred\_set\_2EFINITE\ A_{.27a})\ (ap\ (c\_2Emeasure\_2Em\_space \\
& \quad A_{.27a})\ V0m0))) \wedge ((p\ (ap\ (c\_2Epred\_set\_2EFINITE\ A_{.27b})\ (ap\ (c\_2Emeasure\_2Em\_space \\
& \quad A_{.27b})\ V1m1)))) \wedge (((ap\ (c\_2Epred\_set\_2EPOW\ A_{.27a})\ (ap\ (c\_2Emeasure\_2Em\_space \\
& \quad A_{.27a})\ V0m0)) = (ap\ (c\_2Emeasure\_2Emeasurable\_sets\ A_{.27a})\ V0m0)) \wedge \\
& \quad ((ap\ (c\_2Epred\_set\_2EPOW\ A_{.27b})\ (ap\ (c\_2Emeasure\_2Em\_space \\
& \quad A_{.27b})\ V1m1)) = (ap\ (c\_2Emeasure\_2Emeasurable\_sets\ A_{.27b})\ V1m1)))))) \Rightarrow \\
& \quad (p\ (ap\ (c\_2Emeasure\_2Emeasure\_space\ (ty\_2Epair\_2Eprod\ A_{.27a} \\
& \quad A_{.27b}))\ (ap\ (ap\ (c\_2Elebesgue\_2Eprod\_measure\_space\ A_{.27a}\ A_{.27b}) \\
& \quad V0m0)\ V1m1))))))
\end{aligned} \tag{60}$$

Assume the following.

$$\begin{aligned}
& \forall A.27a.nonempty\ A.27a \Rightarrow \forall A.27b.nonempty\ A.27b \Rightarrow ( \\
& \quad \forall V0s1 \in (2^{A-27a}). (\forall V1s2 \in (2^{A-27b}). (\forall V2u \in \\
& \quad (ty\_2Erealax\_2Ereal^{(2^{A-27a})}). (\forall V3v \in (ty\_2Erealax\_2Ereal^{(2^{A-27b})}). \\
& \quad ((p\ (ap\ (c\_2Epred\_set\_2EFINITE\ A.27a)\ V0s1)) \wedge (p\ (ap\ (c\_2Epred\_set\_2EFINITE \\
& \quad A.27b)\ V1s2))) \Rightarrow ((ap\ (ap\ (c\_2Elebesgue\_2Eprod\_measure\_space \\
& \quad A.27a\ A.27b)\ (ap\ (ap\ (c\_2Epair\_2E\_2C\ (2^{A-27a})\ (ty\_2Epair\_2Eprod \\
& \quad (2^{(2^{A-27a})})\ (ty\_2Erealax\_2Ereal^{(2^{A-27a})})))\ V0s1)\ (ap\ (ap \\
& \quad (c\_2Epair\_2E\_2C\ (2^{(2^{A-27a})})\ (ty\_2Erealax\_2Ereal^{(2^{A-27a})}))) \\
& \quad (ap\ (c\_2Epred\_set\_2EPOW\ A.27a)\ V0s1))\ V2u)))\ (ap\ (ap\ (c\_2Epair\_2E\_2C \\
& \quad (2^{A-27b})\ (ty\_2Epair\_2Eprod\ (2^{(2^{A-27b})})\ (ty\_2Erealax\_2Ereal^{(2^{A-27b})}))) \\
& \quad V1s2)\ (ap\ (ap\ (c\_2Epair\_2E\_2C\ (2^{(2^{A-27b})})\ (ty\_2Erealax\_2Ereal^{(2^{A-27b})}))) \\
& \quad (ap\ (c\_2Epred\_set\_2EPOW\ A.27b)\ V1s2))\ V3v))) = (ap\ (ap\ (c\_2Epair\_2E\_2C \\
& \quad (2^{(ty\_2Epair\_2Eprod\ A.27a\ A.27b)})\ (ty\_2Epair\_2Eprod\ (2^{(ty\_2Epair\_2Eprod\ A.27a\ A.27b)}) \\
& \quad (ty\_2Erealax\_2Ereal^{(2^{(ty\_2Epair\_2Eprod\ A.27a\ A.27b)})})))\ ( \\
& \quad ap\ (ap\ (c\_2Epred\_set\_2ECROSS\ A.27a\ A.27b)\ V0s1)\ V1s2))\ (ap\ (ap \\
& \quad (c\_2Epair\_2E\_2C\ (2^{(ty\_2Epair\_2Eprod\ A.27a\ A.27b)})\ (ty\_2Erealax\_2Ereal^{(2^{(ty\_2Epair\_2Eprod\ A.27a\ A.27b)})}))) \\
& \quad (ap\ (c\_2Epred\_set\_2EPOW\ (ty\_2Epair\_2Eprod\ A.27a\ A.27b))\ (ap \\
& \quad (ap\ (c\_2Epred\_set\_2ECROSS\ A.27a\ A.27b)\ V0s1)\ V1s2)))\ (ap\ (ap\ ( \\
& \quad c\_2Elebesgue\_2Eprod\_measure\ A.27a\ A.27b)\ (ap\ (ap\ (c\_2Epair\_2E\_2C \\
& \quad (2^{A-27a})\ (ty\_2Epair\_2Eprod\ (2^{(2^{A-27a})})\ (ty\_2Erealax\_2Ereal^{(2^{A-27a})}))) \\
& \quad V0s1)\ (ap\ (ap\ (c\_2Epair\_2E\_2C\ (2^{(2^{A-27a})})\ (ty\_2Erealax\_2Ereal^{(2^{A-27a})}))) \\
& \quad (ap\ (c\_2Epred\_set\_2EPOW\ A.27a)\ V0s1))\ V2u)))\ (ap\ (ap\ (c\_2Epair\_2E\_2C \\
& \quad (2^{A-27b})\ (ty\_2Epair\_2Eprod\ (2^{(2^{A-27b})})\ (ty\_2Erealax\_2Ereal^{(2^{A-27b})}))) \\
& \quad V1s2)\ (ap\ (ap\ (c\_2Epair\_2E\_2C\ (2^{(2^{A-27b})})\ (ty\_2Erealax\_2Ereal^{(2^{A-27b})}))) \\
& \quad (ap\ (c\_2Epred\_set\_2EPOW\ A.27b)\ V1s2))\ V3v))))))))) \\
& \hspace{15em} (61)
\end{aligned}$$

Assume the following.

$$\begin{aligned}
& \forall A.27a.nonempty\ A.27a \Rightarrow (\forall V0sp \in (2^{A-27a}). (\forall V1sts \in \\
& \quad (2^{(2^{A-27a})}). (\forall V2mu \in (ty\_2Erealax\_2Ereal^{(2^{A-27a})}). \\
& \quad ((ap\ (c\_2Emeasure\_2Em\_space\ A.27a)\ (ap\ (ap\ (c\_2Epair\_2E\_2C\ ( \\
& \quad 2^{A-27a})\ (ty\_2Epair\_2Eprod\ (2^{(2^{A-27a})})\ (ty\_2Erealax\_2Ereal^{(2^{A-27a})}))) \\
& \quad V0sp)\ (ap\ (ap\ (c\_2Epair\_2E\_2C\ (2^{(2^{A-27a})})\ (ty\_2Erealax\_2Ereal^{(2^{A-27a})}))) \\
& \quad V1sts)\ V2mu))) = V0sp))) \\
& \hspace{15em} (62)
\end{aligned}$$

Assume the following.

$$\begin{aligned}
& \forall A\_27a.nonempty\ A\_27a \Rightarrow (\forall V0sp \in (2^{A-27a}). (\forall V1sts \in \\
& \quad (2^{(2^{A-27a})}). (\forall V2mu \in (ty\_2Erealax\_2Ereal^{(2^{A-27a})}). \\
& ((ap\ (c\_2Emeasure\_2Emeasurable\_sets\ A\_27a)\ (ap\ (ap\ (c\_2Epair\_2E\_2C \\
& \quad (2^{A-27a})\ (ty\_2Epair\_2Eprod\ (2^{(2^{A-27a})})\ (ty\_2Erealax\_2Ereal^{(2^{A-27a})})))) \\
& V0sp)\ (ap\ (ap\ (c\_2Epair\_2E\_2C\ (2^{(2^{A-27a})})\ (ty\_2Erealax\_2Ereal^{(2^{A-27a})})) \\
& \quad V1sts\ V2mu))) = V1sts)))
\end{aligned} \tag{63}$$

Assume the following.

$$\begin{aligned}
& \forall A\_27a.nonempty\ A\_27a \Rightarrow (\forall V0sp \in (2^{A-27a}). (\forall V1sts \in \\
& \quad (2^{(2^{A-27a})}). (\forall V2mu \in (ty\_2Erealax\_2Ereal^{(2^{A-27a})}). \\
& ((ap\ (c\_2Emeasure\_2Emeasure\ A\_27a)\ (ap\ (ap\ (c\_2Epair\_2E\_2C\ (2^{A-27a}) \\
& \quad (ty\_2Epair\_2Eprod\ (2^{(2^{A-27a})})\ (ty\_2Erealax\_2Ereal^{(2^{A-27a})})))) \\
& V0sp)\ (ap\ (ap\ (c\_2Epair\_2E\_2C\ (2^{(2^{A-27a})})\ (ty\_2Erealax\_2Ereal^{(2^{A-27a})})) \\
& \quad V1sts\ V2mu))) = V2mu)))
\end{aligned} \tag{64}$$

Assume the following.

$$\begin{aligned}
& \forall A\_27a.nonempty\ A\_27a \Rightarrow (\forall V0m \in (ty\_2Epair\_2Eprod \\
& \quad (2^{A-27a})\ (ty\_2Epair\_2Eprod\ (2^{(2^{A-27a})})\ (ty\_2Erealax\_2Ereal^{(2^{A-27a})}))))). \\
& ((ap\ (ap\ (c\_2Epair\_2E\_2C\ (2^{A-27a})\ (ty\_2Epair\_2Eprod\ (2^{(2^{A-27a})}) \\
& \quad (ty\_2Erealax\_2Ereal^{(2^{A-27a})}))))\ (ap\ (c\_2Emeasure\_2Em\_space \\
& \quad A\_27a)\ V0m))\ (ap\ (ap\ (c\_2Epair\_2E\_2C\ (2^{(2^{A-27a})})\ (ty\_2Erealax\_2Ereal^{(2^{A-27a})})) \\
& \quad (ap\ (c\_2Emeasure\_2Emeasurable\_sets\ A\_27a)\ V0m))\ (ap\ (c\_2Emeasure\_2Emeasure \\
& \quad A\_27a)\ V0m))) = V0m))
\end{aligned} \tag{65}$$

Assume the following.

$$\begin{aligned}
& \forall A\_27a.nonempty\ A\_27a \Rightarrow (\forall V0A \in (2^{A-27a}). (\forall V1m \in \\
& \quad (ty\_2Epair\_2Eprod\ (2^{A-27a})\ (ty\_2Epair\_2Eprod\ (2^{(2^{A-27a})}) \\
& \quad (ty\_2Erealax\_2Ereal^{(2^{A-27a})}))))). ((p\ (ap\ (c\_2Emeasure\_2Emeasure\_space \\
& \quad A\_27a)\ V1m)) \wedge (p\ (ap\ (ap\ (c\_2Ebool\_2EIN\ (2^{A-27a})\ V0A)\ (ap\ (c\_2Emeasure\_2Emeasurable\_sets \\
& \quad A\_27a)\ V1m)))))) \Rightarrow (p\ (ap\ (ap\ (c\_2Epred\_set\_2ESUBSET\ A\_27a)\ V0A) \\
& \quad (ap\ (c\_2Emeasure\_2Em\_space\ A\_27a)\ V1m))))))
\end{aligned} \tag{66}$$

Assume the following.

$$\begin{aligned}
& \forall A\_27a.nonempty\ A\_27a \Rightarrow \forall A\_27b.nonempty\ A\_27b \Rightarrow ( \\
& \quad \forall V0P \in (2^{A-27a}). (\forall V1Q \in (2^{A-27b}). (\forall V2x \in \\
& \quad (ty\_2Epair\_2Eprod\ A\_27a\ A\_27b). ((p\ (ap\ (ap\ (c\_2Ebool\_2EIN\ (ty\_2Epair\_2Eprod \\
& \quad \quad A\_27a\ A\_27b))\ V2x)\ (ap\ (ap\ (c\_2Epred\_set\_2ECROSS\ A\_27a\ A\_27b) \\
& \quad \quad V0P)\ V1Q))) \Leftrightarrow ((p\ (ap\ (ap\ (c\_2Ebool\_2EIN\ A\_27a)\ (ap\ (c\_2Epair\_2EFSST \\
& \quad \quad A\_27a\ A\_27b)\ V2x))\ V0P)) \wedge (p\ (ap\ (ap\ (c\_2Ebool\_2EIN\ A\_27b)\ (ap\ (c\_2Epair\_2ESND \\
& \quad \quad A\_27a\ A\_27b)\ V2x))\ V1Q))))))
\end{aligned} \tag{67}$$

Assume the following.

$$\begin{aligned} & \forall A.27a.nonempty\ A.27a \Rightarrow \forall A.27b.nonempty\ A.27b \Rightarrow ( \\ & \forall V0P \in (2^{A.27a}).(\forall V1Q \in (2^{A.27b}).(((p\ (ap\ (c.2Epred\_set.2EFINITE \\ & A.27a)\ V0P)) \wedge (p\ (ap\ (c.2Epred\_set.2EFINITE\ A.27b)\ V1Q))) \Rightarrow (p \\ & (ap\ (c.2Epred\_set.2EFINITE\ (ty.2Epair.2Eprod\ A.27a\ A.27b)) \\ & (ap\ (ap\ (c.2Epred\_set.2ECROSS\ A.27a\ A.27b)\ V0P)\ V1Q)))))) \end{aligned} \quad (68)$$

Assume the following.

$$\begin{aligned} & \forall A.27a.nonempty\ A.27a \Rightarrow (\forall V0set \in (2^{A.27a}).(\forall V1e \in \\ & (2^{A.27a}).((p\ (ap\ (ap\ (c.2Ebool.2EIN\ (2^{A.27a})\ V1e)\ (ap\ (c.2Epred\_set.2EPOW \\ & A.27a)\ V0set))) \Leftrightarrow (p\ (ap\ (ap\ (c.2Epred\_set.2ESUBSET\ A.27a)\ V1e) \\ & V0set)))))) \end{aligned} \quad (69)$$

Assume the following.

$$\begin{aligned} & (\forall V0x \in ty.2Erealax.2Ereal.(\forall V1y \in ty.2Erealax.2Ereal. \\ & (\forall V2z \in ty.2Erealax.2Ereal.((ap\ (ap\ c.2Erealax.2Ereal\_mul \\ & V0x)\ (ap\ (ap\ c.2Erealax.2Ereal\_mul\ V1y)\ V2z)) = (ap\ (ap\ c.2Erealax.2Ereal\_mul \\ & (ap\ (ap\ c.2Erealax.2Ereal\_mul\ V0x)\ V1y))\ V2z)))))) \end{aligned} \quad (70)$$

Assume the following.

$$(\forall V0t \in 2.((\neg(\neg(p\ V0t))) \Leftrightarrow (p\ V0t))) \quad (71)$$

Assume the following.

$$(\forall V0A \in 2.((p\ V0A) \Rightarrow ((\neg(p\ V0A)) \Rightarrow False))) \quad (72)$$

Assume the following.

$$\begin{aligned} & (\forall V0A \in 2.(\forall V1B \in 2.(((\neg((\neg(p\ V0A)) \vee (p\ V1B))) \Rightarrow False) \Leftrightarrow \\ & (((p\ V0A) \Rightarrow False) \Rightarrow ((\neg(p\ V1B)) \Rightarrow False)))))) \end{aligned} \quad (73)$$

Assume the following.

$$\begin{aligned} & (\forall V0A \in 2.(\forall V1B \in 2.(((\neg(\neg(\neg(p\ V0A)) \vee (p\ V1B))) \Rightarrow False) \Leftrightarrow \\ & ((p\ V0A) \Rightarrow ((\neg(p\ V1B)) \Rightarrow False)))))) \end{aligned} \quad (74)$$

Assume the following.

$$(\forall V0A \in 2.(((\neg(p\ V0A)) \Rightarrow False) \Rightarrow (((p\ V0A) \Rightarrow False) \Rightarrow False))) \quad (75)$$

Assume the following.

$$\begin{aligned} & (\forall V0p \in 2.(\forall V1q \in 2.(\forall V2r \in 2.(((p\ V0p) \Leftrightarrow ( \\ & (p\ V1q) \Leftrightarrow (p\ V2r))) \Leftrightarrow (((p\ V0p) \vee ((p\ V1q) \vee (p\ V2r))) \wedge (((p\ V0p) \vee ((\neg \\ & p\ V2r)) \vee (\neg(p\ V1q)))) \wedge (((p\ V1q) \vee ((\neg(p\ V2r)) \vee (\neg(p\ V0p)))) \wedge ((p\ V2r) \vee \\ & ((\neg(p\ V1q)) \vee (\neg(p\ V0p)))))))))) \end{aligned} \quad (76)$$

Assume the following.

$$\begin{aligned}
& (\forall V0p \in 2. (\forall V1q \in 2. (\forall V2r \in 2. (((p \vee V0p) \Leftrightarrow ( \\
& (p \vee V1q) \wedge (p \vee V2r))) \Leftrightarrow (((p \vee V0p) \vee (\neg(p \vee V1q)) \vee \neg(p \vee V2r)))) \wedge (((p \vee V1q) \vee \\
& (\neg(p \vee V0p))) \wedge ((p \vee V2r) \vee \neg(p \vee V0p))))))
\end{aligned} \tag{77}$$

Assume the following.

$$\begin{aligned}
& (\forall V0p \in 2. (\forall V1q \in 2. (\forall V2r \in 2. (((p \vee V0p) \Leftrightarrow ( \\
& (p \vee V1q) \vee (p \vee V2r))) \Leftrightarrow (((p \vee V0p) \vee \neg(p \vee V1q)) \wedge ((p \vee V0p) \vee \neg(p \vee V2r))) \wedge \\
& ((p \vee V1q) \vee ((p \vee V2r) \vee \neg(p \vee V0p))))))
\end{aligned} \tag{78}$$

Assume the following.

$$\begin{aligned}
& (\forall V0p \in 2. (\forall V1q \in 2. (\forall V2r \in 2. (((p \vee V0p) \Leftrightarrow ( \\
& (p \vee V1q) \Rightarrow (p \vee V2r))) \Leftrightarrow (((p \vee V0p) \vee (p \vee V1q)) \wedge (((p \vee V0p) \vee \neg(p \vee V2r))) \wedge ( \\
& \neg(p \vee V1q) \vee ((p \vee V2r) \vee \neg(p \vee V0p))))))
\end{aligned} \tag{79}$$

Assume the following.

$$\begin{aligned}
& (\forall V0p \in 2. (\forall V1q \in 2. (((p \vee V0p) \Leftrightarrow \neg(p \vee V1q)) \Leftrightarrow (((p \vee V0p) \vee \\
& (p \vee V1q)) \wedge (\neg(p \vee V1q) \vee \neg(p \vee V0p))))))
\end{aligned} \tag{80}$$

Assume the following.

$$(\forall V0p \in 2. (\forall V1q \in 2. ((\neg((p \vee V0p) \Rightarrow (p \vee V1q))) \Rightarrow (p \vee V0p))) \tag{81}$$

Assume the following.

$$(\forall V0p \in 2. (\forall V1q \in 2. ((\neg((p \vee V0p) \Rightarrow (p \vee V1q))) \Rightarrow \neg(p \vee V1q))) \tag{82}$$

Assume the following.

$$(\forall V0p \in 2. (\forall V1q \in 2. ((\neg((p \vee V0p) \vee (p \vee V1q))) \Rightarrow \neg(p \vee V0p))) \tag{83}$$

Assume the following.

$$(\forall V0p \in 2. (\forall V1q \in 2. ((\neg((p \vee V0p) \vee (p \vee V1q))) \Rightarrow \neg(p \vee V1q))) \tag{84}$$

Assume the following.

$$(\forall V0p \in 2. ((\neg(\neg(p \vee V0p))) \Rightarrow (p \vee V0p))) \tag{85}$$

**Theorem 1**

$$\begin{aligned}
& \forall A\_27a.nonempty\ A\_27a \Rightarrow \forall A\_27b.nonempty\ A\_27b \Rightarrow \forall A\_27c. \\
& nonempty\ A\_27c \Rightarrow (\forall V0m0 \in (ty\_2Epair\_2Eprod\ (2^{A\_27a})\ (ty\_2Epair\_2Eprod \\
& \quad (2^{(2^{A\_27a})})\ (ty\_2Erealax\_2Ereal^{(2^{A\_27a})}))). (\forall V1m1 \in \\
& \quad (ty\_2Epair\_2Eprod\ (2^{A\_27b})\ (ty\_2Epair\_2Eprod\ (2^{(2^{A\_27b})}) \\
& \quad (ty\_2Erealax\_2Ereal^{(2^{A\_27b})}))). (\forall V2m2 \in (ty\_2Epair\_2Eprod \\
& \quad (2^{A\_27c})\ (ty\_2Epair\_2Eprod\ (2^{(2^{A\_27c})})\ (ty\_2Erealax\_2Ereal^{(2^{A\_27c})}))). \\
& \quad (((p\ (ap\ (c\_2Emeasure\_2Emeasure\_space\ A\_27a)\ V0m0)) \wedge ((p\ (ap \\
& \quad (c\_2Emeasure\_2Emeasure\_space\ A\_27b)\ V1m1)) \wedge ((p\ (ap\ (c\_2Emeasure\_2Emeasure\_space \\
& \quad A\_27c)\ V2m2)) \wedge ((p\ (ap\ (c\_2Epred\_set\_2EFINITE\ A\_27a)\ (ap\ (c\_2Emeasure\_2Em\_space \\
& \quad A\_27a)\ V0m0))) \wedge ((p\ (ap\ (c\_2Epred\_set\_2EFINITE\ A\_27b)\ (ap\ (c\_2Emeasure\_2Em\_space \\
& \quad A\_27b)\ V1m1))) \wedge ((p\ (ap\ (c\_2Epred\_set\_2EFINITE\ A\_27c)\ (ap\ (c\_2Emeasure\_2Em\_space \\
& \quad A\_27c)\ V2m2)))) \wedge (((ap\ (c\_2Epred\_set\_2EPOW\ A\_27a)\ (ap\ (c\_2Emeasure\_2Em\_space \\
& \quad A\_27a)\ V0m0)) = (ap\ (c\_2Emeasure\_2Emeasurable\_sets\ A\_27a)\ V0m0)) \wedge \\
& \quad (((ap\ (c\_2Epred\_set\_2EPOW\ A\_27b)\ (ap\ (c\_2Emeasure\_2Em\_space \\
& \quad A\_27b)\ V1m1)) = (ap\ (c\_2Emeasure\_2Emeasurable\_sets\ A\_27b)\ V1m1)) \wedge \\
& \quad (((ap\ (c\_2Epred\_set\_2EPOW\ A\_27c)\ (ap\ (c\_2Emeasure\_2Em\_space \\
& \quad A\_27c)\ V2m2)) = (ap\ (c\_2Emeasure\_2Emeasurable\_sets\ A\_27c)\ V2m2)))))) \Rightarrow \\
& \quad (\forall V3a0 \in (2^{A\_27a}). (\forall V4a1 \in (2^{A\_27b}). (\forall V5a2 \in \\
& \quad (2^{A\_27c}). (((p\ (ap\ (ap\ (c\_2Ebool\_2EIN\ (2^{A\_27a})\ V3a0)\ (ap\ (c\_2Emeasure\_2Emeasurable\_sets \\
& \quad A\_27a)\ V0m0))) \wedge ((p\ (ap\ (ap\ (c\_2Ebool\_2EIN\ (2^{A\_27b})\ V4a1)\ (ap \\
& \quad (c\_2Emeasure\_2Emeasurable\_sets\ A\_27b)\ V1m1))) \wedge ((p\ (ap\ (ap\ (c\_2Ebool\_2EIN \\
& \quad (2^{A\_27c})\ V5a2)\ (ap\ (c\_2Emeasure\_2Emeasurable\_sets\ A\_27c) \\
& \quad V2m2)))))) \Rightarrow ((ap\ (ap\ (ap\ (ap\ (c\_2Elebesgue\_2Eprod\_measure3\ A\_27a \\
& \quad A\_27b\ A\_27c)\ V0m0)\ V1m1)\ V2m2)\ (ap\ (ap\ (c\_2Epred\_set\_2ECROSS\ A\_27a \\
& \quad (ty\_2Epair\_2Eprod\ A\_27b\ A\_27c))\ V3a0)\ (ap\ (ap\ (c\_2Epred\_set\_2ECROSS \\
& \quad A\_27b\ A\_27c)\ V4a1)\ V5a2))) = (ap\ (ap\ c\_2Erealax\_2Ereal\_mul\ (ap \\
& \quad (ap\ c\_2Erealax\_2Ereal\_mul\ (ap\ (ap\ (c\_2Emeasure\_2Emeasure\ A\_27a) \\
& \quad V0m0)\ V3a0))\ (ap\ (ap\ (c\_2Emeasure\_2Emeasure\ A\_27b)\ V1m1)\ V4a1))) \\
& \quad (ap\ (ap\ (c\_2Emeasure\_2Emeasure\ A\_27c)\ V2m2)\ V5a2)))))))))
\end{aligned}$$