

thm\_2Elebesgue\_2Eintegrable\_\_add  
(TMWtfPC7Rms9r6VwKsCHTkabKKmg6mFw95u)

October 26, 2020

**Definition 1** We define  $c\_2Emin\_2E\_3D$  to be  $\lambda A.\lambda x \in A.\lambda y \in A.inj\_o (x = y)$  of type  $\iota \Rightarrow \iota$ .

**Definition 2** We define  $c\_2Ebool\_2ET$  to be  $(ap (ap (c\_2Emin\_2E\_3D (2^2))) (\lambda V0x \in 2.V0x)) (\lambda V1x \in 2.V1x)$ .

**Definition 3** We define  $c\_2Ebool\_2EBOUNDED$  to be  $(\lambda V0v \in 2.c\_2Ebool\_2ET)$ .

**Definition 4** We define  $c\_2Ecombin\_2ES$  to be  $\lambda A.\lambda A\_27a : \iota.\lambda A\_27b : \iota.\lambda A\_27c : \iota.(\lambda V0f \in ((A\_27c^{A\_27b})^{A\_27a}))$ .

**Definition 5** We define  $c\_2Ebool\_2E\_21$  to be  $\lambda A\_27a : \iota.(\lambda V0P \in (2^{A\_27a})).(ap (ap (c\_2Emin\_2E\_3D (2^{A\_27a})))$

**Definition 6** We define  $c\_2Ecombin\_2Eo$  to be  $\lambda A\_27a : \iota.\lambda A\_27b : \iota.\lambda A\_27c : \iota.(\lambda V0f \in (A\_27b^{A\_27c})).\lambda V1g$

Let  $ty\_2Eextreal\_2Eextreal : \iota$  be given. Assume the following.

$$nonempty\ ty\_2Eextreal\_2Eextreal \tag{1}$$

Let  $c\_2Eextreal\_2EPosInf : \iota$  be given. Assume the following.

$$c\_2Eextreal\_2EPosInf \in ty\_2Eextreal\_2Eextreal \tag{2}$$

Let  $c\_2Eextreal\_2Eextreal\_le : \iota$  be given. Assume the following.

$$c\_2Eextreal\_2Eextreal\_le \in ((2^{ty\_2Eextreal\_2Eextreal})ty\_2Eextreal\_2Eextreal) \tag{3}$$

Let  $ty\_2Erealx\_2Ereal : \iota$  be given. Assume the following.

$$nonempty\ ty\_2Erealx\_2Ereal \tag{4}$$

Let  $ty\_2Epair\_2Eprod : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A0.nonempty\ A0 \Rightarrow \forall A1.nonempty\ A1 \Rightarrow nonempty\ (ty\_2Epair\_2Eprod\ A0\ A1) \tag{5}$$

Let  $c\_2Emeasure\_2Em\_space : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow c\_2Emeasure\_2Em\_space\ A\_27a \in ((2^{A\_27a})(ty\_2Epair\_2Eprod\ (2^{A\_27a})\ (ty\_2Epair\_2Eprod\ (2^{(2^{A\_27a})})\ (ty\_2Erealax\_2Ereal^{(2^{A\_27a})})))))) \quad (6)$$

Let  $ty\_2Enum\_2Enum : \iota$  be given. Assume the following.

$$nonempty\ ty\_2Enum\_2Enum \quad (7)$$

**Definition 7** We define  $c\_2Ebool\_2EIN$  to be  $\lambda A\_27a : \iota. (\lambda V0x \in A\_27a. (\lambda V1f \in (2^{A\_27a}). (ap\ V1f\ V0x)))$

**Definition 8** We define  $c\_2Emin\_2E\_3D\_3D\_3E$  to be  $\lambda P \in 2. \lambda Q \in 2. inj\_o\ (p\ P \Rightarrow p\ Q)$  of type  $\iota$ .

**Definition 9** We define  $c\_2Ebool\_2E\_2F\_5C$  to be  $(\lambda V0t1 \in 2. (\lambda V1t2 \in 2. (ap\ (c\_2Ebool\_2E\_21\ 2)\ (\lambda V2t \in 2. (ap\ (c\_2Ebool\_2E\_21\ 2)\ V2t))))))$

Let  $c\_2Epair\_2EABS\_prod : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow \forall A\_27b.nonempty\ A\_27b \Rightarrow c\_2Epair\_2EABS\_prod\ A\_27a\ A\_27b \in ((ty\_2Epair\_2Eprod\ A\_27a\ A\_27b)^{(2^{(2^{A\_27b})^{A\_27a}})}) \quad (8)$$

**Definition 10** We define  $c\_2Epair\_2E\_2C$  to be  $\lambda A\_27a : \iota. \lambda A\_27b : \iota. \lambda V0x \in A\_27a. \lambda V1y \in A\_27b. (ap\ (c\_2Epair\_2EABS\_prod\ A\_27a\ A\_27b)\ V0x\ V1y))$

Let  $c\_2Epred\_set\_2EGSPEC : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow \forall A\_27b.nonempty\ A\_27b \Rightarrow c\_2Epred\_set\_2EGSPEC\ A\_27a\ A\_27b \in ((2^{A\_27a})^{(ty\_2Epair\_2Eprod\ A\_27a\ 2)^{A\_27b}}) \quad (9)$$

**Definition 11** We define  $c\_2Epred\_set\_2EIMAGE$  to be  $\lambda A\_27a : \iota. \lambda A\_27b : \iota. \lambda V0f \in (A\_27b^{A\_27a}). \lambda V1s \in 2. (ap\ (c\_2Epred\_set\_2EGSPEC\ A\_27a\ A\_27b)\ V0f\ V1s))$

**Definition 12** We define  $c\_2Emin\_2E\_40$  to be  $\lambda A. \lambda P \in 2^A. \text{if } (\exists x \in A. p\ (ap\ P\ x)) \text{ then } (the\ (\lambda x. x \in A \wedge p\ (ap\ P\ x))) \text{ else } \perp$  of type  $\iota \Rightarrow \iota$ .

**Definition 13** We define  $c\_2Ebool\_2E\_3F$  to be  $\lambda A\_27a : \iota. (\lambda V0P \in (2^{A\_27a}). (ap\ V0P\ (ap\ (c\_2Emin\_2E\_40\ A\_27a)\ V0P))))$

**Definition 14** We define  $c\_2Epred\_set\_2EBIGUNION$  to be  $\lambda A\_27a : \iota. \lambda V0P \in (2^{(2^{A\_27a})}). (ap\ (c\_2Epred\_set\_2EGSPEC\ A\_27a\ A\_27a)\ V0P))$

**Definition 15** We define  $c\_2Ebool\_2EF$  to be  $(ap\ (c\_2Ebool\_2E\_21\ 2)\ (\lambda V0t \in 2. V0t))$ .

**Definition 16** We define  $c\_2Epred\_set\_2EEMPTY$  to be  $\lambda A\_27a : \iota. (\lambda V0x \in A\_27a. c\_2Ebool\_2EF)$ .

**Definition 17** We define  $c\_2Epred\_set\_2EINTER$  to be  $\lambda A\_27a : \iota. \lambda V0s \in (2^{A\_27a}). \lambda V1t \in (2^{A\_27a}). (ap\ (c\_2Emin\_2E\_40\ A\_27a)\ V0s\ V1t))$

**Definition 18** We define  $c\_2Epred\_set\_2EDISJOINT$  to be  $\lambda A\_27a : \iota. \lambda V0s \in (2^{A\_27a}). \lambda V1t \in (2^{A\_27a}). (ap\ (c\_2Emin\_2E\_40\ A\_27a)\ V0s\ V1t))$

**Definition 19** We define  $c\_2Ebool\_2E\_7E$  to be  $(\lambda V0t \in 2. (ap\ (ap\ c\_2Emin\_2E\_3D\_3D\_3E\ V0t)\ c\_2Ebool\_2EF))$

Let  $c\_2Enum\_2EZERO\_REP : \iota$  be given. Assume the following.

$$c\_2Enum\_2EZERO\_REP \in \omega \tag{10}$$

Let  $c\_2Enum\_2EABS\_num : \iota$  be given. Assume the following.

$$c\_2Enum\_2EABS\_num \in (ty\_2Enum\_2Enum^{\omega\omega}) \tag{11}$$

**Definition 20** We define  $c\_2Enum\_2E0$  to be  $(ap\ c\_2Enum\_2EABS\_num\ c\_2Enum\_2EZERO\_REP)$ .

Let  $c\_2Ereal\_2Ereal\_of\_num : \iota$  be given. Assume the following.

$$c\_2Ereal\_2Ereal\_of\_num \in (ty\_2Erealax\_2Ereal^{ty\_2Enum\_2Enum}) \tag{12}$$

Let  $ty\_2Ehreal\_2Ehreal : \iota$  be given. Assume the following.

$$nonempty\ ty\_2Ehreal\_2Ehreal \tag{13}$$

Let  $c\_2Erealax\_2Ereal\_REP\_CLASS : \iota$  be given. Assume the following.

$$c\_2Erealax\_2Ereal\_REP\_CLASS \in ((2^{(ty\_2Epair\_2Eprod\ ty\_2Ehreal\_2Ehreal\ ty\_2Ehreal\_2Ehreal)})^{ty\_2Erealax}) \tag{14}$$

**Definition 21** We define  $c\_2Erealax\_2Ereal\_REP$  to be  $\lambda V0a \in ty\_2Erealax\_2Ereal.(ap\ (c\_2Emin\_2E\_40\ t$

Let  $c\_2Erealax\_2Etreallt : \iota$  be given. Assume the following.

$$c\_2Erealax\_2Etreallt \in ((2^{(ty\_2Epair\_2Eprod\ ty\_2Ehreal\_2Ehreal\ ty\_2Ehreal\_2Ehreal)})^{(ty\_2Epair\_2Eprod\ ty\_2Ehreal)}) \tag{15}$$

**Definition 22** We define  $c\_2Erealax\_2Ereal\_lt$  to be  $\lambda V0T1 \in ty\_2Erealax\_2Ereal.\lambda V1T2 \in ty\_2Erealax\_2Ereal$

**Definition 23** We define  $c\_2Ereal\_2Ereal\_lte$  to be  $\lambda V0x \in ty\_2Erealax\_2Ereal.\lambda V1y \in ty\_2Erealax\_2Ereal$

**Definition 24** We define  $c\_2Ebool\_2E\_5C\_2F$  to be  $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap\ (c\_2Ebool\_2E\_21\ 2)\ (\lambda V2t \in 2$

**Definition 25** We define  $c\_2Epred\_set\_2EINSERT$  to be  $\lambda A\_27a : \iota.\lambda V0x \in A\_27a.\lambda V1s \in (2^{A\_27a}).(ap\ (c\_2Ebool\_2E\_21\ 2)$

**Definition 26** We define  $c\_2Epred\_set\_2EFINITE$  to be  $\lambda A\_27a : \iota.\lambda V0s \in (2^{A\_27a}).(ap\ (c\_2Ebool\_2E\_21\ 2)$

Let  $c\_2Emeasure\_2Emeasurable\_sets : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow c\_2Emeasure\_2Emeasurable\_sets\ A\_27a \in ((2^{(2^{A\_27a})})^{(ty\_2Epair\_2Eprod\ (2^{A\_27a})\ (ty\_2Epair\_2Eprod\ (2^{(2^{A\_27a})})\ (ty\_2Erealax\_2Ereal^{(2^{A\_27a})})))}) \tag{16}$$

Let  $c\_2Eextreal\_2ENormal : \iota$  be given. Assume the following.

$$c\_2Eextreal\_2ENormal \in (ty\_2Eextreal\_2Eextreal^{ty\_2Erealax\_2Ereal}) \tag{17}$$

**Definition 27** We define  $c\_2Eextreal\_2Eextreal\_of\_num$  to be  $\lambda V0n \in ty\_2Enum\_2Enum.(ap\ c\_2Eextreal\_2ENormal)$

**Definition 28** We define  $c\_2\text{Earithmetic\_EZERO}$  to be  $c\_2\text{Enum\_E0}$ .

Let  $c\_2\text{Enum\_EREP\_num} : \iota$  be given. Assume the following.

$$c\_2\text{Enum\_EREP\_num} \in (\text{omega}^{ty\_2\text{Enum\_Enum}}) \quad (18)$$

Let  $c\_2\text{Enum\_ESUC\_REP} : \iota$  be given. Assume the following.

$$c\_2\text{Enum\_ESUC\_REP} \in (\text{omega}^{\text{omega}}) \quad (19)$$

**Definition 29** We define  $c\_2\text{Enum\_ESUC}$  to be  $\lambda V0m \in ty\_2\text{Enum\_Enum}.$ (ap  $c\_2\text{Enum\_EABS\_num}$

Let  $c\_2\text{Earithmetic\_E\_2B} : \iota$  be given. Assume the following.

$$c\_2\text{Earithmetic\_E\_2B} \in ((ty\_2\text{Enum\_Enum}^{ty\_2\text{Enum\_Enum}})^{ty\_2\text{Enum\_Enum}}) \quad (20)$$

**Definition 30** We define  $c\_2\text{Earithmetic\_EBIT1}$  to be  $\lambda V0n \in ty\_2\text{Enum\_Enum}.$ (ap (ap  $c\_2\text{Earithmetic}$

**Definition 31** We define  $c\_2\text{Earithmetic\_ENUMERAL}$  to be  $\lambda V0x \in ty\_2\text{Enum\_Enum}.V0x$ .

**Definition 32** We define  $c\_2\text{Ebool\_ECOND}$  to be  $\lambda A\_27a : \iota.(\lambda V0t \in 2.(\lambda V1t1 \in A\_27a.(\lambda V2t2 \in A\_27a.$

**Definition 33** We define  $c\_2\text{Emeasure\_Eindicator\_fn}$  to be  $\lambda A\_27a : \iota.\lambda V0s \in (2^{A\_27a}).(\lambda V1x \in A\_27a.$

Let  $c\_2\text{Eextreal\_Eextreal\_mul} : \iota$  be given. Assume the following.

$$c\_2\text{Eextreal\_Eextreal\_mul} \in ((ty\_2\text{Eextreal\_Eextreal}^{ty\_2\text{Eextreal\_Eextreal}})^{ty\_2\text{Eextreal\_Eextreal}}) \quad (21)$$

Let  $c\_2\text{Eextreal\_Eextreal\_add} : \iota$  be given. Assume the following.

$$c\_2\text{Eextreal\_Eextreal\_add} \in ((ty\_2\text{Eextreal\_Eextreal}^{ty\_2\text{Eextreal\_Eextreal}})^{ty\_2\text{Eextreal\_Eextreal}}) \quad (22)$$

Let  $c\_2\text{Epred\_set\_EITSET} : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.\text{nonempty } A\_27a \Rightarrow \forall A\_27b.\text{nonempty } A\_27b \Rightarrow c\_2\text{Epred\_set\_EITSET} \\ A\_27a \ A\_27b \in (((A\_27b^{A\_27b})^{(2^{A\_27a})})^{((A\_27b^{A\_27b})^{A\_27a})}) \quad (23)$$

**Definition 34** We define  $c\_2\text{Eextreal\_EEXTREAL\_SUM\_IMAGE}$  to be  $\lambda A\_27a : \iota.\lambda V0f \in (ty\_2\text{Eextreal}.$

**Definition 35** We define  $c\_2\text{Emeasure\_Epos\_simple\_fn}$  to be  $\lambda A\_27a : \iota.\lambda V0m \in (ty\_2\text{Epair\_Eprod } (2^A$

Let  $c\_2\text{Epair\_ESND} : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.\text{nonempty } A\_27a \Rightarrow \forall A\_27b.\text{nonempty } A\_27b \Rightarrow c\_2\text{Epair\_ESND} \\ A\_27a \ A\_27b \in (A\_27b^{(ty\_2\text{Epair\_Eprod } A\_27a \ A\_27b)}) \quad (24)$$

Let  $c\_2\text{Epair\_EFST} : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.\text{nonempty } A\_27a \Rightarrow \forall A\_27b.\text{nonempty } A\_27b \Rightarrow c\_2\text{Epair\_EFST} \\ A\_27a \ A\_27b \in (A\_27a^{(ty\_2\text{Epair\_Eprod } A\_27a \ A\_27b)}) \quad (25)$$

**Definition 36** We define  $c\_2Epair\_2EUNCURRY$  to be  $\lambda A\_27a : \iota.\lambda A\_27b : \iota.\lambda A\_27c : \iota.\lambda V0f \in ((A\_27c^{A\_27a})$

**Definition 37** We define  $c\_2Elebesgue\_2Epsfs$  to be  $\lambda A\_27a : \iota.\lambda V0m \in (ty\_2Epair\_2Eprod (2^{A\_27a}) (ty\_2E$

Let  $c\_2Emeasure\_2Emeasure : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.nonempty A\_27a \Rightarrow c\_2Emeasure\_2Emeasure A\_27a \in ( (ty\_2Erealax\_2Ereal^{(2^{A\_27a})})(ty\_2Epair\_2Eprod (2^{A\_27a}) (ty\_2Epair\_2Eprod (2^{A\_27a}) (ty\_2Erealax\_2Ereal^{(2^{A\_27a})})) (26)$$

Let  $c\_2Erealax\_2Etrealmul : \iota$  be given. Assume the following.

$$c\_2Erealax\_2Etrealmul \in (((ty\_2Epair\_2Eprod ty\_2Ehreal\_2Ehreal ty\_2Ehreal\_2Ehreal)(ty\_2Epair\_2Eprod ty\_2Ehreal\_2Ehreal ty\_2Ehreal\_2Ehreal)(ty\_2Epair\_2Eprod ty\_2Ehreal\_2Ehreal ty\_2Ehreal\_2Ehreal)) (27)$$

Let  $c\_2Erealax\_2Etrealeq : \iota$  be given. Assume the following.

$$c\_2Erealax\_2Etrealeq \in ((2^{(ty\_2Epair\_2Eprod ty\_2Ehreal\_2Ehreal ty\_2Ehreal\_2Ehreal)})(ty\_2Epair\_2Eprod ty\_2Ehreal\_2Ehreal ty\_2Ehreal\_2Ehreal)) (28)$$

Let  $c\_2Erealax\_2Ereal\_ABS\_CLASS : \iota$  be given. Assume the following.

$$c\_2Erealax\_2Ereal\_ABS\_CLASS \in (ty\_2Erealax\_2Ereal^{(2^{(ty\_2Epair\_2Eprod ty\_2Ehreal\_2Ehreal ty\_2Ehreal\_2Ehreal)})}) (29)$$

**Definition 38** We define  $c\_2Erealax\_2Ereal\_ABS$  to be  $\lambda V0r \in (ty\_2Epair\_2Eprod ty\_2Ehreal\_2Ehreal ty\_2Ehreal\_2Ehreal$

**Definition 39** We define  $c\_2Erealax\_2Ereal\_mul$  to be  $\lambda V0T1 \in ty\_2Erealax\_2Ereal.\lambda V1T2 \in ty\_2Erealax\_2Ereal$

Let  $c\_2Erealax\_2Ereal\_add : \iota$  be given. Assume the following.

$$c\_2Erealax\_2Ereal\_add \in (((ty\_2Epair\_2Eprod ty\_2Ehreal\_2Ehreal ty\_2Ehreal\_2Ehreal)(ty\_2Epair\_2Eprod ty\_2Ehreal\_2Ehreal ty\_2Ehreal\_2Ehreal)(ty\_2Epair\_2Eprod ty\_2Ehreal\_2Ehreal ty\_2Ehreal\_2Ehreal)) (30)$$

**Definition 40** We define  $c\_2Erealax\_2Ereal\_add$  to be  $\lambda V0T1 \in ty\_2Erealax\_2Ereal.\lambda V1T2 \in ty\_2Erealax\_2Ereal$

**Definition 41** We define  $c\_2Ereal\_sigma\_2EREAL\_SUM\_IMAGE$  to be  $\lambda A\_27a : \iota.\lambda V0f \in (ty\_2Erealax\_2Ereal$

**Definition 42** We define  $c\_2Elebesgue\_2Epos\_simple\_fn\_integral$  to be  $\lambda A\_27a : \iota.\lambda V0m \in (ty\_2Epair\_2Eprod$

**Definition 43** We define  $c\_2Elebesgue\_2Epsfis$  to be  $\lambda A\_27a : \iota.\lambda V0m \in (ty\_2Epair\_2Eprod (2^{A\_27a}) (ty\_2E$

**Definition 44** We define  $c\_2Ereal\_2Esup$  to be  $\lambda V0P \in (2^{ty\_2Erealax\_2Ereal}).(ap (c\_2Emin\_2E.40 ty\_2Ereal$

Let  $c\_2Eextreal\_2ENegInf : \iota$  be given. Assume the following.

$$c\_2Eextreal\_2ENegInf \in ty\_2Eextreal\_2Eextreal (31)$$

**Definition 45** We define  $c\_2Eextreal\_2Eextreal\_sup$  to be  $\lambda V0p \in (2^{ty\_2Eextreal\_2Eextreal}).(ap (ap (ap (c\_2E$

**Definition 46** We define  $c\_2E\text{lebesgue\_2Epos\_fn\_integral}$  to be  $\lambda A\_27a : \iota.\lambda V0m \in (ty\_2E\text{pair\_2Eprod } (2^{A\_27a}))$

Let  $c\_2E\text{realax\_2Etrealm\_neg} : \iota$  be given. Assume the following.

$$c\_2E\text{realax\_2Etrealm\_neg} \in ((ty\_2E\text{pair\_2Eprod } ty\_2E\text{hreal\_2Ehreal } ty\_2E\text{hreal\_2Ehreal})^{(ty\_2E\text{pair\_2Eprod } ty\_2E\text{hreal\_2Ehreal } ty\_2E\text{hreal\_2Ehreal})}) \quad (32)$$

**Definition 47** We define  $c\_2E\text{realax\_2Ereal\_neg}$  to be  $\lambda V0T1 \in ty\_2E\text{realax\_2Ereal}.$ ( $ap$   $c\_2E\text{realax\_2Ereal}$ .)

**Definition 48** We define  $c\_2E\text{real\_2Eabs}$  to be  $\lambda V0x \in ty\_2E\text{realax\_2Ereal}.$ ( $ap$  ( $ap$  ( $ap$  ( $c\_2E\text{bool\_2ECONV}$ ))))

**Definition 49** We define  $c\_2E\text{combin\_2EK}$  to be  $\lambda A\_27a : \iota.\lambda A\_27b : \iota.(\lambda V0x \in A\_27a.(\lambda V1y \in A\_27b.V0x))$

**Definition 50** We define  $c\_2E\text{combin\_2EI}$  to be  $\lambda A\_27a : \iota.(ap$  ( $ap$  ( $c\_2E\text{combin\_2ES } A\_27a$  ( $A\_27a^{A\_27a}$ )))  $A\_27a$ ))

Let  $c\_2E\text{extreal\_2Eextreal\_CASE} : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.\text{nonempty } A\_27a \Rightarrow c\_2E\text{extreal\_2Eextreal\_CASE } A\_27a \in (((A\_27a^{(A\_27a^{ty\_2E\text{realax\_2Ereal}})})^{A\_27a})^{A\_27a})^{ty\_2E\text{extreal\_2Eextreal}} \quad (33)$$

**Definition 51** We define  $c\_2E\text{relation\_2EWF}$  to be  $\lambda A\_27a : \iota.\lambda V0R \in ((2^{A\_27a})^{A\_27a}).$ ( $ap$  ( $c\_2E\text{bool\_2E21}$ ))

Let  $c\_2E\text{bool\_2EARB} : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.\text{nonempty } A\_27a \Rightarrow c\_2E\text{bool\_2EARB } A\_27a \in A\_27a \quad (34)$$

**Definition 52** We define  $c\_2E\text{relation\_2ERESTRICT}$  to be  $\lambda A\_27a : \iota.\lambda A\_27b : \iota.\lambda V0f \in (A\_27b^{A\_27a}).$  $\lambda V1$

**Definition 53** We define  $c\_2E\text{relation\_2ETC}$  to be  $\lambda A\_27a : \iota.\lambda V0R \in ((2^{A\_27a})^{A\_27a}).$  $\lambda V1a \in A\_27a.$  $\lambda V2b$

**Definition 54** We define  $c\_2E\text{relation\_2Eapprox}$  to be  $\lambda A\_27a : \iota.\lambda A\_27b : \iota.\lambda V0R \in ((2^{A\_27a})^{A\_27a}).$  $\lambda V1M$

**Definition 55** We define  $c\_2E\text{relation\_2Ethe\_fun}$  to be  $\lambda A\_27a : \iota.\lambda A\_27b : \iota.\lambda V0R \in ((2^{A\_27a})^{A\_27a}).$  $\lambda V1M$

**Definition 56** We define  $c\_2E\text{relation\_2EWFREC}$  to be  $\lambda A\_27a : \iota.\lambda A\_27b : \iota.\lambda V0R \in ((2^{A\_27a})^{A\_27a}).$  $\lambda V1M$

**Definition 57** We define  $c\_2E\text{extreal\_2Eextreal\_abs}$  to be ( $ap$  ( $ap$  ( $c\_2E\text{relation\_2EWFREC } ty\_2E\text{extreal\_2Eextreal}$ ))))

Let  $c\_2E\text{extreal\_2Eextreal\_ainv} : \iota$  be given. Assume the following.

$$c\_2E\text{extreal\_2Eextreal\_ainv} \in (ty\_2E\text{extreal\_2Eextreal}^{ty\_2E\text{extreal\_2Eextreal}})^{ty\_2E\text{extreal\_2Eextreal}} \quad (35)$$

**Definition 58** We define  $c\_2E\text{extreal\_2Eextreal\_lt}$  to be  $\lambda V0x \in ty\_2E\text{extreal\_2Eextreal}.$  $\lambda V1y \in ty\_2E\text{extreal\_2Eextreal}$

**Definition 59** We define  $c\_2E\text{measure\_2Efn\_minus}$  to be  $\lambda A\_27a : \iota.\lambda V0f \in (ty\_2E\text{extreal\_2Eextreal}^{A\_27a}).$

**Definition 60** We define  $c\_2E\text{measure\_2Efn\_plus}$  to be  $\lambda A\_27a : \iota.\lambda V0f \in (ty\_2E\text{extreal\_2Eextreal}^{A\_27a}).$

**Definition 61** We define  $c\_2Epred\_set\_2EUNIV$  to be  $\lambda A\_27a : \iota.(\lambda V0x \in A\_27a.c\_2Ebool\_2ET)$ .

Let  $c\_2Emeasure\_2Esubsets : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow c\_2Emeasure\_2Esubsets\ A\_27a \in ( (2^{(2^{A\_27a})})^{(ty\_2Epair\_2Eprod\ (2^{A\_27a})\ (2^{(2^{A\_27a})})})) \quad (36)$$

**Definition 62** We define  $c\_2Epred\_set\_2ESUBSET$  to be  $\lambda A\_27a : \iota. \lambda V0s \in (2^{A\_27a}). \lambda V1t \in (2^{A\_27a}). (ap\ (c\_2Ebool\_2E3F$

**Definition 63** We define  $c\_2Epred\_set\_2EINJ$  to be  $\lambda A\_27a : \iota. \lambda A\_27b : \iota. \lambda V0f \in (A\_27b^{A\_27a}). \lambda V1s \in (2^{A\_27b})$

**Definition 64** We define  $c\_2Epred\_set\_2Ecountable$  to be  $\lambda A\_27a : \iota. \lambda V0s \in (2^{A\_27a}). (ap\ (c\_2Ebool\_2E3F$

**Definition 65** We define  $c\_2Epred\_set\_2EUNION$  to be  $\lambda A\_27a : \iota. \lambda V0s \in (2^{A\_27a}). \lambda V1t \in (2^{A\_27a}). (ap\ (c\_2Ebool\_2E3F$

Let  $c\_2Emeasure\_2Espace : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow c\_2Emeasure\_2Espace\ A\_27a \in ((2^{A\_27a})^{(ty\_2Epair\_2Eprod\ (2^{A\_27a})\ (2^{(2^{A\_27a})})})) \quad (37)$$

**Definition 66** We define  $c\_2Epred\_set\_2EDIFF$  to be  $\lambda A\_27a : \iota. \lambda V0s \in (2^{A\_27a}). \lambda V1t \in (2^{A\_27a}). (ap\ (c\_2Ebool\_2E3F$

**Definition 67** We define  $c\_2Emeasure\_2Esubset\_class$  to be  $\lambda A\_27a : \iota. \lambda V0sp \in (2^{A\_27a}). \lambda V1sts \in (2^{(2^{A\_27a})})$

**Definition 68** We define  $c\_2Emeasure\_2Ealgebra$  to be  $\lambda A\_27a : \iota. \lambda V0a \in (ty\_2Epair\_2Eprod\ (2^{A\_27a})\ (2^{(2^{A\_27a})}))$

**Definition 69** We define  $c\_2Emeasure\_2Esigma\_algebra$  to be  $\lambda A\_27a : \iota. \lambda V0a \in (ty\_2Epair\_2Eprod\ (2^{A\_27a})\ (2^{(2^{A\_27a})}))$

**Definition 70** We define  $c\_2Epred\_set\_2EBIGINTER$  to be  $\lambda A\_27a : \iota. \lambda V0P \in (2^{(2^{A\_27a})}). (ap\ (c\_2Epred\_set\_2E3F$

**Definition 71** We define  $c\_2Emeasure\_2Esigma$  to be  $\lambda A\_27a : \iota. \lambda V0sp \in (2^{A\_27a}). \lambda V1st \in (2^{(2^{A\_27a})}). (ap\ (c\_2Ebool\_2E3F$

**Definition 72** We define  $c\_2Emeasure\_2EBorel$  to be  $(ap\ (ap\ (c\_2Emeasure\_2Esigma\ ty\_2Eextreal\_2Eextreal\_2E3F$

**Definition 73** We define  $c\_2Epred\_set\_2EPREIMAGE$  to be  $\lambda A\_27a : \iota. \lambda A\_27b : \iota. \lambda V0f \in (A\_27b^{A\_27a}). \lambda V1s \in (2^{A\_27b})$

**Definition 74** We define  $c\_2Epred\_set\_2EFUNSET$  to be  $\lambda A\_27a : \iota. \lambda A\_27b : \iota. \lambda V0P \in (2^{A\_27a}). \lambda V1Q \in (2^{A\_27b})$

**Definition 75** We define  $c\_2Emeasure\_2Emeasurable$  to be  $\lambda A\_27a : \iota. \lambda A\_27b : \iota. \lambda V0a \in (ty\_2Epair\_2Eprod\ (2^{A\_27a})\ (2^{(2^{A\_27a})}))$

**Definition 76** We define  $c\_2ELebesgue\_2Eintegrable$  to be  $\lambda A\_27a : \iota. \lambda V0m \in (ty\_2Epair\_2Eprod\ (2^{A\_27a})\ (2^{(2^{A\_27a})}))$

Let  $c\_2Ereal\_2Esum : \iota$  be given. Assume the following.

$$c\_2Ereal\_2Esum \in ((ty\_2Erealx\_2Ereal^{(ty\_2Erealx\_2Ereal^{ty\_2Eenum\_2Eenum})})^{(ty\_2Epair\_2Eprod\ ty\_2Eenum\_2Eenum)}) \quad (38)$$

**Definition 77** We define  $c\_2Eprim\_rec\_2E\_3C$  to be  $\lambda V0m \in ty\_2Eenum\_2Eenum. \lambda V1n \in ty\_2Eenum\_2Eenum$

**Definition 78** We define  $c\_2Earithmetic\_2E\_3E$  to be  $\lambda V0m \in ty\_2Eenum\_2Eenum. \lambda V1n \in ty\_2Eenum\_2Eenum$

**Definition 79** We define  $c\_2Earithmic\_2E\_3E\_3D$  to be  $\lambda V0m \in ty\_2Enum\_2Enum.\lambda V1n \in ty\_2Enum\_2Enum$ .

**Definition 80** We define  $c\_2Ereal\_2Ereal\_sub$  to be  $\lambda V0x \in ty\_2Erealax\_2Ereal.\lambda V1y \in ty\_2Erealax\_2Ereal$ .

Let  $ty\_2Emetric\_2Emetric : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A0.nonempty\ A0 \Rightarrow nonempty\ (ty\_2Emetric\_2Emetric\ A0) \quad (39)$$

Let  $c\_2Emetric\_2Emetric : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow c\_2Emetric\_2Emetric\ A\_27a \in ((ty\_2Emetric\_2Emetric\ A\_27a)^{(ty\_2Erealax\_2Ereal^{(ty\_2Epair\_2Eprod\ A\_27a\ A\_27a)})}) \quad (40)$$

**Definition 81** We define  $c\_2Emetric\_2Emr1$  to be  $(ap\ (c\_2Emetric\_2Emetric\ ty\_2Erealax\_2Ereal)\ (ap\ (c\_2Emetric\_2Emetric\ ty\_2Erealax\_2Ereal)\ ty\_2Erealax\_2Ereal))$ .

Let  $c\_2Emetric\_2Edist : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow c\_2Emetric\_2Edist\ A\_27a \in ((ty\_2Erealax\_2Ereal^{(ty\_2Epair\_2Eprod\ A\_27a\ A\_27a)})^{(c\_2Emetric\_2Edist\ A\_27a)}) \quad (41)$$

Let  $ty\_2Etopology\_2Etopology : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A0.nonempty\ A0 \Rightarrow nonempty\ (ty\_2Etopology\_2Etopology\ A0) \quad (42)$$

Let  $c\_2Etopology\_2Etopology : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow c\_2Etopology\_2Etopology\ A\_27a \in ((ty\_2Etopology\_2Etopology\ A\_27a)^{(2^{(2^{A\_27a})})}) \quad (43)$$

**Definition 82** We define  $c\_2Emetric\_2Emtop$  to be  $\lambda A\_27a : \iota.\lambda V0m \in (ty\_2Emetric\_2Emetric\ A\_27a).(ap\ (c\_2Emetric\_2Emetric\ ty\_2Erealax\_2Ereal)\ ty\_2Erealax\_2Ereal)$ .

Let  $c\_2Enets\_2Etends : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow \forall A\_27b.nonempty\ A\_27b \Rightarrow c\_2Enets\_2Etends\ A\_27a\ A\_27b \in (((2^{(ty\_2Epair\_2Eprod\ (ty\_2Etopology\_2Etopology\ A\_27a)\ ((2^{A\_27b})^{A\_27b}))})^{A\_27a})^{(A\_27a^{A\_27b})}) \quad (44)$$

**Definition 83** We define  $c\_2Eseq\_2E\_2D\_2D\_3E$  to be  $\lambda V0x \in (ty\_2Erealax\_2Ereal^{ty\_2Enum\_2Enum}).\lambda V1x \in (ty\_2Erealax\_2Ereal^{ty\_2Enum\_2Enum})$ .

**Definition 84** We define  $c\_2Eseq\_2Esums$  to be  $\lambda V0f \in (ty\_2Erealax\_2Ereal^{ty\_2Enum\_2Enum}).\lambda V1s \in (ty\_2Erealax\_2Ereal^{ty\_2Enum\_2Enum})$ .

**Definition 85** We define  $c\_2Emeasure\_2Ecountably\_additive$  to be  $\lambda A\_27a : \iota.\lambda V0m \in (ty\_2Epair\_2Eprod\ (2^{A\_27a})\ (2^{A\_27a}))$ .

**Definition 86** We define  $c\_2Emeasure\_2Epositive$  to be  $\lambda A\_27a : \iota.\lambda V0m \in (ty\_2Epair\_2Eprod\ (2^{A\_27a})\ (2^{A\_27a}))$ .

**Definition 87** We define  $c\_2Emeasure\_2Emeasure\_space$  to be  $\lambda A\_27a : \iota.\lambda V0m \in (ty\_2Epair\_2Eprod\ (2^{A\_27a})\ (2^{A\_27a}))$ .



Assume the following.

$$True \quad (45)$$

Assume the following.

$$(\forall V0t1 \in 2. (\forall V1t2 \in 2. ((p V0t1) \Rightarrow (p V1t2)) \Rightarrow ((p V1t2) \Rightarrow (p V0t1)) \Rightarrow ((p V0t1) \Leftrightarrow (p V1t2)))) \quad (46)$$

Assume the following.

$$\forall A\_27a.nonempty A\_27a \Rightarrow (\forall V0t \in 2. ((\forall V1x \in A\_27a.(p V0t)) \Leftrightarrow (p V0t))) \quad (47)$$

Assume the following.

$$(\forall V0t \in 2. (((True \wedge (p V0t)) \Leftrightarrow (p V0t)) \wedge (((p V0t) \wedge True) \Leftrightarrow (p V0t)) \wedge (((False \wedge (p V0t)) \Leftrightarrow False) \wedge (((p V0t) \wedge False) \Leftrightarrow False) \wedge (((p V0t) \wedge (p V0t)) \Leftrightarrow (p V0t)))) \quad (48)$$

Assume the following.

$$(\forall V0t \in 2. (((True \Rightarrow (p V0t)) \Leftrightarrow (p V0t)) \wedge (((p V0t) \Rightarrow True) \Leftrightarrow True) \wedge (((False \Rightarrow (p V0t)) \Leftrightarrow True) \wedge (((p V0t) \Rightarrow (p V0t)) \Leftrightarrow True) \wedge (((p V0t) \Rightarrow False) \Leftrightarrow (\neg(p V0t)))))) \quad (49)$$

Assume the following.

$$((\forall V0t \in 2. ((\neg(\neg(p V0t))) \Leftrightarrow (p V0t))) \wedge (((\neg True) \Leftrightarrow False) \wedge ((\neg False) \Leftrightarrow True))) \quad (50)$$

Assume the following.

$$\forall A\_27a.nonempty A\_27a \Rightarrow (\forall V0x \in A\_27a. ((V0x = V0x) \Leftrightarrow True)) \quad (51)$$

Assume the following.

$$\forall A\_27a.nonempty A\_27a \Rightarrow (\forall V0x \in A\_27a. (\forall V1y \in A\_27a. ((V0x = V1y) \Leftrightarrow (V1y = V0x)))) \quad (52)$$

Assume the following.

$$(\forall V0t \in 2. (((True \Leftrightarrow (p V0t)) \Leftrightarrow (p V0t)) \wedge (((p V0t) \Leftrightarrow True) \Leftrightarrow (p V0t)) \wedge (((False \Leftrightarrow (p V0t)) \Leftrightarrow (\neg(p V0t))) \wedge (((p V0t) \Leftrightarrow False) \Leftrightarrow (\neg(p V0t)))))) \quad (53)$$

Assume the following.

$$(\forall V0A \in 2. (\forall V1B \in 2. (\forall V2C \in 2. (((p V0A) \vee (p V1B) \wedge (p V2C)) \Leftrightarrow (((p V0A) \vee (p V1B)) \wedge ((p V0A) \vee (p V2C)))))) \quad (54)$$

Assume the following.

$$(\forall V0t1 \in 2.(\forall V1t2 \in 2.(\forall V2t3 \in 2.(((p V0t1) \Rightarrow (p V1t2) \Rightarrow (p V2t3))) \Leftrightarrow (((p V0t1) \wedge (p V1t2)) \Rightarrow (p V2t3)))))) \quad (55)$$

Assume the following.

$$(\forall V0x \in 2.(\forall V1x_{27} \in 2.(\forall V2y \in 2.(\forall V3y_{27} \in 2.(((p V0x) \Leftrightarrow (p V1x_{27})) \wedge ((p V1x_{27}) \Rightarrow ((p V2y) \Leftrightarrow (p V3y_{27})))))) \Rightarrow (((p V0x) \Rightarrow (p V2y)) \Leftrightarrow ((p V1x_{27}) \Rightarrow (p V3y_{27})))))) \quad (56)$$

Assume the following.

$$(\forall V0v \in 2.((p (ap c\_2Ebool\_2EBOUNDED V0v)) \Leftrightarrow True)) \quad (57)$$

Assume the following.

$$(\forall V0x \in ty\_2Eextreal\_2Eextreal.(((ap c\_2Eextreal\_2Eextreal\_abs V0x) = V0x) \Leftrightarrow (p (ap (ap c\_2Eextreal\_2Eextreal\_le (ap c\_2Eextreal\_2Eextreal\_of\_num c\_2Enum\_2E0)) V0x)))) \quad (58)$$

Assume the following.

$$\begin{aligned} & \forall A\_27a.nonempty A\_27a \Rightarrow (\forall V0m \in (ty\_2Epair\_2Eprod \\ & (2^{A\_27a}) (ty\_2Epair\_2Eprod (2^{(2^{A\_27a})}) (ty\_2Erealx\_2Ereal^{(2^{A\_27a})}))). \\ & (\forall V1f \in (ty\_2Eextreal\_2Eextreal^{A\_27a}).(\forall V2g \in ( \\ & ty\_2Eextreal\_2Eextreal^{A\_27a}).(((p (ap (c\_2Emeasure\_2Emeasure\_space \\ & A\_27a) V0m)) \wedge ((p (ap (ap (c\_2Elebesgue\_2Eintegrable A\_27a) V0m) \\ & V1f)) \wedge ((p (ap (ap (c\_2Ebool\_2EIN (ty\_2Eextreal\_2Eextreal^{A\_27a}) \\ & V2g) (ap (ap (c\_2Emeasure\_2Emeasurable A\_27a ty\_2Eextreal\_2Eextreal) \\ & (ap (ap (c\_2Epair\_2E\_2C (2^{A\_27a}) (2^{(2^{A\_27a})})) (ap (c\_2Emeasure\_2Em\_space \\ & A\_27a) V0m)) (ap (c\_2Emeasure\_2Emeasurable\_sets A\_27a) V0m))) \\ & c\_2Emeasure\_2EBorel)))) \wedge (\forall V3x \in A\_27a.(p (ap (ap c\_2Eextreal\_2Eextreal\_le \\ & (ap c\_2Eextreal\_2Eextreal\_abs (ap V2g V3x))) (ap V1f V3x)))))) \Rightarrow \\ & (p (ap (ap (c\_2Elebesgue\_2Eintegrable A\_27a) V0m) V2g)))))) \quad (59) \end{aligned}$$

Assume the following.

$$\begin{aligned} & \forall A\_27a.nonempty A\_27a \Rightarrow (\forall V0m \in (ty\_2Epair\_2Eprod \\ & (2^{A\_27a}) (ty\_2Epair\_2Eprod (2^{(2^{A\_27a})}) (ty\_2Erealx\_2Ereal^{(2^{A\_27a})}))). \\ & (\forall V1f \in (ty\_2Eextreal\_2Eextreal^{A\_27a}).((p (ap (c\_2Emeasure\_2Emeasure\_space \\ & A\_27a) V0m)) \Rightarrow ((p (ap (ap (c\_2Elebesgue\_2Eintegrable A\_27a) V0m) \\ & V1f)) \Leftrightarrow ((p (ap (ap (c\_2Ebool\_2EIN (ty\_2Eextreal\_2Eextreal^{A\_27a}) \\ & V1f) (ap (ap (c\_2Emeasure\_2Emeasurable A\_27a ty\_2Eextreal\_2Eextreal) \\ & (ap (ap (c\_2Epair\_2E\_2C (2^{A\_27a}) (2^{(2^{A\_27a})})) (ap (c\_2Emeasure\_2Em\_space \\ & A\_27a) V0m)) (ap (c\_2Emeasure\_2Emeasurable\_sets A\_27a) V0m))) \\ & c\_2Emeasure\_2EBorel)))) \wedge ((p (ap (ap (c\_2Elebesgue\_2Eintegrable \\ & A\_27a) V0m) (ap (c\_2Emeasure\_2Efn\_plus A\_27a) V1f))) \wedge (p (ap ( \\ & ap (c\_2Elebesgue\_2Eintegrable A\_27a) V0m) (ap (c\_2Emeasure\_2Efn\_minus \\ & A\_27a) V1f)))))))))) \quad (60) \end{aligned}$$

Assume the following.

$$\begin{aligned}
& \forall A_{.27a}. \text{nonempty } A_{.27a} \Rightarrow (\forall V0m \in (ty\_2Epair\_2Eprod \\
& (2^{A_{.27a}}) (ty\_2Epair\_2Eprod (2^{(2^{A_{.27a}})}) (ty\_2Erealax\_2Ereal^{(2^{A_{.27a}})}))) \\
& (\forall V1f \in (ty\_2Eextreal\_2Eextreal^{A_{.27a}}). (\forall V2g \in ( \\
& ty\_2Eextreal\_2Eextreal^{A_{.27a}}). ((p (ap (c\_2Emeasure\_2Emeasure\_space \\
& A_{.27a}) V0m)) \wedge ((p (ap (ap (c\_2Elebesgue\_2Eintegrable A_{.27a}) V0m) \\
& V1f)) \wedge (p (ap (ap (c\_2Elebesgue\_2Eintegrable A_{.27a}) V0m) V2g)))))) \Rightarrow \\
& ((p (ap (ap (c\_2Elebesgue\_2Eintegrable A_{.27a}) V0m) (\lambda V3x \in A_{.27a}. \\
& (ap (ap (c\_2Eextreal\_2Eextreal\_add (ap (ap (c\_2Emeasure\_2Efn\_plus \\
& A_{.27a}) V1f) V3x)) (ap (ap (c\_2Emeasure\_2Efn\_plus A_{.27a}) V2g) V3x)))))) \wedge \\
& (p (ap (ap (c\_2Elebesgue\_2Eintegrable A_{.27a}) V0m) (\lambda V4x \in A_{.27a}. \\
& (ap (ap (c\_2Eextreal\_2Eextreal\_add (ap (ap (c\_2Emeasure\_2Efn\_minus \\
& A_{.27a}) V1f) V4x)) (ap (ap (c\_2Emeasure\_2Efn\_minus A_{.27a}) V2g) \\
& V4x))))))))))
\end{aligned} \tag{61}$$

Assume the following.

$$\begin{aligned}
& \forall A_{.27a}. \text{nonempty } A_{.27a} \Rightarrow (\forall V0a \in (ty\_2Epair\_2Eprod \\
& (2^{A_{.27a}}) (2^{(2^{A_{.27a}})})). (\forall V1f \in (ty\_2Eextreal\_2Eextreal^{A_{.27a}}). \\
& (\forall V2g \in (ty\_2Eextreal\_2Eextreal^{A_{.27a}}). (\forall V3h \in ( \\
& ty\_2Eextreal\_2Eextreal^{A_{.27a}}). ((p (ap (c\_2Emeasure\_2Esigma\_algebra \\
& A_{.27a}) V0a)) \wedge ((p (ap (ap (c\_2Ebool\_2EIN (ty\_2Eextreal\_2Eextreal^{A_{.27a}}) \\
& V1f) (ap (ap (c\_2Emeasure\_2Emeasurable A_{.27a} ty\_2Eextreal\_2Eextreal \\
& V0a) c\_2Emeasure\_2EBorel))) \wedge ((p (ap (ap (c\_2Ebool\_2EIN (ty\_2Eextreal\_2Eextreal^{A_{.27a}}) \\
& V2g) (ap (ap (c\_2Emeasure\_2Emeasurable A_{.27a} ty\_2Eextreal\_2Eextreal \\
& V0a) c\_2Emeasure\_2EBorel))) \wedge (\forall V4x \in A_{.27a}. ((p (ap (ap ( \\
& c\_2Ebool\_2EIN A_{.27a}) V4x) (ap (c\_2Emeasure\_2Espace A_{.27a}) V0a))) \Rightarrow \\
& ((ap V3h V4x) = (ap (ap (c\_2Eextreal\_2Eextreal\_add (ap V1f V4x)) \\
& (ap V2g V4x))))))))) \Rightarrow (p (ap (ap (c\_2Ebool\_2EIN (ty\_2Eextreal\_2Eextreal^{A_{.27a}}) \\
& V3h) (ap (ap (c\_2Emeasure\_2Emeasurable A_{.27a} ty\_2Eextreal\_2Eextreal \\
& V0a) c\_2Emeasure\_2EBorel)))))))))
\end{aligned} \tag{62}$$

Assume the following.

$$\begin{aligned}
& \forall A_{.27a}. \text{nonempty } A_{.27a} \Rightarrow (\forall V0g \in (ty\_2Eextreal\_2Eextreal^{A_{.27a}}). \\
& (\forall V1x \in A_{.27a}. (p (ap (ap (c\_2Eextreal\_2Eextreal\_le (ap (c\_2Eextreal\_2Eextreal\_of\_num \\
& c\_2Enum\_2E0)) (ap (ap (c\_2Emeasure\_2Efn\_plus A_{.27a}) V0g) V1x))))))
\end{aligned} \tag{63}$$

Assume the following.

$$\begin{aligned}
& \forall A_{.27a}. \text{nonempty } A_{.27a} \Rightarrow (\forall V0g \in (ty\_2Eextreal\_2Eextreal^{A_{.27a}}). \\
& (\forall V1x \in A_{.27a}. (p (ap (ap (c\_2Eextreal\_2Eextreal\_le (ap (c\_2Eextreal\_2Eextreal\_of\_num \\
& c\_2Enum\_2E0)) (ap (ap (c\_2Emeasure\_2Efn\_minus A_{.27a}) V0g) V1x))))))
\end{aligned} \tag{64}$$

Assume the following.

$$\begin{aligned}
& \forall A.27a.nonempty\ A.27a \Rightarrow (\forall V0f \in (ty\_2Eextreal\_2Eextreal^{A.27a}). \\
& \quad (\forall V1g \in (ty\_2Eextreal\_2Eextreal^{A.27a}). (\forall V2x \in A.27a. \\
& \quad (p\ (ap\ (ap\ c.2Eextreal\_2Eextreal\_le\ (ap\ (ap\ (c.2Emeasure\_2Efn\_plus \\
& \quad A.27a)\ (\lambda V3x \in A.27a. (ap\ (ap\ c.2Eextreal\_2Eextreal\_add\ (ap \\
& \quad V0f\ V3x))\ (ap\ V1g\ V3x))))\ V2x))\ (ap\ (ap\ c.2Eextreal\_2Eextreal\_add \\
& \quad (ap\ (ap\ (c.2Emeasure\_2Efn\_plus\ A.27a)\ V0f)\ V2x))\ (ap\ (ap\ (c.2Emeasure\_2Efn\_plus \\
& \quad A.27a)\ V1g)\ V2x))))))
\end{aligned} \tag{65}$$

Assume the following.

$$\begin{aligned}
& \forall A.27a.nonempty\ A.27a \Rightarrow (\forall V0f \in (ty\_2Eextreal\_2Eextreal^{A.27a}). \\
& \quad (\forall V1g \in (ty\_2Eextreal\_2Eextreal^{A.27a}). (\forall V2x \in A.27a. \\
& \quad (p\ (ap\ (ap\ c.2Eextreal\_2Eextreal\_le\ (ap\ (ap\ (c.2Emeasure\_2Efn\_minus \\
& \quad A.27a)\ (\lambda V3x \in A.27a. (ap\ (ap\ c.2Eextreal\_2Eextreal\_add\ (ap \\
& \quad V0f\ V3x))\ (ap\ V1g\ V3x))))\ V2x))\ (ap\ (ap\ c.2Eextreal\_2Eextreal\_add \\
& \quad (ap\ (ap\ (c.2Emeasure\_2Efn\_minus\ A.27a)\ V0f)\ V2x))\ (ap\ (ap\ (c.2Emeasure\_2Efn\_minus \\
& \quad A.27a)\ V1g)\ V2x))))))
\end{aligned} \tag{66}$$

Assume the following.

$$\begin{aligned}
& \forall A.27a.nonempty\ A.27a \Rightarrow (\forall V0a \in (ty\_2Epair\_2Eprod \\
& \quad (2^{A.27a})\ (2^{(2^{A.27a})})). (\forall V1f \in (ty\_2Eextreal\_2Eextreal^{A.27a}). \\
& \quad ((p\ (ap\ (ap\ (c.2Ebool\_2EIN\ (ty\_2Eextreal\_2Eextreal^{A.27a}))\ V1f) \\
& \quad (ap\ (ap\ (c.2Emeasure\_2Emeasurable\ A.27a\ ty\_2Eextreal\_2Eextreal) \\
& \quad V0a)\ c.2Emeasure\_2EBorel))) \Rightarrow (p\ (ap\ (ap\ (c.2Ebool\_2EIN\ (ty\_2Eextreal\_2Eextreal^{A.27a})) \\
& \quad (ap\ (c.2Emeasure\_2Efn\_plus\ A.27a)\ V1f))\ (ap\ (ap\ (c.2Emeasure\_2Emeasurable \\
& \quad A.27a\ ty\_2Eextreal\_2Eextreal)\ V0a)\ c.2Emeasure\_2EBorel))))))
\end{aligned} \tag{67}$$

Assume the following.

$$\begin{aligned}
& \forall A.27a.nonempty\ A.27a \Rightarrow (\forall V0a \in (ty\_2Epair\_2Eprod \\
& \quad (2^{A.27a})\ (2^{(2^{A.27a})})). (\forall V1f \in (ty\_2Eextreal\_2Eextreal^{A.27a}). \\
& \quad ((p\ (ap\ (ap\ (c.2Ebool\_2EIN\ (ty\_2Eextreal\_2Eextreal^{A.27a}))\ V1f) \\
& \quad (ap\ (ap\ (c.2Emeasure\_2Emeasurable\ A.27a\ ty\_2Eextreal\_2Eextreal) \\
& \quad V0a)\ c.2Emeasure\_2EBorel))) \Rightarrow (p\ (ap\ (ap\ (c.2Ebool\_2EIN\ (ty\_2Eextreal\_2Eextreal^{A.27a})) \\
& \quad (ap\ (c.2Emeasure\_2Efn\_minus\ A.27a)\ V1f))\ (ap\ (ap\ (c.2Emeasure\_2Emeasurable \\
& \quad A.27a\ ty\_2Eextreal\_2Eextreal)\ V0a)\ c.2Emeasure\_2EBorel))))))
\end{aligned} \tag{68}$$

Assume the following.

$$(\forall V0t \in 2. ((\neg(\neg(p\ V0t))) \Leftrightarrow (p\ V0t))) \tag{69}$$

Assume the following.

$$(\forall V0A \in 2. ((p\ V0A) \Rightarrow ((\neg(p\ V0A)) \Rightarrow False))) \tag{70}$$

Assume the following.

$$(\forall V0A \in 2. (\forall V1B \in 2. (((\neg((p V0A) \vee (p V1B))) \Rightarrow False) \Leftrightarrow ((p V0A) \Rightarrow False) \Rightarrow ((\neg(p V1B)) \Rightarrow False)))) \quad (71)$$

Assume the following.

$$(\forall V0A \in 2. (\forall V1B \in 2. (((\neg(\neg(p V0A)) \vee (p V1B))) \Rightarrow False) \Leftrightarrow ((p V0A) \Rightarrow ((\neg(p V1B)) \Rightarrow False)))) \quad (72)$$

Assume the following.

$$(\forall V0A \in 2. (((\neg(p V0A)) \Rightarrow False) \Rightarrow (((p V0A) \Rightarrow False) \Rightarrow False))) \quad (73)$$

Assume the following.

$$(\forall V0p \in 2. (\forall V1q \in 2. (\forall V2r \in 2. (((p V0p) \Leftrightarrow (p V1q) \Leftrightarrow (p V2r)) \Leftrightarrow (((p V0p) \vee ((p V1q) \vee (p V2r))) \wedge (((p V0p) \vee (\neg(p V2r)) \vee (\neg(p V1q)))) \wedge (((p V1q) \vee ((\neg(p V2r)) \vee (\neg(p V0p)))) \wedge ((p V2r) \vee ((\neg(p V1q)) \vee (\neg(p V0p)))))))))) \quad (74)$$

Assume the following.

$$(\forall V0p \in 2. (\forall V1q \in 2. (\forall V2r \in 2. (((p V0p) \Leftrightarrow (p V1q) \wedge (p V2r)) \Leftrightarrow (((p V0p) \vee ((\neg(p V1q)) \vee (\neg(p V2r)))) \wedge (((p V1q) \vee (\neg(p V0p))) \wedge ((p V2r) \vee (\neg(p V0p)))))))) \quad (75)$$

Assume the following.

$$(\forall V0p \in 2. (\forall V1q \in 2. (\forall V2r \in 2. (((p V0p) \Leftrightarrow (p V1q) \vee (p V2r)) \Leftrightarrow (((p V0p) \vee (\neg(p V1q))) \wedge (((p V0p) \vee (\neg(p V2r))) \wedge ((p V1q) \vee ((p V2r) \vee (\neg(p V0p)))))))) \quad (76)$$

Assume the following.

$$(\forall V0p \in 2. (\forall V1q \in 2. (\forall V2r \in 2. (((p V0p) \Leftrightarrow (p V1q) \Rightarrow (p V2r)) \Leftrightarrow (((p V0p) \vee (p V1q)) \wedge (((p V0p) \vee (\neg(p V2r))) \wedge ((\neg(p V1q)) \vee ((p V2r) \vee (\neg(p V0p)))))))) \quad (77)$$

Assume the following.

$$(\forall V0p \in 2. (\forall V1q \in 2. (((p V0p) \Leftrightarrow (\neg(p V1q))) \Leftrightarrow (((p V0p) \vee (p V1q)) \wedge ((\neg(p V1q)) \vee (\neg(p V0p)))))) \quad (78)$$

Assume the following.

$$(\forall V0p \in 2. (\forall V1q \in 2. (((\neg((p V0p) \Rightarrow (p V1q))) \Rightarrow (p V0p)))) \quad (79)$$

Assume the following.

$$(\forall V0p \in 2. (\forall V1q \in 2. (((\neg((p V0p) \Rightarrow (p V1q))) \Rightarrow (\neg(p V1q)))) \quad (80)$$

Assume the following.

$$(\forall V0p \in 2.(\forall V1q \in 2.((\neg((p V0p) \vee (p V1q))) \Rightarrow (\neg(p V0p)))))) \quad (81)$$

Assume the following.

$$(\forall V0p \in 2.(\forall V1q \in 2.((\neg((p V0p) \vee (p V1q))) \Rightarrow (\neg(p V1q)))))) \quad (82)$$

Assume the following.

$$(\forall V0p \in 2.((\neg(\neg(p V0p))) \Rightarrow (p V0p))) \quad (83)$$

**Theorem 1**

$$\begin{aligned} & \forall A\_27a.nonempty A\_27a \Rightarrow (\forall V0m \in (ty\_2Epair\_2Eprod \\ & (2^{A\_27a}) (ty\_2Epair\_2Eprod (2^{(2^{A\_27a})}) (ty\_2Erealax\_2Ereal^{(2^{A\_27a})}))) \\ & (\forall V1f1 \in (ty\_2Eextreal\_2Eextreal^{A\_27a}).(\forall V2f2 \in \\ & (ty\_2Eextreal\_2Eextreal^{A\_27a}).(((p (ap (c\_2Emeasure\_2Emeasure\_space \\ & A\_27a) V0m)) \wedge ((p (ap (ap (c\_2Elebesgue\_2Eintegrable A\_27a) V0m) \\ & V1f1)) \wedge (p (ap (ap (c\_2Elebesgue\_2Eintegrable A\_27a) V0m) V2f2)))))) \Rightarrow \\ & (p (ap (ap (c\_2Elebesgue\_2Eintegrable A\_27a) V0m) (\lambda V3x \in A\_27a. \\ & (ap (ap c\_2Eextreal\_2Eextreal\_add (ap V1f1 V3x)) (ap V2f2 V3x)))))))))) \end{aligned}$$