

thm_2ELebesgue_2Eintegrable__add__lemma
(TMZ2ceExXH4ce1BcSveYpzyac4aZx3nLcRu)

October 26, 2020

Definition 1 We define `c_2Emin_2E_40` to be $\lambda A.\lambda P \in 2^A.\text{if } (\exists x \in A.p \text{ (ap } P \ x)) \text{ then (the } (\lambda x.x \in A \wedge p \text{ of type } \iota \Rightarrow \iota).$

Definition 2 We define `c_2Emin_2E_3D` to be $\lambda A.\lambda x \in A.\lambda y \in A.\text{inj_o } (x = y)$ of type $\iota \Rightarrow \iota$.

Definition 3 We define `c_2Ebool_2E_3F` to be $\lambda A.\lambda V0P \in (2^{A-27a}).(\text{ap } V0P \text{ (ap (c_2Emin_2E_40 } A$

Definition 4 We define `c_2Ebool_2E_2ET` to be $(\text{ap (ap (c_2Emin_2E_3D } (2^2)) (\lambda V0x \in 2.V0x)) (\lambda V1x \in 2.V$

Definition 5 We define `c_2Ecombin_2ES` to be $\lambda A.\lambda A_27a : \iota.\lambda A_27b : \iota.\lambda A_27c : \iota.(\lambda V0f \in ((A_27c^{A_27b})^{A_27a}$

Definition 6 We define `c_2Ecombin_2EK` to be $\lambda A.\lambda A_27a : \iota.\lambda A_27b : \iota.(\lambda V0x \in A_27a.(\lambda V1y \in A_27b.V0x))$

Definition 7 We define `c_2Ecombin_2EI` to be $\lambda A.\lambda A_27a : \iota.(\text{ap (ap (c_2Ecombin_2ES } A_27a (A_27a^{A_27a}) A_27a$

Definition 8 We define `c_2Ebool_2E_21` to be $\lambda A.\lambda A_27a : \iota.(\lambda V0P \in (2^{A-27a}).(\text{ap (ap (c_2Emin_2E_3D } (2^{A-27a}$

Definition 9 We define `c_2Ecombin_2Eo` to be $\lambda A.\lambda A_27a : \iota.\lambda A_27b : \iota.\lambda A_27c : \iota.\lambda V0f \in (A_27b^{A_27c}).\lambda V1g$

Let `ty_2Eextreal_2Eextreal` : ι be given. Assume the following.

$$\text{nonempty ty_2Eextreal_2Eextreal} \tag{1}$$

Definition 10 We define `c_2Epred__set_2EUNIV` to be $\lambda A.\lambda A_27a : \iota.(\lambda V0x \in A_27a.\text{c_2Ebool_2E_2ET}).$

Let `c_2Eextreal_2Eextreal__le` : ι be given. Assume the following.

$$\text{c_2Eextreal_2Eextreal_le} \in ((2^{\text{ty_2Eextreal_2Eextreal}})^{\text{ty_2Eextreal_2Eextreal}}) \tag{2}$$

Definition 11 We define `c_2Ebool_2E_2EF` to be $(\text{ap (c_2Ebool_2E_21 } 2) (\lambda V0t \in 2.V0t)).$

Definition 12 We define `c_2Emin_2E_3D_3D_3E` to be $\lambda P \in 2.\lambda Q \in 2.\text{inj_o } (p \Rightarrow q)$ of type ι .

Definition 13 We define $c_2Ebool_2E_7E$ to be $(\lambda V0t \in 2.(ap (ap c_2Emin_2E_3D_3D_3E V0t) c_2Ebool_2E_7E))$

Definition 14 We define $c_2Eextreal_2Eextreal_It$ to be $\lambda V0x \in ty_2Eextreal_2Eextreal.\lambda V1y \in ty_2Eextreal$

Definition 15 We define $c_2Ebool_2E_2F_5C$ to be $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap (c_2Ebool_2E_21 2) (\lambda V2t \in 2)))$

Let $ty_2Epair_2Eprod : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0.nonempty A0 \Rightarrow \forall A1.nonempty A1 \Rightarrow nonempty (ty_2Epair_2Eprod A0 A1) \quad (3)$$

Let $c_2Epair_2EABS_prod : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty A_27a \Rightarrow \forall A_27b.nonempty A_27b \Rightarrow c_2Epair_2EABS_prod A_27a A_27b \in ((ty_2Epair_2Eprod A_27a A_27b)^{(2^{A_27b})^{A_27a}}) \quad (4)$$

Definition 16 We define $c_2Epair_2E_2C$ to be $\lambda A_27a : \iota.\lambda A_27b : \iota.\lambda V0x \in A_27a.\lambda V1y \in A_27b.(ap (c_2Epair_2E_2C x y))$

Let $c_2Epred_set_2EGSPEC : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty A_27a \Rightarrow \forall A_27b.nonempty A_27b \Rightarrow c_2Epred_set_2EGSPEC A_27a A_27b \in ((2^{A_27a})^{(ty_2Epair_2Eprod A_27a 2)^{A_27b}}) \quad (5)$$

Definition 17 We define c_2Ebool_2EIN to be $\lambda A_27a : \iota.(\lambda V0x \in A_27a.(\lambda V1f \in (2^{A_27a}).(ap V1f V0x)))$

Definition 18 We define $c_2Epred_set_2EIMAGE$ to be $\lambda A_27a : \iota.\lambda A_27b : \iota.\lambda V0f \in (A_27b^{A_27a}).\lambda V1s \in (A_27b)$

Let $c_2Emeasure_2Esubsets : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty A_27a \Rightarrow c_2Emeasure_2Esubsets A_27a \in (2^{(2^{A_27a})^{(ty_2Epair_2Eprod (2^{A_27a}) (2^{(2^{A_27a})})})}) \quad (6)$$

Definition 19 We define $c_2Epred_set_2EBIGUNION$ to be $\lambda A_27a : \iota.\lambda V0P \in (2^{(2^{A_27a})}).(ap (c_2Epred_set_2EBIGUNION P))$

Definition 20 We define $c_2Epred_set_2ESUBSET$ to be $\lambda A_27a : \iota.\lambda V0s \in (2^{A_27a}).\lambda V1t \in (2^{A_27a}).(ap (c_2Epred_set_2ESUBSET s t))$

Let $ty_2Enum_2Enum : \iota$ be given. Assume the following.

$$nonempty ty_2Enum_2Enum \quad (7)$$

Definition 21 We define $c_2Epred_set_2EINJ$ to be $\lambda A_27a : \iota.\lambda A_27b : \iota.\lambda V0f \in (A_27b^{A_27a}).\lambda V1s \in (2^{A_27a}).(ap (c_2Epred_set_2EINJ f s))$

Definition 22 We define $c_2Epred_set_2Ecountable$ to be $\lambda A_27a : \iota.\lambda V0s \in (2^{A_27a}).(ap (c_2Ebool_2E_3F A_27a s))$

Definition 23 We define $c_2Ebool_2E_5C_2F$ to be $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap (c_2Ebool_2E_21 2) (\lambda V2t \in 2)))$

Definition 24 We define $c_2Epred_set_2EUNION$ to be $\lambda A_27a : \iota.\lambda V0s \in (2^{A_27a}).\lambda V1t \in (2^{A_27a}).(ap (c_2Epred_set_2EUNION s t))$

Let $c_2Emeasure_2Espace : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow c_2Emeasure_2Espace\ A_27a \in ((2^{A_27a})^{(ty_2Epair_2Eprod\ (2^{A_27a})\ (2^{(2^{A_27a})}))}) \quad (8)$$

Definition 25 We define $c_2Epred_set_2EDIFF$ to be $\lambda A_27a : \iota.\lambda V0s \in (2^{A_27a}).\lambda V1t \in (2^{A_27a}).(ap\ (c_2E$

Definition 26 We define $c_2Epred_set_2EEMPTY$ to be $\lambda A_27a : \iota.(\lambda V0x \in A_27a.c_2Ebool_2EF)$.

Definition 27 We define $c_2Emeasure_2Esubset_class$ to be $\lambda A_27a : \iota.\lambda V0sp \in (2^{A_27a}).\lambda V1sts \in (2^{(2^{A_27a})})$

Definition 28 We define $c_2Emeasure_2Ealgebra$ to be $\lambda A_27a : \iota.\lambda V0a \in (ty_2Epair_2Eprod\ (2^{A_27a})\ (2^{(2^{A_27a})}))$

Definition 29 We define $c_2Emeasure_2Esigma_algebra$ to be $\lambda A_27a : \iota.\lambda V0a \in (ty_2Epair_2Eprod\ (2^{A_27a})\ (2^{(2^{A_27a})}))$

Definition 30 We define $c_2Epred_set_2EBIGINTER$ to be $\lambda A_27a : \iota.\lambda V0P \in (2^{(2^{A_27a})}).(ap\ (c_2Epred_set_2E$

Definition 31 We define $c_2Emeasure_2Esigma$ to be $\lambda A_27a : \iota.\lambda V0sp \in (2^{A_27a}).\lambda V1st \in (2^{(2^{A_27a})}).(ap\ ($

Definition 32 We define $c_2Emeasure_2EBorel$ to be $(ap\ (ap\ (c_2Emeasure_2Esigma\ ty_2Eextreal_2Eextreal$

Let $ty_2Erealax_2Ereal : \iota$ be given. Assume the following.

$$nonempty\ ty_2Erealax_2Ereal \quad (9)$$

Let $c_2Emeasure_2Emeasurable_sets : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow c_2Emeasure_2Emeasurable_sets\ A_27a \in ((2^{(2^{A_27a})})^{(ty_2Epair_2Eprod\ (2^{A_27a})\ (ty_2Epair_2Eprod\ (2^{(2^{A_27a})})\ (ty_2Erealax_2Ereal^{(2^{A_27a})})))) \quad (10)$$

Let $c_2Emeasure_2Em_space : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow c_2Emeasure_2Em_space\ A_27a \in ((2^{A_27a})^{(ty_2Epair_2Eprod\ (2^{A_27a})\ (ty_2Epair_2Eprod\ (2^{(2^{A_27a})})\ (ty_2Erealax_2Ereal^{(2^{A_27a})})))) \quad (11)$$

Definition 33 We define $c_2Epred_set_2EPREIMAGE$ to be $\lambda A_27a : \iota.\lambda A_27b : \iota.\lambda V0f \in (A_27b^{A_27a}).\lambda V$

Definition 34 We define $c_2Epred_set_2EINTER$ to be $\lambda A_27a : \iota.\lambda V0s \in (2^{A_27a}).\lambda V1t \in (2^{A_27a}).(ap\ (c_2E$

Definition 35 We define $c_2Epred_set_2EFUNSET$ to be $\lambda A_27a : \iota.\lambda A_27b : \iota.\lambda V0P \in (2^{A_27a}).\lambda V1Q \in (2^{(2^{A_27a})})$

Definition 36 We define $c_2Emeasure_2Emeasurable$ to be $\lambda A_27a : \iota.\lambda A_27b : \iota.\lambda V0a \in (ty_2Epair_2Eprod\ (2^{A_27a})\ (2^{(2^{A_27a})}))$

Let $c_2Eextreal_2Eextreal_add : \iota$ be given. Assume the following.

$$c_2Eextreal_2Eextreal_add \in ((ty_2Eextreal_2Eextreal^{ty_2Eextreal_2Eextreal})^{ty_2Eextreal_2Eextreal}) \quad (12)$$

Let $c_2Eextreal_2EPosInf : \iota$ be given. Assume the following.

$$c_2Eextreal_2EPosInf \in ty_2Eextreal_2Eextreal \quad (13)$$

Let $c_2Enum_2EZERO_REP : \iota$ be given. Assume the following.

$$c_2Enum_2EZERO_REP \in omega \quad (14)$$

Let $c_2Enum_2EABS_num : \iota$ be given. Assume the following.

$$c_2Enum_2EABS_num \in (ty_2Enum_2Enum^{omega}) \quad (15)$$

Definition 37 We define c_2Enum_2E0 to be $(ap\ c_2Enum_2EABS_num\ c_2Enum_2EZERO_REP)$.

Let $c_2Ereal_2Ereal_of_num : \iota$ be given. Assume the following.

$$c_2Ereal_2Ereal_of_num \in (ty_2Erealax_2Ereal^{ty_2Enum_2Enum}) \quad (16)$$

Let $c_2Eextreal_2ENormal : \iota$ be given. Assume the following.

$$c_2Eextreal_2ENormal \in (ty_2Eextreal_2Eextreal^{ty_2Erealax_2Ereal}) \quad (17)$$

Definition 38 We define $c_2Eextreal_2Eextreal_of_num$ to be $\lambda V0n \in ty_2Enum_2Enum.(ap\ c_2Eextreal_2Eextreal_of_num\ n)$.

Let $c_2Eextreal_2Eextreal_ainv : \iota$ be given. Assume the following.

$$c_2Eextreal_2Eextreal_ainv \in (ty_2Eextreal_2Eextreal^{ty_2Eextreal_2Eextreal}) \quad (18)$$

Definition 39 We define c_2Ebool_2ECOND to be $\lambda A_27a : \iota.(\lambda V0t \in 2.(\lambda V1t1 \in A_27a.(\lambda V2t2 \in A_27a.(ap\ c_2Ebool_2ECOND\ t1\ t2))))$.

Definition 40 We define $c_2Emeasure_2Efn_minus$ to be $\lambda A_27a : \iota.\lambda V0f \in (ty_2Eextreal_2Eextreal^{A_27a})$.

Definition 41 We define $c_2Epred_set_2EDISJOINT$ to be $\lambda A_27a : \iota.\lambda V0s \in (2^{A_27a}).\lambda V1t \in (2^{A_27a}).(ap\ c_2Epred_set_2EDISJOINT\ s\ t)$.

Let $ty_2Ehreal_2Ehreal : \iota$ be given. Assume the following.

$$nonempty\ ty_2Ehreal_2Ehreal \quad (19)$$

Let $c_2Erealax_2Ereal_REP_CLASS : \iota$ be given. Assume the following.

$$c_2Erealax_2Ereal_REP_CLASS \in ((2^{(ty_2Epair_2Eprod\ ty_2Ehreal_2Ehreal\ ty_2Ehreal_2Ehreal)})^{ty_2Erealax_2Ereal}) \quad (20)$$

Definition 42 We define $c_2Erealax_2Ereal_REP$ to be $\lambda V0a \in ty_2Erealax_2Ereal.(ap\ (c_2Emin_2E40\ ty_2Erealax_2Ereal_REP_CLASS)\ a)$.

Let $c_2Erealax_2Etrealt_lt : \iota$ be given. Assume the following.

$$c_2Erealax_2Etrealt_lt \in ((2^{(ty_2Epair_2Eprod\ ty_2Ehreal_2Ehreal\ ty_2Ehreal_2Ehreal)})^{(ty_2Epair_2Eprod\ ty_2Ehreal_2Ehreal)}) \quad (21)$$

Definition 43 We define $c_2Erealax_2Ereal_lt$ to be $\lambda V0T1 \in ty_2Erealax_2Ereal.\lambda V1T2 \in ty_2Erealax_2Ereal.(ap\ c_2Erealax_2Etrealt_lt\ T1\ T2)$.

Definition 44 We define $c_Ereal_Ereal_lte$ to be $\lambda V0x \in ty_Erealax_Ereal.\lambda V1y \in ty_Erealax_Ereal$

Definition 45 We define $c_Epred_set_EINSERT$ to be $\lambda A_27a : \iota.\lambda V0x \in A_27a.\lambda V1s \in (2^{A_27a}).(ap (c_$

Definition 46 We define $c_Epred_set_EFINITE$ to be $\lambda A_27a : \iota.\lambda V0s \in (2^{A_27a}).(ap (c_Ebool_E21 (2$

Definition 47 We define $c_Earithmetic_EZERO$ to be c_Enum_E0 .

Let $c_Enum_EREP_num : \iota$ be given. Assume the following.

$$c_Enum_EREP_num \in (\omega^{ty_Enum_Enum}) \quad (22)$$

Let $c_Enum_ESUC_REP : \iota$ be given. Assume the following.

$$c_Enum_ESUC_REP \in (\omega^{\omega}) \quad (23)$$

Definition 48 We define c_Enum_ESUC to be $\lambda V0m \in ty_Enum_Enum.(ap c_Enum_EABS_num$

Let $c_Earithmetic_E2B : \iota$ be given. Assume the following.

$$c_Earithmetic_E2B \in ((ty_Enum_Enum)^{ty_Enum_Enum})^{ty_Enum_Enum} \quad (24)$$

Definition 49 We define $c_Earithmetic_EBIT1$ to be $\lambda V0n \in ty_Enum_Enum.(ap (ap c_Earithmetic$

Definition 50 We define $c_Earithmetic_ENUMERAL$ to be $\lambda V0x \in ty_Enum_Enum.V0x$.

Definition 51 We define $c_Emeasure_Eindicator_fn$ to be $\lambda A_27a : \iota.\lambda V0s \in (2^{A_27a}).(\lambda V1x \in A_27a.(ap$

Let $c_Eextreal_Eextreal_mul : \iota$ be given. Assume the following.

$$c_Eextreal_Eextreal_mul \in ((ty_Eextreal_Eextreal)^{ty_Eextreal_Eextreal})^{ty_Eextreal_Eextreal} \quad (25)$$

Let $c_Epred_set_EITSET : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty A_27a \Rightarrow \forall A_27b.nonempty A_27b \Rightarrow c_Epred_set_EITSET \\ A_27a A_27b \in (((A_27b^{A_27b})^{(2^{A_27a})})^{(A_27b^{A_27b})^{A_27a}}) \quad (26)$$

Definition 52 We define $c_Eextreal_EEXTREAL_SUM_IMAGE$ to be $\lambda A_27a : \iota.\lambda V0f \in (ty_Eextreal_E$

Definition 53 We define $c_Emeasure_Epos_simple_fn$ to be $\lambda A_27a : \iota.\lambda V0m \in (ty_Epair_Eprod (2^A$

Let $c_Epair_ESND : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty A_27a \Rightarrow \forall A_27b.nonempty A_27b \Rightarrow c_Epair_ESND \\ A_27a A_27b \in (A_27b^{(ty_Epair_Eprod A_27a A_27b)}) \quad (27)$$

Let $c_Epair_EFST : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty A_27a \Rightarrow \forall A_27b.nonempty A_27b \Rightarrow c_Epair_EFST \\ A_27a A_27b \in (A_27a^{(ty_Epair_Eprod A_27a A_27b)}) \quad (28)$$

Definition 54 We define $c_2Epair_2EUNCURRY$ to be $\lambda A_27a : \iota.\lambda A_27b : \iota.\lambda A_27c : \iota.\lambda V0f \in ((A_27c^{A_27a})$

Definition 55 We define $c_2Elebesgue_2Epsfs$ to be $\lambda A_27a : \iota.\lambda V0m \in (ty_2Epair_2Eprod (2^{A_27a}) (ty_2E$

Let $c_2Emeasure_2Emeasure : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty A_27a \Rightarrow c_2Emeasure_2Emeasure A_27a \in ((ty_2Erealax_2Ereal^{(2^{A_27a})})(ty_2Epair_2Eprod (2^{A_27a}) (ty_2Epair_2Eprod (2^{A_27a}) (ty_2Erealax_2Ereal^{(2^{A_27a})})) (29)$$

Let $c_2Erealax_2Etrealmul : \iota$ be given. Assume the following.

$$c_2Erealax_2Etrealmul \in (((ty_2Epair_2Eprod ty_2Ehreal_2Ehreal ty_2Ehreal_2Ehreal)(ty_2Epair_2Eprod ty_2Ehreal_2Ehreal ty_2Ehreal_2Ehreal)(ty_2Epair_2Eprod ty_2Ehreal_2Ehreal ty_2Ehreal_2Ehreal)) (30)$$

Let $c_2Erealax_2Etrealeq : \iota$ be given. Assume the following.

$$c_2Erealax_2Etrealeq \in ((2^{(ty_2Epair_2Eprod ty_2Ehreal_2Ehreal ty_2Ehreal_2Ehreal)})(ty_2Epair_2Eprod ty_2Ehreal_2Ehreal ty_2Ehreal_2Ehreal)) (31)$$

Let $c_2Erealax_2Ereal_ABS_CLASS : \iota$ be given. Assume the following.

$$c_2Erealax_2Ereal_ABS_CLASS \in (ty_2Erealax_2Ereal^{(2^{(ty_2Epair_2Eprod ty_2Ehreal_2Ehreal ty_2Ehreal_2Ehreal)})} (32)$$

Definition 56 We define $c_2Erealax_2Ereal_ABS$ to be $\lambda V0r \in (ty_2Epair_2Eprod ty_2Ehreal_2Ehreal ty_2Ehreal_2Ehreal)$

Definition 57 We define $c_2Erealax_2Ereal_mul$ to be $\lambda V0T1 \in ty_2Erealax_2Ereal.\lambda V1T2 \in ty_2Erealax_2Ereal$

Let $c_2Erealax_2Etrealmul : \iota$ be given. Assume the following.

$$c_2Erealax_2Etrealmul \in (((ty_2Epair_2Eprod ty_2Ehreal_2Ehreal ty_2Ehreal_2Ehreal)(ty_2Epair_2Eprod ty_2Ehreal_2Ehreal ty_2Ehreal_2Ehreal)(ty_2Epair_2Eprod ty_2Ehreal_2Ehreal ty_2Ehreal_2Ehreal)) (33)$$

Definition 58 We define $c_2Erealax_2Ereal_add$ to be $\lambda V0T1 \in ty_2Erealax_2Ereal.\lambda V1T2 \in ty_2Erealax_2Ereal$

Definition 59 We define $c_2Ereal_sigma_2EREAL_SUM_IMAGE$ to be $\lambda A_27a : \iota.\lambda V0f \in (ty_2Erealax_2Ereal$

Definition 60 We define $c_2Elebesgue_2Epos_simple_fn_integral$ to be $\lambda A_27a : \iota.\lambda V0m \in (ty_2Epair_2Eprod (2^{A_27a}) (ty_2E$

Definition 61 We define $c_2Elebesgue_2Epsfis$ to be $\lambda A_27a : \iota.\lambda V0m \in (ty_2Epair_2Eprod (2^{A_27a}) (ty_2E$

Definition 62 We define c_2Ereal_2Esup to be $\lambda V0P \in (2^{ty_2Erealax_2Ereal}).(ap (c_2Emin_2E.40 ty_2Ereal$

Let $c_2Eextreal_2ENegInf : \iota$ be given. Assume the following.

$$c_2Eextreal_2ENegInf \in ty_2Eextreal_2Eextreal (34)$$

Definition 63 We define $c_2Eextreal_2Eextreal_sup$ to be $\lambda V0p \in (2^{ty_2Eextreal_2Eextreal}).(ap (ap (ap (c_2E$

Definition 64 We define $c_2E\text{lebesgue_2Epos_fn_integral}$ to be $\lambda A_27a : \iota.\lambda V0m \in (ty_2E\text{pair_2Eprod } (2^{A_27a}))$

Definition 65 We define $c_2E\text{measure_2Efn_plus}$ to be $\lambda A_27a : \iota.\lambda V0f \in (ty_2E\text{extreal_2Eextreal}^{A_27a})$.

Definition 66 We define $c_2E\text{lebesgue_2Eintegrable}$ to be $\lambda A_27a : \iota.\lambda V0m \in (ty_2E\text{pair_2Eprod } (2^{A_27a}))$

Let $c_2E\text{real_2Esum} : \iota$ be given. Assume the following.

$$c_2E\text{real_2Esum} \in ((ty_2E\text{realax_2Ereal}^{(ty_2E\text{realax_2Ereal}^{ty_2E\text{enum_2Eenum}})})^{(ty_2E\text{pair_2Eprod } ty_2E\text{enum_2Eenum})}) \quad (35)$$

Definition 67 We define $c_2E\text{prim_rec_2E_3C}$ to be $\lambda V0m \in ty_2E\text{enum_2Eenum}.\lambda V1n \in ty_2E\text{enum_2Eenum}$

Definition 68 We define $c_2E\text{arithmic_2E_3E}$ to be $\lambda V0m \in ty_2E\text{enum_2Eenum}.\lambda V1n \in ty_2E\text{enum_2Eenum}$

Definition 69 We define $c_2E\text{arithmic_2E_3E_3D}$ to be $\lambda V0m \in ty_2E\text{enum_2Eenum}.\lambda V1n \in ty_2E\text{enum_2Eenum}$

Let $c_2E\text{realax_2Etrealm_neg} : \iota$ be given. Assume the following.

$$c_2E\text{realax_2Etrealm_neg} \in ((ty_2E\text{pair_2Eprod } ty_2E\text{hreal_2Ehreal } ty_2E\text{hreal_2Ehreal})^{(ty_2E\text{pair_2Eprod } ty_2E\text{hreal_2Ehreal } ty_2E\text{hreal_2Ehreal})}) \quad (36)$$

Definition 70 We define $c_2E\text{realax_2Ereal_neg}$ to be $\lambda V0T1 \in ty_2E\text{realax_2Ereal}.(ap\ c_2E\text{realax_2Ereal}$

Definition 71 We define $c_2E\text{real_2Ereal_sub}$ to be $\lambda V0x \in ty_2E\text{realax_2Ereal}.\lambda V1y \in ty_2E\text{realax_2Ereal}$

Definition 72 We define $c_2E\text{real_2Eabs}$ to be $\lambda V0x \in ty_2E\text{realax_2Ereal}.(ap\ (ap\ (ap\ (c_2E\text{bool_2ECONJ})$

Let $ty_2E\text{metric_2Emetric} : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0.\text{nonempty } A0 \Rightarrow \text{nonempty } (ty_2E\text{metric_2Emetric } A0) \quad (37)$$

Let $c_2E\text{metric_2Emetric} : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.\text{nonempty } A_27a \Rightarrow c_2E\text{metric_2Emetric } A_27a \in ((ty_2E\text{metric_2Emetric } A_27a)^{(ty_2E\text{realax_2Ereal}^{(ty_2E\text{pair_2Eprod } A_27a\ A_27a)})}) \quad (38)$$

Definition 73 We define $c_2E\text{metric_2Emr1}$ to be $(ap\ (c_2E\text{metric_2Emetric } ty_2E\text{realax_2Ereal})\ (ap\ (c_2E\text{real_2Ereal_sub}$

Let $c_2E\text{metric_2Edist} : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.\text{nonempty } A_27a \Rightarrow c_2E\text{metric_2Edist } A_27a \in ((ty_2E\text{realax_2Ereal}^{(ty_2E\text{pair_2Eprod } A_27a\ A_27a)}) \quad (39)$$

Let $ty_2E\text{topology_2Etopology} : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0.\text{nonempty } A0 \Rightarrow \text{nonempty } (ty_2E\text{topology_2Etopology } A0) \quad (40)$$

Let $c_2E\text{topology_2Etopology} : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.\text{nonempty } A_27a \Rightarrow c_2E\text{topology_2Etopology } A_27a \in ((ty_2E\text{topology_2Etopology } A_27a)^{(2^{(2^{A_27a})})}) \quad (41)$$

Definition 74 We define $c_2Emetric_2Emtop$ to be $\lambda A_27a : \iota.\lambda V0m \in (ty_2Emetric_2Emetric\ A_27a).(ap$
 Let $c_2Enets_2Etends : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\begin{aligned} & \forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow c_2Enets_2Etends \\ & A_27a\ A_27b \in (((2^{(ty_2Epair_2Eprod\ (ty_2Etopology_2Etopology\ A_27a)\ (2^{A_27b})^{A_27b})})^{A_27a})^{(A_27a)^{A_27b}}) \end{aligned} \quad (42)$$

Definition 75 We define $c_2Eseq_2E_2D_2D_3E$ to be $\lambda V0x \in (ty_2Erealax_2Ereal^{ty_2Enum_2Enum}).\lambda V1x$

Definition 76 We define c_2Eseq_2Esums to be $\lambda V0f \in (ty_2Erealax_2Ereal^{ty_2Enum_2Enum}).\lambda V1s \in ty_2$

Definition 77 We define $c_2Emeasure_2Ecountably_additive$ to be $\lambda A_27a : \iota.\lambda V0m \in (ty_2Epair_2Eprod$

Definition 78 We define $c_2Emeasure_2Epositive$ to be $\lambda A_27a : \iota.\lambda V0m \in (ty_2Epair_2Eprod\ (2^{A_27a})\ (ty_2$

Definition 79 We define $c_2Emeasure_2Emeasure_space$ to be $\lambda A_27a : \iota.\lambda V0m \in (ty_2Epair_2Eprod\ (2^{A$

Assume the following.

$$True \quad (43)$$

Assume the following.

$$\begin{aligned} & (\forall V0t1 \in 2.(\forall V1t2 \in 2.(((p\ V0t1) \Rightarrow (p\ V1t2)) \Rightarrow (((p \\ & V1t2) \Rightarrow (p\ V0t1)) \Rightarrow ((p\ V0t1) \Leftrightarrow (p\ V1t2)))))) \end{aligned} \quad (44)$$

Assume the following.

$$\begin{aligned} & \forall A_27a.nonempty\ A_27a \Rightarrow (\forall V0t \in 2.((\forall V1x \in \\ & A_27a.(p\ V0t)) \Leftrightarrow (p\ V0t))) \end{aligned} \quad (45)$$

Assume the following.

$$\begin{aligned} & (\forall V0t \in 2.(((True \Rightarrow (p\ V0t)) \Leftrightarrow (p\ V0t)) \wedge (((p\ V0t) \Rightarrow True) \Leftrightarrow \\ & True) \wedge (((False \Rightarrow (p\ V0t)) \Leftrightarrow True) \wedge (((p\ V0t) \Rightarrow (p\ V0t)) \Leftrightarrow True) \wedge ((\\ & (p\ V0t) \Rightarrow False) \Leftrightarrow (\neg(p\ V0t)))))) \end{aligned} \quad (46)$$

Assume the following.

$$\begin{aligned} & ((\forall V0t \in 2.((\neg(\neg(p\ V0t))) \Leftrightarrow (p\ V0t)) \wedge (((\neg True) \Leftrightarrow False) \wedge \\ & ((\neg False) \Leftrightarrow True))) \end{aligned} \quad (47)$$

Assume the following.

$$\begin{aligned} & \forall A_27a.nonempty\ A_27a \Rightarrow (\forall V0x \in A_27a.((V0x = V0x) \Leftrightarrow \\ & True)) \end{aligned} \quad (48)$$

Assume the following.

$$\begin{aligned} & (\forall V0t \in 2.(((True \Leftrightarrow (p\ V0t)) \Leftrightarrow (p\ V0t)) \wedge (((p\ V0t) \Leftrightarrow True) \Leftrightarrow \\ & (p\ V0t)) \wedge (((False \Leftrightarrow (p\ V0t)) \Leftrightarrow (\neg(p\ V0t))) \wedge (((p\ V0t) \Leftrightarrow False) \Leftrightarrow (\neg(\\ & p\ V0t)))))) \end{aligned} \quad (49)$$

Assume the following.

$$(\forall V0A \in 2. (\forall V1B \in 2. (\forall V2C \in 2. (((p V0A) \vee (p V1B) \wedge (p V2C)) \Leftrightarrow (((p V0A) \vee (p V1B)) \wedge ((p V0A) \vee (p V2C))))))) \quad (50)$$

Assume the following.

$$(\forall V0A \in 2. (\forall V1B \in 2. (\forall V2C \in 2. (((p V1B) \wedge (p V2C)) \vee (p V0A)) \Leftrightarrow (((p V1B) \vee (p V0A)) \wedge ((p V2C) \vee (p V0A)))))) \quad (51)$$

Assume the following.

$$\forall A_27a. \text{nonempty } A_27a \Rightarrow (\forall V0x \in A_27a. ((\text{ap } (c_2Ecombin_2EI A_27a) V0x) = V0x)) \quad (52)$$

Assume the following.

$$\forall A_27a. \text{nonempty } A_27a \Rightarrow \forall A_27b. \text{nonempty } A_27b \Rightarrow (\forall V0f \in (A_27b^{A_27a}). (((\text{ap } (\text{ap } (c_2Ecombin_2Eo A_27a A_27b A_27b) (c_2Ecombin_2EI A_27b)) V0f) = V0f) \wedge ((\text{ap } (\text{ap } (c_2Ecombin_2Eo A_27a A_27b A_27a) V0f) (c_2Ecombin_2EI A_27a)) = V0f)))) \quad (53)$$

Assume the following.

$$\begin{aligned} & \forall A_27a. \text{nonempty } A_27a \Rightarrow (\forall V0m \in (\text{ty_2Epair_2Eprod } (2^{A_27a}) (\text{ty_2Epair_2Eprod } (2^{(2^{A_27a})}) (\text{ty_2Ereal.x_2Ereal}^{(2^{A_27a})}))))). \\ & (\forall V1f \in (\text{ty_2Eextreal_2Eextreal}^{A_27a}). ((p (\text{ap } (c_2Emeasure_2Emeasure_space A_27a) V0m)) \Rightarrow ((p (\text{ap } (\text{ap } (c_2Elebesgue_2Eintegrable A_27a) V0m) V1f)) \Leftrightarrow ((p (\text{ap } (\text{ap } (c_2Ebool_2EIN (\text{ty_2Eextreal_2Eextreal}^{A_27a}) V1f) (\text{ap } (\text{ap } (c_2Emeasure_2Emeasurable A_27a) \text{ty_2Eextreal_2Eextreal} (\text{ap } (\text{ap } (c_2Epair_2E_2C } (2^{A_27a}) (2^{(2^{A_27a})})) (\text{ap } (c_2Emeasure_2Em_space A_27a) V0m)) (\text{ap } (c_2Emeasure_2Emeasurable_sets A_27a) V0m))) c_2Emeasure_2EBorel})) \wedge ((p (\text{ap } (\text{ap } (c_2Elebesgue_2Eintegrable A_27a) V0m) (\text{ap } (c_2Emeasure_2Efn_plus A_27a) V1f))) \wedge (p (\text{ap } (c_2Elebesgue_2Eintegrable A_27a) V0m) (\text{ap } (c_2Emeasure_2Efn_minus A_27a) V1f)))))))))) \quad (54) \end{aligned}$$

Assume the following.

$$\begin{aligned}
& \forall A_27a.\text{nonempty } A_27a \Rightarrow (\forall V0m \in (\text{ty_2Epair_2Eprod} \\
& (2^{A_27a}) (\text{ty_2Epair_2Eprod } (2^{(2^{A_27a})}) (\text{ty_2Erealx_2Ereal}^{(2^{A_27a})}))). \\
& (\forall V1f \in (\text{ty_2Eextreal_2Eextreal}^{A_27a}). (\forall V2g \in (\\
& \text{ty_2Eextreal_2Eextreal}^{A_27a}). ((p (\text{ap } (c_2Emeasure_2Emeasure_space \\
& A_27a) V0m)) \wedge ((p (\text{ap } (\text{ap } (c_2ELebesgue_2Eintegrable } A_27a) V0m) \\
& V1f)) \wedge ((p (\text{ap } (\text{ap } (c_2ELebesgue_2Eintegrable } A_27a) V0m) V2g)) \wedge \\
& ((\forall V3x \in A_27a. (p (\text{ap } (\text{ap } c_2Eextreal_2Eextreal_le } (\text{ap } \\
& c_2Eextreal_2Eextreal_of_num } c_2Enum_2E0)) (\text{ap } V1f } V3x)))))) \wedge \\
& (\forall V4x \in A_27a. (p (\text{ap } (\text{ap } c_2Eextreal_2Eextreal_le } (\text{ap } c_2Eextreal_2Eextreal_of_num \\
& c_2Enum_2E0)) (\text{ap } V2g } V4x)))))) \Rightarrow (p (\text{ap } (\text{ap } (c_2ELebesgue_2Eintegrable \\
& A_27a) V0m) (\lambda V5x \in A_27a. (\text{ap } (\text{ap } c_2Eextreal_2Eextreal_add \\
& (\text{ap } V1f } V5x)) (\text{ap } V2g } V5x)))))))))
\end{aligned} \tag{55}$$

Assume the following.

$$\begin{aligned}
& \forall A_27a.\text{nonempty } A_27a \Rightarrow (\forall V0g \in (\text{ty_2Eextreal_2Eextreal}^{A_27a}). \\
& (\forall V1x \in A_27a. (p (\text{ap } (\text{ap } c_2Eextreal_2Eextreal_le } (\text{ap } c_2Eextreal_2Eextreal_of_num \\
& c_2Enum_2E0)) (\text{ap } (\text{ap } (c_2Emeasure_2Efn_plus } A_27a) V0g) V1x))))))
\end{aligned} \tag{56}$$

Assume the following.

$$\begin{aligned}
& \forall A_27a.\text{nonempty } A_27a \Rightarrow (\forall V0g \in (\text{ty_2Eextreal_2Eextreal}^{A_27a}). \\
& (\forall V1x \in A_27a. (p (\text{ap } (\text{ap } c_2Eextreal_2Eextreal_le } (\text{ap } c_2Eextreal_2Eextreal_of_num \\
& c_2Enum_2E0)) (\text{ap } (\text{ap } (c_2Emeasure_2Efn_minus } A_27a) V0g) V1x))))))
\end{aligned} \tag{57}$$

Assume the following.

$$(\forall V0t \in 2. ((\neg(\neg(p V0t))) \Leftrightarrow (p V0t))) \tag{58}$$

Assume the following.

$$(\forall V0A \in 2. ((p V0A) \Rightarrow ((\neg(p V0A)) \Rightarrow \text{False}))) \tag{59}$$

Assume the following.

$$\begin{aligned}
& (\forall V0A \in 2. (\forall V1B \in 2. (((\neg((\neg(p V0A) \vee (p V1B))) \Rightarrow \text{False}) \Leftrightarrow \\
& ((p V0A) \Rightarrow \text{False}) \Rightarrow ((\neg(p V1B)) \Rightarrow \text{False}))))))
\end{aligned} \tag{60}$$

Assume the following.

$$\begin{aligned}
& (\forall V0A \in 2. (\forall V1B \in 2. (((\neg((\neg(\neg(p V0A)) \vee (p V1B))) \Rightarrow \text{False}) \Leftrightarrow \\
& ((p V0A) \Rightarrow ((\neg(p V1B)) \Rightarrow \text{False}))))))
\end{aligned} \tag{61}$$

Assume the following.

$$(\forall V0A \in 2. (((\neg(p V0A)) \Rightarrow \text{False}) \Rightarrow (((p V0A) \Rightarrow \text{False}) \Rightarrow \text{False}))) \tag{62}$$

Assume the following.

$$\begin{aligned}
& (\forall V0p \in 2. (\forall V1q \in 2. (\forall V2r \in 2. (((p V0p) \Leftrightarrow (\\
& (p V1q) \Leftrightarrow (p V2r))) \Leftrightarrow (((p V0p) \vee ((p V1q) \vee (p V2r))) \wedge (((p V0p) \vee ((\neg(\\
& p V2r)) \vee (\neg(p V1q)))) \wedge (((p V1q) \vee ((\neg(p V2r)) \vee (\neg(p V0p)))) \wedge ((p V2r) \vee \\
& ((\neg(p V1q)) \vee (\neg(p V0p))))))))))
\end{aligned} \tag{63}$$

Assume the following.

$$\begin{aligned}
& (\forall V0p \in 2. (\forall V1q \in 2. (\forall V2r \in 2. (((p V0p) \Leftrightarrow (\\
& (p V1q) \wedge (p V2r))) \Leftrightarrow (((p V0p) \vee ((\neg(p V1q)) \vee (\neg(p V2r)))) \wedge (((p V1q) \vee \\
& (\neg(p V0p))) \wedge ((p V2r) \vee (\neg(p V0p))))))
\end{aligned} \tag{64}$$

Assume the following.

$$\begin{aligned}
& (\forall V0p \in 2. (\forall V1q \in 2. (\forall V2r \in 2. (((p V0p) \Leftrightarrow (\\
& (p V1q) \vee (p V2r))) \Leftrightarrow (((p V0p) \vee (\neg(p V1q))) \wedge (((p V0p) \vee (\neg(p V2r))) \wedge \\
& ((p V1q) \vee ((p V2r) \vee (\neg(p V0p))))))
\end{aligned} \tag{65}$$

Assume the following.

$$\begin{aligned}
& (\forall V0p \in 2. (\forall V1q \in 2. (\forall V2r \in 2. (((p V0p) \Leftrightarrow (\\
& (p V1q) \Rightarrow (p V2r))) \Leftrightarrow (((p V0p) \vee (p V1q)) \wedge (((p V0p) \vee (\neg(p V2r))) \wedge ((\\
& \neg(p V1q)) \vee ((p V2r) \vee (\neg(p V0p))))))
\end{aligned} \tag{66}$$

Assume the following.

$$\begin{aligned}
& (\forall V0p \in 2. (\forall V1q \in 2. (((p V0p) \Leftrightarrow (\neg(p V1q))) \Leftrightarrow (((p V0p) \vee \\
& (p V1q)) \wedge ((\neg(p V1q)) \vee (\neg(p V0p))))))
\end{aligned} \tag{67}$$

Assume the following.

$$(\forall V0p \in 2. (\forall V1q \in 2. ((\neg((p V0p) \Rightarrow (p V1q))) \Rightarrow (p V0p))) \tag{68}$$

Assume the following.

$$(\forall V0p \in 2. (\forall V1q \in 2. ((\neg((p V0p) \Rightarrow (p V1q))) \Rightarrow (\neg(p V1q)))) \tag{69}$$

Theorem 1

$$\begin{aligned}
& \forall A.27a.nonempty A.27a \Rightarrow (\forall V0m \in (ty_2Epair_2Eprod \\
& (2^{A.27a}) (ty_2Epair_2Eprod (2^{(2^{A.27a})}) (ty_2Erealx_2Ereal(2^{A.27a}))))). \\
& (\forall V1f \in (ty_2Eextreal_2Eextreal^{A.27a}). (\forall V2g \in (\\
& ty_2Eextreal_2Eextreal^{A.27a}). (((p (ap (c.2Emeasure_2Emeasure_space \\
& A.27a) V0m)) \wedge ((p (ap (ap (c.2Elebesgue_2Eintegrable A.27a) V0m) \\
& V1f)) \wedge (p (ap (ap (c.2Elebesgue_2Eintegrable A.27a) V0m) V2g)))) \Rightarrow \\
& ((p (ap (ap (c.2Elebesgue_2Eintegrable A.27a) V0m) (\lambda V3x \in A.27a. \\
& (ap (ap c.2Eextreal_2Eextreal_add (ap (ap (c.2Emeasure_2Efn_plus \\
& A.27a) V1f) V3x)) (ap (ap (c.2Emeasure_2Efn_plus A.27a) V2g) V3x)))))) \wedge \\
& (p (ap (ap (c.2Elebesgue_2Eintegrable A.27a) V0m) (\lambda V4x \in A.27a. \\
& (ap (ap c.2Eextreal_2Eextreal_add (ap (ap (c.2Emeasure_2Efn_minus \\
& A.27a) V1f) V4x)) (ap (ap (c.2Emeasure_2Efn_minus A.27a) V2g) \\
& V4x))))))
\end{aligned}$$