

thm_2Elebesgue_2Eintegrable_infty (TMa9N96SBNC3v28uaYiRD9G9URARnq6nvT3)

October 26, 2020

Definition 1 We define $c_2Emin_2E_40$ to be $\lambda A.\lambda P \in 2^A.$ **if** $(\exists x \in A.p (ap P x))$ **then** (the $(\lambda x.x \in A \wedge p$
of type $\iota \Rightarrow \iota$).

Definition 2 We define $c_2Emin_2E_3D$ to be $\lambda A.\lambda x \in A.\lambda y \in A.inj_o (x = y)$
of type $\iota \Rightarrow \iota$.

Definition 3 We define $c_2Ebool_2E_3F$ to be $\lambda A_27a : \iota.(\lambda V0P \in (2^{A_27a}).(ap V0P (ap (c_2Emin_2E_40 A$

Definition 4 We define $c_2Ebool_2E_T$ to be $(ap (ap (c_2Emin_2E_3D (2^2)) (\lambda V0x \in 2.V0x)) (\lambda V1x \in 2.V$

Definition 5 We define $c_2Ecombin_2E_S$ to be $\lambda A_27a : \iota.\lambda A_27b : \iota.\lambda A_27c : \iota.(\lambda V0f \in ((A_27c^{A_27b})^{A_27a}$

Definition 6 We define $c_2Ecombin_2E_K$ to be $\lambda A_27a : \iota.\lambda A_27b : \iota.(\lambda V0x \in A_27a.(\lambda V1y \in A_27b.V0x))$

Definition 7 We define $c_2Ecombin_2E_I$ to be $\lambda A_27a : \iota.(ap (ap (c_2Ecombin_2E_S A_27a (A_27a^{A_27a}) A$

Definition 8 We define $c_2Ebool_2E_21$ to be $\lambda A_27a : \iota.(\lambda V0P \in (2^{A_27a}).(ap (ap (c_2Emin_2E_3D (2^{A_27a}$

Definition 9 We define $c_2Ecombin_2E_o$ to be $\lambda A_27a : \iota.\lambda A_27b : \iota.\lambda A_27c : \iota.\lambda V0f \in (A_27b^{A_27c}).\lambda V1g$

Let $ty_2Ehreal_2Ehreal : \iota$ be given. Assume the following.

$$nonempty\ ty_2Ehreal_2Ehreal \tag{1}$$

Let $ty_2Epair_2Eprod : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0.nonempty\ A0 \Rightarrow \forall A1.nonempty\ A1 \Rightarrow nonempty\ (ty_2Epair_2Eprod\ A0\ A1) \tag{2}$$

Let $ty_2Erealax_2Ereal : \iota$ be given. Assume the following.

$$nonempty\ ty_2Erealax_2Ereal \tag{3}$$

Let $c_2Erealax_2Ereal_REP_CLASS : \iota$ be given. Assume the following.

$$c_2Erealax_2Ereal_REP_CLASS \in ((2^{(ty_2Epair_2Eprod\ ty_2Ehreal_2Ehreal\ ty_2Ehreal_2Ehreal)})\ ty_2Erealax \tag{4}$$

Definition 10 We define $c_2Erealax_2Ereal_REP$ to be $\lambda V0a \in ty_2Erealax_2Ereal.(ap (c_2Emin_2E.40 (t$
Let $c_2Erealax_2Etrealmul : \iota$ be given. Assume the following.

$$c_2Erealax_2Etrealmul \in (((ty_2Epair_2Eprod ty_2Ehreal_2Ehreal ty_2Ehreal_2Ehreal)(ty_2Epair_2Eprod ty_2Ehreal_2Ehreal ty_2Ehreal_2Ehreal)(ty_2Epair_2Eprod ty_2Ehreal_2Ehreal ty_2Ehreal_2Ehreal)))(ty_2Epair_2Eprod ty_2Ehreal_2Ehreal ty_2Ehreal_2Ehreal) \quad (5)$$

Let $c_2Erealax_2Etrealeq : \iota$ be given. Assume the following.

$$c_2Erealax_2Etrealeq \in ((2^{(ty_2Epair_2Eprod ty_2Ehreal_2Ehreal ty_2Ehreal_2Ehreal)})(ty_2Epair_2Eprod ty_2Ehreal_2Ehreal ty_2Ehreal_2Ehreal)) \quad (6)$$

Let $c_2Erealax_2Ereal_ABS_CLASS : \iota$ be given. Assume the following.

$$c_2Erealax_2Ereal_ABS_CLASS \in (ty_2Erealax_2Ereal)^{(2^{(ty_2Epair_2Eprod ty_2Ehreal_2Ehreal ty_2Ehreal_2Ehreal)}} \quad (7)$$

Definition 11 We define $c_2Erealax_2Ereal_ABS$ to be $\lambda V0r \in (ty_2Epair_2Eprod ty_2Ehreal_2Ehreal ty$

Definition 12 We define $c_2Erealax_2Ereal_mul$ to be $\lambda V0T1 \in ty_2Erealax_2Ereal.\lambda V1T2 \in ty_2Erealax$

Let $ty_2Eenum_2Eenum : \iota$ be given. Assume the following.

$$nonempty ty_2Eenum_2Eenum \quad (8)$$

Let $ty_2Eextreal_2Eextreal : \iota$ be given. Assume the following.

$$nonempty ty_2Eextreal_2Eextreal \quad (9)$$

Let $c_2Eextreal_2ENegInf : \iota$ be given. Assume the following.

$$c_2Eextreal_2ENegInf \in ty_2Eextreal_2Eextreal \quad (10)$$

Let $c_2Eenum_2EZERO_REP : \iota$ be given. Assume the following.

$$c_2Eenum_2EZERO_REP \in \omega \quad (11)$$

Let $c_2Eenum_2EABS_num : \iota$ be given. Assume the following.

$$c_2Eenum_2EABS_num \in (ty_2Eenum_2Eenum)^\omega \quad (12)$$

Definition 13 We define c_2Eenum_2E0 to be $(ap c_2Eenum_2EABS_num c_2Eenum_2EZERO_REP)$.

Let $c_2Ereal_2Ereal_of_num : \iota$ be given. Assume the following.

$$c_2Ereal_2Ereal_of_num \in (ty_2Erealax_2Ereal)^{ty_2Eenum_2Eenum} \quad (13)$$

Let $c_2Eextreal_2ENormal : \iota$ be given. Assume the following.

$$c_2Eextreal_2ENormal \in (ty_2Eextreal_2Eextreal)^{ty_2Erealax_2Ereal} \quad (14)$$

Definition 14 We define $c_2Eextreal_2Eextreal_of_num$ to be $\lambda V0n \in ty_2Eenum_2Eenum.(ap c_2Eextreal$

Let $c_2Eextreal_2Eextreal_ainv : \iota$ be given. Assume the following.

$$c_2Eextreal_2Eextreal_ainv \in (ty_2Eextreal_2Eextreal^{ty_2Eextreal_2Eextreal}) \quad (15)$$

Let $c_2Eextreal_2Eextreal_le : \iota$ be given. Assume the following.

$$c_2Eextreal_2Eextreal_le \in ((2^{ty_2Eextreal_2Eextreal})^{ty_2Eextreal_2Eextreal}) \quad (16)$$

Definition 15 We define c_2Ebool_2EF to be $(ap (c_2Ebool_2E_21) 2) (\lambda V0t \in 2.V0t)$.

Definition 16 We define $c_2Emin_2E_3D_3D_3E$ to be $\lambda P \in 2.\lambda Q \in 2.inj_o (p P \Rightarrow p Q)$ of type ι .

Definition 17 We define $c_2Ebool_2E_7E$ to be $(\lambda V0t \in 2.(ap (ap c_2Emin_2E_3D_3D_3E V0t) c_2Ebool_2E_21))$

Definition 18 We define $c_2Eextreal_2Eextreal_lt$ to be $\lambda V0x \in ty_2Eextreal_2Eextreal.\lambda V1y \in ty_2Eextreal$

Definition 19 We define $c_2Ebool_2E_2F_5C$ to be $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap (c_2Ebool_2E_21) 2) (\lambda V2t \in 2.V2t)))$

Definition 20 We define c_2Ebool_2ECOND to be $\lambda A_27a : \iota.(\lambda V0t \in 2.(\lambda V1t1 \in A_27a.(\lambda V2t2 \in A_27a.(ap (c_2Ebool_2E_21) 2) (\lambda V2t3 \in 2.V2t3))))$

Definition 21 We define $c_2Emeasure_2Efn_minus$ to be $\lambda A_27a : \iota.\lambda V0f \in (ty_2Eextreal_2Eextreal^{A_27a})$

Let $c_2Eextreal_2EPosInf : \iota$ be given. Assume the following.

$$c_2Eextreal_2EPosInf \in ty_2Eextreal_2Eextreal \quad (17)$$

Let $c_2Emeasure_2Em_space : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty A_27a \Rightarrow c_2Emeasure_2Em_space A_27a \in ((2^{A_27a})^{(ty_2Epair_2Eprod (2^{A_27a}) (ty_2Epair_2Eprod (2^{2^{A_27a}}) (ty_2Erealax_2Ereal^{(2^{A_27a})})))}) \quad (18)$$

Definition 22 We define c_2Ebool_2EIN to be $\lambda A_27a : \iota.(\lambda V0x \in A_27a.(\lambda V1f \in (2^{A_27a}).(ap V1f V0x)))$

Let $c_2Epair_2EABS_prod : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty A_27a \Rightarrow \forall A_27b.nonempty A_27b \Rightarrow c_2Epair_2EABS_prod A_27a A_27b \in ((ty_2Epair_2Eprod A_27a A_27b)^{(2^{A_27b})^{A_27a}}) \quad (19)$$

Definition 23 We define $c_2Epair_2E_2C$ to be $\lambda A_27a : \iota.\lambda A_27b : \iota.\lambda V0x \in A_27a.\lambda V1y \in A_27b.(ap (c_2Epair_2EABS_prod A_27a A_27b) (V0x V1y))$

Let $c_2Epred_set_2EGSPEC : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty A_27a \Rightarrow \forall A_27b.nonempty A_27b \Rightarrow c_2Epred_set_2EGSPEC A_27a A_27b \in ((2^{A_27a})^{((ty_2Epair_2Eprod A_27a 2)^{A_27b})}) \quad (20)$$

Definition 24 We define $c_2Epred_set_2EIMAGE$ to be $\lambda A_27a : \iota.\lambda A_27b : \iota.\lambda V0f \in (A_27b^{A_27a}).\lambda V1s \in A_27b.(ap (c_2Epair_2EABS_prod A_27a A_27b) (V0f V1s))$

Definition 25 We define $c_2Epred_set_2EBIGUNION$ to be $\lambda A_27a : \iota.\lambda V0P \in (2^{(2^{A-27a})}).(ap (c_2Epred_set_2EBIGUNION))$.

Definition 26 We define $c_2Epred_set_2EEMPTY$ to be $\lambda A_27a : \iota.(\lambda V0x \in A_27a.c_2Ebool_2EF)$.

Definition 27 We define $c_2Epred_set_2EINTER$ to be $\lambda A_27a : \iota.\lambda V0s \in (2^{A-27a}).\lambda V1t \in (2^{A-27a}).(ap (c_2Epred_set_2EINTER))$.

Definition 28 We define $c_2Epred_set_2EDISJOINT$ to be $\lambda A_27a : \iota.\lambda V0s \in (2^{A-27a}).\lambda V1t \in (2^{A-27a}).(ap (c_2Epred_set_2EDISJOINT))$.

Let $c_2Erealax_2Etrealt_lt : \iota$ be given. Assume the following.

$$c_2Erealax_2Etrealt_lt \in ((2^{(ty_2Epair_2Eprod ty_2Ehreal_2Ehreal ty_2Ehreal_2Ehreal)}) (ty_2Epair_2Eprod ty_2Ehreal_2Ehreal)) \quad (21)$$

Definition 29 We define $c_2Erealax_2Ereal_lt$ to be $\lambda V0T1 \in ty_2Erealax_2Ereal.\lambda V1T2 \in ty_2Erealax_2Ereal$.

Definition 30 We define $c_2Ereal_2Ereal_lte$ to be $\lambda V0x \in ty_2Erealax_2Ereal.\lambda V1y \in ty_2Erealax_2Ereal$.

Definition 31 We define $c_2Ebool_2E_5C_2F$ to be $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap (c_2Ebool_2E_21 2) (\lambda V2t \in 2))))$.

Definition 32 We define $c_2Epred_set_2EINSERT$ to be $\lambda A_27a : \iota.\lambda V0x \in A_27a.\lambda V1s \in (2^{A-27a}).(ap (c_2Epred_set_2EINSERT))$.

Definition 33 We define $c_2Epred_set_2EFINITE$ to be $\lambda A_27a : \iota.\lambda V0s \in (2^{A-27a}).(ap (c_2Ebool_2E_21 2))$.

Let $c_2Emeasure_2Emeasurable_sets : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty A_27a \Rightarrow c_2Emeasure_2Emeasurable_sets \\ A_27a \in ((2^{(2^{A-27a})}) (ty_2Epair_2Eprod (2^{A-27a}) (ty_2Epair_2Eprod (2^{(2^{A-27a})}) (ty_2Erealax_2Ereal^{(2^{A-27a})})))) \quad (22)$$

Definition 34 We define $c_2Earithmetic_2EZERO$ to be c_2Enum_2E0 .

Let $c_2Enum_2EREP_num : \iota$ be given. Assume the following.

$$c_2Enum_2EREP_num \in (omega^{ty_2Enum_2Enum}) \quad (23)$$

Let $c_2Enum_2ESUC_REP : \iota$ be given. Assume the following.

$$c_2Enum_2ESUC_REP \in (omega^{omega}) \quad (24)$$

Definition 35 We define c_2Enum_2ESUC to be $\lambda V0m \in ty_2Enum_2Enum.(ap c_2Enum_2EABS_num)$.

Let $c_2Earithmetic_2E_2B : \iota$ be given. Assume the following.

$$c_2Earithmetic_2E_2B \in ((ty_2Enum_2Enum^{ty_2Enum_2Enum})^{ty_2Enum_2Enum}) \quad (25)$$

Definition 36 We define $c_2Earithmetic_2EBIT1$ to be $\lambda V0n \in ty_2Enum_2Enum.(ap (ap c_2Earithmetic_2E_2B))$.

Definition 37 We define $c_2Earithmetic_2ENUMERAL$ to be $\lambda V0x \in ty_2Enum_2Enum.V0x$.

Definition 38 We define $c_2Emeasure_2Eindicator_fn$ to be $\lambda A_27a : \iota.\lambda V0s \in (2^{A-27a}).(\lambda V1x \in A_27a.(ap (c_2Emeasure_2Eindicator_fn)))$.

Let $c_2Eextreal_2Eextreal_mul : \iota$ be given. Assume the following.

$$c_2Eextreal_2Eextreal_mul \in ((ty_2Eextreal_2Eextreal^{ty_2Eextreal_2Eextreal})^{ty_2Eextreal_2Eextreal}) \quad (26)$$

Let $c_2Eextreal_2Eextreal_add : \iota$ be given. Assume the following.

$$c_2Eextreal_2Eextreal_add \in ((ty_2Eextreal_2Eextreal^{ty_2Eextreal_2Eextreal})^{ty_2Eextreal_2Eextreal}) \quad (27)$$

Let $c_2Epred_set_2EITSET : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\begin{aligned} \forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow c_2Epred_set_2EITSET \\ A_27a\ A_27b \in (((A_27b^{A_27b})^{(2^{A_27a})})^{((A_27b^{A_27b})^{A_27a})}) \end{aligned} \quad (28)$$

Definition 39 We define $c_2Eextreal_2EEXTREAL_SUM_IMAGE$ to be $\lambda A_27a : \iota.\lambda V0f \in (ty_2Eextreal_2Eextreal)$

Definition 40 We define $c_2Emeasure_2Epos_simple_fn$ to be $\lambda A_27a : \iota.\lambda V0m \in (ty_2Epair_2Eprod\ (2^{A_27a}))$

Let $c_2Epair_2ESND : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\begin{aligned} \forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow c_2Epair_2ESND \\ A_27a\ A_27b \in (A_27b^{(ty_2Epair_2Eprod\ A_27a\ A_27b)}) \end{aligned} \quad (29)$$

Let $c_2Epair_2EFST : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\begin{aligned} \forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow c_2Epair_2EFST \\ A_27a\ A_27b \in (A_27a^{(ty_2Epair_2Eprod\ A_27a\ A_27b)}) \end{aligned} \quad (30)$$

Definition 41 We define $c_2Epair_2EUNCURRY$ to be $\lambda A_27a : \iota.\lambda A_27b : \iota.\lambda A_27c : \iota.\lambda V0f \in ((A_27c^{A_27a})^{A_27b})$

Definition 42 We define $c_2Elebesgue_2Epsfs$ to be $\lambda A_27a : \iota.\lambda V0m \in (ty_2Epair_2Eprod\ (2^{A_27a}))\ (ty_2Eprod\ (2^{A_27a}))$

Let $c_2Emeasure_2Emeasure : \iota \Rightarrow \iota$ be given. Assume the following.

$$\begin{aligned} \forall A_27a.nonempty\ A_27a \Rightarrow c_2Emeasure_2Emeasure\ A_27a \in (\\ (ty_2Erealax_2Ereal^{(2^{A_27a})})^{(ty_2Epair_2Eprod\ (2^{A_27a}))\ (ty_2Epair_2Eprod\ (2^{(2^{A_27a})})\ (ty_2Erealax_2Ereal^{(2^{A_27a})})})} \end{aligned} \quad (31)$$

Let $c_2Erealax_2Etrealm_add : \iota$ be given. Assume the following.

$$c_2Erealax_2Etrealm_add \in (((ty_2Epair_2Eprod\ ty_2Ehreal_2Ehreal\ ty_2Ehreal_2Ehreal)^{(ty_2Epair_2Eprod\ ty_2Ehreal_2Ehreal\ ty_2Ehreal_2Ehreal)})^{(ty_2Epair_2Eprod\ ty_2Ehreal_2Ehreal\ ty_2Ehreal_2Ehreal)}) \quad (32)$$

Definition 43 We define $c_2Erealax_2Ereal_add$ to be $\lambda V0T1 \in ty_2Erealax_2Ereal.\lambda V1T2 \in ty_2Erealax_2Ereal$

Definition 44 We define $c_2Ereal_sigma_2EREAL_SUM_IMAGE$ to be $\lambda A_27a : \iota.\lambda V0f \in (ty_2Erealax_2Ereal)$

Definition 45 We define $c_2Elebesgue_2Epos_simple_fn_integral$ to be $\lambda A_27a : \iota.\lambda V0m \in (ty_2Epair_2Eprod\ (2^{A_27a}))$

Definition 46 We define $c_2E\text{lebesgue_2Epsfis}$ to be $\lambda A_27a : \iota.\lambda V0m \in (ty_2E\text{pair_2Eprod } (2^{A-27a}) (ty_2E\text{pair_2Eprod } (2^{A-27a}) (2^{2^{A-27a}})))$

Definition 47 We define $c_2E\text{real_2Esup}$ to be $\lambda V0P \in (2^{ty_2E\text{realax_2Ereal}}).(ap (c_2E\text{min_2E40 } ty_2E\text{realax_2Ereal}))$

Definition 48 We define $c_2E\text{extreal_2Eextreal_sup}$ to be $\lambda V0p \in (2^{ty_2E\text{extreal_2Eextreal}}).(ap (ap (ap (c_2E\text{min_2E40 } ty_2E\text{extreal_2Eextreal}))))$

Definition 49 We define $c_2E\text{lebesgue_2Epos_fn_integral}$ to be $\lambda A_27a : \iota.\lambda V0m \in (ty_2E\text{pair_2Eprod } (2^{A-27a}) (ty_2E\text{pair_2Eprod } (2^{A-27a}) (2^{2^{A-27a}})))$

Definition 50 We define $c_2E\text{measure_2Efn_plus}$ to be $\lambda A_27a : \iota.\lambda V0f \in (ty_2E\text{extreal_2Eextreal}^{A-27a})$

Definition 51 We define $c_2E\text{pred_set_2EUNIV}$ to be $\lambda A_27a : \iota.(\lambda V0x \in A_27a.c_2E\text{bool_2EET})$.

Let $c_2E\text{measure_2Esubsets} : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty A_27a \Rightarrow c_2E\text{measure_2Esubsets } A_27a \in ((2^{(2^{A-27a})}) (ty_2E\text{pair_2Eprod } (2^{A-27a}) (2^{(2^{A-27a})}))) \quad (33)$$

Definition 52 We define $c_2E\text{pred_set_2ESUBSET}$ to be $\lambda A_27a : \iota.\lambda V0s \in (2^{A-27a}).\lambda V1t \in (2^{A-27a}).(ap (c_2E\text{bool_2EET}))$

Definition 53 We define $c_2E\text{pred_set_2EINJ}$ to be $\lambda A_27a : \iota.\lambda A_27b : \iota.\lambda V0f \in (A_27b^{A-27a}).\lambda V1s \in (2^{A-27a})$

Definition 54 We define $c_2E\text{pred_set_2Ecountable}$ to be $\lambda A_27a : \iota.\lambda V0s \in (2^{A-27a}).(ap (c_2E\text{bool_2E3F}))$

Definition 55 We define $c_2E\text{pred_set_2EUNION}$ to be $\lambda A_27a : \iota.\lambda V0s \in (2^{A-27a}).\lambda V1t \in (2^{A-27a}).(ap (c_2E\text{bool_2EET}))$

Let $c_2E\text{measure_2Espace} : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty A_27a \Rightarrow c_2E\text{measure_2Espace } A_27a \in ((2^{A-27a}) (ty_2E\text{pair_2Eprod } (2^{A-27a}) (2^{(2^{A-27a})}))) \quad (34)$$

Definition 56 We define $c_2E\text{pred_set_2EDIFF}$ to be $\lambda A_27a : \iota.\lambda V0s \in (2^{A-27a}).\lambda V1t \in (2^{A-27a}).(ap (c_2E\text{bool_2EET}))$

Definition 57 We define $c_2E\text{measure_2Esubset_class}$ to be $\lambda A_27a : \iota.\lambda V0sp \in (2^{A-27a}).\lambda V1sts \in (2^{(2^{A-27a})})$

Definition 58 We define $c_2E\text{measure_2Ealgebra}$ to be $\lambda A_27a : \iota.\lambda V0a \in (ty_2E\text{pair_2Eprod } (2^{A-27a}) (2^{(2^{A-27a})}))$

Definition 59 We define $c_2E\text{measure_2Esigma_algebra}$ to be $\lambda A_27a : \iota.\lambda V0a \in (ty_2E\text{pair_2Eprod } (2^{A-27a}) (2^{(2^{A-27a})}))$

Definition 60 We define $c_2E\text{pred_set_2EBIGINTER}$ to be $\lambda A_27a : \iota.\lambda V0P \in (2^{(2^{A-27a})}).(ap (c_2E\text{pred_set_2EINJ}))$

Definition 61 We define $c_2E\text{measure_2Esigma}$ to be $\lambda A_27a : \iota.\lambda V0sp \in (2^{A-27a}).\lambda V1st \in (2^{(2^{A-27a})}).(ap (c_2E\text{measure_2Esubset_class}))$

Definition 62 We define $c_2E\text{measure_2EBorel}$ to be $(ap (ap (c_2E\text{measure_2Esigma } ty_2E\text{extreal_2Eextreal})))$

Definition 63 We define $c_2E\text{pred_set_2EPREIMAGE}$ to be $\lambda A_27a : \iota.\lambda A_27b : \iota.\lambda V0f \in (A_27b^{A-27a}).\lambda V1s \in (2^{A-27a})$

Definition 64 We define $c_2E\text{pred_set_2EFUNSET}$ to be $\lambda A_27a : \iota.\lambda A_27b : \iota.\lambda V0P \in (2^{A-27a}).\lambda V1Q \in (2^{A-27a})$

Definition 65 We define $c_2E\text{measure_2Emeasurable}$ to be $\lambda A_27a : \iota.\lambda A_27b : \iota.\lambda V0a \in (ty_2E\text{pair_2Eprod } (2^{A-27a}) (2^{(2^{A-27a})}))$

Definition 66 We define $c_2E\text{lebesgue_}2E\text{integrable}$ to be $\lambda A_27a : \iota.\lambda V0m \in (ty_2E\text{pair_}2E\text{prod } (2^{A_27a}))$

Definition 67 We define $c_2E\text{measure_}2E\text{positive}$ to be $\lambda A_27a : \iota.\lambda V0m \in (ty_2E\text{pair_}2E\text{prod } (2^{A_27a}))$

Let $c_2E\text{real_}2E\text{sum} : \iota$ be given. Assume the following.

$$c_2E\text{real_}2E\text{sum} \in ((ty_2E\text{realax_}2E\text{real}^{(ty_2E\text{realax_}2E\text{real}^{ty_2E\text{enum_}2E\text{enum}})})^{(ty_2E\text{pair_}2E\text{prod } ty_2E\text{enum_}2E\text{enum})}) \quad (35)$$

Definition 68 We define $c_2E\text{prim_rec_}2E_3C$ to be $\lambda V0m \in ty_2E\text{enum_}2E\text{enum}.\lambda V1n \in ty_2E\text{enum_}2E\text{enum}$

Definition 69 We define $c_2E\text{arithmic_}2E_3E$ to be $\lambda V0m \in ty_2E\text{enum_}2E\text{enum}.\lambda V1n \in ty_2E\text{enum_}2E\text{enum}$

Definition 70 We define $c_2E\text{arithmic_}2E_3E_3D$ to be $\lambda V0m \in ty_2E\text{enum_}2E\text{enum}.\lambda V1n \in ty_2E\text{enum_}2E\text{enum}$

Let $c_2E\text{realax_}2E\text{treal_neg} : \iota$ be given. Assume the following.

$$c_2E\text{realax_}2E\text{treal_neg} \in ((ty_2E\text{pair_}2E\text{prod } ty_2E\text{hreal_}2E\text{hreal } ty_2E\text{hreal_}2E\text{hreal})^{(ty_2E\text{pair_}2E\text{prod } ty_2E\text{hreal_}2E\text{hreal } ty_2E\text{hreal_}2E\text{hreal})}) \quad (36)$$

Definition 71 We define $c_2E\text{realax_}2E\text{real_neg}$ to be $\lambda V0T1 \in ty_2E\text{realax_}2E\text{real}.$ (ap $c_2E\text{realax_}2E\text{real}$.)

Definition 72 We define $c_2E\text{real_}2E\text{real_sub}$ to be $\lambda V0x \in ty_2E\text{realax_}2E\text{real}.\lambda V1y \in ty_2E\text{realax_}2E\text{real}$

Definition 73 We define $c_2E\text{real_}2E\text{eabs}$ to be $\lambda V0x \in ty_2E\text{realax_}2E\text{real}.$ (ap (ap (ap ($c_2E\text{bool_}2E\text{CONJ}$))))

Let $ty_2E\text{metric_}2E\text{metric} : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0.\text{nonempty } A0 \Rightarrow \text{nonempty } (ty_2E\text{metric_}2E\text{metric } A0) \quad (37)$$

Let $c_2E\text{metric_}2E\text{metric} : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.\text{nonempty } A_27a \Rightarrow c_2E\text{metric_}2E\text{metric } A_27a \in ((ty_2E\text{metric_}2E\text{metric } A_27a)^{(ty_2E\text{realax_}2E\text{real}^{(ty_2E\text{pair_}2E\text{prod } A_27a } A_27a)})}) \quad (38)$$

Definition 74 We define $c_2E\text{metric_}2E\text{mr1}$ to be (ap ($c_2E\text{metric_}2E\text{metric } ty_2E\text{realax_}2E\text{real}$)) (ap (c .)

Let $c_2E\text{metric_}2E\text{dist} : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.\text{nonempty } A_27a \Rightarrow c_2E\text{metric_}2E\text{dist } A_27a \in ((ty_2E\text{realax_}2E\text{real}^{(ty_2E\text{pair_}2E\text{prod } A_27a } A_27a)}) \quad (39)$$

Let $ty_2E\text{topology_}2E\text{topology} : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0.\text{nonempty } A0 \Rightarrow \text{nonempty } (ty_2E\text{topology_}2E\text{topology } A0) \quad (40)$$

Let $c_2E\text{topology_}2E\text{topology} : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.\text{nonempty } A_27a \Rightarrow c_2E\text{topology_}2E\text{topology } A_27a \in ((ty_2E\text{topology_}2E\text{topology } A_27a)^{(2^{(2^{A_27a})})}) \quad (41)$$

Definition 75 We define $c_2Emetric_2Emtop$ to be $\lambda A_27a : \iota.\lambda V0m \in (ty_2Emetric_2Emetric A_27a).(ap$
 Let $c_2Enets_2Etends : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\begin{aligned} & \forall A_27a.nonempty A_27a \Rightarrow \forall A_27b.nonempty A_27b \Rightarrow c_2Enets_2Etends \\ & A_27a A_27b \in (((2^{(ty_2Epair_2Eprod (ty_2Etopology_2Etopology A_27a) ((2^{A_27b})^{A_27b}))})_{A_27a})(A_27a^{A_27b})) \end{aligned} \quad (42)$$

Definition 76 We define $c_2Eseq_2E_2D_2D_3E$ to be $\lambda V0x \in (ty_2Erealx_2Ereal^{ty_2Enum_2Enum}).\lambda V1x$

Definition 77 We define c_2Eseq_2Esums to be $\lambda V0f \in (ty_2Erealx_2Ereal^{ty_2Enum_2Enum}).\lambda V1s \in ty_2$

Definition 78 We define $c_2Emeasure_2Ecountably_additive$ to be $\lambda A_27a : \iota.\lambda V0m \in (ty_2Epair_2Eprod (2^A$

Definition 79 We define $c_2Emeasure_2Emeasure_space$ to be $\lambda A_27a : \iota.\lambda V0m \in (ty_2Epair_2Eprod (2^A$
 Assume the following.

$$True \quad (43)$$

Assume the following.

$$\begin{aligned} & (\forall V0t1 \in 2.(\forall V1t2 \in 2.(((p V0t1) \Rightarrow (p V1t2)) \Rightarrow (((p \\ & V1t2) \Rightarrow (p V0t1)) \Rightarrow ((p V0t1) \Leftrightarrow (p V1t2)))))) \end{aligned} \quad (44)$$

Assume the following.

$$(\forall V0t \in 2.(False \Rightarrow (p V0t))) \quad (45)$$

Assume the following.

$$(\forall V0t \in 2.((p V0t) \vee \neg(p V0t))) \quad (46)$$

Assume the following.

$$\begin{aligned} & \forall A_27a.nonempty A_27a \Rightarrow (\forall V0t \in 2.((\forall V1x \in \\ & A_27a.(p V0t) \Leftrightarrow (p V0t))) \end{aligned} \quad (47)$$

Assume the following.

$$\begin{aligned} & (\forall V0t \in 2.(((True \wedge (p V0t)) \Leftrightarrow (p V0t)) \wedge (((p V0t) \wedge True) \Leftrightarrow \\ & (p V0t)) \wedge (((False \wedge (p V0t)) \Leftrightarrow False) \wedge (((p V0t) \wedge False) \Leftrightarrow False) \wedge \\ & (((p V0t) \wedge (p V0t)) \Leftrightarrow (p V0t)))))) \end{aligned} \quad (48)$$

Assume the following.

$$\begin{aligned} & (\forall V0t \in 2.(((True \vee (p V0t)) \Leftrightarrow True) \wedge (((p V0t) \vee True) \Leftrightarrow True) \wedge \\ & (((False \vee (p V0t)) \Leftrightarrow (p V0t)) \wedge (((p V0t) \vee False) \Leftrightarrow (p V0t)) \wedge (((p V0t) \vee \\ & (p V0t)) \Leftrightarrow (p V0t)))))) \end{aligned} \quad (49)$$

Assume the following.

$$(\forall V0t \in 2.(((True \Rightarrow (p V0t)) \Leftrightarrow (p V0t)) \wedge (((p V0t) \Rightarrow True) \Leftrightarrow True) \wedge (((False \Rightarrow (p V0t)) \Leftrightarrow True) \wedge (((p V0t) \Rightarrow (p V0t)) \Leftrightarrow True) \wedge ((p V0t) \Rightarrow False) \Leftrightarrow (\neg(p V0t)))))) \quad (50)$$

Assume the following.

$$((\forall V0t \in 2.((\neg(\neg(p V0t))) \Leftrightarrow (p V0t)) \wedge (((\neg True) \Leftrightarrow False) \wedge ((\neg False) \Leftrightarrow True))) \quad (51)$$

Assume the following.

$$\forall A_27a.nonempty A_27a \Rightarrow (\forall V0x \in A_27a.(V0x = V0x)) \quad (52)$$

Assume the following.

$$\forall A_27a.nonempty A_27a \Rightarrow (\forall V0x \in A_27a.((V0x = V0x) \Leftrightarrow True)) \quad (53)$$

Assume the following.

$$\forall A_27a.nonempty A_27a \Rightarrow (\forall V0x \in A_27a.(\forall V1y \in A_27a.((V0x = V1y) \Leftrightarrow (V1y = V0x)))) \quad (54)$$

Assume the following.

$$\forall A_27a.nonempty A_27a \Rightarrow \forall A_27b.nonempty A_27b \Rightarrow (\forall V0f \in (A_27b^{A_27a}).(\forall V1g \in (A_27b^{A_27a}).((V0f = V1g) \Leftrightarrow (\forall V2x \in A_27a.((ap V0f V2x) = (ap V1g V2x)))))) \quad (55)$$

Assume the following.

$$(\forall V0t \in 2.(((True \Leftrightarrow (p V0t)) \Leftrightarrow (p V0t)) \wedge (((p V0t) \Leftrightarrow True) \Leftrightarrow (p V0t)) \wedge (((False \Leftrightarrow (p V0t)) \Leftrightarrow (\neg(p V0t))) \wedge (((p V0t) \Leftrightarrow False) \Leftrightarrow (\neg(p V0t)))))) \quad (56)$$

Assume the following.

$$\forall A_27a.nonempty A_27a \Rightarrow (\forall V0t1 \in A_27a.(\forall V1t2 \in A_27a.(((ap (ap (ap (c_2Ebool_2ECOND A_27a) c_2Ebool_2ET) V0t1) V1t2) = V0t1) \wedge ((ap (ap (ap (c_2Ebool_2ECOND A_27a) c_2Ebool_2EF) V0t1) V1t2) = V1t2)))) \quad (57)$$

Assume the following.

$$\forall A_27a.nonempty A_27a \Rightarrow (\forall V0P \in 2.(\forall V1Q \in (2^{A_27a}).(((p V0P) \wedge (\forall V2x \in A_27a.(p (ap V1Q V2x)))) \Leftrightarrow (\forall V3x \in A_27a.((p V0P) \wedge (p (ap V1Q V3x)))))) \quad (58)$$

Assume the following.

$$\begin{aligned} \forall A_27a.nonempty\ A_27a \Rightarrow (\forall V0P \in 2. (\forall V1Q \in (\\ 2^{A_27a}). ((\forall V2x \in A_27a. ((p\ V0P) \vee (p\ (ap\ V1Q\ V2x)))) \Leftrightarrow ((p \\ V0P) \vee (\forall V3x \in A_27a. (p\ (ap\ V1Q\ V3x)))))) \end{aligned} \quad (59)$$

Assume the following.

$$\begin{aligned} (\forall V0A \in 2. (\forall V1B \in 2. (\forall V2C \in 2. (((p\ V0A) \vee (\\ (p\ V1B) \wedge (p\ V2C))) \Leftrightarrow (((p\ V0A) \vee (p\ V1B)) \wedge ((p\ V0A) \vee (p\ V2C)))))) \end{aligned} \quad (60)$$

Assume the following.

$$\begin{aligned} (\forall V0t1 \in 2. (\forall V1t2 \in 2. (\forall V2t3 \in 2. (((p\ V0t1) \Rightarrow \\ ((p\ V1t2) \Rightarrow (p\ V2t3))) \Leftrightarrow (((p\ V0t1) \wedge (p\ V1t2)) \Rightarrow (p\ V2t3)))))) \end{aligned} \quad (61)$$

Assume the following.

$$\begin{aligned} \forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow (\\ \forall V0b \in 2. (\forall V1f \in (A_27b^{A_27a}). (\forall V2g \in (A_27b^{A_27a}). \\ (\forall V3x \in A_27a. ((ap\ (ap\ (ap\ (ap\ (c_2Ebool_2ECOND\ A_27b^{A_27a}) \\ V0b)\ V1f)\ V2g)\ V3x) = (ap\ (ap\ (ap\ (c_2Ebool_2ECOND\ A_27b)\ V0b)\ (ap \\ V1f\ V3x))\ (ap\ V2g\ V3x)))))) \end{aligned} \quad (62)$$

Assume the following.

$$\begin{aligned} \forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow (\\ \forall V0f \in (A_27b^{A_27a}). (\forall V1b \in 2. (\forall V2x \in A_27a. \\ (\forall V3y \in A_27a. ((ap\ V0f\ (ap\ (ap\ (ap\ (c_2Ebool_2ECOND\ A_27a) \\ V1b)\ V2x)\ V3y)) = (ap\ (ap\ (ap\ (c_2Ebool_2ECOND\ A_27b)\ V1b)\ (ap\ V0f \\ V2x))\ (ap\ V0f\ V3y)))))) \end{aligned} \quad (63)$$

Assume the following.

$$\begin{aligned} (\forall V0x \in 2. (\forall V1x_27 \in 2. (\forall V2y \in 2. (\forall V3y_27 \in \\ 2. (((p\ V0x) \Leftrightarrow (p\ V1x_27)) \wedge ((p\ V1x_27) \Rightarrow ((p\ V2y) \Leftrightarrow (p\ V3y_27)))) \Rightarrow \\ (((p\ V0x) \Rightarrow (p\ V2y)) \Leftrightarrow ((p\ V1x_27) \Rightarrow (p\ V3y_27)))))) \end{aligned} \quad (64)$$

Assume the following.

$$\begin{aligned} \forall A_27a.nonempty\ A_27a \Rightarrow (\forall V0P \in 2. (\forall V1Q \in 2. \\ (\forall V2x \in A_27a. (\forall V3x_27 \in A_27a. (\forall V4y \in A_27a. \\ (\forall V5y_27 \in A_27a. (((p\ V0P) \Leftrightarrow (p\ V1Q)) \wedge (((p\ V1Q) \Rightarrow (V2x = V3x_27)) \wedge \\ ((\neg(p\ V1Q)) \Rightarrow (V4y = V5y_27)))) \Rightarrow ((ap\ (ap\ (ap\ (c_2Ebool_2ECOND\ A_27a) \\ V0P)\ V2x)\ V4y) = (ap\ (ap\ (ap\ (c_2Ebool_2ECOND\ A_27a)\ V1Q)\ V3x_27) \\ V5y_27)))))) \end{aligned} \quad (65)$$

Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow (\forall V0x \in A_27a. ((ap\ (c_2Ecombin_2EI \\ A_27a)\ V0x) = V0x)) \quad (66)$$

Assume the following.

$$\begin{aligned}
& \forall A_{27a}. \text{nonempty } A_{27a} \Rightarrow \forall A_{27b}. \text{nonempty } A_{27b} \Rightarrow (\\
& \quad \forall V0f \in (A_{27b}^{A_{27a}}). (((\text{ap } (\text{ap } (\text{c_2Ecombin_2Eo } A_{27a} A_{27b} \\
& A_{27b}) (\text{c_2Ecombin_2EI } A_{27b})) V0f) = V0f) \wedge ((\text{ap } (\text{ap } (\text{c_2Ecombin_2Eo} \\
& A_{27a} A_{27b} A_{27a}) V0f) (\text{c_2Ecombin_2EI } A_{27a})) = V0f)))
\end{aligned}
\tag{67}$$

Assume the following.

$$\begin{aligned}
& (\forall V0x \in ty_2Erealx_2Ereal. (\forall V1y \in ty_2Erealx_2Ereal. \\
& \quad (((ap (ap c_2Eextreal_2Eextreal_mul c_2Eextreal_2ENegInf) \\
c_2Eextreal_2ENegInf) = c_2Eextreal_2EPosInf) \wedge (((ap (ap c_2Eextreal_2Eextreal_mul \\
& \quad c_2Eextreal_2ENegInf) c_2Eextreal_2EPosInf) = c_2Eextreal_2ENegInf) \wedge \\
& \quad (((ap (ap c_2Eextreal_2Eextreal_mul c_2Eextreal_2EPosInf) \\
c_2Eextreal_2ENegInf) = c_2Eextreal_2ENegInf) \wedge (((ap (ap c_2Eextreal_2Eextreal_mul \\
& \quad c_2Eextreal_2EPosInf) c_2Eextreal_2EPosInf) = c_2Eextreal_2EPosInf) \wedge \\
& \quad (((ap (ap c_2Eextreal_2Eextreal_mul (ap c_2Eextreal_2ENormal \\
V0x)) c_2Eextreal_2ENegInf) = (ap (ap (ap (c_2Ebool_2ECOND ty_2Eextreal_2Eextreal) \\
& \quad (ap (ap (c_2Emin_2E_3D ty_2Erealx_2Ereal) V0x) (ap c_2Ereal_2Ereal_of_num \\
c_2Enum_2E0))) (ap c_2Eextreal_2ENormal (ap c_2Ereal_2Ereal_of_num \\
& \quad c_2Enum_2E0))) (ap (ap (ap (c_2Ebool_2ECOND ty_2Eextreal_2Eextreal) \\
& \quad (ap (ap c_2Erealx_2Ereal_lt (ap c_2Ereal_2Ereal_of_num c_2Enum_2E0)) \\
V0x)) c_2Eextreal_2ENegInf) c_2Eextreal_2EPosInf))) \wedge ((ap \\
& \quad (ap c_2Eextreal_2Eextreal_mul c_2Eextreal_2ENegInf) (ap c_2Eextreal_2ENormal \\
V1y)) = (ap (ap (ap (c_2Ebool_2ECOND ty_2Eextreal_2Eextreal) (\\
& \quad ap (ap (c_2Emin_2E_3D ty_2Erealx_2Ereal) V1y) (ap c_2Ereal_2Ereal_of_num \\
c_2Enum_2E0))) (ap c_2Eextreal_2ENormal (ap c_2Ereal_2Ereal_of_num \\
& \quad c_2Enum_2E0))) (ap (ap (ap (c_2Ebool_2ECOND ty_2Eextreal_2Eextreal) \\
& \quad (ap (ap c_2Erealx_2Ereal_lt (ap c_2Ereal_2Ereal_of_num c_2Enum_2E0)) \\
V1y)) c_2Eextreal_2ENegInf) c_2Eextreal_2EPosInf))) \wedge ((ap \\
& \quad (ap c_2Eextreal_2Eextreal_mul (ap c_2Eextreal_2ENormal V0x)) \\
c_2Eextreal_2EPosInf) = (ap (ap (ap (c_2Ebool_2ECOND ty_2Eextreal_2Eextreal) \\
& \quad (ap (ap (c_2Emin_2E_3D ty_2Erealx_2Ereal) V0x) (ap c_2Ereal_2Ereal_of_num \\
c_2Enum_2E0))) (ap c_2Eextreal_2ENormal (ap c_2Ereal_2Ereal_of_num \\
& \quad c_2Enum_2E0))) (ap (ap (ap (c_2Ebool_2ECOND ty_2Eextreal_2Eextreal) \\
& \quad (ap (ap c_2Erealx_2Ereal_lt (ap c_2Ereal_2Ereal_of_num c_2Enum_2E0)) \\
V0x)) c_2Eextreal_2EPosInf) c_2Eextreal_2ENegInf))) \wedge ((ap \\
& \quad (ap c_2Eextreal_2Eextreal_mul c_2Eextreal_2EPosInf) (ap c_2Eextreal_2ENormal \\
V1y)) = (ap (ap (ap (c_2Ebool_2ECOND ty_2Eextreal_2Eextreal) (\\
& \quad ap (ap (c_2Emin_2E_3D ty_2Erealx_2Ereal) V1y) (ap c_2Ereal_2Ereal_of_num \\
c_2Enum_2E0))) (ap c_2Eextreal_2ENormal (ap c_2Ereal_2Ereal_of_num \\
& \quad c_2Enum_2E0))) (ap (ap (ap (c_2Ebool_2ECOND ty_2Eextreal_2Eextreal) \\
& \quad (ap (ap c_2Erealx_2Ereal_lt (ap c_2Ereal_2Ereal_of_num c_2Enum_2E0)) \\
V1y)) c_2Eextreal_2EPosInf) c_2Eextreal_2ENegInf))) \wedge ((ap (\\
& \quad ap c_2Eextreal_2Eextreal_mul (ap c_2Eextreal_2ENormal V0x)) \\
& \quad (ap c_2Eextreal_2ENormal V1y)) = (ap c_2Eextreal_2ENormal (ap \\
& \quad (ap c_2Erealx_2Ereal_mul V0x) V1y)))))))))))))
\end{aligned} \tag{68}$$

Assume the following.

$$\begin{aligned}
& (\forall V0n \in ty_2Enum_2Enum. ((\neg((ap c_2Eextreal_2Eextreal_of_num \\
V0n) = c_2Eextreal_2ENegInf)) \wedge (\neg((ap c_2Eextreal_2Eextreal_of_num \\
& \quad V0n) = c_2Eextreal_2EPosInf))))
\end{aligned} \tag{69}$$

Assume the following.

$$\begin{aligned}
& (\forall V0x \in ty_2Eextreal_2Eextreal. ((ap (ap c_2Eextreal_2Eextreal_mul \\
& V0x) (ap c_2Eextreal_2Eextreal_of_num c_2Enum_2E0)) = (ap c_2Eextreal_2Eextreal_of_num \\
& c_2Enum_2E0)))
\end{aligned} \tag{70}$$

Assume the following.

$$\begin{aligned}
& (\forall V0x \in ty_2Eextreal_2Eextreal. ((ap (ap c_2Eextreal_2Eextreal_mul \\
& V0x) (ap c_2Eextreal_2Eextreal_of_num (ap c_2Earithmetic_2ENUMERAL \\
& (ap c_2Earithmetic_2EBIT1 c_2Earithmetic_2EZERO)))) = V0x))
\end{aligned} \tag{71}$$

Assume the following.

$$\begin{aligned}
& (\forall V0x \in ty_2Eextreal_2Eextreal. (p (ap (ap c_2Eextreal_2Eextreal_le \\
& V0x) V0x)))
\end{aligned} \tag{72}$$

Assume the following.

$$\begin{aligned}
& (\forall V0x \in ty_2Eextreal_2Eextreal. (\forall V1y \in ty_2Erealax_2Ereal. \\
& ((p (ap (ap c_2Eextreal_2Eextreal_lt c_2Eextreal_2ENegInf) \\
& (ap c_2Eextreal_2ENormal V1y))) \wedge ((p (ap (ap c_2Eextreal_2Eextreal_lt \\
& (ap c_2Eextreal_2ENormal V1y) c_2Eextreal_2EPosInf)) \wedge ((p (\\
& ap (ap c_2Eextreal_2Eextreal_lt c_2Eextreal_2ENegInf) c_2Eextreal_2EPosInf)) \wedge \\
& ((\neg (p (ap (ap c_2Eextreal_2Eextreal_lt V0x) c_2Eextreal_2ENegInf)))) \wedge \\
& ((\neg (p (ap (ap c_2Eextreal_2Eextreal_lt c_2Eextreal_2EPosInf) \\
& V0x))) \wedge ((\neg (V0x = c_2Eextreal_2EPosInf)) \Leftrightarrow (p (ap (ap c_2Eextreal_2Eextreal_lt \\
& V0x) c_2Eextreal_2EPosInf)))) \wedge ((\neg (V0x = c_2Eextreal_2ENegInf)) \Leftrightarrow \\
& (p (ap (ap c_2Eextreal_2Eextreal_lt c_2Eextreal_2ENegInf) V0x))))))))))
\end{aligned} \tag{73}$$

Assume the following.

$$\begin{aligned}
& (\forall V0x \in ty_2Eextreal_2Eextreal. (\forall V1y \in ty_2Eextreal_2Eextreal. \\
& ((p (ap (ap c_2Eextreal_2Eextreal_lt V0x) V1y))) \Rightarrow (p (ap (ap c_2Eextreal_2Eextreal_le \\
& V0x) V1y))))))
\end{aligned} \tag{74}$$

Assume the following.

$$\begin{aligned}
& (\forall V0x \in ty_2Eextreal_2Eextreal. (\forall V1y \in ty_2Eextreal_2Eextreal. \\
& (\forall V2z \in ty_2Eextreal_2Eextreal. (((p (ap (ap c_2Eextreal_2Eextreal_lt \\
& V0x) V1y)) \wedge (p (ap (ap c_2Eextreal_2Eextreal_le V1y) V2z))) \Rightarrow (\\
& p (ap (ap c_2Eextreal_2Eextreal_lt V0x) V2z))))))
\end{aligned} \tag{75}$$

Assume the following.

$$\begin{aligned}
& ((\forall V0x \in ty_2Eextreal_2Eextreal.(((ap (ap c_2Eextreal_2Eextreal_add \\
& \quad V0x) c_2Eextreal_2EPosInf) = c_2Eextreal_2EPosInf) \wedge ((ap (ap \\
& c_2Eextreal_2Eextreal_add c_2Eextreal_2EPosInf) V0x) = c_2Eextreal_2EPosInf)))) \wedge \\
& (\forall V1x \in ty_2Eextreal_2Eextreal.((\neg(V1x = c_2Eextreal_2EPosInf)) \Rightarrow \\
& ((ap (ap c_2Eextreal_2Eextreal_add V1x) c_2Eextreal_2ENegInf) = \\
& \quad c_2Eextreal_2ENegInf) \wedge ((ap (ap c_2Eextreal_2Eextreal_add \\
& \quad c_2Eextreal_2ENegInf) V1x) = c_2Eextreal_2ENegInf)))))) \\
& \hspace{15em} (76)
\end{aligned}$$

Assume the following.

$$\begin{aligned}
& \forall A_27a.nonempty A_27a \Rightarrow (\forall V0m \in (ty_2Epair_2Eprod \\
& \quad (2^{A_27a}) (ty_2Epair_2Eprod (2^{(2^{A_27a})}) (ty_2Erealax_2Ereal^{(2^{A_27a})}))))). \\
& (\forall V1f \in (ty_2Eextreal_2Eextreal^{A_27a}).(((p (ap (c_2Emeasure_2Emeasure_space \\
& \quad A_27a) V0m)) \wedge (\forall V2x \in A_27a.(p (ap (ap c_2Eextreal_2Eextreal_le \\
& \quad (ap c_2Eextreal_2Eextreal_of_num c_2Enum_2E0)) (ap V1f V2x)))))) \Rightarrow \\
& (p (ap (ap c_2Eextreal_2Eextreal_le (ap c_2Eextreal_2Eextreal_of_num \\
& \quad c_2Enum_2E0)) (ap (ap (c_2Elebesgue_2Epos_fn_integral A_27a) \\
& \quad V0m) V1f)))))) \\
& \hspace{15em} (77)
\end{aligned}$$

Assume the following.

$$\begin{aligned}
& \forall A_27a.nonempty A_27a \Rightarrow (\forall V0m \in (ty_2Epair_2Eprod \\
& \quad (2^{A_27a}) (ty_2Epair_2Eprod (2^{(2^{A_27a})}) (ty_2Erealax_2Ereal^{(2^{A_27a})}))))). \\
& (\forall V1f \in (ty_2Eextreal_2Eextreal^{A_27a}).(\forall V2s \in (\\
& \quad 2^{A_27a}).(((p (ap (c_2Emeasure_2Emeasure_space A_27a) V0m)) \wedge \\
& ((p (ap (ap (c_2Ebool_2EIN (2^{A_27a}) V2s) (ap (c_2Emeasure_2Emeasurable_sets \\
& \quad A_27a) V0m)))) \wedge ((\forall V3x \in A_27a.(p (ap (ap c_2Eextreal_2Eextreal_le \\
& \quad (ap c_2Eextreal_2Eextreal_of_num c_2Enum_2E0)) (ap V1f V3x)))) \wedge \\
& (p (ap (ap (c_2Ebool_2EIN (ty_2Eextreal_2Eextreal^{A_27a}) V1f) \\
& \quad (ap (ap (c_2Emeasure_2Emeasurable A_27a) ty_2Eextreal_2Eextreal) \\
& \quad (ap (ap (c_2Epair_2E_2C (2^{A_27a}) (2^{(2^{A_27a})})) (ap (c_2Emeasure_2Em_space \\
& \quad A_27a) V0m)) (ap (c_2Emeasure_2Emeasurable_sets A_27a) V0m))) \\
& \quad c_2Emeasure_2EBorel)))))) \Rightarrow ((ap (ap (c_2Elebesgue_2Epos_fn_integral \\
& \quad A_27a) V0m) V1f) = (ap (ap c_2Eextreal_2Eextreal_add (ap (ap (c_2Elebesgue_2Epos_fn_integral \\
& \quad A_27a) V0m) (\lambda V4x \in A_27a.(ap (ap c_2Eextreal_2Eextreal_mul \\
& \quad (ap V1f V4x)) (ap (ap (c_2Emeasure_2Eindicator_fn A_27a) V2s) \\
& \quad V4x)))) (ap (ap (c_2Elebesgue_2Epos_fn_integral A_27a) V0m) \\
& \quad (\lambda V5x \in A_27a.(ap (ap c_2Eextreal_2Eextreal_mul (ap V1f V5x)) \\
& \quad (ap (ap (c_2Emeasure_2Eindicator_fn A_27a) (ap (ap (c_2Epred_set_2EDIFF \\
& \quad A_27a) (ap (c_2Emeasure_2Em_space A_27a) V0m)) V2s)) V5x)))))))))) \\
& \hspace{15em} (78)
\end{aligned}$$

Assume the following.

$$\begin{aligned}
& \forall A.27a.nonempty\ A.27a \Rightarrow (\forall V0m \in (ty_2Epair_2Eprod \\
& (2^{A.27a}) (ty_2Epair_2Eprod (2^{(2^{A.27a})}) (ty_2Erealax_2Ereal^{(2^{A.27a})}))). \\
& (\forall V1s \in (2^{A.27a}).(((p (ap (c_2Emeasure_2Emeasure_space \\
& A.27a) V0m)) \wedge (p (ap (ap (c_2Ebool_2EIN (2^{A.27a}) V1s) (ap (c_2Emeasure_2Emeasurable_sets \\
& A.27a) V0m)))) \Rightarrow ((ap (ap (c_2Elebesgue_2Epos_fn_integral A.27a) \\
& V0m) (\lambda V2x \in A.27a.(ap (ap c_2Eextreal_2Eextreal_mul c_2Eextreal_2EPosInf) \\
& (ap (ap (c_2Emeasure_2Eindicator_fn A.27a) V1s) V2x)))) = (ap \\
& (ap c_2Eextreal_2Eextreal_mul c_2Eextreal_2EPosInf) (ap c_2Eextreal_2ENormal \\
& (ap (ap (c_2Emeasure_2Emeasure A.27a) V0m) V1s))))))))) \\
& (79)
\end{aligned}$$

Assume the following.

$$\begin{aligned}
& \forall A.27a.nonempty\ A.27a \Rightarrow (\forall V0m \in (ty_2Epair_2Eprod \\
& (2^{A.27a}) (ty_2Epair_2Eprod (2^{(2^{A.27a})}) (ty_2Erealax_2Ereal^{(2^{A.27a})}))). \\
& ((p (ap (c_2Emeasure_2Emeasure_space A.27a) V0m)) \Rightarrow (p (ap (c_2Emeasure_2Epositive \\
& A.27a) V0m)))) \\
& (80)
\end{aligned}$$

Assume the following.

$$\begin{aligned}
& \forall A.27a.nonempty\ A.27a \Rightarrow (\forall V0g \in (ty_2Eextreal_2Eextreal^{A.27a}). \\
& (\forall V1x \in A.27a.(p (ap (ap c_2Eextreal_2Eextreal_le (ap c_2Eextreal_2Eextreal_of_num \\
& c_2Enum_2E0)) (ap (ap (c_2Emeasure_2Efn_plus A.27a) V0g) V1x)))))) \\
& (81)
\end{aligned}$$

Assume the following.

$$\begin{aligned}
& \forall A.27a.nonempty\ A.27a \Rightarrow (\forall V0a \in (ty_2Epair_2Eprod \\
& (2^{A.27a}) (2^{(2^{A.27a})})).(\forall V1f \in (ty_2Eextreal_2Eextreal^{A.27a}). \\
& ((p (ap (ap (c_2Ebool_2EIN (ty_2Eextreal_2Eextreal^{A.27a}) V1f) \\
& (ap (ap (c_2Emeasure_2Emeasurable A.27a ty_2Eextreal_2Eextreal) \\
& V0a) c_2Emeasure_2EBorel))) \Rightarrow (p (ap (ap (c_2Ebool_2EIN (ty_2Eextreal_2Eextreal^{A.27a}) \\
& (ap (c_2Emeasure_2Efn_plus A.27a) V1f)) (ap (ap (c_2Emeasure_2Emeasurable \\
& A.27a ty_2Eextreal_2Eextreal) V0a) c_2Emeasure_2EBorel))))))))) \\
& (82)
\end{aligned}$$

Assume the following.

$$\begin{aligned}
& (\forall V0x \in ty_2Erealax_2Ereal.(\forall V1y \in ty_2Erealax_2Ereal. \\
& ((p (ap (ap c_2Erealax_2Ereal_lt V0x) V1y)) \Leftrightarrow ((p (ap (ap c_2Ereal_2Ereal_lte \\
& V0x) V1y)) \wedge (\neg(V0x = V1y)))))) \\
& (83)
\end{aligned}$$

Assume the following.

$$\begin{aligned}
& (\forall V0x \in ty_2Erealax_2Ereal.(\forall V1y \in ty_2Erealax_2Ereal. \\
& ((p (ap (ap c_2Erealax_2Ereal_lt V0x) V1y)) \Rightarrow (\neg(V0x = V1y)))))) \\
& (84)
\end{aligned}$$

Assume the following.

$$(\forall V0t \in 2.((\neg(\neg(p\ V0t))) \Leftrightarrow (p\ V0t))) \quad (85)$$

Assume the following.

$$(\forall V0A \in 2.((p \vee 0A) \Rightarrow ((\neg(p \vee 0A)) \Rightarrow \text{False}))) \quad (86)$$

Assume the following.

$$(\forall V0A \in 2.(\forall V1B \in 2.(((\neg((p \vee 0A) \vee (p \vee 1B))) \Rightarrow \text{False}) \Leftrightarrow ((p \vee 0A) \Rightarrow \text{False}) \Rightarrow ((\neg(p \vee 1B)) \Rightarrow \text{False})))) \quad (87)$$

Assume the following.

$$(\forall V0A \in 2.(\forall V1B \in 2.(((\neg((\neg(p \vee 0A)) \vee (p \vee 1B))) \Rightarrow \text{False}) \Leftrightarrow ((p \vee 0A) \Rightarrow ((\neg(p \vee 1B)) \Rightarrow \text{False})))) \quad (88)$$

Assume the following.

$$(\forall V0A \in 2.(((\neg(p \vee 0A)) \Rightarrow \text{False}) \Rightarrow (((p \vee 0A) \Rightarrow \text{False}) \Rightarrow \text{False}))) \quad (89)$$

Assume the following.

$$(\forall V0p \in 2.(\forall V1q \in 2.(\forall V2r \in 2.(((p \vee 0p) \Leftrightarrow (p \vee 1q) \Leftrightarrow (p \vee 2r))) \Leftrightarrow (((p \vee 0p) \vee ((p \vee 1q) \vee (p \vee 2r))) \wedge (((p \vee 0p) \vee ((\neg(p \vee 2r)) \vee (\neg(p \vee 1q)))) \wedge (((p \vee 1q) \vee ((\neg(p \vee 2r)) \vee (\neg(p \vee 0p)))) \wedge ((p \vee 2r) \vee ((\neg(p \vee 1q)) \vee (\neg(p \vee 0p)))))))))) \quad (90)$$

Assume the following.

$$(\forall V0p \in 2.(\forall V1q \in 2.(\forall V2r \in 2.(((p \vee 0p) \Leftrightarrow (p \vee 1q) \wedge (p \vee 2r))) \Leftrightarrow (((p \vee 0p) \vee ((\neg(p \vee 1q)) \vee (\neg(p \vee 2r)))) \wedge (((p \vee 1q) \vee (\neg(p \vee 0p))) \wedge ((p \vee 2r) \vee (\neg(p \vee 0p)))))))) \quad (91)$$

Assume the following.

$$(\forall V0p \in 2.(\forall V1q \in 2.(\forall V2r \in 2.(((p \vee 0p) \Leftrightarrow (p \vee 1q) \vee (p \vee 2r))) \Leftrightarrow (((p \vee 0p) \vee (\neg(p \vee 1q))) \wedge (((p \vee 0p) \vee (\neg(p \vee 2r))) \wedge ((p \vee 1q) \vee ((p \vee 2r) \vee (\neg(p \vee 0p)))))))) \quad (92)$$

Assume the following.

$$(\forall V0p \in 2.(\forall V1q \in 2.(\forall V2r \in 2.(((p \vee 0p) \Leftrightarrow (p \vee 1q) \Rightarrow (p \vee 2r))) \Leftrightarrow (((p \vee 0p) \vee (p \vee 1q)) \wedge (((p \vee 0p) \vee (\neg(p \vee 2r))) \wedge ((\neg(p \vee 1q)) \vee ((p \vee 2r) \vee (\neg(p \vee 0p)))))))) \quad (93)$$

Assume the following.

$$(\forall V0p \in 2.(\forall V1q \in 2.(((p \vee 0p) \Leftrightarrow (\neg(p \vee 1q))) \Leftrightarrow (((p \vee 0p) \vee (p \vee 1q)) \wedge ((\neg(p \vee 1q)) \vee (\neg(p \vee 0p)))))) \quad (94)$$

Assume the following.

$$\begin{aligned}
& (\forall V0p \in 2. (\forall V1q \in 2. (\forall V2r \in 2. (\forall V3s \in \\
& 2. (((p \ V0p) \Leftrightarrow (ap \ (ap \ (ap \ (c_2Ebool_2ECOND \ 2) \ V1q) \ V2r) \ V3s))) \Leftrightarrow \\
& (((p \ V0p) \vee ((p \ V1q) \vee (\neg(p \ V3s)))) \wedge (((p \ V0p) \vee ((\neg(p \ V2r)) \vee (\neg(p \ V1q)))) \wedge \\
& (((p \ V0p) \vee ((\neg(p \ V2r)) \vee (\neg(p \ V3s)))) \wedge (((\neg(p \ V1q)) \vee ((p \ V2r) \vee (\neg(p \ V0p)))) \wedge ((p \ V1q) \vee ((p \ V3s) \vee (\neg(p \ V0p))))))))))
\end{aligned} \tag{95}$$

Assume the following.

$$(\forall V0p \in 2. (\forall V1q \in 2. ((\neg((p \ V0p) \Rightarrow (p \ V1q))) \Rightarrow (p \ V0p))) \tag{96}$$

Assume the following.

$$(\forall V0p \in 2. (\forall V1q \in 2. ((\neg((p \ V0p) \Rightarrow (p \ V1q))) \Rightarrow (\neg(p \ V1q)))) \tag{97}$$

Assume the following.

$$(\forall V0p \in 2. (\forall V1q \in 2. ((\neg((p \ V0p) \vee (p \ V1q))) \Rightarrow (\neg(p \ V0p)))) \tag{98}$$

Assume the following.

$$(\forall V0p \in 2. (\forall V1q \in 2. ((\neg((p \ V0p) \vee (p \ V1q))) \Rightarrow (\neg(p \ V1q)))) \tag{99}$$

Assume the following.

$$(\forall V0p \in 2. ((\neg(\neg(p \ V0p))) \Rightarrow (p \ V0p))) \tag{100}$$

Theorem 1

$$\begin{aligned}
& \forall A_27a.nonempty \ A_27a \Rightarrow (\forall V0m \in (ty_2Epair_2Eprod \\
& (2^{A_27a}) \ (ty_2Epair_2Eprod \ (2^{(2^{A_27a})}) \ (ty_2Erealax_2Ereal^{(2^{A_27a})}))). \\
& (\forall V1f \in (ty_2Eextreal_2Eextreal^{A_27a}). (\forall V2s \in (\\
& 2^{A_27a}). (((p \ (ap \ (c_2Emeasure_2Emeasure_space \ A_27a) \ V0m))) \wedge \\
& ((p \ (ap \ (ap \ (c_2Elebesgue_2Eintegrable \ A_27a) \ V0m) \ V1f)) \wedge ((p \ (\\
& ap \ (ap \ (c_2Ebool_2EIN \ (2^{A_27a}) \ V2s) \ (ap \ (c_2Emeasure_2Emeasurable_sets \\
& A_27a) \ V0m))) \wedge (\forall V3x \in A_27a. ((p \ (ap \ (ap \ (c_2Ebool_2EIN \ A_27a) \\
& V3x) \ V2s)) \Rightarrow ((ap \ V1f \ V3x) = c_2Eextreal_2EPosInf)))))) \Rightarrow ((ap \ (ap \\
& (c_2Emeasure_2Emeasure \ A_27a) \ V0m) \ V2s) = (ap \ c_2Ereal_2Ereal_of_num \\
& c_2Enum_2E0))))))
\end{aligned}$$