

# thm\_2ELebesgue\_2Eintegrable\_\_zero (TMaX-EGxTf5rYyuhIQoNo7RehAsmmGMsu8uJ)

October 26, 2020

**Definition 1** We define  $c\_2Emin\_2E\_40$  to be  $\lambda A.\lambda P \in 2^A.$ **if**  $(\exists x \in A.p (ap P x))$  **then**  $(the (\lambda x.x \in A \wedge p x))$  of type  $\iota \Rightarrow \iota$ .

**Definition 2** We define  $c\_2Emin\_2E\_3D$  to be  $\lambda A.\lambda x \in A.\lambda y \in A.inj\_o (x = y)$  of type  $\iota \Rightarrow \iota$ .

**Definition 3** We define  $c\_2Ebool\_2E\_3F$  to be  $\lambda A.27a : \iota.(\lambda V0P \in (2^{A-27a}).(ap V0P (ap (c\_2Emin\_2E\_40 A P))))$

**Definition 4** We define  $c\_2Ebool\_2E\_2T$  to be  $(ap (ap (c\_2Emin\_2E\_3D (2^2)) (\lambda V0x \in 2.V0x)) (\lambda V1x \in 2.V1x))$

Let  $ty\_2Eextreal\_2Eextreal : \iota$  be given. Assume the following.

$$nonempty\ ty\_2Eextreal\_2Eextreal \tag{1}$$

Let  $c\_2Eextreal\_2ENegInf : \iota$  be given. Assume the following.

$$c\_2Eextreal\_2ENegInf \in ty\_2Eextreal\_2Eextreal \tag{2}$$

Let  $ty\_2Enum\_2Enum : \iota$  be given. Assume the following.

$$nonempty\ ty\_2Enum\_2Enum \tag{3}$$

Let  $c\_2Eextreal\_2EPosInf : \iota$  be given. Assume the following.

$$c\_2Eextreal\_2EPosInf \in ty\_2Eextreal\_2Eextreal \tag{4}$$

Let  $c\_2Enum\_2EZERO\_REP : \iota$  be given. Assume the following.

$$c\_2Enum\_2EZERO\_REP \in omega \tag{5}$$

Let  $c\_2Enum\_2EABS\_num : \iota$  be given. Assume the following.

$$c\_2Enum\_2EABS\_num \in (ty\_2Enum\_2Enum^{omega}) \tag{6}$$

**Definition 5** We define  $c\_2Enum\_2E0$  to be  $(ap c\_2Enum\_2EABS\_num\ c\_2Enum\_2EZERO\_REP)$ .



**Definition 15** We define  $c\_Ebool\_2EIN$  to be  $\lambda A\_27a : \iota. (\lambda V0x \in A\_27a. (\lambda V1f \in (2^{A\_27a}). (ap\ V1f\ V0x)))$

Let  $c\_2Epair\_2EABS\_prod : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\begin{aligned} \forall A\_27a.nonempty\ A\_27a \Rightarrow \forall A\_27b.nonempty\ A\_27b \Rightarrow c\_2Epair\_2EABS\_prod \\ A\_27a\ A\_27b \in ((ty\_2Epair\_2Eprod\ A\_27a\ A\_27b)^{(2^{A\_27b}})^{A\_27a}) \end{aligned} \quad (14)$$

**Definition 16** We define  $c\_2Epair\_2E\_2C$  to be  $\lambda A\_27a : \iota. \lambda A\_27b : \iota. \lambda V0x \in A\_27a. \lambda V1y \in A\_27b. (ap\ (c\_2Epred\_set\_2EGSPEC\ A\_27a\ A\_27b))\ V0x\ V1y$

Let  $c\_2Epred\_set\_2EGSPEC : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\begin{aligned} \forall A\_27a.nonempty\ A\_27a \Rightarrow \forall A\_27b.nonempty\ A\_27b \Rightarrow c\_2Epred\_set\_2EGSPEC \\ A\_27a\ A\_27b \in ((2^{A\_27a})^{(ty\_2Epair\_2Eprod\ A\_27a\ 2)^{A\_27b}}) \end{aligned} \quad (15)$$

**Definition 17** We define  $c\_2Epred\_set\_2EIMAGE$  to be  $\lambda A\_27a : \iota. \lambda A\_27b : \iota. \lambda V0f \in (A\_27b^{A\_27a}). \lambda V1s \in A\_27b. (ap\ (c\_2Epred\_set\_2EGSPEC\ A\_27a\ A\_27b))\ V0f\ V1s$

**Definition 18** We define  $c\_2Epred\_set\_2EBIGUNION$  to be  $\lambda A\_27a : \iota. \lambda V0P \in (2^{(2^{A\_27a})}). (ap\ (c\_2Epred\_set\_2EGSPEC\ A\_27a\ A\_27a))\ V0P$

**Definition 19** We define  $c\_2Epred\_set\_2EEMPTY$  to be  $\lambda A\_27a : \iota. (\lambda V0x \in A\_27a. c\_2Ebool\_2EF)$ .

**Definition 20** We define  $c\_2Epred\_set\_2EINTER$  to be  $\lambda A\_27a : \iota. \lambda V0s \in (2^{A\_27a}). \lambda V1t \in (2^{A\_27a}). (ap\ (c\_2Epred\_set\_2EIMAGE\ A\_27a\ A\_27a))\ V0s\ V1t$

**Definition 21** We define  $c\_2Epred\_set\_2EDISJOINT$  to be  $\lambda A\_27a : \iota. \lambda V0s \in (2^{A\_27a}). \lambda V1t \in (2^{A\_27a}). (ap\ (c\_2Epred\_set\_2EIMAGE\ A\_27a\ A\_27a))\ V0s\ V1t$

Let  $ty\_2Ehreal\_2Ehreal : \iota$  be given. Assume the following.

$$nonempty\ ty\_2Ehreal\_2Ehreal \quad (16)$$

Let  $c\_2Erealax\_2Ereal\_REP\_CLASS : \iota$  be given. Assume the following.

$$c\_2Erealax\_2Ereal\_REP\_CLASS \in ((2^{(ty\_2Epair\_2Eprod\ ty\_2Ehreal\_2Ehreal\ ty\_2Ehreal\_2Ehreal)})^{ty\_2Erealax\_2Ereal\_REP\_CLASS}) \quad (17)$$

**Definition 22** We define  $c\_2Erealax\_2Ereal\_REP$  to be  $\lambda V0a \in ty\_2Erealax\_2Ereal. (ap\ (c\_2Emin\_2E40\ 2))\ V0a$

Let  $c\_2Erealax\_2Etreal\_lt : \iota$  be given. Assume the following.

$$c\_2Erealax\_2Etreal\_lt \in ((2^{(ty\_2Epair\_2Eprod\ ty\_2Ehreal\_2Ehreal\ ty\_2Ehreal\_2Ehreal)})^{(ty\_2Epair\_2Eprod\ ty\_2Ehreal\_2Ehreal)}) \quad (18)$$

**Definition 23** We define  $c\_2Erealax\_2Ereal\_lt$  to be  $\lambda V0T1 \in ty\_2Erealax\_2Ereal. \lambda V1T2 \in ty\_2Erealax\_2Ereal. (ap\ (c\_2Emin\_2E40\ 2))\ V0T1\ V1T2$

**Definition 24** We define  $c\_2Ereal\_2Ereal\_lte$  to be  $\lambda V0x \in ty\_2Erealax\_2Ereal. \lambda V1y \in ty\_2Erealax\_2Ereal. (ap\ (c\_2Emin\_2E40\ 2))\ V0x\ V1y$

**Definition 25** We define  $c\_2Ebool\_2E\_5C\_2F$  to be  $(\lambda V0t1 \in 2. (\lambda V1t2 \in 2. (ap\ (c\_2Ebool\_2E\_21\ 2))\ V0t1\ V1t2))$

**Definition 26** We define  $c\_2Epred\_set\_2EINSERT$  to be  $\lambda A\_27a : \iota. \lambda V0x \in A\_27a. \lambda V1s \in (2^{A\_27a}). (ap\ (c\_2Epred\_set\_2EIMAGE\ A\_27a\ A\_27a))\ V0x\ V1s$

**Definition 27** We define  $c\_2Epred\_set\_2EFINITE$  to be  $\lambda A\_27a : \iota. \lambda V0s \in (2^{A\_27a}). (ap\ (c\_2Ebool\_2E\_21\ 2))\ V0s$

Let  $c\_2Emeasure\_2Emeasurable\_sets : \iota \Rightarrow \iota$  be given. Assume the following.

$$\begin{aligned} & \forall A\_27a.nonempty\ A\_27a \Rightarrow c\_2Emeasure\_2Emeasurable\_sets \\ A\_27a \in & ((2^{(2^{A\_27a})})^{(ty\_2Epair\_2Eprod\ (2^{A\_27a})\ (ty\_2Epair\_2Eprod\ (2^{(2^{A\_27a})})\ (ty\_2Erealx\_2Ereal^{(2^{A\_27a})})))}) \end{aligned} \quad (19)$$

**Definition 28** We define  $c\_2Earithmetic\_2EZERO$  to be  $c\_2Enum\_2E0$ .

Let  $c\_2Enum\_2EREP\_num : \iota$  be given. Assume the following.

$$c\_2Enum\_2EREP\_num \in (\omega^{ty\_2Enum\_2Enum}) \quad (20)$$

Let  $c\_2Enum\_2ESUC\_REP : \iota$  be given. Assume the following.

$$c\_2Enum\_2ESUC\_REP \in (\omega^{\omega}) \quad (21)$$

**Definition 29** We define  $c\_2Enum\_2ESUC$  to be  $\lambda V0m \in ty\_2Enum\_2Enum.(ap\ c\_2Enum\_2EABS\_num$

Let  $c\_2Earithmetic\_2E\_2B : \iota$  be given. Assume the following.

$$c\_2Earithmetic\_2E\_2B \in ((ty\_2Enum\_2Enum^{ty\_2Enum\_2Enum})^{ty\_2Enum\_2Enum}) \quad (22)$$

**Definition 30** We define  $c\_2Earithmetic\_2EBIT1$  to be  $\lambda V0n \in ty\_2Enum\_2Enum.(ap\ (ap\ c\_2Earithmetic$

**Definition 31** We define  $c\_2Earithmetic\_2ENUMERAL$  to be  $\lambda V0x \in ty\_2Enum\_2Enum.V0x$ .

**Definition 32** We define  $c\_2Emeasure\_2Eindicator\_fn$  to be  $\lambda A\_27a : \iota.\lambda V0s \in (2^{A\_27a}).(\lambda V1x \in A\_27a.(ap$

Let  $c\_2Eextreal\_2Eextreal\_mul : \iota$  be given. Assume the following.

$$c\_2Eextreal\_2Eextreal\_mul \in ((ty\_2Eextreal\_2Eextreal^{ty\_2Eextreal\_2Eextreal})^{ty\_2Eextreal\_2Eextreal}) \quad (23)$$

Let  $c\_2Eextreal\_2Eextreal\_add : \iota$  be given. Assume the following.

$$c\_2Eextreal\_2Eextreal\_add \in ((ty\_2Eextreal\_2Eextreal^{ty\_2Eextreal\_2Eextreal})^{ty\_2Eextreal\_2Eextreal}) \quad (24)$$

Let  $c\_2Epred\_set\_2EITSET : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\begin{aligned} & \forall A\_27a.nonempty\ A\_27a \Rightarrow \forall A\_27b.nonempty\ A\_27b \Rightarrow c\_2Epred\_set\_2EITSET \\ A\_27a\ A\_27b \in & (((A\_27b^{A\_27b})^{(2^{A\_27a})})^{((A\_27b^{A\_27b})^{A\_27a})}) \end{aligned} \quad (25)$$

**Definition 33** We define  $c\_2Eextreal\_2EEXTREAL\_SUM\_IMAGE$  to be  $\lambda A\_27a : \iota.\lambda V0f \in (ty\_2Eextreal$

**Definition 34** We define  $c\_2Emeasure\_2Epos\_simple\_fn$  to be  $\lambda A\_27a : \iota.\lambda V0m \in (ty\_2Epair\_2Eprod\ (2^A$

Let  $c\_2Epair\_2ESND : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\begin{aligned} \forall A\_27a.nonempty\ A\_27a \Rightarrow \forall A\_27b.nonempty\ A\_27b \Rightarrow c\_2Epair\_2ESND \\ A\_27a\ A\_27b \in (A\_27b)^{(ty\_2Epair\_2Eprod\ A\_27a\ A\_27b)} \end{aligned} \quad (26)$$

Let  $c\_2Epair\_2EFST : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\begin{aligned} \forall A\_27a.nonempty\ A\_27a \Rightarrow \forall A\_27b.nonempty\ A\_27b \Rightarrow c\_2Epair\_2EFST \\ A\_27a\ A\_27b \in (A\_27a)^{(ty\_2Epair\_2Eprod\ A\_27a\ A\_27b)} \end{aligned} \quad (27)$$

**Definition 35** We define  $c\_2Epair\_2EUNCURRY$  to be  $\lambda A\_27a : \iota.\lambda A\_27b : \iota.\lambda A\_27c : \iota.\lambda V0f \in ((A\_27c)^{A\_27a})$

**Definition 36** We define  $c\_2Elebesgue\_2Epsfs$  to be  $\lambda A\_27a : \iota.\lambda V0m \in (ty\_2Epair\_2Eprod\ (2^{A\_27a}))\ (ty\_2Eprod\ (2^{A\_27a}))$

Let  $c\_2Emeasure\_2Emeasure : \iota \Rightarrow \iota$  be given. Assume the following.

$$\begin{aligned} \forall A\_27a.nonempty\ A\_27a \Rightarrow c\_2Emeasure\_2Emeasure\ A\_27a \in ( \\ (ty\_2Erealax\_2Ereal)^{(2^{A\_27a})})^{(ty\_2Epair\_2Eprod\ (2^{A\_27a}))}\ (ty\_2Epair\_2Eprod\ (2^{(2^{A\_27a})}))\ (ty\_2Erealax\_2Ereal)^{(2^{A\_27a})} \end{aligned} \quad (28)$$

Let  $c\_2Erealax\_2Etrealmul : \iota$  be given. Assume the following.

$$\begin{aligned} c\_2Erealax\_2Etrealmul \in (((ty\_2Epair\_2Eprod\ ty\_2Ehreal\_2Ehreal \\ ty\_2Ehreal\_2Ehreal)^{(ty\_2Epair\_2Eprod\ ty\_2Ehreal\_2Ehreal\ ty\_2Ehreal\_2Ehreal)})^{(ty\_2Epair\_2Eprod\ ty\_2Ehreal\_2Ehreal)}) \end{aligned} \quad (29)$$

Let  $c\_2Erealax\_2Etrealeq : \iota$  be given. Assume the following.

$$\begin{aligned} c\_2Erealax\_2Etrealeq \in ((2^{(ty\_2Epair\_2Eprod\ ty\_2Ehreal\_2Ehreal\ ty\_2Ehreal\_2Ehreal)})^{(ty\_2Epair\_2Eprod\ ty\_2Ehreal\_2Ehreal)}) \end{aligned} \quad (30)$$

Let  $c\_2Erealax\_2Ereal\_ABS\_CLASS : \iota$  be given. Assume the following.

$$\begin{aligned} c\_2Erealax\_2Ereal\_ABS\_CLASS \in (ty\_2Erealax\_2Ereal)^{(2^{(ty\_2Epair\_2Eprod\ ty\_2Ehreal\_2Ehreal\ ty\_2Ehreal\_2Ehreal)})} \end{aligned} \quad (31)$$

**Definition 37** We define  $c\_2Erealax\_2Ereal\_ABS$  to be  $\lambda V0r \in (ty\_2Epair\_2Eprod\ ty\_2Ehreal\_2Ehreal\ ty\_2Ehreal\_2Ehreal)$

**Definition 38** We define  $c\_2Erealax\_2Ereal\_mul$  to be  $\lambda V0T1 \in ty\_2Erealax\_2Ereal.\lambda V1T2 \in ty\_2Erealax\_2Ereal$

Let  $c\_2Erealax\_2Ereal\_add : \iota$  be given. Assume the following.

$$\begin{aligned} c\_2Erealax\_2Ereal\_add \in (((ty\_2Epair\_2Eprod\ ty\_2Ehreal\_2Ehreal \\ ty\_2Ehreal\_2Ehreal)^{(ty\_2Epair\_2Eprod\ ty\_2Ehreal\_2Ehreal\ ty\_2Ehreal\_2Ehreal)})^{(ty\_2Epair\_2Eprod\ ty\_2Ehreal\_2Ehreal)}) \end{aligned} \quad (32)$$

**Definition 39** We define  $c\_2Erealax\_2Ereal\_add$  to be  $\lambda V0T1 \in ty\_2Erealax\_2Ereal.\lambda V1T2 \in ty\_2Erealax\_2Ereal$

**Definition 40** We define  $c\_2Ereal\_sigma\_2EREAL\_SUM\_IMAGE$  to be  $\lambda A\_27a : \iota.\lambda V0f \in (ty\_2Erealax\_2Ereal)$

**Definition 41** We define  $c\_2Elebesgue\_2Epos\_simple\_fn\_integral$  to be  $\lambda A\_27a : \iota.\lambda V0m \in (ty\_2Epair\_2Eprod\ (2^{A\_27a}))\ (ty\_2Eprod\ (2^{A\_27a}))$

**Definition 42** We define  $c\_2E\text{lebesgue\_2Epsfis}$  to be  $\lambda A\_27a : \iota.\lambda V0m \in (ty\_2E\text{pair\_2Eprod } (2^{A\_27a}) (ty\_2E$

**Definition 43** We define  $c\_2E\text{real\_2Esup}$  to be  $\lambda V0P \in (2^{ty\_2E\text{realax\_2Ereal}}).(ap (c\_2E\text{min\_2E}40 ty\_2E\text{real}$

**Definition 44** We define  $c\_2E\text{extreal\_2Eextreal\_sup}$  to be  $\lambda V0p \in (2^{ty\_2E\text{extreal\_2Eextreal}}).(ap (ap (ap (c\_2E$

**Definition 45** We define  $c\_2E\text{lebesgue\_2Epos\_fn\_integral}$  to be  $\lambda A\_27a : \iota.\lambda V0m \in (ty\_2E\text{pair\_2Eprod } (2^{A\_27a})$

**Definition 46** We define  $c\_2E\text{measure\_2Efn\_plus}$  to be  $\lambda A\_27a : \iota.\lambda V0f \in (ty\_2E\text{extreal\_2Eextreal}^{A\_27a}).$

**Definition 47** We define  $c\_2E\text{pred\_set\_2EUNIV}$  to be  $\lambda A\_27a : \iota.(\lambda V0x \in A\_27a.c\_2E\text{bool\_2ET}).$

Let  $c\_2E\text{measure\_2Esubsets} : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.\text{nonempty } A\_27a \Rightarrow c\_2E\text{measure\_2Esubsets } A\_27a \in ( (2^{(2^{A\_27a})}) (ty\_2E\text{pair\_2Eprod } (2^{A\_27a}) (2^{(2^{A\_27a})})) ) \quad (33)$$

**Definition 48** We define  $c\_2E\text{pred\_set\_2ESUBSET}$  to be  $\lambda A\_27a : \iota.\lambda V0s \in (2^{A\_27a}).\lambda V1t \in (2^{A\_27a}).(ap ($

**Definition 49** We define  $c\_2E\text{pred\_set\_2EINJ}$  to be  $\lambda A\_27a : \iota.\lambda A\_27b : \iota.\lambda V0f \in (A\_27b^{A\_27a}).\lambda V1s \in (2^{A\_27a}$

**Definition 50** We define  $c\_2E\text{pred\_set\_2Ecountable}$  to be  $\lambda A\_27a : \iota.\lambda V0s \in (2^{A\_27a}).(ap (c\_2E\text{bool\_2E}3F$

**Definition 51** We define  $c\_2E\text{pred\_set\_2EUNION}$  to be  $\lambda A\_27a : \iota.\lambda V0s \in (2^{A\_27a}).\lambda V1t \in (2^{A\_27a}).(ap (c$

Let  $c\_2E\text{measure\_2Espace} : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.\text{nonempty } A\_27a \Rightarrow c\_2E\text{measure\_2Espace } A\_27a \in ((2^{A\_27a}) (ty\_2E\text{pair\_2Eprod } (2^{A\_27a}) (2^{(2^{A\_27a})})) ) \quad (34)$$

**Definition 52** We define  $c\_2E\text{pred\_set\_2EDIFF}$  to be  $\lambda A\_27a : \iota.\lambda V0s \in (2^{A\_27a}).\lambda V1t \in (2^{A\_27a}).(ap (c\_2E$

**Definition 53** We define  $c\_2E\text{measure\_2Esubset\_class}$  to be  $\lambda A\_27a : \iota.\lambda V0sp \in (2^{A\_27a}).\lambda V1sts \in (2^{(2^{A\_27a})}$

**Definition 54** We define  $c\_2E\text{measure\_2Ealgebra}$  to be  $\lambda A\_27a : \iota.\lambda V0a \in (ty\_2E\text{pair\_2Eprod } (2^{A\_27a}) (2^{(2^{A\_27a})}$

**Definition 55** We define  $c\_2E\text{measure\_2Esigma\_algebra}$  to be  $\lambda A\_27a : \iota.\lambda V0a \in (ty\_2E\text{pair\_2Eprod } (2^{A\_27a})$

**Definition 56** We define  $c\_2E\text{pred\_set\_2EBIGINTER}$  to be  $\lambda A\_27a : \iota.\lambda V0P \in (2^{(2^{A\_27a})}).(ap (c\_2E\text{pred\_s}$

**Definition 57** We define  $c\_2E\text{measure\_2Esigma}$  to be  $\lambda A\_27a : \iota.\lambda V0sp \in (2^{A\_27a}).\lambda V1st \in (2^{(2^{A\_27a})}).(ap ($

**Definition 58** We define  $c\_2E\text{measure\_2EBorel}$  to be  $(ap (ap (c\_2E\text{measure\_2Esigma } ty\_2E\text{extreal\_2Eextre}$

**Definition 59** We define  $c\_2E\text{pred\_set\_2EPREIMAGE}$  to be  $\lambda A\_27a : \iota.\lambda A\_27b : \iota.\lambda V0f \in (A\_27b^{A\_27a}).\lambda V$

**Definition 60** We define  $c\_2E\text{pred\_set\_2EFUNSET}$  to be  $\lambda A\_27a : \iota.\lambda A\_27b : \iota.\lambda V0P \in (2^{A\_27a}).\lambda V1Q \in ($

**Definition 61** We define  $c\_2E\text{measure\_2Emeasurable}$  to be  $\lambda A\_27a : \iota.\lambda A\_27b : \iota.\lambda V0a \in (ty\_2E\text{pair\_2Eprod}$

**Definition 62** We define  $c\_2E\text{lebesgue\_2Eintegrable}$  to be  $\lambda A\_27a : \iota.\lambda V0m \in (ty\_2E\text{pair\_2Eprod } (2^{A\_27a}))$

**Definition 63** We define  $c\_2E\text{combin\_2Eo}$  to be  $\lambda A\_27a : \iota.\lambda A\_27b : \iota.\lambda A\_27c : \iota.\lambda V0f \in (A\_27b^{A\_27c}).\lambda V1$

Let  $c\_2E\text{real\_2Esum} : \iota$  be given. Assume the following.

$$c\_2E\text{real\_2Esum} \in ((ty\_2E\text{realax\_2Ereal}^{(ty\_2E\text{realax\_2Ereal}^{ty\_2E\text{enum\_2Eenum}})})_{(ty\_2E\text{pair\_2Eprod } ty\_2E\text{enum\_2Eenum})}) \quad (35)$$

**Definition 64** We define  $c\_2E\text{prim\_rec\_2E\_3C}$  to be  $\lambda V0m \in ty\_2E\text{enum\_2Eenum}.\lambda V1n \in ty\_2E\text{enum\_2Eenum}$

**Definition 65** We define  $c\_2E\text{arithmic\_2E\_3E}$  to be  $\lambda V0m \in ty\_2E\text{enum\_2Eenum}.\lambda V1n \in ty\_2E\text{enum\_2Eenum}$

**Definition 66** We define  $c\_2E\text{arithmic\_2E\_3E\_3D}$  to be  $\lambda V0m \in ty\_2E\text{enum\_2Eenum}.\lambda V1n \in ty\_2E\text{enum\_2Eenum}$

Let  $c\_2E\text{realax\_2Etreall\_neg} : \iota$  be given. Assume the following.

$$c\_2E\text{realax\_2Etreall\_neg} \in ((ty\_2E\text{pair\_2Eprod } ty\_2E\text{hreal\_2Ehreal } ty\_2E\text{hreal\_2Ehreal})_{(ty\_2E\text{pair\_2Eprod } ty\_2E\text{hreal\_2Ehreal } ty\_2E\text{hreal\_2Ehreal})}) \quad (36)$$

**Definition 67** We define  $c\_2E\text{realax\_2Ereal\_neg}$  to be  $\lambda V0T1 \in ty\_2E\text{realax\_2Ereal}.(ap \ c\_2E\text{realax\_2Ereal}$

**Definition 68** We define  $c\_2E\text{real\_2Ereal\_sub}$  to be  $\lambda V0x \in ty\_2E\text{realax\_2Ereal}.\lambda V1y \in ty\_2E\text{realax\_2Ereal}$

**Definition 69** We define  $c\_2E\text{real\_2Eabs}$  to be  $\lambda V0x \in ty\_2E\text{realax\_2Ereal}.(ap \ (ap \ (ap \ (c\_2E\text{bool\_2ECONJ}$

Let  $ty\_2E\text{metric\_2Emetric} : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A0.\text{nonempty } A0 \Rightarrow \text{nonempty } (ty\_2E\text{metric\_2Emetric } A0) \quad (37)$$

Let  $c\_2E\text{metric\_2Emetric} : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.\text{nonempty } A\_27a \Rightarrow c\_2E\text{metric\_2Emetric } A\_27a \in ((ty\_2E\text{metric\_2Emetric } A\_27a)_{(ty\_2E\text{realax\_2Ereal}^{(ty\_2E\text{pair\_2Eprod } A\_27a \ A\_27a)})}) \quad (38)$$

**Definition 70** We define  $c\_2E\text{metric\_2Emr1}$  to be  $(ap \ (c\_2E\text{metric\_2Emetric } ty\_2E\text{realax\_2Ereal}) \ (ap \ (c\_2E\text{metric\_2Emetric}$

Let  $c\_2E\text{metric\_2Edist} : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.\text{nonempty } A\_27a \Rightarrow c\_2E\text{metric\_2Edist } A\_27a \in ((ty\_2E\text{realax\_2Ereal}^{(ty\_2E\text{pair\_2Eprod } A\_27a \ A\_27a)}) \quad (39)$$

Let  $ty\_2E\text{topology\_2Etopology} : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A0.\text{nonempty } A0 \Rightarrow \text{nonempty } (ty\_2E\text{topology\_2Etopology } A0) \quad (40)$$

Let  $c\_2E\text{topology\_2Etopology} : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.\text{nonempty } A\_27a \Rightarrow c\_2E\text{topology\_2Etopology } A\_27a \in ((ty\_2E\text{topology\_2Etopology } A\_27a)^{(2^{(2^{A\_27a})})}) \quad (41)$$

**Definition 71** We define  $c\_2Emetric\_2Emtop$  to be  $\lambda A\_27a : \iota.\lambda V0m \in (ty\_2Emetric\_2Emetric A\_27a).(ap$   
 Let  $c\_2Enets\_2Etends : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\begin{aligned} & \forall A\_27a.nonempty A\_27a \Rightarrow \forall A\_27b.nonempty A\_27b \Rightarrow c\_2Enets\_2Etends \\ A\_27a A\_27b \in & (((2^{(ty\_2Epair\_2Eprod (ty\_2Etopology\_2Etopology A\_27a) ((2^{A\_27b})^{A\_27b}))})_{A\_27a})_{(A\_27a)^{A\_27b}})) \end{aligned} \quad (42)$$

**Definition 72** We define  $c\_2Eseq\_2E\_2D\_2D\_3E$  to be  $\lambda V0x \in (ty\_2Erealax\_2Ereal^{ty\_2Enum\_2Enum}).\lambda V1x$

**Definition 73** We define  $c\_2Eseq\_2Esums$  to be  $\lambda V0f \in (ty\_2Erealax\_2Ereal^{ty\_2Enum\_2Enum}).\lambda V1s \in ty\_2$

**Definition 74** We define  $c\_2Emeasure\_2Ecountably\_additive$  to be  $\lambda A\_27a : \iota.\lambda V0m \in (ty\_2Epair\_2Eprod$

**Definition 75** We define  $c\_2Emeasure\_2Epositive$  to be  $\lambda A\_27a : \iota.\lambda V0m \in (ty\_2Epair\_2Eprod (2^{A\_27a}) (ty\_2$

**Definition 76** We define  $c\_2Emeasure\_2Emeasure\_space$  to be  $\lambda A\_27a : \iota.\lambda V0m \in (ty\_2Epair\_2Eprod (2^{A$

Assume the following.

$$True \quad (43)$$

Assume the following.

$$\begin{aligned} (\forall V0t1 \in 2.(\forall V1t2 \in 2.(((p V0t1) \Rightarrow (p V1t2)) \Rightarrow (((p \\ V1t2) \Rightarrow (p V0t1)) \Rightarrow ((p V0t1) \Leftrightarrow (p V1t2)))))) \end{aligned} \quad (44)$$

Assume the following.

$$(\forall V0t \in 2.(False \Rightarrow (p V0t))) \quad (45)$$

Assume the following.

$$\begin{aligned} (\forall V0t \in 2.(((True \wedge (p V0t)) \Leftrightarrow (p V0t)) \wedge (((p V0t) \wedge True) \Leftrightarrow \\ (p V0t)) \wedge (((False \wedge (p V0t)) \Leftrightarrow False) \wedge (((p V0t) \wedge False) \Leftrightarrow False) \wedge \\ (((p V0t) \wedge (p V0t)) \Leftrightarrow (p V0t)))))) \end{aligned} \quad (46)$$

Assume the following.

$$\begin{aligned} (\forall V0t \in 2.(((True \Rightarrow (p V0t)) \Leftrightarrow (p V0t)) \wedge (((p V0t) \Rightarrow True) \Leftrightarrow \\ True) \wedge (((False \Rightarrow (p V0t)) \Leftrightarrow True) \wedge (((p V0t) \Rightarrow (p V0t)) \Leftrightarrow True) \wedge (( \\ (p V0t) \Rightarrow False) \Leftrightarrow \neg (p V0t)))))) \end{aligned} \quad (47)$$

Assume the following.

$$\begin{aligned} ((\forall V0t \in 2.((\neg(\neg(p V0t))) \Leftrightarrow (p V0t)) \wedge (((\neg True) \Leftrightarrow False) \wedge \\ ((\neg False) \Leftrightarrow True)))) \end{aligned} \quad (48)$$

Assume the following.

$$\forall A\_27a.nonempty A\_27a \Rightarrow (\forall V0x \in A\_27a.(V0x = V0x)) \quad (49)$$



Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow (\forall V0x \in A\_27a. (\forall V1y \in A\_27a. ((V0x = V1y) \Leftrightarrow (V1y = V0x)))) \quad (50)$$

Assume the following.

$$(\forall V0t \in 2. (((True \Leftrightarrow (p\ V0t)) \Leftrightarrow (p\ V0t)) \wedge (((p\ V0t) \Leftrightarrow True) \Leftrightarrow (p\ V0t)) \wedge (((False \Leftrightarrow (p\ V0t)) \Leftrightarrow \neg(p\ V0t)) \wedge (((p\ V0t) \Leftrightarrow False) \Leftrightarrow \neg(p\ V0t))))) \quad (51)$$

Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow (\forall V0b \in 2. (\forall V1t \in A\_27a. ((ap\ (ap\ (ap\ (c\_2Ebool\_2ECOND\ A\_27a)\ V0b)\ V1t)\ V1t) = V1t))) \quad (52)$$

Assume the following.

$$(\forall V0A \in 2. (\forall V1B \in 2. (\forall V2C \in 2. (((p\ V0A) \vee (p\ V1B) \wedge (p\ V2C)) \Leftrightarrow (((p\ V0A) \vee (p\ V1B)) \wedge ((p\ V0A) \vee (p\ V2C))))) \quad (53)$$

Assume the following.

$$(\forall V0t1 \in 2. (\forall V1t2 \in 2. (\forall V2t3 \in 2. (((p\ V0t1) \Rightarrow ((p\ V1t2) \Rightarrow (p\ V2t3))) \Leftrightarrow (((p\ V0t1) \wedge (p\ V1t2)) \Rightarrow (p\ V2t3)))) \quad (54)$$

Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow (\forall V0P \in 2. (\forall V1Q \in 2. (\forall V2x \in A\_27a. (\forall V3x\_27 \in A\_27a. (\forall V4y \in A\_27a. (\forall V5y\_27 \in A\_27a. (((p\ V0P) \Leftrightarrow (p\ V1Q)) \wedge (((p\ V1Q) \Rightarrow (V2x = V3x\_27)) \wedge ((\neg(p\ V1Q)) \Rightarrow (V4y = V5y\_27)))) \Rightarrow ((ap\ (ap\ (ap\ (c\_2Ebool\_2ECOND\ A\_27a)\ V0P)\ V2x)\ V4y) = (ap\ (ap\ (ap\ (c\_2Ebool\_2ECOND\ A\_27a)\ V1Q)\ V3x\_27)\ V5y\_27)))))) \quad (55)$$

Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow ((\forall V0t1 \in A\_27a. (\forall V1t2 \in A\_27a. ((ap\ (ap\ (ap\ (c\_2Ebool\_2ECOND\ A\_27a)\ c\_2Ebool\_2ET)\ V0t1)\ V1t2) = V0t1))) \wedge (\forall V2t1 \in A\_27a. (\forall V3t2 \in A\_27a. ((ap\ (ap\ (ap\ (c\_2Ebool\_2ECOND\ A\_27a)\ c\_2Ebool\_2EF)\ V2t1)\ V3t2) = V3t2)))) \quad (56)$$

Assume the following.

$$(\forall V0n \in ty\_2Enum\_2Enum. ((\neg((ap\ c\_2Eextreal\_2Eextreal\_of\_num\ V0n) = c\_2Eextreal\_2ENegInf)) \wedge (\neg((ap\ c\_2Eextreal\_2Eextreal\_of\_num\ V0n) = c\_2Eextreal\_2EPosInf)))) \quad (57)$$

Assume the following.

$$(\forall V0x \in ty\_2Eextreal\_2Eextreal. (\neg(p (ap (ap c\_2Eextreal\_2Eextreal\_lt V0x) V0x)))) \quad (58)$$

Assume the following.

$$((ap c\_2Eextreal\_2Eextreal\_ainv (ap c\_2Eextreal\_2Eextreal\_of\_num c\_2Enum\_2E0)) = (ap c\_2Eextreal\_2Eextreal\_of\_num c\_2Enum\_2E0)) \quad (59)$$

Assume the following.

$$\begin{aligned} & \forall A\_27a.nonempty A\_27a \Rightarrow (\forall V0m \in (ty\_2Epair\_2Eprod \\ & (2^{A\_27a}) (ty\_2Epair\_2Eprod (2^{(2^{A\_27a})}) (ty\_2Erealax\_2Ereal^{(2^{A\_27a})}))))). \\ & ((p (ap (c\_2Emeasure\_2Emeasure\_space A\_27a) V0m)) \Rightarrow ((ap (ap ( \\ & c\_2ELebesgue\_2Epos\_fn\_integral A\_27a) V0m) (\lambda V1x \in A\_27a. \\ & (ap c\_2Eextreal\_2Eextreal\_of\_num c\_2Enum\_2E0)))) = (ap c\_2Eextreal\_2Eextreal\_of\_num \\ & c\_2Enum\_2E0)))) \quad (60) \end{aligned}$$

Assume the following.

$$\begin{aligned} & \forall A\_27a.nonempty A\_27a \Rightarrow (\forall V0a \in (ty\_2Epair\_2Eprod \\ & (2^{A\_27a}) (2^{(2^{A\_27a})})). (\forall V1k \in ty\_2Eextreal\_2Eextreal. \\ & (\forall V2f \in (ty\_2Eextreal\_2Eextreal^{A\_27a}). ((p (ap (c\_2Emeasure\_2Esigma\_algebra \\ & A\_27a) V0a)) \wedge (\forall V3x \in A\_27a. ((p (ap (ap (c\_2Ebool\_2EIN A\_27a) \\ & V3x) (ap (c\_2Emeasure\_2Espace A\_27a) V0a))) \Rightarrow ((ap V2f V3x) = V1k)))) \Rightarrow \\ & (p (ap (ap (c\_2Ebool\_2EIN (ty\_2Eextreal\_2Eextreal^{A\_27a}) V2f) \\ & (ap (ap (c\_2Emeasure\_2Emeasurable A\_27a ty\_2Eextreal\_2Eextreal) \\ & V0a) c\_2Emeasure\_2EBorel)))))) \quad (61) \end{aligned}$$

Assume the following.

$$(\forall V0t \in 2. ((\neg(\neg(p V0t))) \Leftrightarrow (p V0t))) \quad (62)$$

Assume the following.

$$(\forall V0A \in 2. ((p V0A) \Rightarrow ((\neg(p V0A)) \Rightarrow False))) \quad (63)$$

Assume the following.

$$(\forall V0A \in 2. (\forall V1B \in 2. (((\neg((p V0A) \vee (p V1B))) \Rightarrow False) \Leftrightarrow ((p V0A) \Rightarrow False) \Rightarrow ((\neg(p V1B)) \Rightarrow False)))) \quad (64)$$

Assume the following.

$$(\forall V0A \in 2. (\forall V1B \in 2. (((\neg((\neg(p V0A)) \vee (p V1B))) \Rightarrow False) \Leftrightarrow ((p V0A) \Rightarrow ((\neg(p V1B)) \Rightarrow False)))) \quad (65)$$

Assume the following.

$$(\forall V0A \in 2. (((\neg(p V0A)) \Rightarrow False) \Rightarrow (((p V0A) \Rightarrow False) \Rightarrow False))) \quad (66)$$

Assume the following.

$$\begin{aligned}
& (\forall V0p \in 2. (\forall V1q \in 2. (\forall V2r \in 2. (((p \ V0p) \Leftrightarrow ( \\
& (p \ V1q) \Leftrightarrow (p \ V2r))) \Leftrightarrow (((p \ V0p) \vee ((p \ V1q) \vee (p \ V2r))) \wedge (((p \ V0p) \vee ((\neg( \\
& p \ V2r)) \vee (\neg(p \ V1q)))) \wedge (((p \ V1q) \vee ((\neg(p \ V2r)) \vee (\neg(p \ V0p)))) \wedge ((p \ V2r) \vee \\
& ((\neg(p \ V1q)) \vee (\neg(p \ V0p))))))))))
\end{aligned} \tag{67}$$

Assume the following.

$$\begin{aligned}
& (\forall V0p \in 2. (\forall V1q \in 2. (\forall V2r \in 2. (((p \ V0p) \Leftrightarrow ( \\
& (p \ V1q) \wedge (p \ V2r))) \Leftrightarrow (((p \ V0p) \vee ((\neg(p \ V1q)) \vee (\neg(p \ V2r)))) \wedge (((p \ V1q) \vee \\
& (\neg(p \ V0p))) \wedge ((p \ V2r) \vee (\neg(p \ V0p))))))
\end{aligned} \tag{68}$$

Assume the following.

$$\begin{aligned}
& (\forall V0p \in 2. (\forall V1q \in 2. (\forall V2r \in 2. (((p \ V0p) \Leftrightarrow ( \\
& (p \ V1q) \vee (p \ V2r))) \Leftrightarrow (((p \ V0p) \vee (\neg(p \ V1q))) \wedge (((p \ V0p) \vee (\neg(p \ V2r))) \wedge \\
& ((p \ V1q) \vee ((p \ V2r) \vee (\neg(p \ V0p))))))
\end{aligned} \tag{69}$$

Assume the following.

$$\begin{aligned}
& (\forall V0p \in 2. (\forall V1q \in 2. (\forall V2r \in 2. (((p \ V0p) \Leftrightarrow ( \\
& (p \ V1q) \Rightarrow (p \ V2r))) \Leftrightarrow (((p \ V0p) \vee (p \ V1q)) \wedge (((p \ V0p) \vee (\neg(p \ V2r))) \wedge (( \\
& \neg(p \ V1q)) \vee ((p \ V2r) \vee (\neg(p \ V0p))))))
\end{aligned} \tag{70}$$

Assume the following.

$$\begin{aligned}
& (\forall V0p \in 2. (\forall V1q \in 2. (((p \ V0p) \Leftrightarrow (\neg(p \ V1q))) \Leftrightarrow (((p \ V0p) \vee \\
& (p \ V1q)) \wedge ((\neg(p \ V1q)) \vee (\neg(p \ V0p))))))
\end{aligned} \tag{71}$$

Assume the following.

$$(\forall V0p \in 2. (\forall V1q \in 2. ((\neg((p \ V0p) \Rightarrow (p \ V1q))) \Rightarrow (p \ V0p))) \tag{72}$$

Assume the following.

$$(\forall V0p \in 2. (\forall V1q \in 2. ((\neg((p \ V0p) \Rightarrow (p \ V1q))) \Rightarrow (\neg(p \ V1q)))) \tag{73}$$

**Theorem 1**

$$\begin{aligned}
& \forall A\_27a.nonempty \ A\_27a \Rightarrow \forall A\_27b.nonempty \ A\_27b \Rightarrow ( \\
& \forall V0m \in (ty\_2Epair\_2Eprod \ (2^{A\_27a}) \ (ty\_2Epair\_2Eprod \ ( \\
& 2^{(2^{A\_27a})}) \ (ty\_2Erealax\_2Ereal^{(2^{A\_27a})}))). (\forall V1c \in \\
& A\_27b. ((p \ (ap \ (c\_2Emeasure\_2Emeasure\_space \ A\_27a) \ V0m)) \Rightarrow (p \\
& (ap \ (ap \ (c\_2Elebesgue\_2Eintegrable \ A\_27a) \ V0m) \ (\lambda V2x \in A\_27a. \\
& (ap \ c\_2Eextreal\_2Eextreal\_of\_num \ c\_2Enum\_2E0))))))
\end{aligned}$$