

thm_2ELebesgue_2Eintegral__add
(TMYY7rspvjpaM3XLT8Bd4tyLcmmQUobebhd)

October 26, 2020

Definition 1 We define $c_2Emin_2E_40$ to be $\lambda A.\lambda P \in 2^A.$ if $(\exists x \in A.p (ap P x))$ then (the $(\lambda x.x \in A \wedge p x)$ of type $\iota \Rightarrow \iota$).

Definition 2 We define $c_2Emin_2E_3D$ to be $\lambda A.\lambda x \in A.\lambda y \in A.inj_o (x = y)$ of type $\iota \Rightarrow \iota$.

Definition 3 We define $c_2Ebool_2E_3F$ to be $\lambda A_27a : \iota.(\lambda V0P \in (2^{A_27a}).(ap V0P (ap (c_2Emin_2E_40 A_27a) P)))$

Definition 4 We define $c_2Ebool_2E_2ET$ to be $(ap (ap (c_2Emin_2E_3D (2^2)) (\lambda V0x \in 2.V0x)) (\lambda V1x \in 2.V1x))$

Definition 5 We define $c_2Ecombin_2E_2ES$ to be $\lambda A_27a : \iota.\lambda A_27b : \iota.\lambda A_27c : \iota.(\lambda V0f \in ((A_27c^{A_27b})^{A_27a}))$

Definition 6 We define $c_2Ecombin_2E_2EK$ to be $\lambda A_27a : \iota.\lambda A_27b : \iota.(\lambda V0x \in A_27a.(\lambda V1y \in A_27b.V0x))$

Definition 7 We define $c_2Ecombin_2E_2EI$ to be $\lambda A_27a : \iota.(ap (ap (c_2Ecombin_2E_2ES A_27a (A_27a^{A_27a})) A_27a))$

Definition 8 We define $c_2Ebool_2E_2E21$ to be $\lambda A_27a : \iota.(\lambda V0P \in (2^{A_27a}).(ap (ap (c_2Emin_2E_3D (2^{A_27a})) P)))$

Definition 9 We define $c_2Ecombin_2E_2Eo$ to be $\lambda A_27a : \iota.\lambda A_27b : \iota.\lambda A_27c : \iota.\lambda V0f \in (A_27b^{A_27c}).\lambda V1g \in (A_27c^{A_27b}).(ap V0f (ap V1g))$

Let $ty_2Eextreal_2Eextreal : \iota$ be given. Assume the following.

$$nonempty\ ty_2Eextreal_2Eextreal \tag{1}$$

Let $ty_2Erealax_2Ereal : \iota$ be given. Assume the following.

$$nonempty\ ty_2Erealax_2Ereal \tag{2}$$

Let $c_2Eextreal_2E_2ENormal : \iota$ be given. Assume the following.

$$c_2Eextreal_2E_2ENormal \in (ty_2Eextreal_2Eextreal^{ty_2Erealax_2Ereal}) \tag{3}$$

Let $c_2Eextreal_2E_2ENegInf : \iota$ be given. Assume the following.

$$c_2Eextreal_2E_2ENegInf \in ty_2Eextreal_2Eextreal \tag{4}$$

Let $c_2Eextreal_2EPosInf : \iota$ be given. Assume the following.

$$c_2Eextreal_2EPosInf \in ty_2Eextreal_2Eextreal \quad (5)$$

Let $ty_2Epair_2Eprod : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0.nonempty\ A0 \Rightarrow \forall A1.nonempty\ A1 \Rightarrow nonempty\ (ty_2Epair_2Eprod\ A0\ A1) \quad (6)$$

Let $c_2Emeasure_2Emeasurable_sets : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow c_2Emeasure_2Emeasurable_sets\ A_27a \in ((2^{(2^{A_27a})})^{(ty_2Epair_2Eprod\ (2^{A_27a})\ (ty_2Epair_2Eprod\ (2^{(2^{A_27a})})\ (ty_2Erealax_2Ereal^{(2^{A_27a})}))})) \quad (7)$$

Let $c_2Emeasure_2Em_space : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow c_2Emeasure_2Em_space\ A_27a \in ((2^{A_27a})^{(ty_2Epair_2Eprod\ (2^{A_27a})\ (ty_2Epair_2Eprod\ (2^{(2^{A_27a})})\ (ty_2Erealax_2Ereal^{(2^{A_27a})}))})) \quad (8)$$

Definition 10 We define $c_2Emin_2E_3D_3D_3E$ to be $\lambda P \in 2.\lambda Q \in 2.inj_o\ (p\ P \Rightarrow p\ Q)$ of type ι .

Definition 11 We define $c_2Ebool_2E_2F_5C$ to be $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap\ (c_2Ebool_2E_21\ 2)\ (\lambda V2t \in 2.))$

Let $c_2Epair_2EABS_prod : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow c_2Epair_2EABS_prod\ A_27a\ A_27b \in ((ty_2Epair_2Eprod\ A_27a\ A_27b)^{(2^{A_27b})^{A_27a}}) \quad (9)$$

Definition 12 We define $c_2Epair_2E_2C$ to be $\lambda A_27a : \iota.\lambda A_27b : \iota.\lambda V0x \in A_27a.\lambda V1y \in A_27b.(ap\ (c_2Epair_2E_2C\ 2)\ (\lambda V2x \in 2.))$

Let $c_2Eextreal_2Eextreal_add : \iota$ be given. Assume the following.

$$c_2Eextreal_2Eextreal_add \in ((ty_2Eextreal_2Eextreal^{ty_2Eextreal_2Eextreal})^{ty_2Eextreal_2Eextreal}) \quad (10)$$

Let $c_2Eextreal_2Eextreal_le : \iota$ be given. Assume the following.

$$c_2Eextreal_2Eextreal_le \in ((2^{ty_2Eextreal_2Eextreal})^{ty_2Eextreal_2Eextreal}) \quad (11)$$

Let $ty_2Eenum_2Eenum : \iota$ be given. Assume the following.

$$nonempty\ ty_2Eenum_2Eenum \quad (12)$$

Definition 13 We define c_2Ebool_2EIN to be $\lambda A_27a : \iota.(\lambda V0x \in A_27a.(\lambda V1f \in (2^{A_27a}).(ap\ V1f\ V0x)))$

Let $c_2Epred_set_2EGSPEC : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow c_2Epred_set_2EGSPEC\ A_27a\ A_27b \in ((2^{A_27a})^{(ty_2Epair_2Eprod\ A_27a\ 2)^{A_27b}}) \quad (13)$$

Definition 14 We define $c_2Epred_set_2EIMAGE$ to be $\lambda A_27a : \iota.\lambda A_27b : \iota.\lambda V0f \in (A_27b^{A-27a}).\lambda V1s \in$

Definition 15 We define $c_2Epred_set_2EBIGUNION$ to be $\lambda A_27a : \iota.\lambda V0P \in (2^{(2^{A-27a})}).(ap (c_2Epred_set_2EIMAGE$

Definition 16 We define c_2Ebool_2EF to be $(ap (c_2Ebool_2E_21 2) (\lambda V0t \in 2.V0t))$.

Definition 17 We define $c_2Epred_set_2EEMPTY$ to be $\lambda A_27a : \iota.(\lambda V0x \in A_27a.c_2Ebool_2EF)$.

Definition 18 We define $c_2Epred_set_2EINTER$ to be $\lambda A_27a : \iota.\lambda V0s \in (2^{A-27a}).\lambda V1t \in (2^{A-27a}).(ap (c_2Epred_set_2EIMAGE$

Definition 19 We define $c_2Epred_set_2EDISJOINT$ to be $\lambda A_27a : \iota.\lambda V0s \in (2^{A-27a}).\lambda V1t \in (2^{A-27a}).(ap (c_2Epred_set_2EIMAGE$

Definition 20 We define $c_2Ebool_2E_7E$ to be $(\lambda V0t \in 2.(ap (ap c_2Emin_2E_3D_3D_3E V0t) c_2Ebool_2EF))$.

Let $c_2Enum_2EZERO_REP : \iota$ be given. Assume the following.

$$c_2Enum_2EZERO_REP \in \omega \tag{14}$$

Let $c_2Enum_2EABS_num : \iota$ be given. Assume the following.

$$c_2Enum_2EABS_num \in (ty_2Enum_2Enum^{\omega}) \tag{15}$$

Definition 21 We define c_2Enum_2E0 to be $(ap c_2Enum_2EABS_num c_2Enum_2EZERO_REP)$.

Let $c_2Ereal_2Ereal_of_num : \iota$ be given. Assume the following.

$$c_2Ereal_2Ereal_of_num \in (ty_2Erealax_2Ereal^{ty_2Enum_2Enum}) \tag{16}$$

Let $ty_2Ehreal_2Ehreal : \iota$ be given. Assume the following.

$$nonempty\ ty_2Ehreal_2Ehreal \tag{17}$$

Let $c_2Erealax_2Ereal_REP_CLASS : \iota$ be given. Assume the following.

$$c_2Erealax_2Ereal_REP_CLASS \in ((2^{(ty_2Epair_2Eprod\ ty_2Ehreal_2Ehreal\ ty_2Ehreal_2Ehreal)})^{ty_2Erealax_2Ereal}) \tag{18}$$

Definition 22 We define $c_2Erealax_2Ereal_REP$ to be $\lambda V0a \in ty_2Erealax_2Ereal.(ap (c_2Emin_2E_40 (ty_2Erealax_2Ereal_REP_CLASS$

Let $c_2Erealax_2Etrealm_lt : \iota$ be given. Assume the following.

$$c_2Erealax_2Etrealm_lt \in ((2^{(ty_2Epair_2Eprod\ ty_2Ehreal_2Ehreal\ ty_2Ehreal_2Ehreal)})^{(ty_2Epair_2Eprod\ ty_2Ehreal_2Ehreal)}) \tag{19}$$

Definition 23 We define $c_2Erealax_2Ereal_lt$ to be $\lambda V0T1 \in ty_2Erealax_2Ereal.\lambda V1T2 \in ty_2Erealax_2Ereal.(ap (c_2Emin_2E_40 (ty_2Erealax_2Ereal_REP$

Definition 24 We define $c_2Ereal_2Ereal_lte$ to be $\lambda V0x \in ty_2Erealax_2Ereal.\lambda V1y \in ty_2Erealax_2Ereal.(ap (c_2Emin_2E_40 (ty_2Erealax_2Ereal_REP$

Definition 25 We define $c_2Ebool_2E_5C_2F$ to be $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap (c_2Ebool_2E_21 2) (\lambda V2t \in 2.V2t)))$

Definition 26 We define $c_2Epred_set_2EINSERT$ to be $\lambda A_27a : \iota.\lambda V0x \in A_27a.\lambda V1s \in (2^{A-27a}).(ap (c_2Epred_set_2EIMAGE$

Definition 27 We define $c_Epred_set_EFINITE$ to be $\lambda A_27a : \iota. \lambda V0s \in (2^{A_27a}). (ap (c_Ebool_E21 (2$

Definition 28 We define $c_Eextreal_Eextreal_of_num$ to be $\lambda V0n \in ty_2Enum_2Enum. (ap c_Eextreal$

Definition 29 We define $c_Earithmetic_EZERO$ to be c_2Enum_2E0 .

Let $c_2Enum_2EREP_num : \iota$ be given. Assume the following.

$$c_2Enum_2EREP_num \in (\omega^{ty_2Enum_2Enum}) \quad (20)$$

Let $c_2Enum_2ESUC_REP : \iota$ be given. Assume the following.

$$c_2Enum_2ESUC_REP \in (\omega^{\omega}) \quad (21)$$

Definition 30 We define c_2Enum_2ESUC to be $\lambda V0m \in ty_2Enum_2Enum. (ap c_2Enum_2EABS_num$

Let $c_2Earithmetic_E2B : \iota$ be given. Assume the following.

$$c_2Earithmetic_E2B \in ((ty_2Enum_2Enum)^{ty_2Enum_2Enum})^{ty_2Enum_2Enum} \quad (22)$$

Definition 31 We define $c_2Earithmetic_EBIT1$ to be $\lambda V0n \in ty_2Enum_2Enum. (ap (ap c_2Earithmetic$

Definition 32 We define $c_2Earithmetic_ENUMERAL$ to be $\lambda V0x \in ty_2Enum_2Enum.V0x$.

Definition 33 We define c_Ebool_ECOND to be $\lambda A_27a : \iota. (\lambda V0t \in 2. (\lambda V1t1 \in A_27a. (\lambda V2t2 \in A_27a. (ap$

Definition 34 We define $c_Emeasure_Eindicator_fn$ to be $\lambda A_27a : \iota. \lambda V0s \in (2^{A_27a}). (\lambda V1x \in A_27a. (ap$

Let $c_Eextreal_Eextreal_mul : \iota$ be given. Assume the following.

$$c_Eextreal_Eextreal_mul \in ((ty_2Eextreal_2Eextreal)^{ty_2Eextreal_2Eextreal})^{ty_2Eextreal_2Eextreal} \quad (23)$$

Let $c_Epred_set_EITSET : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a. nonempty A_27a \Rightarrow \forall A_27b. nonempty A_27b \Rightarrow c_Epred_set_EITSET \\ A_27a A_27b \in (((A_27b^{A_27b})^{(2^{A_27a})})^{((A_27b^{A_27b})^{A_27a})}) \quad (24)$$

Definition 35 We define $c_Eextreal_EEXTREAL_SUM_IMAGE$ to be $\lambda A_27a : \iota. \lambda V0f \in (ty_2Eextreal_2Eextreal$

Definition 36 We define $c_Emeasure_Epos_simple_fn$ to be $\lambda A_27a : \iota. \lambda V0m \in (ty_2Epair_2Eprod (2^{A_27a}$

Let $c_2Epair_2ESND : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a. nonempty A_27a \Rightarrow \forall A_27b. nonempty A_27b \Rightarrow c_2Epair_2ESND \\ A_27a A_27b \in (A_27b^{(ty_2Epair_2Eprod A_27a A_27b)}) \quad (25)$$

Let $c_2Epair_2EFST : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a. nonempty A_27a \Rightarrow \forall A_27b. nonempty A_27b \Rightarrow c_2Epair_2EFST \\ A_27a A_27b \in (A_27a^{(ty_2Epair_2Eprod A_27a A_27b)}) \quad (26)$$

Definition 48 We define $c_2Eextreal_2Eextreal_lt$ to be $\lambda V0x \in ty_2Eextreal_2Eextreal.\lambda V1y \in ty_2Eextreal$

Definition 49 We define $c_2Emeasure_2Efn_minus$ to be $\lambda A_27a : \iota.\lambda V0f \in (ty_2Eextreal_2Eextreal^{A_27a})$

Definition 50 We define $c_2Emeasure_2Efn_plus$ to be $\lambda A_27a : \iota.\lambda V0f \in (ty_2Eextreal_2Eextreal^{A_27a})$.

Let $c_2Eextreal_2Eextreal_sub : \iota$ be given. Assume the following.

$$c_2Eextreal_2Eextreal_sub \in ((ty_2Eextreal_2Eextreal^{ty_2Eextreal_2Eextreal})^{ty_2Eextreal_2Eextreal}) \quad (33)$$

Definition 51 We define $c_2Elebesgue_2Eintegral$ to be $\lambda A_27a : \iota.\lambda V0m \in (ty_2Epair_2Eprod (2^{A_27a}) (ty_2Eextreal_2Eextreal^{A_27a}))$

Definition 52 We define $c_2Epred_set_2EUNIV$ to be $\lambda A_27a : \iota.(\lambda V0x \in A_27a.c_2Ebool_2ET)$.

Let $c_2Emeasure_2Esubsets : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty A_27a \Rightarrow c_2Emeasure_2Esubsets A_27a \in (2^{(2^{A_27a})})^{(ty_2Epair_2Eprod (2^{A_27a}) (2^{(2^{A_27a})}))} \quad (34)$$

Definition 53 We define $c_2Epred_set_2ESUBSET$ to be $\lambda A_27a : \iota.\lambda V0s \in (2^{A_27a}).\lambda V1t \in (2^{A_27a}).(ap (c_2Ebool_2E3F$

Definition 54 We define $c_2Epred_set_2EINJ$ to be $\lambda A_27a : \iota.\lambda A_27b : \iota.\lambda V0f \in (A_27b^{A_27a}).\lambda V1s \in (2^{A_27b})$

Definition 55 We define $c_2Epred_set_2Ecountable$ to be $\lambda A_27a : \iota.\lambda V0s \in (2^{A_27a}).(ap (c_2Ebool_2E3F$

Definition 56 We define $c_2Epred_set_2EUNION$ to be $\lambda A_27a : \iota.\lambda V0s \in (2^{A_27a}).\lambda V1t \in (2^{A_27a}).(ap (c_2Ebool_2E3F$

Let $c_2Emeasure_2Espace : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty A_27a \Rightarrow c_2Emeasure_2Espace A_27a \in ((2^{A_27a})^{(ty_2Epair_2Eprod (2^{A_27a}) (2^{(2^{A_27a})}))}) \quad (35)$$

Definition 57 We define $c_2Epred_set_2EDIFF$ to be $\lambda A_27a : \iota.\lambda V0s \in (2^{A_27a}).\lambda V1t \in (2^{A_27a}).(ap (c_2Ebool_2E3F$

Definition 58 We define $c_2Emeasure_2Esubset_class$ to be $\lambda A_27a : \iota.\lambda V0sp \in (2^{A_27a}).\lambda V1sts \in (2^{(2^{A_27a})})$

Definition 59 We define $c_2Emeasure_2Ealgebra$ to be $\lambda A_27a : \iota.\lambda V0a \in (ty_2Epair_2Eprod (2^{A_27a}) (2^{(2^{A_27a})}))$

Definition 60 We define $c_2Emeasure_2Esigma_algebra$ to be $\lambda A_27a : \iota.\lambda V0a \in (ty_2Epair_2Eprod (2^{A_27a}) (2^{(2^{A_27a})}))$

Definition 61 We define $c_2Epred_set_2EBIGINTER$ to be $\lambda A_27a : \iota.\lambda V0P \in (2^{(2^{A_27a})}).(ap (c_2Epred_set_2EINJ$

Definition 62 We define $c_2Emeasure_2Esigma$ to be $\lambda A_27a : \iota.\lambda V0sp \in (2^{A_27a}).\lambda V1st \in (2^{(2^{A_27a})}).(ap (c_2Ebool_2E3F$

Definition 63 We define $c_2Emeasure_2EBorel$ to be $(ap (ap (c_2Emeasure_2Esigma ty_2Eextreal_2Eextreal^{A_27a})$

Definition 64 We define $c_2Epred_set_2EPREIMAGE$ to be $\lambda A_27a : \iota.\lambda A_27b : \iota.\lambda V0f \in (A_27b^{A_27a}).\lambda V1s \in (2^{A_27b})$

Definition 65 We define $c_2Epred_set_2EFUNSET$ to be $\lambda A_27a : \iota.\lambda A_27b : \iota.\lambda V0P \in (2^{A_27a}).\lambda V1Q \in (2^{A_27b})$

Definition 66 We define $c_Emeasure_E measurable$ to be $\lambda A_27a : \iota. \lambda A_27b : \iota. \lambda V0a \in (ty_2Epair_2Eprod$

Definition 67 We define $c_ELebesgue_E integrable$ to be $\lambda A_27a : \iota. \lambda V0m \in (ty_2Epair_2Eprod (2^{A_27a})$

Let $c_2Ereal_2Esum : \iota$ be given. Assume the following.

$$c_2Ereal_2Esum \in ((ty_2Erealax_2Ereal^{(ty_2Erealax_2Ereal^{ty_2Eenum_2Eenum})})^{(ty_2Epair_2Eprod ty_2Eenum_2Eenum)}) \quad (36)$$

Definition 68 We define $c_2Eprim_rec_2E_3C$ to be $\lambda V0m \in ty_2Eenum_2Eenum. \lambda V1n \in ty_2Eenum_2Eenum$

Definition 69 We define $c_2Earithmic_2E_3E$ to be $\lambda V0m \in ty_2Eenum_2Eenum. \lambda V1n \in ty_2Eenum_2Eenum$

Definition 70 We define $c_2Earithmic_2E_3E_3D$ to be $\lambda V0m \in ty_2Eenum_2Eenum. \lambda V1n \in ty_2Eenum_2Eenum$

Let $c_2Erealax_2Etrealm_neg : \iota$ be given. Assume the following.

$$c_2Erealax_2Etrealm_neg \in ((ty_2Epair_2Eprod ty_2Ehreal_2Ehreal^{(ty_2Epair_2Eprod ty_2Ehreal_2Ehreal ty_2Ehreal_2Ehreal)}) \quad (37)$$

Definition 71 We define $c_2Erealax_2Ereal_neg$ to be $\lambda V0T1 \in ty_2Erealax_2Ereal. (ap c_2Erealax_2Ereal$

Definition 72 We define $c_2Ereal_2Ereal_sub$ to be $\lambda V0x \in ty_2Erealax_2Ereal. \lambda V1y \in ty_2Erealax_2Ereal$

Definition 73 We define c_2Ereal_2Eabs to be $\lambda V0x \in ty_2Erealax_2Ereal. (ap (ap (ap (c_2Ebool_2ECONJ$

Let $ty_2Emetric_2Emetric : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0. nonempty A0 \Rightarrow nonempty (ty_2Emetric_2Emetric A0) \quad (38)$$

Let $c_2Emetric_2Emetric : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a. nonempty A_27a \Rightarrow c_2Emetric_2Emetric A_27a \in ((ty_2Emetric_2Emetric A_27a)^{(ty_2Erealax_2Ereal^{(ty_2Epair_2Eprod A_27a A_27a)})}) \quad (39)$$

Definition 74 We define $c_2Emetric_2Emr1$ to be $(ap (c_2Emetric_2Emetric ty_2Erealax_2Ereal) (ap (c$

Let $c_2Emetric_2Edist : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a. nonempty A_27a \Rightarrow c_2Emetric_2Edist A_27a \in ((ty_2Erealax_2Ereal^{(ty_2Epair_2Eprod A_27a A_27a)}) \quad (40)$$

Let $ty_2Etopology_2Etopology : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0. nonempty A0 \Rightarrow nonempty (ty_2Etopology_2Etopology A0) \quad (41)$$

Let $c_2Etopology_2Etopology : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a. nonempty A_27a \Rightarrow c_2Etopology_2Etopology A_27a \in ((ty_2Etopology_2Etopology A_27a)^{(2^{(2^{A_27a})})}) \quad (42)$$

Definition 75 We define $c_2Emetric_2Emtop$ to be $\lambda A_27a : \iota.\lambda V0m \in (ty_2Emetric_2Emetric A_27a).(ap$
 Let $c_2Enets_2Etends : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\begin{aligned} & \forall A_27a.nonempty A_27a \Rightarrow \forall A_27b.nonempty A_27b \Rightarrow c_2Enets_2Etends \\ & A_27a A_27b \in (((2^{(ty_2Epair_2Eprod (ty_2Etopology_2Etopology A_27a) ((2^{A_27b})^{A_27b}))})_{A_27a})_{(A_27a)^{A_27b}}) \end{aligned} \quad (43)$$

Definition 76 We define $c_2Eseq_2E_2D_2D_3E$ to be $\lambda V0x \in (ty_2Erealax_2Ereal^{ty_2Enum_2Enum}).\lambda V1x$

Definition 77 We define c_2Eseq_2Esums to be $\lambda V0f \in (ty_2Erealax_2Ereal^{ty_2Enum_2Enum}).\lambda V1s \in ty_2$

Definition 78 We define $c_2Emeasure_2Ecountably_additive$ to be $\lambda A_27a : \iota.\lambda V0m \in (ty_2Epair_2Eprod$

Definition 79 We define $c_2Emeasure_2Epositive$ to be $\lambda A_27a : \iota.\lambda V0m \in (ty_2Epair_2Eprod (2^{A_27a}) (ty_2$

Definition 80 We define $c_2Emeasure_2Emeasure_space$ to be $\lambda A_27a : \iota.\lambda V0m \in (ty_2Epair_2Eprod (2^{A_27a})$

Assume the following.

$$True \quad (44)$$

Assume the following.

$$\begin{aligned} & (\forall V0t1 \in 2.(\forall V1t2 \in 2.(((p V0t1) \Rightarrow (p V1t2)) \Rightarrow (((p \\ & V1t2) \Rightarrow (p V0t1)) \Rightarrow ((p V0t1) \Leftrightarrow (p V1t2)))))) \end{aligned} \quad (45)$$

Assume the following.

$$(\forall V0t \in 2.(False \Rightarrow (p V0t))) \quad (46)$$

Assume the following.

$$(\forall V0t \in 2.(((p V0t) \vee \neg(p V0t)))) \quad (47)$$

Assume the following.

$$\begin{aligned} & \forall A_27a.nonempty A_27a \Rightarrow (\forall V0t \in 2.(((\forall V1x \in \\ & A_27a.(p V0t) \Leftrightarrow (p V0t)))) \end{aligned} \quad (48)$$

Assume the following.

$$\begin{aligned} & (\forall V0t \in 2.(((True \wedge (p V0t)) \Leftrightarrow (p V0t)) \wedge (((p V0t) \wedge True) \Leftrightarrow \\ & (p V0t)) \wedge (((False \wedge (p V0t)) \Leftrightarrow False) \wedge (((p V0t) \wedge False) \Leftrightarrow False) \wedge \\ & (((p V0t) \wedge (p V0t)) \Leftrightarrow (p V0t)))))) \end{aligned} \quad (49)$$

Assume the following.

$$\begin{aligned} & (\forall V0t \in 2.(((True \Rightarrow (p V0t)) \Leftrightarrow (p V0t)) \wedge (((p V0t) \Rightarrow True) \Leftrightarrow \\ & True) \wedge (((False \Rightarrow (p V0t)) \Leftrightarrow True) \wedge (((p V0t) \Rightarrow (p V0t)) \Leftrightarrow True) \wedge ((\\ & (p V0t) \Rightarrow False) \Leftrightarrow \neg(p V0t)))))) \end{aligned} \quad (50)$$

Assume the following.

$$((\forall V0t \in 2.((\neg(\neg(p V0t))) \Leftrightarrow (p V0t))) \wedge (((\neg True) \Leftrightarrow False) \wedge ((\neg False) \Leftrightarrow True))) \quad (51)$$

Assume the following.

$$\forall A_27a.nonempty A_27a \Rightarrow (\forall V0x \in A_27a.(V0x = V0x)) \quad (52)$$

Assume the following.

$$\forall A_27a.nonempty A_27a \Rightarrow (\forall V0x \in A_27a.((V0x = V0x) \Leftrightarrow True)) \quad (53)$$

Assume the following.

$$\forall A_27a.nonempty A_27a \Rightarrow (\forall V0x \in A_27a.(\forall V1y \in A_27a.((V0x = V1y) \Leftrightarrow (V1y = V0x)))) \quad (54)$$

Assume the following.

$$\forall A_27a.nonempty A_27a \Rightarrow \forall A_27b.nonempty A_27b \Rightarrow (\forall V0f \in (A_27b^{A_27a}).(\forall V1g \in (A_27b^{A_27a}).((V0f = V1g) \Leftrightarrow (\forall V2x \in A_27a.((ap V0f V2x) = (ap V1g V2x)))))) \quad (55)$$

Assume the following.

$$(\forall V0t \in 2.(((True \Leftrightarrow (p V0t)) \Leftrightarrow (p V0t)) \wedge (((p V0t) \Leftrightarrow True) \Leftrightarrow (p V0t)) \wedge (((False \Leftrightarrow (p V0t)) \Leftrightarrow (\neg(p V0t))) \wedge (((p V0t) \Leftrightarrow False) \Leftrightarrow (\neg(p V0t))))) \quad (56)$$

Assume the following.

$$\forall A_27a.nonempty A_27a \Rightarrow (\forall V0t1 \in A_27a.(\forall V1t2 \in A_27a.(((ap (ap (ap (c_2Ebool_2ECOND A_27a) c_2Ebool_2ET) V0t1) V1t2) = V0t1) \wedge ((ap (ap (ap (c_2Ebool_2ECOND A_27a) c_2Ebool_2EF) V0t1) V1t2) = V1t2)))) \quad (57)$$

Assume the following.

$$(\forall V0A \in 2.(\forall V1B \in 2.(\forall V2C \in 2.(((p V0A) \vee ((p V1B) \wedge (p V2C))) \Leftrightarrow (((p V0A) \vee (p V1B)) \wedge ((p V0A) \vee (p V2C)))))) \quad (58)$$

Assume the following.

$$(\forall V0A \in 2.(\forall V1B \in 2.(\forall V2C \in 2.(((p V1B) \wedge ((p V2C) \vee (p V0A)) \Leftrightarrow (((p V1B) \vee (p V0A)) \wedge ((p V2C) \vee (p V0A)))))) \quad (59)$$

Assume the following.

$$(\forall V0t1 \in 2.(\forall V1t2 \in 2.(\forall V2t3 \in 2.(((p V0t1) \Rightarrow ((p V1t2) \Rightarrow (p V2t3))) \Leftrightarrow (((p V0t1) \wedge (p V1t2)) \Rightarrow (p V2t3)))))) \quad (60)$$

Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow (\forall V0x \in A_27a. ((ap\ (c_2Ecombin_2EI\ A_27a)\ V0x) = V0x)) \quad (61)$$

Assume the following.

$$\begin{aligned} & \forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow (\\ & \forall V0f \in (A_27b^{A_27a}). (((ap\ (ap\ (c_2Ecombin_2Eo\ A_27a\ A_27b\ A_27b)\ (c_2Ecombin_2EI\ A_27b))\ V0f) = V0f) \wedge ((ap\ (ap\ (c_2Ecombin_2Eo\ A_27a\ A_27b\ A_27a)\ V0f)\ (c_2Ecombin_2EI\ A_27a)) = V0f))) \end{aligned} \quad (62)$$

Assume the following.

$$\begin{aligned} & (\forall V0x \in ty_2Eextreal_2Eextreal. (\forall V1y \in ty_2Erealx_2Ereal. \\ & ((p\ (ap\ (ap\ c_2Eextreal_2Eextreal_lt\ c_2Eextreal_2ENegInf)\ (ap\ c_2Eextreal_2ENormal\ V1y))) \wedge ((p\ (ap\ (ap\ c_2Eextreal_2Eextreal_lt\ (ap\ c_2Eextreal_2ENormal\ V1y)\ c_2Eextreal_2EPosInf)) \wedge ((p\ (ap\ (ap\ c_2Eextreal_2Eextreal_lt\ c_2Eextreal_2ENegInf)\ c_2Eextreal_2EPosInf)) \wedge ((\neg(p\ (ap\ (ap\ c_2Eextreal_2Eextreal_lt\ V0x)\ c_2Eextreal_2ENegInf)))) \wedge ((\neg(p\ (ap\ (ap\ c_2Eextreal_2Eextreal_lt\ c_2Eextreal_2EPosInf)\ V0x))) \wedge (((\neg(V0x = c_2Eextreal_2EPosInf)) \Leftrightarrow (p\ (ap\ (ap\ c_2Eextreal_2Eextreal_lt\ V0x)\ c_2Eextreal_2EPosInf))) \wedge ((\neg(V0x = c_2Eextreal_2ENegInf)) \Leftrightarrow (p\ (ap\ (ap\ c_2Eextreal_2Eextreal_lt\ c_2Eextreal_2ENegInf)\ V0x)))))))))) \end{aligned} \quad (63)$$

Assume the following.

$$\begin{aligned} & (\forall V0x \in ty_2Eextreal_2Eextreal. (\forall V1y \in ty_2Eextreal_2Eextreal. \\ & (((p\ (ap\ (ap\ c_2Eextreal_2Eextreal_le\ V0x)\ V1y)) \wedge (p\ (ap\ (ap\ c_2Eextreal_2Eextreal_le\ V1y)\ V0x))) \Leftrightarrow (V0x = V1y)))) \end{aligned} \quad (64)$$

Assume the following.

$$\begin{aligned} & (\forall V0x \in ty_2Eextreal_2Eextreal. (\forall V1y \in ty_2Eextreal_2Eextreal. \\ & (\neg((p\ (ap\ (ap\ c_2Eextreal_2Eextreal_lt\ V0x)\ V1y)) \wedge (p\ (ap\ (ap\ c_2Eextreal_2Eextreal_lt\ V1y)\ V0x)))))) \end{aligned} \quad (65)$$

Assume the following.

$$\begin{aligned} & (\forall V0x \in ty_2Eextreal_2Eextreal. (\forall V1y \in ty_2Eextreal_2Eextreal. \\ & (((p\ (ap\ (ap\ c_2Eextreal_2Eextreal_le\ (ap\ c_2Eextreal_2Eextreal_of_num\ c_2Enum_2E0)\ V0x)) \wedge (p\ (ap\ (ap\ c_2Eextreal_2Eextreal_le\ (ap\ c_2Eextreal_2Eextreal_of_num\ c_2Enum_2E0)\ V1y))) \Rightarrow (p\ (ap\ (ap\ c_2Eextreal_2Eextreal_le\ (ap\ c_2Eextreal_2Eextreal_of_num\ c_2Enum_2E0)\ (ap\ (ap\ c_2Eextreal_2Eextreal_add\ V0x)\ V1y)))))) \end{aligned} \quad (66)$$

Assume the following.

$$(\forall V0x \in ty_2Eextreal_2Eextreal. (\forall V1y \in ty_2Eextreal_2Eextreal. ((ap (ap c_2Eextreal_2Eextreal_add V0x) V1y) = (ap (ap c_2Eextreal_2Eextreal_add V1y) V0x)))) \quad (67)$$

Assume the following.

$$(\forall V0x \in ty_2Eextreal_2Eextreal. ((ap (ap c_2Eextreal_2Eextreal_add V0x) (ap c_2Eextreal_2Eextreal_of_num c_2Enum_2E0)) = V0x)) \quad (68)$$

Assume the following.

$$(\forall V0x \in ty_2Eextreal_2Eextreal. ((ap (ap c_2Eextreal_2Eextreal_add (ap c_2Eextreal_2Eextreal_of_num c_2Enum_2E0)) V0x) = V0x)) \quad (69)$$

Assume the following.

$$(\forall V0x \in ty_2Eextreal_2Eextreal. ((ap (ap c_2Eextreal_2Eextreal_sub V0x) (ap c_2Eextreal_2Eextreal_of_num c_2Enum_2E0)) = V0x)) \quad (70)$$

Assume the following.

$$(\forall V0x \in ty_2Eextreal_2Eextreal. ((ap (ap c_2Eextreal_2Eextreal_sub (ap c_2Eextreal_2Eextreal_of_num c_2Enum_2E0)) V0x) = (ap c_2Eextreal_2Eextreal_ainv V0x))) \quad (71)$$

Assume the following.

$$(\forall V0x \in ty_2Eextreal_2Eextreal. (\forall V1y \in ty_2Eextreal_2Eextreal. ((ap (ap c_2Eextreal_2Eextreal_sub V0x) V1y) = (ap (ap c_2Eextreal_2Eextreal_add V0x) (ap c_2Eextreal_2Eextreal_ainv V1y)))))) \quad (72)$$

Assume the following.

$$(\forall V0x \in ty_2Eextreal_2Eextreal. ((ap c_2Eextreal_2Eextreal_ainv (ap c_2Eextreal_2Eextreal_ainv V0x)) = V0x)) \quad (73)$$

Assume the following.

$$((ap c_2Eextreal_2Eextreal_ainv (ap c_2Eextreal_2Eextreal_of_num c_2Enum_2E0)) = (ap c_2Eextreal_2Eextreal_of_num c_2Enum_2E0)) \quad (74)$$

Assume the following.

$$(\forall V0x \in ty_2Eextreal_2Eextreal. (\forall V1y \in ty_2Eextreal_2Eextreal. ((ap (ap c_2Eextreal_2Eextreal_sub V0x) (ap c_2Eextreal_2Eextreal_ainv V1y)) = (ap (ap c_2Eextreal_2Eextreal_add V0x) V1y)))) \quad (75)$$

Assume the following.

$$\begin{aligned}
& (\forall V0x \in ty_2Eextreal_2Eextreal. (\forall V1y \in ty_2Eextreal_2Eextreal. \\
& (((\neg(V0x = c_2Eextreal_2ENegInf)) \wedge (\neg(V1y = c_2Eextreal_2ENegInf))) \vee \\
& ((\neg(V0x = c_2Eextreal_2EPosInf)) \wedge (\neg(V1y = c_2Eextreal_2EPosInf)))) \Rightarrow \\
& ((ap (ap c_2Eextreal_2Eextreal_sub (ap c_2Eextreal_2Eextreal_ainv \\
& V0x)) V1y) = (ap c_2Eextreal_2Eextreal_ainv (ap (ap c_2Eextreal_2Eextreal_add \\
& V0x) V1y))))))
\end{aligned} \tag{76}$$

Assume the following.

$$\begin{aligned}
& (\forall V0a \in ty_2Eextreal_2Eextreal. (\forall V1b \in ty_2Eextreal_2Eextreal. \\
& (\forall V2c \in ty_2Eextreal_2Eextreal. (\forall V3d \in ty_2Eextreal_2Eextreal. \\
& (((\neg(V1b = c_2Eextreal_2EPosInf)) \wedge (\neg(V3d = c_2Eextreal_2EPosInf))) \vee \\
& ((\neg(V1b = c_2Eextreal_2ENegInf)) \wedge (\neg(V3d = c_2Eextreal_2ENegInf)))) \Rightarrow \\
& ((ap (ap c_2Eextreal_2Eextreal_add (ap (ap c_2Eextreal_2Eextreal_sub \\
& V0a) V1b)) (ap (ap c_2Eextreal_2Eextreal_sub V2c) V3d)) = (ap (\\
& ap c_2Eextreal_2Eextreal_sub (ap (ap c_2Eextreal_2Eextreal_add \\
& V0a) V2c)) (ap (ap c_2Eextreal_2Eextreal_add V1b) V3d))))))
\end{aligned} \tag{77}$$

Assume the following.

$$\begin{aligned}
& \forall A_27a.nonempty A_27a \Rightarrow (\forall V0m \in (ty_2Epair_2Eprod \\
& (2^{A_27a}) (ty_2Epair_2Eprod (2^{(2^{A_27a})}) (ty_2Erealax_2Ereal^{(2^{A_27a})}))). \\
& (\forall V1f \in (ty_2Eextreal_2Eextreal^{A_27a}). (\forall V2g \in (\\
& ty_2Eextreal_2Eextreal^{A_27a}). (((p (ap (c_2Emeasure_2Emeasure_space \\
& A_27a) V0m)) \wedge ((\forall V3x \in A_27a. ((p (ap (ap c_2Eextreal_2Eextreal_le \\
& (ap c_2Eextreal_2Eextreal_of_num c_2Enum_2E0)) (ap V1f V3x))) \wedge \\
& (p (ap (ap c_2Eextreal_2Eextreal_le (ap c_2Eextreal_2Eextreal_of_num \\
& c_2Enum_2E0)) (ap V2g V3x)))))) \wedge ((p (ap (ap (c_2Ebool_2EIN (ty_2Eextreal_2Eextreal^{A_27a})) \\
& V1f) (ap (ap (c_2Emeasure_2Emeasurable A_27a ty_2Eextreal_2Eextreal) \\
& (ap (ap (c_2Epair_2E_2C (2^{A_27a}) (2^{(2^{A_27a})})) (ap (c_2Emeasure_2Em_space \\
& A_27a) V0m)) (ap (c_2Emeasure_2Emeasurable_sets A_27a) V0m))) \\
& c_2Emeasure_2EBorel))) \wedge (p (ap (ap (c_2Ebool_2EIN (ty_2Eextreal_2Eextreal^{A_27a})) \\
& V2g) (ap (ap (c_2Emeasure_2Emeasurable A_27a ty_2Eextreal_2Eextreal) \\
& (ap (ap (c_2Epair_2E_2C (2^{A_27a}) (2^{(2^{A_27a})})) (ap (c_2Emeasure_2Em_space \\
& A_27a) V0m)) (ap (c_2Emeasure_2Emeasurable_sets A_27a) V0m))) \\
& c_2Emeasure_2EBorel)))))) \Rightarrow ((ap (ap (c_2Elebesgue_2Epos_fn_integral \\
& A_27a) V0m) (\lambda V4x \in A_27a. (ap (ap c_2Eextreal_2Eextreal_add \\
& (ap V1f V4x)) (ap V2g V4x)))) = (ap (ap c_2Eextreal_2Eextreal_add \\
& (ap (ap (c_2Elebesgue_2Epos_fn_integral A_27a) V0m) V1f)) (\\
& ap (ap (c_2Elebesgue_2Epos_fn_integral A_27a) V0m) V2g))))))
\end{aligned} \tag{78}$$

Assume the following.

$$\begin{aligned}
& \forall A_{.27a}.nonempty\ A_{.27a} \Rightarrow (\forall V0m \in (ty_2Epair_2Eprod \\
& (2^{A_{.27a}}) (ty_2Epair_2Eprod (2^{(2^{A_{.27a}})}) (ty_2Erealax_2Ereal^{(2^{A_{.27a}})}))) \\
& (\forall V1f \in (ty_2Eextreal_2Eextreal^{A_{.27a}}).(((p (ap (c_2Emeasure_2Emeasure_space \\
& A_{.27a}) V0m)) \wedge (p (ap (ap (c_2Elebesgue_2Eintegrable\ A_{.27a}) V0m) \\
& V1f)))) \Rightarrow (p (ap (ap (c_2Elebesgue_2Eintegrable\ A_{.27a}) V0m) (ap (\\
& c_2Emeasure_2Efn_plus\ A_{.27a}) V1f))))))
\end{aligned} \tag{79}$$

Assume the following.

$$\begin{aligned}
& \forall A_{.27a}.nonempty\ A_{.27a} \Rightarrow (\forall V0m \in (ty_2Epair_2Eprod \\
& (2^{A_{.27a}}) (ty_2Epair_2Eprod (2^{(2^{A_{.27a}})}) (ty_2Erealax_2Ereal^{(2^{A_{.27a}})}))) \\
& (\forall V1f \in (ty_2Eextreal_2Eextreal^{A_{.27a}}).(((p (ap (c_2Emeasure_2Emeasure_space \\
& A_{.27a}) V0m)) \wedge (p (ap (ap (c_2Elebesgue_2Eintegrable\ A_{.27a}) V0m) \\
& V1f)))) \Rightarrow (p (ap (ap (c_2Elebesgue_2Eintegrable\ A_{.27a}) V0m) (ap (\\
& c_2Emeasure_2Efn_minus\ A_{.27a}) V1f))))))
\end{aligned} \tag{80}$$

Assume the following.

$$\begin{aligned}
& \forall A_{.27a}.nonempty\ A_{.27a} \Rightarrow (\forall V0m \in (ty_2Epair_2Eprod \\
& (2^{A_{.27a}}) (ty_2Epair_2Eprod (2^{(2^{A_{.27a}})}) (ty_2Erealax_2Ereal^{(2^{A_{.27a}})}))) \\
& (\forall V1f1 \in (ty_2Eextreal_2Eextreal^{A_{.27a}}).(\forall V2f2 \in \\
& (ty_2Eextreal_2Eextreal^{A_{.27a}}).(((p (ap (c_2Emeasure_2Emeasure_space \\
& A_{.27a}) V0m)) \wedge ((p (ap (ap (c_2Elebesgue_2Eintegrable\ A_{.27a}) V0m) \\
& V1f1)) \wedge (p (ap (ap (c_2Elebesgue_2Eintegrable\ A_{.27a}) V0m) V2f2)))) \Rightarrow \\
& (p (ap (ap (c_2Elebesgue_2Eintegrable\ A_{.27a}) V0m) (\lambda V3x \in A_{.27a}. \\
& (ap (ap\ c_2Eextreal_2Eextreal_add (ap\ V1f1\ V3x)) (ap\ V2f2\ V3x))))))))))
\end{aligned} \tag{81}$$

Assume the following.

$$\begin{aligned}
& \forall A_{.27a}.nonempty\ A_{.27a} \Rightarrow (\forall V0m \in (ty_2Epair_2Eprod \\
& (2^{A_{.27a}}) (ty_2Epair_2Eprod (2^{(2^{A_{.27a}})}) (ty_2Erealax_2Ereal^{(2^{A_{.27a}})}))) \\
& (\forall V1f \in (ty_2Eextreal_2Eextreal^{A_{.27a}}).(\forall V2f1 \in \\
& (ty_2Eextreal_2Eextreal^{A_{.27a}}).(\forall V3f2 \in (ty_2Eextreal_2Eextreal^{A_{.27a}}). \\
& (((p (ap (c_2Emeasure_2Emeasure_space\ A_{.27a}) V0m)) \wedge ((p (ap (\\
& ap (c_2Elebesgue_2Eintegrable\ A_{.27a}) V0m) V1f)) \wedge ((p (ap (ap (c_2Elebesgue_2Eintegrable \\
& A_{.27a}) V0m) V2f1)) \wedge ((p (ap (ap (c_2Elebesgue_2Eintegrable\ A_{.27a}) \\
& V0m) V3f2)) \wedge ((V1f = (\lambda V4x \in A_{.27a}.(ap (ap\ c_2Eextreal_2Eextreal_sub \\
& (ap\ V2f1\ V4x)) (ap\ V3f2\ V4x)))) \wedge ((\forall V5x \in A_{.27a}.(p (ap (ap\ c_2Eextreal_2Eextreal_le \\
& (ap\ c_2Eextreal_2Eextreal_of_num\ c_2Enum_2E0)) (ap\ V2f1\ V5x)))) \wedge \\
& (\forall V6x \in A_{.27a}.(p (ap (ap\ c_2Eextreal_2Eextreal_le (ap\ c_2Eextreal_2Eextreal_of_num \\
& c_2Enum_2E0)) (ap\ V3f2\ V6x)))))))))) \Rightarrow ((ap (ap (c_2Elebesgue_2Eintegral \\
& A_{.27a}) V0m) V1f) = (ap (ap\ c_2Eextreal_2Eextreal_sub (ap (ap (c_2Elebesgue_2Epos_fn_integral \\
& A_{.27a}) V0m) V2f1)) (ap (ap (c_2Elebesgue_2Epos_fn_integral \\
& A_{.27a}) V0m) V3f2))))))
\end{aligned} \tag{82}$$

Assume the following.

$$\begin{aligned} & \forall A.27a.nonempty\ A.27a \Rightarrow (\forall V0g \in (ty_2Eextreal_2Eextreal^{A.27a}). \\ & (\forall V1x \in A.27a.(p\ (ap\ (ap\ c.2Eextreal_2Eextreal_le\ (ap\ c.2Eextreal_2Eextreal_of_num \\ & \quad c.2Enum_2E0))\ (ap\ (ap\ (c.2Emeasure_2Efn_plus\ A.27a)\ V0g)\ V1x)))))) \end{aligned} \quad (83)$$

Assume the following.

$$\begin{aligned} & \forall A.27a.nonempty\ A.27a \Rightarrow (\forall V0g \in (ty_2Eextreal_2Eextreal^{A.27a}). \\ & (\forall V1x \in A.27a.(p\ (ap\ (ap\ c.2Eextreal_2Eextreal_le\ (ap\ c.2Eextreal_2Eextreal_of_num \\ & \quad c.2Enum_2E0))\ (ap\ (ap\ (c.2Emeasure_2Efn_minus\ A.27a)\ V0g)\ V1x)))))) \end{aligned} \quad (84)$$

Assume the following.

$$\begin{aligned} & \forall A.27a.nonempty\ A.27a \Rightarrow (\forall V0a \in (ty_2Epair_2Eprod \\ & \quad (2^{A.27a})\ (2^{(2^{A.27a})})).(\forall V1f \in (ty_2Eextreal_2Eextreal^{A.27a}). \\ & \quad ((p\ (ap\ (ap\ (c.2Ebool_2EIN\ (ty_2Eextreal_2Eextreal^{A.27a}))\ V1f) \\ & \quad (ap\ (ap\ (c.2Emeasure_2Emeasurable\ A.27a\ ty_2Eextreal_2Eextreal) \\ & \quad V0a)\ c.2Emeasure_2EBorel))) \Rightarrow (p\ (ap\ (ap\ (c.2Ebool_2EIN\ (ty_2Eextreal_2Eextreal^{A.27a})) \\ & \quad (ap\ (c.2Emeasure_2Efn_plus\ A.27a)\ V1f))\ (ap\ (ap\ (c.2Emeasure_2Emeasurable \\ & \quad A.27a\ ty_2Eextreal_2Eextreal)\ V0a)\ c.2Emeasure_2EBorel)))))) \end{aligned} \quad (85)$$

Assume the following.

$$\begin{aligned} & \forall A.27a.nonempty\ A.27a \Rightarrow (\forall V0a \in (ty_2Epair_2Eprod \\ & \quad (2^{A.27a})\ (2^{(2^{A.27a})})).(\forall V1f \in (ty_2Eextreal_2Eextreal^{A.27a}). \\ & \quad ((p\ (ap\ (ap\ (c.2Ebool_2EIN\ (ty_2Eextreal_2Eextreal^{A.27a}))\ V1f) \\ & \quad (ap\ (ap\ (c.2Emeasure_2Emeasurable\ A.27a\ ty_2Eextreal_2Eextreal) \\ & \quad V0a)\ c.2Emeasure_2EBorel))) \Rightarrow (p\ (ap\ (ap\ (c.2Ebool_2EIN\ (ty_2Eextreal_2Eextreal^{A.27a})) \\ & \quad (ap\ (c.2Emeasure_2Efn_minus\ A.27a)\ V1f))\ (ap\ (ap\ (c.2Emeasure_2Emeasurable \\ & \quad A.27a\ ty_2Eextreal_2Eextreal)\ V0a)\ c.2Emeasure_2EBorel)))))) \end{aligned} \quad (86)$$

Assume the following.

$$(\forall V0t \in 2.((\neg(\neg(p\ V0t))) \Leftrightarrow (p\ V0t))) \quad (87)$$

Assume the following.

$$(\forall V0A \in 2.((p\ V0A) \Rightarrow ((\neg(p\ V0A)) \Rightarrow False))) \quad (88)$$

Assume the following.

$$(\forall V0A \in 2.(\forall V1B \in 2.(((\neg((\neg(p\ V0A) \vee (p\ V1B))) \Rightarrow False) \Leftrightarrow \\ ((p\ V0A) \Rightarrow False) \Rightarrow ((\neg(p\ V1B)) \Rightarrow False)))))) \quad (89)$$

Assume the following.

$$(\forall V0A \in 2.(\forall V1B \in 2.(((\neg((\neg(\neg(p\ V0A) \vee (p\ V1B))) \Rightarrow False) \Leftrightarrow \\ ((p\ V0A) \Rightarrow ((\neg(p\ V1B)) \Rightarrow False)))))) \quad (90)$$

Assume the following.

$$(\forall V0A \in 2.((\neg(p V0A)) \Rightarrow False) \Rightarrow ((p V0A) \Rightarrow False) \Rightarrow False)) \quad (91)$$

Assume the following.

$$\begin{aligned} & (\forall V0p \in 2.(\forall V1q \in 2.(\forall V2r \in 2.(((p V0p) \Leftrightarrow (\\ & (p V1q) \Leftrightarrow (p V2r))) \Leftrightarrow (((p V0p) \vee ((p V1q) \vee (p V2r))) \wedge (((p V0p) \vee (\neg(\\ & p V2r)) \vee (\neg(p V1q)))) \wedge (((p V1q) \vee ((\neg(p V2r)) \vee (\neg(p V0p)))) \wedge ((p V2r) \vee \\ & ((\neg(p V1q)) \vee (\neg(p V0p)))))))))) \end{aligned} \quad (92)$$

Assume the following.

$$\begin{aligned} & (\forall V0p \in 2.(\forall V1q \in 2.(\forall V2r \in 2.(((p V0p) \Leftrightarrow (\\ & (p V1q) \wedge (p V2r))) \Leftrightarrow (((p V0p) \vee (\neg(p V1q)) \vee (\neg(p V2r)))) \wedge (((p V1q) \vee \\ & (\neg(p V0p))) \wedge ((p V2r) \vee (\neg(p V0p)))))) \end{aligned} \quad (93)$$

Assume the following.

$$\begin{aligned} & (\forall V0p \in 2.(\forall V1q \in 2.(\forall V2r \in 2.(((p V0p) \Leftrightarrow (\\ & (p V1q) \vee (p V2r))) \Leftrightarrow (((p V0p) \vee (\neg(p V1q))) \wedge (((p V0p) \vee (\neg(p V2r))) \wedge \\ & ((p V1q) \vee ((p V2r) \vee (\neg(p V0p)))))))) \end{aligned} \quad (94)$$

Assume the following.

$$\begin{aligned} & (\forall V0p \in 2.(\forall V1q \in 2.(\forall V2r \in 2.(((p V0p) \Leftrightarrow (\\ & (p V1q) \Rightarrow (p V2r))) \Leftrightarrow (((p V0p) \vee (p V1q)) \wedge (((p V0p) \vee (\neg(p V2r))) \wedge (\\ & \neg(p V1q)) \vee ((p V2r) \vee (\neg(p V0p)))))))) \end{aligned} \quad (95)$$

Assume the following.

$$\begin{aligned} & (\forall V0p \in 2.(\forall V1q \in 2.(((p V0p) \Leftrightarrow (\neg(p V1q))) \Leftrightarrow (((p V0p) \vee \\ & (p V1q)) \wedge ((\neg(p V1q)) \vee (\neg(p V0p)))))) \end{aligned} \quad (96)$$

Assume the following.

$$(\forall V0p \in 2.(\forall V1q \in 2.((\neg((p V0p) \Rightarrow (p V1q))) \Rightarrow (p V0p))) \quad (97)$$

Assume the following.

$$(\forall V0p \in 2.(\forall V1q \in 2.((\neg((p V0p) \Rightarrow (p V1q))) \Rightarrow (\neg(p V1q)))) \quad (98)$$

Assume the following.

$$(\forall V0p \in 2.(\forall V1q \in 2.((\neg((p V0p) \vee (p V1q))) \Rightarrow (\neg(p V0p)))) \quad (99)$$

Assume the following.

$$(\forall V0p \in 2.(\forall V1q \in 2.((\neg((p V0p) \vee (p V1q))) \Rightarrow (\neg(p V1q)))) \quad (100)$$

Assume the following.

$$(\forall V0p \in 2.((\neg(\neg(p V0p))) \Rightarrow (p V0p))) \quad (101)$$

Theorem 1

$$\begin{aligned} & \forall A_{27a}. \text{nonempty } A_{27a} \Rightarrow (\forall V0m \in (\text{ty_2Epair_2Eprod} \\ & (2^{A_{27a}}) (\text{ty_2Epair_2Eprod } (2^{(2^{A_{27a}})}) (\text{ty_2Erealax_2Ereal}^{(2^{A_{27a}})}))))). \\ & (\forall V1f \in (\text{ty_2Eextreal_2Eextreal}^{A_{27a}}). (\forall V2g \in (\\ & \text{ty_2Eextreal_2Eextreal}^{A_{27a}}). (((p (ap (c_2Emeasure_2Emeasure_space \\ & A_{27a}) V0m)) \wedge ((p (ap (ap (c_2Elebesgue_2Eintegrable A_{27a}) V0m) \\ & V1f)) \wedge (p (ap (ap (c_2Elebesgue_2Eintegrable A_{27a}) V0m) V2g)))))) \Rightarrow \\ & ((ap (ap (c_2Elebesgue_2Eintegral A_{27a}) V0m) (\lambda V3x \in A_{27a}. \\ & (ap (ap c_2Eextreal_2Eextreal_add (ap V1f V3x)) (ap V2g V3x)))) = \\ & (ap (ap c_2Eextreal_2Eextreal_add (ap (ap (c_2Elebesgue_2Eintegral \\ & A_{27a}) V0m) V1f)) (ap (ap (c_2Elebesgue_2Eintegral A_{27a}) V0m) \\ & V2g)))))) \end{aligned}$$