

thm_2Elebesgue_2Eintegral__indicator (TM- biQTCx98pcMFQHrGsvCUQq6VPxtE8zSQT)

October 26, 2020

Definition 1 We define `c_2Emin_2E_40` to be $\lambda A. \lambda P \in 2^A. \text{if } (\exists x \in A. p \text{ (ap } P \ x)) \text{ then (the } (\lambda x. x \in A \wedge p \ x) \text{ of type } \iota \Rightarrow \iota.$

Definition 2 We define `c_2Emin_2E_3D` to be $\lambda A. \lambda x \in A. \lambda y \in A. \text{inj_o } (x = y)$ of type $\iota \Rightarrow \iota.$

Definition 3 We define `c_2Ebool_2E_3F` to be $\lambda A. 27a : \iota. (\lambda V0P \in (2^{A-27a}). (\text{ap } V0P \text{ (ap } (c_2Emin_2E_40 \ A \ V0P))$

Definition 4 We define `c_2Ebool_2ET` to be $(\text{ap } (\text{ap } (c_2Emin_2E_3D \ (2^2)) \ (\lambda V0x \in 2.V0x)) \ (\lambda V1x \in 2.V1x))$

Let `ty_2Erealax_2Ereal` : ι be given. Assume the following.

$$\text{nonempty ty_2Erealax_2Ereal} \tag{1}$$

Let `ty_2Epair_2Eprod` : $\iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0. \text{nonempty } A0 \Rightarrow \forall A1. \text{nonempty } A1 \Rightarrow \text{nonempty } (\text{ty_2Epair_2Eprod } A0 \ A1) \tag{2}$$

Let `c_2Emeasure_2Emeasure` : $\iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A. 27a. \text{nonempty } A. 27a \Rightarrow c_2Emeasure_2Emeasure \ A. 27a \in ((\text{ty_2Erealax_2Ereal}^{(2^{A-27a})}) (\text{ty_2Epair_2Eprod } (2^{A-27a}) \ (\text{ty_2Epair_2Eprod } (2^{(2^{A-27a})}) \ (\text{ty_2Erealax_2Ereal}^{(2^{A-27a})}))) \tag{3}$$

Let `ty_2Eextreal_2Eextreal` : ι be given. Assume the following.

$$\text{nonempty ty_2Eextreal_2Eextreal} \tag{4}$$

Let `c_2Eextreal_2ENormal` : ι be given. Assume the following.

$$c_2Eextreal_2ENormal \in (\text{ty_2Eextreal_2Eextreal}^{\text{ty_2Erealax_2Ereal}}) \tag{5}$$

Let `c_2Emeasure_2Emeasurable__sets` : $\iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A. 27a. \text{nonempty } A. 27a \Rightarrow c_2Emeasure_2Emeasurable_sets \ A. 27a \in (((2^{(2^{A-27a})}) (\text{ty_2Epair_2Eprod } (2^{A-27a}) \ (\text{ty_2Epair_2Eprod } (2^{(2^{A-27a})}) \ (\text{ty_2Erealax_2Ereal}^{(2^{A-27a})})))))) \tag{6}$$

Let $c_2Eextreal_2Eextreal_le : \iota$ be given. Assume the following.

$$c_2Eextreal_2Eextreal_le \in ((2^{ty_2Eextreal_2Eextreal})^{ty_2Eextreal_2Eextreal}) \quad (7)$$

Definition 5 We define $c_2Ebool_2E_21$ to be $\lambda A_27a : \iota. (\lambda V0P \in (2^{A_27a}). (ap (ap (c_2Emin_2E_3D (2^{A_27a})))$

Let $c_2Emeasure_2Em_space : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a. nonempty A_27a \Rightarrow c_2Emeasure_2Em_space A_27a \in ((2^{A_27a})^{(ty_2Epair_2Eprod (2^{A_27a}) (ty_2Epair_2Eprod (2^{(2^{A_27a})}) (ty_2Erealx_2Ereal (2^{A_27a})))))) \quad (8)$$

Let $ty_2Enum_2Enum : \iota$ be given. Assume the following.

$$nonempty ty_2Enum_2Enum \quad (9)$$

Definition 6 We define c_2Ebool_2EIN to be $\lambda A_27a : \iota. (\lambda V0x \in A_27a. (\lambda V1f \in (2^{A_27a}). (ap V1f V0x)))$

Definition 7 We define $c_2Emin_2E_3D_3D_3E$ to be $\lambda P \in 2. \lambda Q \in 2. inj_o (p P \Rightarrow p Q)$ of type ι .

Definition 8 We define $c_2Ebool_2E_2F_5C$ to be $(\lambda V0t1 \in 2. (\lambda V1t2 \in 2. (ap (c_2Ebool_2E_21 2) (\lambda V2t \in 2)))$

Let $c_2Epair_2EABS_prod : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a. nonempty A_27a \Rightarrow \forall A_27b. nonempty A_27b \Rightarrow c_2Epair_2EABS_prod A_27a A_27b \in ((ty_2Epair_2Eprod A_27a A_27b)^{(2^{A_27b})^{A_27a}}) \quad (10)$$

Definition 9 We define $c_2Epair_2E_2C$ to be $\lambda A_27a : \iota. \lambda A_27b : \iota. \lambda V0x \in A_27a. \lambda V1y \in A_27b. (ap (c_2Epair_2EABS_prod A_27a A_27b) (V0x V1y))$

Let $c_2Epred_set_2EGSPEC : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a. nonempty A_27a \Rightarrow \forall A_27b. nonempty A_27b \Rightarrow c_2Epred_set_2EGSPEC A_27a A_27b \in ((2^{A_27a})^{(ty_2Epair_2Eprod A_27a 2)^{A_27b}}) \quad (11)$$

Definition 10 We define $c_2Epred_set_2EIMAGE$ to be $\lambda A_27a : \iota. \lambda A_27b : \iota. \lambda V0f \in (A_27b^{A_27a}). \lambda V1s \in (A_27b)^{A_27a}. (ap (c_2Epair_2E_2C A_27a A_27b) (V0f V1s))$

Definition 11 We define $c_2Epred_set_2EBIGUNION$ to be $\lambda A_27a : \iota. \lambda V0P \in (2^{(2^{A_27a})}). (ap (c_2Epred_set_2EGSPEC A_27a A_27a) (V0P))$

Definition 12 We define c_2Ebool_2EF to be $(ap (c_2Ebool_2E_21 2) (\lambda V0t \in 2. V0t))$.

Definition 13 We define $c_2Epred_set_2EEMPTY$ to be $\lambda A_27a : \iota. (\lambda V0x \in A_27a. c_2Ebool_2EF)$.

Definition 14 We define $c_2Epred_set_2EINTER$ to be $\lambda A_27a : \iota. \lambda V0s \in (2^{A_27a}). \lambda V1t \in (2^{A_27a}). (ap (c_2Epair_2E_2C A_27a A_27a) (V0s V1t))$

Definition 15 We define $c_2Epred_set_2EDISJOINT$ to be $\lambda A_27a : \iota. \lambda V0s \in (2^{A_27a}). \lambda V1t \in (2^{A_27a}). (ap (c_2Epair_2E_2C A_27a A_27a) (V0s V1t))$

Definition 16 We define $c_2Ebool_2E_7E$ to be $(\lambda V0t \in 2. (ap (ap (c_2Emin_2E_3D_3D_3E V0t) c_2Ebool_2E_21) V0t))$

Let $c_2Enum_2EZERO_REP : \iota$ be given. Assume the following.

$$c_2Enum_2EZERO_REP \in \omega \tag{12}$$

Let $c_2Enum_2EABS_num : \iota$ be given. Assume the following.

$$c_2Enum_2EABS_num \in (ty_2Enum_2Enum^{\omega}) \tag{13}$$

Definition 17 We define c_2Enum_2E0 to be $(ap\ c_2Enum_2EABS_num\ c_2Enum_2EZERO_REP)$.

Let $c_2Ereal_2Ereal_of_num : \iota$ be given. Assume the following.

$$c_2Ereal_2Ereal_of_num \in (ty_2Erealax_2Ereal^{ty_2Enum_2Enum}) \tag{14}$$

Let $ty_2Ehreal_2Ehreal : \iota$ be given. Assume the following.

$$nonempty\ ty_2Ehreal_2Ehreal \tag{15}$$

Let $c_2Erealax_2Ereal_REP_CLASS : \iota$ be given. Assume the following.

$$c_2Erealax_2Ereal_REP_CLASS \in ((2^{(ty_2Epair_2Eprod\ ty_2Ehreal_2Ehreal\ ty_2Ehreal_2Ehreal)})^{ty_2Erealax}) \tag{16}$$

Definition 18 We define $c_2Erealax_2Ereal_REP$ to be $\lambda V0a \in ty_2Erealax_2Ereal.(ap\ (c_2Emin_2E.40\ t$

Let $c_2Erealax_2Etreall_lt : \iota$ be given. Assume the following.

$$c_2Erealax_2Etreall_lt \in ((2^{(ty_2Epair_2Eprod\ ty_2Ehreal_2Ehreal\ ty_2Ehreal_2Ehreal)})^{(ty_2Epair_2Eprod\ ty_2Ehreal)}) \tag{17}$$

Definition 19 We define $c_2Erealax_2Ereal_lt$ to be $\lambda V0T1 \in ty_2Erealax_2Ereal.\lambda V1T2 \in ty_2Erealax$

Definition 20 We define $c_2Ereal_2Ereal_lte$ to be $\lambda V0x \in ty_2Erealax_2Ereal.\lambda V1y \in ty_2Erealax_2Ereal$

Definition 21 We define $c_2Ebool_2E.5C_2F$ to be $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap\ (c_2Ebool_2E.21\ 2)\ (\lambda V2t \in$

Definition 22 We define $c_2Epred_set_2EINSERT$ to be $\lambda A.27a : \iota.\lambda V0x \in A.27a.\lambda V1s \in (2^{A-27a}).(ap\ (c_2E$

Definition 23 We define $c_2Epred_set_2EFINITE$ to be $\lambda A.27a : \iota.\lambda V0s \in (2^{A-27a}).(ap\ (c_2Ebool_2E.21\ 2)$

Definition 24 We define $c_2Eextreal_2Eextreal_of_num$ to be $\lambda V0n \in ty_2Enum_2Enum.(ap\ c_2Eextreal$

Definition 25 We define $c_2Earithmetic_2EZERO$ to be c_2Enum_2E0 .

Let $c_2Enum_2EREP_num : \iota$ be given. Assume the following.

$$c_2Enum_2EREP_num \in (\omega^{ty_2Enum_2Enum}) \tag{18}$$

Let $c_2Enum_2ESUC_REP : \iota$ be given. Assume the following.

$$c_2Enum_2ESUC_REP \in (\omega^{\omega}) \tag{19}$$

Definition 26 We define c_2Enum_2ESUC to be $\lambda V0m \in ty_2Enum_2Enum.(ap\ c_2Enum_2EABS_num$
Let $c_2Earithmetic_2E_2B : \iota$ be given. Assume the following.

$$c_2Earithmetic_2E_2B \in ((ty_2Enum_2Enum^{ty_2Enum_2Enum})^{ty_2Enum_2Enum}) \quad (20)$$

Definition 27 We define $c_2Earithmetic_2EBIT1$ to be $\lambda V0n \in ty_2Enum_2Enum.(ap\ (ap\ c_2Earithmetic$

Definition 28 We define $c_2Earithmetic_2ENUMERAL$ to be $\lambda V0x \in ty_2Enum_2Enum.V0x$.

Definition 29 We define c_2Ebool_2ECOND to be $\lambda A_27a : \iota.(\lambda V0t \in 2.(\lambda V1t1 \in A_27a.(\lambda V2t2 \in A_27a.($

Definition 30 We define $c_2Emeasure_2Eindicator_fn$ to be $\lambda A_27a : \iota.\lambda V0s \in (2^{A_27a}).(\lambda V1x \in A_27a.(ap$

Let $c_2Eextreal_2Eextreal_mul : \iota$ be given. Assume the following.

$$c_2Eextreal_2Eextreal_mul \in ((ty_2Eextreal_2Eextreal^{ty_2Eextreal_2Eextreal})^{ty_2Eextreal_2Eextreal}) \quad (21)$$

Let $c_2Eextreal_2Eextreal_add : \iota$ be given. Assume the following.

$$c_2Eextreal_2Eextreal_add \in ((ty_2Eextreal_2Eextreal^{ty_2Eextreal_2Eextreal})^{ty_2Eextreal_2Eextreal}) \quad (22)$$

Let $c_2Epred_set_2EITSET : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow c_2Epred_set_2EITSET\ A_27a\ A_27b \in (((A_27b^{A_27b})^{(2^{A_27a})})^{((A_27b^{A_27b})^{A_27a})}) \quad (23)$$

Definition 31 We define $c_2Eextreal_2EEXTREAL_SUM_IMAGE$ to be $\lambda A_27a : \iota.\lambda V0f \in (ty_2Eextreal_2E$

Definition 32 We define $c_2Emeasure_2Epos_simple_fn$ to be $\lambda A_27a : \iota.\lambda V0m \in (ty_2Epair_2Eprod\ (2^{A$

Let $c_2Epair_2ESND : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow c_2Epair_2ESND\ A_27a\ A_27b \in (A_27b^{(ty_2Epair_2Eprod\ A_27a\ A_27b)}) \quad (24)$$

Let $c_2Epair_2EFST : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow c_2Epair_2EFST\ A_27a\ A_27b \in (A_27a^{(ty_2Epair_2Eprod\ A_27a\ A_27b)}) \quad (25)$$

Definition 33 We define $c_2Epair_2EUNCURRY$ to be $\lambda A_27a : \iota.\lambda A_27b : \iota.\lambda A_27c : \iota.\lambda V0f \in ((A_27c^{A_27$

Definition 34 We define $c_2Elebesgue_2Epsfs$ to be $\lambda A_27a : \iota.\lambda V0m \in (ty_2Epair_2Eprod\ (2^{A_27a})\ (ty_2E$

Let $c_2Erealax_2Etreal_mul : \iota$ be given. Assume the following.

$$c_2Erealax_2Etreal_mul \in (((ty_2Epair_2Eprod\ ty_2Ehreal_2Ehreal\ ty_2Ehreal_2Ehreal)(ty_2Epair_2Eprod\ ty_2Ehreal_2Ehreal\ ty_2Ehreal_2Ehreal)(ty_2Epair_2Eprod\ ty_2Ehreal_2Ehreal\ ty_2Ehreal_2Ehreal)))(ty_2Epair_2Eprod\ ty_2Ehreal_2Ehreal\ ty_2Ehreal_2Ehreal) \quad (26)$$

Let $c_2Erealax_2Etreal_eq : \iota$ be given. Assume the following.

$$c_2Erealax_2Etreal_eq \in ((2^{(ty_2Epair_2Eprod\ ty_2Ehreal_2Ehreal\ ty_2Ehreal_2Ehreal)})(ty_2Epair_2Eprod\ ty_2Ehreal_2Ehreal\ ty_2Ehreal_2Ehreal)) \quad (27)$$

Let $c_2Erealax_2Ereal_ABS_CLASS : \iota$ be given. Assume the following.

$$c_2Erealax_2Ereal_ABS_CLASS \in (ty_2Erealax_2Ereal)^{(2^{(ty_2Epair_2Eprod\ ty_2Ehreal_2Ehreal\ ty_2Ehreal_2Ehreal)}}) \quad (28)$$

Definition 35 We define $c_2Erealax_2Ereal_ABS$ to be $\lambda V0r \in (ty_2Epair_2Eprod\ ty_2Ehreal_2Ehreal\ ty_2Ehreal_2Ehreal)$

Definition 36 We define $c_2Erealax_2Ereal_mul$ to be $\lambda V0T1 \in ty_2Erealax_2Ereal.\lambda V1T2 \in ty_2Erealax_2Ereal$

Let $c_2Erealax_2Etreal_add : \iota$ be given. Assume the following.

$$c_2Erealax_2Etreal_add \in (((ty_2Epair_2Eprod\ ty_2Ehreal_2Ehreal\ ty_2Ehreal_2Ehreal)(ty_2Epair_2Eprod\ ty_2Ehreal_2Ehreal\ ty_2Ehreal_2Ehreal)(ty_2Epair_2Eprod\ ty_2Ehreal_2Ehreal\ ty_2Ehreal_2Ehreal)))(ty_2Epair_2Eprod\ ty_2Ehreal_2Ehreal\ ty_2Ehreal_2Ehreal) \quad (29)$$

Definition 37 We define $c_2Erealax_2Ereal_add$ to be $\lambda V0T1 \in ty_2Erealax_2Ereal.\lambda V1T2 \in ty_2Erealax_2Ereal$

Definition 38 We define $c_2Ereal_sigma_2EREAL_SUM_IMAGE$ to be $\lambda A_27a : \iota.\lambda V0f \in (ty_2Erealax_2Ereal)$

Definition 39 We define $c_2ELebesgue_2Epos_simple_fn_integral$ to be $\lambda A_27a : \iota.\lambda V0m \in (ty_2Epair_2Eprod\ ty_2Ehreal_2Ehreal\ ty_2Ehreal_2Ehreal)$

Definition 40 We define $c_2ELebesgue_2Epsfis$ to be $\lambda A_27a : \iota.\lambda V0m \in (ty_2Epair_2Eprod\ (2^{A_27a})\ (ty_2Epair_2Eprod\ ty_2Ehreal_2Ehreal\ ty_2Ehreal_2Ehreal))$

Definition 41 We define c_2Ereal_2Esup to be $\lambda V0P \in (2^{ty_2Erealax_2Ereal}).(ap\ (c_2Emin_2E.40\ ty_2Erealax_2Ereal))$

Let $c_2Eextreal_2ENegInf : \iota$ be given. Assume the following.

$$c_2Eextreal_2ENegInf \in ty_2Eextreal_2Eextreal \quad (30)$$

Let $c_2Eextreal_2EPosInf : \iota$ be given. Assume the following.

$$c_2Eextreal_2EPosInf \in ty_2Eextreal_2Eextreal \quad (31)$$

Definition 42 We define $c_2Eextreal_2Eextreal_sup$ to be $\lambda V0p \in (2^{ty_2Eextreal_2Eextreal}).(ap\ (ap\ (ap\ (c_2Emin_2E.40\ ty_2Erealax_2Ereal))))$

Definition 43 We define $c_2ELebesgue_2Epos_fn_integral$ to be $\lambda A_27a : \iota.\lambda V0m \in (ty_2Epair_2Eprod\ (2^{A_27a})\ (ty_2Epair_2Eprod\ ty_2Ehreal_2Ehreal\ ty_2Ehreal_2Ehreal))$

Let $c_2Eextreal_2Eextreal_ainv : \iota$ be given. Assume the following.

$$c_2Eextreal_2Eextreal_ainv \in (ty_2Eextreal_2Eextreal)^{ty_2Eextreal_2Eextreal} \quad (32)$$

Definition 44 We define $c_2Eextreal_2Eextreal_lt$ to be $\lambda V0x \in ty_2Eextreal_2Eextreal.\lambda V1y \in ty_2Eextreal$

Definition 45 We define $c_2Emeasure_2Efn_minus$ to be $\lambda A_27a : \iota.\lambda V0f \in (ty_2Eextreal_2Eextreal^{A_27a})$

Definition 46 We define $c_2Emeasure_2Efn_plus$ to be $\lambda A_27a : \iota.\lambda V0f \in (ty_2Eextreal_2Eextreal^{A_27a})$.

Let $c_2Eextreal_2Eextreal_sub : \iota$ be given. Assume the following.

$$c_2Eextreal_2Eextreal_sub \in ((ty_2Eextreal_2Eextreal^{ty_2Eextreal_2Eextreal})^{ty_2Eextreal_2Eextreal}) \quad (33)$$

Definition 47 We define $c_2ELebesgue_2Eintegral$ to be $\lambda A_27a : \iota.\lambda V0m \in (ty_2Epair_2Eprod (2^{A_27a}) (ty_2Eextreal_2Eextreal^{A_27a}))$

Definition 48 We define $c_2Epred_set_2EUNIV$ to be $\lambda A_27a : \iota.(\lambda V0x \in A_27a.c_2Ebool_2EET)$.

Definition 49 We define $c_2Ecombin_2Eo$ to be $\lambda A_27a : \iota.\lambda A_27b : \iota.\lambda A_27c : \iota.\lambda V0f \in (A_27b^{A_27c}).\lambda V1g \in (A_27c^{A_27a})$

Let $c_2Ereal_2Esum : \iota$ be given. Assume the following.

$$c_2Ereal_2Esum \in ((ty_2Erealax_2Ereal^{(ty_2Erealax_2Ereal^{ty_2Eenum_2Eenum})})^{(ty_2Epair_2Eprod ty_2Eenum_2Eenum)}) \quad (34)$$

Definition 50 We define $c_2Eprim_rec_2E_3C$ to be $\lambda V0m \in ty_2Eenum_2Eenum.\lambda V1n \in ty_2Eenum_2Eenum$

Definition 51 We define $c_2Earithmetic_2E_3E$ to be $\lambda V0m \in ty_2Eenum_2Eenum.\lambda V1n \in ty_2Eenum_2Eenum$

Definition 52 We define $c_2Earithmetic_2E_3E_3D$ to be $\lambda V0m \in ty_2Eenum_2Eenum.\lambda V1n \in ty_2Eenum_2Eenum$

Let $c_2Erealax_2Etrealm_neg : \iota$ be given. Assume the following.

$$c_2Erealax_2Etrealm_neg \in ((ty_2Epair_2Eprod ty_2Ehreal_2Ehreal) \quad (ty_2Epair_2Eprod ty_2Ehreal_2Ehreal ty_2Ehreal_2Ehreal)) \quad (35)$$

Definition 53 We define $c_2Erealax_2Ereal_neg$ to be $\lambda V0T1 \in ty_2Erealax_2Ereal.(ap c_2Erealax_2Ereal)$

Definition 54 We define $c_2Ereal_2Ereal_sub$ to be $\lambda V0x \in ty_2Erealax_2Ereal.\lambda V1y \in ty_2Erealax_2Ereal$

Definition 55 We define c_2Ereal_2Eabs to be $\lambda V0x \in ty_2Erealax_2Ereal.(ap (ap (ap (c_2Ebool_2ECONJ))))$

Let $ty_2Emetric_2Emetric : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0.nonempty A0 \Rightarrow nonempty (ty_2Emetric_2Emetric A0) \quad (36)$$

Let $c_2Emetric_2Emetric : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty A_27a \Rightarrow c_2Emetric_2Emetric A_27a \in ((ty_2Emetric_2Emetric A_27a)^{(ty_2Erealax_2Ereal^{(ty_2Epair_2Eprod A_27a A_27a)})}) \quad (37)$$

Definition 56 We define $c_2Emetric_2Emr1$ to be $(ap (c_2Emetric_2Emetric ty_2Erealax_2Ereal)) (ap (c_2Emetric_2Emetric ty_2Erealax_2Ereal))$

Let $c_2Emetric_2Edist : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow c_2Emetric_2Edist\ A_27a \in ((ty_2Erealax_2Ereal^{(ty_2Epair_2Eprod\ A_27a\ A_27a)})) \quad (38)$$

Let $ty_2Etopology_2Etopology : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0.nonempty\ A0 \Rightarrow nonempty\ (ty_2Etopology_2Etopology\ A0) \quad (39)$$

Let $c_2Etopology_2Etopology : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow c_2Etopology_2Etopology\ A_27a \in ((ty_2Etopology_2Etopology\ A_27a)^{(2^{(2^A-27a)})}) \quad (40)$$

Definition 57 We define $c_2Emetric_2Emtop$ to be $\lambda A_27a : \iota.\lambda V0m \in (ty_2Emetric_2Emetric\ A_27a).(ap$

Let $c_2Enets_2Etends : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow c_2Enets_2Etends\ A_27a\ A_27b \in (((2^{(ty_2Epair_2Eprod\ (ty_2Etopology_2Etopology\ A_27a)\ (2^{A-27b})^{A-27b}))})_{A_27a})(A_27a^{A-27b}) \quad (41)$$

Definition 58 We define $c_2Eseq_2E_2D_2D_3E$ to be $\lambda V0x \in (ty_2Erealax_2Ereal^{ty_2Enum_2Enum}).\lambda V1x$

Definition 59 We define c_2Eseq_2Esums to be $\lambda V0f \in (ty_2Erealax_2Ereal^{ty_2Enum_2Enum}).\lambda V1s \in ty_2$

Definition 60 We define $c_2Epred_set_2EFUNSET$ to be $\lambda A_27a : \iota.\lambda A_27b : \iota.\lambda V0P \in (2^{A-27a}).\lambda V1Q \in (2^{A-27b}).$

Definition 61 We define $c_2Emeasure_2Ecountably_additive$ to be $\lambda A_27a : \iota.\lambda V0m \in (ty_2Epair_2Eprod$

Definition 62 We define $c_2Emeasure_2Epositive$ to be $\lambda A_27a : \iota.\lambda V0m \in (ty_2Epair_2Eprod\ (2^{A-27a})\ (ty_2Epair_2Eprod$

Let $c_2Emeasure_2Esubsets : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow c_2Emeasure_2Esubsets\ A_27a \in ((2^{(2^{A-27a})})^{(ty_2Epair_2Eprod\ (2^{A-27a})\ (2^{(2^A-27a)})})) \quad (42)$$

Definition 63 We define $c_2Epred_set_2ESUBSET$ to be $\lambda A_27a : \iota.\lambda V0s \in (2^{A-27a}).\lambda V1t \in (2^{A-27a}).(ap$

Definition 64 We define $c_2Epred_set_2EINJ$ to be $\lambda A_27a : \iota.\lambda A_27b : \iota.\lambda V0f \in (A_27b^{A-27a}).\lambda V1s \in (2^{A-27a}).$

Definition 65 We define $c_2Epred_set_2Ecountable$ to be $\lambda A_27a : \iota.\lambda V0s \in (2^{A-27a}).(ap\ (c_2Ebool_2E_3F$

Definition 66 We define $c_2Epred_set_2EUNION$ to be $\lambda A_27a : \iota.\lambda V0s \in (2^{A-27a}).\lambda V1t \in (2^{A-27a}).(ap\ (c$

Let $c_2Emeasure_2Espace : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow c_2Emeasure_2Espace\ A_27a \in ((2^{A-27a})^{(ty_2Epair_2Eprod\ (2^{A-27a})\ (2^{(2^A-27a)})})) \quad (43)$$

Definition 67 We define $c_2Epred_set_2EDIFF$ to be $\lambda A_27a : \iota.\lambda V0s \in (2^{A_27a}).\lambda V1t \in (2^{A_27a}).(ap (c_2E$

Definition 68 We define $c_2Emeasure_2Esubset_class$ to be $\lambda A_27a : \iota.\lambda V0sp \in (2^{A_27a}).\lambda V1sts \in (2^{(2^{A_27a})})$

Definition 69 We define $c_2Emeasure_2Ealgebra$ to be $\lambda A_27a : \iota.\lambda V0a \in (ty_2Epair_2Eprod (2^{A_27a}) (2^{(2^{A_27a})}))$

Definition 70 We define $c_2Emeasure_2Esigma_algebra$ to be $\lambda A_27a : \iota.\lambda V0a \in (ty_2Epair_2Eprod (2^{A_27a}) (2^{(2^{A_27a})}))$

Definition 71 We define $c_2Emeasure_2Emeasure_space$ to be $\lambda A_27a : \iota.\lambda V0m \in (ty_2Epair_2Eprod (2^{A_27a}) (2^{(2^{A_27a})}))$

Assume the following.

$$True \quad (44)$$

Assume the following.

$$(\forall V0t1 \in 2.(\forall V1t2 \in 2.(((p V0t1) \Rightarrow (p V1t2)) \Rightarrow (((p V1t2) \Rightarrow (p V0t1)) \Rightarrow ((p V0t1) \Leftrightarrow (p V1t2)))))) \quad (45)$$

Assume the following.

$$(\forall V0t \in 2.(False \Rightarrow (p V0t))) \quad (46)$$

Assume the following.

$$(\forall V0t \in 2.((p V0t) \vee \neg(p V0t))) \quad (47)$$

Assume the following.

$$(\forall V0t \in 2.(((True \Rightarrow (p V0t)) \Leftrightarrow (p V0t)) \wedge (((p V0t) \Rightarrow True) \Leftrightarrow True) \wedge (((False \Rightarrow (p V0t)) \Leftrightarrow True) \wedge (((p V0t) \Rightarrow (p V0t)) \Leftrightarrow True) \wedge ((p V0t) \Rightarrow False) \Leftrightarrow \neg(p V0t)))))) \quad (48)$$

Assume the following.

$$((\forall V0t \in 2.((\neg(\neg(p V0t))) \Leftrightarrow (p V0t)) \wedge ((\neg True) \Leftrightarrow False) \wedge ((\neg False) \Leftrightarrow True))) \quad (49)$$

Assume the following.

$$(\forall V0t \in 2.(((True \Leftrightarrow (p V0t)) \Leftrightarrow (p V0t)) \wedge (((p V0t) \Leftrightarrow True) \Leftrightarrow (p V0t)) \wedge (((False \Leftrightarrow (p V0t)) \Leftrightarrow \neg(p V0t)) \wedge (((p V0t) \Leftrightarrow False) \Leftrightarrow \neg(p V0t)))))) \quad (50)$$

Assume the following.

$$\forall A_27a.nonempty A_27a \Rightarrow (\forall V0t1 \in A_27a.(\forall V1t2 \in A_27a.(((ap (ap (ap (c_2Ebool_2ECOND A_27a) c_2Ebool_2ET) V0t1) V1t2) = V0t1) \wedge ((ap (ap (ap (c_2Ebool_2ECOND A_27a) c_2Ebool_2EF) V0t1) V1t2) = V1t2)))))) \quad (51)$$

Assume the following.

$$(\forall V0x \in ty_2Eextreal_2Eextreal.(p (ap (ap c_2Eextreal_2Eextreal_le V0x) V0x))) \quad (52)$$

Assume the following.

$$(p (ap (ap c_2Eextreal_2Eextreal_le (ap c_2Eextreal_2Eextreal_of_num c_2Enum_2E0)) (ap c_2Eextreal_2Eextreal_of_num (ap c_2Earithmetic_2ENUMERAL (ap c_2Earithmetic_2EBIT1 c_2Earithmetic_2EZERO)))))) \quad (53)$$

Assume the following.

$$\begin{aligned} \forall A_27a.nonempty A_27a \Rightarrow (\forall V0m \in (ty_2Epair_2Eprod \\ (2^{A_27a}) (ty_2Epair_2Eprod (2^{(2^{A_27a})}) (ty_2Erealax_2Ereal^{(2^{A_27a})}))))). \\ (\forall V1s \in (2^{A_27a}).(((p (ap (c_2Emeasure_2Emeasure_space \\ A_27a) V0m)) \wedge (p (ap (ap (c_2Ebool_2EIN (2^{A_27a}) V1s) (ap (c_2Emeasure_2Emeasurable_sets \\ A_27a) V0m)))))) \Rightarrow ((ap (ap (c_2ELebesgue_2Epos_fn_integral A_27a) \\ V0m) (ap (c_2Emeasure_2Eindicator_fn A_27a) V1s)) = (ap c_2Eextreal_2ENormal \\ (ap (ap (c_2Emeasure_2Emeasure A_27a) V0m) V1s)))))) \quad (54) \end{aligned}$$

Assume the following.

$$\begin{aligned} \forall A_27a.nonempty A_27a \Rightarrow (\forall V0m \in (ty_2Epair_2Eprod \\ (2^{A_27a}) (ty_2Epair_2Eprod (2^{(2^{A_27a})}) (ty_2Erealax_2Ereal^{(2^{A_27a})}))))). \\ (\forall V1f \in (ty_2Eextreal_2Eextreal^{A_27a}).(((p (ap (c_2Emeasure_2Emeasure_space \\ A_27a) V0m)) \wedge (\forall V2x \in A_27a.(p (ap (ap c_2Eextreal_2Eextreal_le \\ (ap c_2Eextreal_2Eextreal_of_num c_2Enum_2E0)) (ap V1f V2x)))))) \Rightarrow \\ ((ap (ap (c_2ELebesgue_2Eintegral A_27a) V0m) V1f) = (ap (ap (c_2ELebesgue_2Epos_fn_integral \\ A_27a) V0m) V1f)))))) \quad (55) \end{aligned}$$

Assume the following.

$$(\forall V0t \in 2.((\neg(\neg(p V0t))) \Leftrightarrow (p V0t))) \quad (56)$$

Assume the following.

$$(\forall V0A \in 2.((p V0A) \Rightarrow ((\neg(p V0A)) \Rightarrow False))) \quad (57)$$

Assume the following.

$$(\forall V0A \in 2.(\forall V1B \in 2.(((\neg((\neg(p V0A) \vee (p V1B))) \Rightarrow False) \Leftrightarrow \\ (((p V0A) \Rightarrow False) \Rightarrow ((\neg(p V1B)) \Rightarrow False)))))) \quad (58)$$

Assume the following.

$$(\forall V0A \in 2.(\forall V1B \in 2.(((\neg((\neg(\neg(p V0A) \vee (p V1B))) \Rightarrow False) \Leftrightarrow \\ ((p V0A) \Rightarrow ((\neg(p V1B)) \Rightarrow False)))))) \quad (59)$$

Assume the following.

$$(\forall V0A \in 2.((\neg(p V0A)) \Rightarrow False) \Rightarrow ((p V0A) \Rightarrow False) \Rightarrow False)) \quad (60)$$

Assume the following.

$$\begin{aligned} & (\forall V0p \in 2.(\forall V1q \in 2.(\forall V2r \in 2.(((p V0p) \Leftrightarrow (\\ & (p V1q) \Leftrightarrow (p V2r))) \Leftrightarrow (((p V0p) \vee ((p V1q) \vee (p V2r))) \wedge (((p V0p) \vee (\neg(\\ & p V2r)) \vee (\neg(p V1q)))) \wedge (((p V1q) \vee ((\neg(p V2r)) \vee (\neg(p V0p)))) \wedge ((p V2r) \vee \\ & ((\neg(p V1q)) \vee (\neg(p V0p)))))))))) \end{aligned} \quad (61)$$

Assume the following.

$$\begin{aligned} & (\forall V0p \in 2.(\forall V1q \in 2.(\forall V2r \in 2.(((p V0p) \Leftrightarrow (\\ & (p V1q) \wedge (p V2r))) \Leftrightarrow (((p V0p) \vee (\neg(p V1q)) \vee (\neg(p V2r))) \wedge (((p V1q) \vee \\ & (\neg(p V0p))) \wedge ((p V2r) \vee (\neg(p V0p)))))))) \end{aligned} \quad (62)$$

Assume the following.

$$\begin{aligned} & (\forall V0p \in 2.(\forall V1q \in 2.(\forall V2r \in 2.(((p V0p) \Leftrightarrow (\\ & (p V1q) \vee (p V2r))) \Leftrightarrow (((p V0p) \vee (\neg(p V1q))) \wedge (((p V0p) \vee (\neg(p V2r))) \wedge \\ & ((p V1q) \vee ((p V2r) \vee (\neg(p V0p)))))))) \end{aligned} \quad (63)$$

Assume the following.

$$\begin{aligned} & (\forall V0p \in 2.(\forall V1q \in 2.(\forall V2r \in 2.(((p V0p) \Leftrightarrow (\\ & (p V1q) \Rightarrow (p V2r))) \Leftrightarrow (((p V0p) \vee (p V1q)) \wedge (((p V0p) \vee (\neg(p V2r))) \wedge ((\\ & \neg(p V1q)) \vee ((p V2r) \vee (\neg(p V0p)))))))) \end{aligned} \quad (64)$$

Assume the following.

$$\begin{aligned} & (\forall V0p \in 2.(\forall V1q \in 2.(((p V0p) \Leftrightarrow (\neg(p V1q))) \Leftrightarrow (((p V0p) \vee \\ & (p V1q)) \wedge ((\neg(p V1q)) \vee (\neg(p V0p)))))) \end{aligned} \quad (65)$$

Assume the following.

$$(\forall V0p \in 2.(\forall V1q \in 2.((\neg((p V0p) \Rightarrow (p V1q))) \Rightarrow (p V0p))) \quad (66)$$

Assume the following.

$$(\forall V0p \in 2.(\forall V1q \in 2.((\neg((p V0p) \Rightarrow (p V1q))) \Rightarrow (\neg(p V1q)))) \quad (67)$$

Assume the following.

$$(\forall V0p \in 2.(\forall V1q \in 2.((\neg((p V0p) \vee (p V1q))) \Rightarrow (\neg(p V0p)))) \quad (68)$$

Assume the following.

$$(\forall V0p \in 2.(\forall V1q \in 2.((\neg((p V0p) \vee (p V1q))) \Rightarrow (\neg(p V1q)))) \quad (69)$$

Assume the following.

$$(\forall V0p \in 2.((\neg(\neg(p V0p))) \Rightarrow (p V0p))) \quad (70)$$

Theorem 1

$$\begin{aligned} & \forall A_{.27a}.nonempty\ A_{.27a} \Rightarrow (\forall V0m \in (ty_2Epair_2Eprod \\ & (2^{A_{.27a}}) (ty_2Epair_2Eprod (2^{(2^{A_{.27a}})}) (ty_2Erealx_2Ereal(2^{A_{.27a}}))))). \\ & (\forall V1s \in (2^{A_{.27a}}).(((p (ap (c_2Emeasure_2Emeasure_space \\ A_{.27a}) V0m)) \wedge (p (ap (ap (c_2Ebool_2EIN (2^{A_{.27a}}) V1s) (ap (c_2Emeasure_2Emeasurable_sets \\ A_{.27a}) V0m)))))) \Rightarrow ((ap (ap (c_2Elebesgue_2Eintegral A_{.27a}) V0m) \\ (ap (c_2Emeasure_2Eindicator_fn A_{.27a}) V1s)) = (ap c_2Extreal_2ENormal \\ (ap (ap (c_2Emeasure_2Emeasure A_{.27a}) V0m) V1s)))))) \end{aligned}$$