

thm_2Elebesgue_2Eintegral_sequence (TMJkqu2Dp5vUNSZ1sk9e1jGgaz7LhbebC9K)

October 26, 2020

Definition 1 We define `c_2Emin_2E_40` to be $\lambda A. \lambda P \in 2^A. \text{if } (\exists x \in A. p \text{ (ap } P \ x)) \text{ then (the } (\lambda x. x \in A \wedge p \text{ of type } \iota \Rightarrow \iota).$

Definition 2 We define `c_2Emin_2E_3D` to be $\lambda A. \lambda x \in A. \lambda y \in A. \text{inj_o } (x = y)$ of type $\iota \Rightarrow \iota$.

Definition 3 We define `c_2Ebool_2E_21` to be $(\text{ap } (\text{ap } (\text{c_2Emin_2E_3D } (2^2)) (\lambda V 0x \in 2.V 0x)) (\lambda V 1x \in 2.V 1x))$

Let `ty_2Erealax_2Ereal` : ι be given. Assume the following.

$$\text{nonempty ty_2Erealax_2Ereal} \tag{1}$$

Let `ty_2Epair_2Eprod` : $\iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A 0. \text{nonempty } A 0 \Rightarrow \forall A 1. \text{nonempty } A 1 \Rightarrow \text{nonempty } (\text{ty_2Epair_2Eprod } A 0 \ A 1) \tag{2}$$

Let `c_2Emeasure_2Emeasure` : $\iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A 27a. \text{nonempty } A 27a \Rightarrow \text{c_2Emeasure_2Emeasure } A 27a \in (\text{ty_2Erealax_2Ereal}^{(2^{A-27a})} (\text{ty_2Epair_2Eprod } (2^{A-27a}) (\text{ty_2Epair_2Eprod } (2^{(2^A-27a)}) (\text{ty_2Erealax_2Ereal}^{(2^A-27a)})) \tag{3}$$

Let `ty_2Ehreal_2Ehreal` : ι be given. Assume the following.

$$\text{nonempty ty_2Ehreal_2Ehreal} \tag{4}$$

Let `c_2Erealax_2Ereal_REP_CLASS` : ι be given. Assume the following.

$$\text{c_2Erealax_2Ereal_REP_CLASS} \in ((2^{(\text{ty_2Epair_2Eprod } \text{ty_2Ehreal_2Ehreal } \text{ty_2Ehreal_2Ehreal}) \text{ty_2Erealax_2Ereal}}) \tag{5}$$

Definition 4 We define `c_2Ebool_2E_21` to be $\lambda A 27a : \iota. (\lambda V 0P \in (2^{A-27a}). (\text{ap } (\text{ap } (\text{c_2Emin_2E_3D } (2^{A-27a})$

Definition 5 We define `c_2Erealax_2Ereal_REP` to be $\lambda V 0a \in \text{ty_2Erealax_2Ereal}. (\text{ap } (\text{c_2Emin_2E_40 } (\text{ty_2Epair_2Eprod } (\text{c_2Ebool_2E_21 } (2^{A-27a})$

Let $c_2Erealax_2Etrealmul : \iota$ be given. Assume the following.

$$c_2Erealax_2Etrealmul \in (((ty_2Epair_2Eprod\ ty_2Ehreal_2Ehreal\ ty_2Ehreal_2Ehreal)(ty_2Epair_2Eprod\ ty_2Ehreal_2Ehreal\ ty_2Ehreal_2Ehreal)(ty_2Epair_2Eprod\ ty_2Ehreal_2Ehreal)))(ty_2Epair_2Eprod\ ty_2Ehreal_2Ehreal\ ty_2Ehreal_2Ehreal) \quad (6)$$

Let $c_2Erealax_2Etrealeq : \iota$ be given. Assume the following.

$$c_2Erealax_2Etrealeq \in ((2^{(ty_2Epair_2Eprod\ ty_2Ehreal_2Ehreal\ ty_2Ehreal_2Ehreal)})(ty_2Epair_2Eprod\ ty_2Ehreal_2Ehreal\ ty_2Ehreal_2Ehreal)) \quad (7)$$

Let $c_2Erealax_2Ereal_ABS_CLASS : \iota$ be given. Assume the following.

$$c_2Erealax_2Ereal_ABS_CLASS \in (ty_2Erealax_2Ereal)^{(2^{(ty_2Epair_2Eprod\ ty_2Ehreal_2Ehreal\ ty_2Ehreal_2Ehreal)}}) \quad (8)$$

Definition 6 We define $c_2Erealax_2Ereal_ABS$ to be $\lambda V0r \in (ty_2Epair_2Eprod\ ty_2Ehreal_2Ehreal\ ty_2Ehreal_2Ehreal)$

Definition 7 We define $c_2Erealax_2Ereal_mul$ to be $\lambda V0T1 \in ty_2Erealax_2Ereal.\lambda V1T2 \in ty_2Erealax_2Ereal$

Let $ty_2Enum_2Enum : \iota$ be given. Assume the following.

$$nonempty\ ty_2Enum_2Enum \quad (9)$$

Let $c_2Enum_2EZERO_REP : \iota$ be given. Assume the following.

$$c_2Enum_2EZERO_REP \in \omega \quad (10)$$

Let $c_2Enum_2EABS_num : \iota$ be given. Assume the following.

$$c_2Enum_2EABS_num \in (ty_2Enum_2Enum)^{\omega} \quad (11)$$

Definition 8 We define c_2Enum_2E0 to be $(ap\ c_2Enum_2EABS_num\ c_2Enum_2EZERO_REP)$.

Let $c_2Ereal_2Ereal_of_num : \iota$ be given. Assume the following.

$$c_2Ereal_2Ereal_of_num \in (ty_2Erealax_2Ereal)^{ty_2Enum_2Enum} \quad (12)$$

Let $c_2Erealax_2Etrealmul : \iota$ be given. Assume the following.

$$c_2Erealax_2Etrealmul \in (((ty_2Epair_2Eprod\ ty_2Ehreal_2Ehreal\ ty_2Ehreal_2Ehreal)(ty_2Epair_2Eprod\ ty_2Ehreal_2Ehreal\ ty_2Ehreal_2Ehreal)(ty_2Epair_2Eprod\ ty_2Ehreal_2Ehreal)))(ty_2Epair_2Eprod\ ty_2Ehreal_2Ehreal\ ty_2Ehreal_2Ehreal) \quad (13)$$

Definition 9 We define $c_2Erealax_2Ereal_mul$ to be $\lambda V0T1 \in ty_2Erealax_2Ereal.\lambda V1T2 \in ty_2Erealax_2Ereal$

Let $c_2Epred_set_2EITSET : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow c_2Epred_set_2EITSET\ A_27a\ A_27b \in (((A_27b^{A_27b})^{(2^{A_27a})})^{((A_27b^{A_27b})^{A_27a})}) \quad (14)$$

Definition 10 We define $c_2Ereal_sigma_2EREAL_SUM_IMAGE$ to be $\lambda A_27a : \iota.\lambda V0f \in (ty_2Erealax_2Ereal$

Let $ty_2Eextreal_2Eextreal : \iota$ be given. Assume the following.

$$nonempty\ ty_2Eextreal_2Eextreal \quad (15)$$

Let $c_2Eextreal_2ENormal : \iota$ be given. Assume the following.

$$c_2Eextreal_2ENormal \in (ty_2Eextreal_2Eextreal^{ty_2Erealax_2Ereal}) \quad (16)$$

Definition 11 We define $c_2ELebesgue_2Epos_simple_fn_integral$ to be $\lambda A_27a : \iota.\lambda V0m \in (ty_2Epair_2E$

Let $c_2Eextreal_2Eextreal_le : \iota$ be given. Assume the following.

$$c_2Eextreal_2Eextreal_le \in ((2^{ty_2Eextreal_2Eextreal})^{ty_2Eextreal_2Eextreal}) \quad (17)$$

Let $c_2Emeasure_2Em_space : \iota \Rightarrow \iota$ be given. Assume the following.

$$\begin{aligned} & \forall A_27a.nonempty\ A_27a \Rightarrow c_2Emeasure_2Em_space\ A_27a \in \\ & ((2^{A_27a})^{(ty_2Epair_2Eprod\ (2^{A_27a})\ (ty_2Epair_2Eprod\ (2^{2^{A_27a}})\ (ty_2Erealax_2Ereal^{(2^{A_27a}}))))} \end{aligned} \quad (18)$$

Definition 12 We define c_2Ebool_2EIN to be $\lambda A_27a : \iota.(\lambda V0x \in A_27a.(\lambda V1f \in (2^{A_27a}).(ap\ V1f\ V0x)))$

Definition 13 We define $c_2Emin_2E3D_3D_3E$ to be $\lambda P \in 2.\lambda Q \in 2.inj_o\ (p\ P \Rightarrow p\ Q)$ of type ι .

Definition 14 We define $c_2Ebool_2E2F_5C$ to be $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap\ (c_2Ebool_2E21\ 2)\ (\lambda V2t \in$

Let $c_2Epair_2EABS_prod : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\begin{aligned} & \forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow c_2Epair_2EABS_prod \\ & A_27a\ A_27b \in ((ty_2Epair_2Eprod\ A_27a\ A_27b)^{(2^{A_27b})^{A_27a}}) \end{aligned} \quad (19)$$

Definition 15 We define c_2Epair_2E2C to be $\lambda A_27a : \iota.\lambda A_27b : \iota.\lambda V0x \in A_27a.\lambda V1y \in A_27b.(ap\ (c_2$

Let $c_2Epred_set_2EGSPEC : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\begin{aligned} & \forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow c_2Epred_set_2EGSPEC \\ & A_27a\ A_27b \in ((2^{A_27a})^{((ty_2Epair_2Eprod\ A_27a\ 2)^{A_27b})} \end{aligned} \quad (20)$$

Definition 16 We define $c_2Epred_set_2EIMAGE$ to be $\lambda A_27a : \iota.\lambda A_27b : \iota.\lambda V0f \in (A_27b^{A_27a}).\lambda V1s \in$

Definition 17 We define c_2Ebool_2E3F to be $\lambda A_27a : \iota.(\lambda V0P \in (2^{A_27a}).(ap\ V0P\ (ap\ (c_2Emin_2E40$

Definition 18 We define $c_2Epred_set_2EBIGUNION$ to be $\lambda A_27a : \iota.\lambda V0P \in (2^{(2^{A_27a})}).(ap\ (c_2Epred_set$

Definition 19 We define c_2Ebool_2E2F to be $(ap\ (c_2Ebool_2E21\ 2)\ (\lambda V0t \in 2.V0t))$.

Definition 20 We define $c_2Epred_set_2EEMPTY$ to be $\lambda A_27a : \iota.(\lambda V0x \in A_27a.c_2Ebool_2E2F)$.

Definition 21 We define $c_2Epred_set_2EINTER$ to be $\lambda A_27a : \iota. \lambda V0s \in (2^{A_27a}). \lambda V1t \in (2^{A_27a}). (ap (c_2E$

Definition 22 We define $c_2Epred_set_2EDISJOINT$ to be $\lambda A_27a : \iota. \lambda V0s \in (2^{A_27a}). \lambda V1t \in (2^{A_27a}). (ap$

Definition 23 We define $c_2Ebool_2E_7E$ to be $(\lambda V0t \in 2. (ap (ap c_2Emin_2E_3D_3D_3E V0t) c_2Ebool_2E$

Let $c_2Erealax_2Etreax_lt : \iota$ be given. Assume the following.

$$c_2Erealax_2Etreax_lt \in ((2^{(ty_2Epair_2Eprod ty_2Ehreal_2Ehreal ty_2Ehreal_2Ehreal)}) (ty_2Epair_2Eprod ty_2Ehreal_2Ehreal)) \quad (21)$$

Definition 24 We define $c_2Erealax_2Ereal_lt$ to be $\lambda V0T1 \in ty_2Erealax_2Ereal. \lambda V1T2 \in ty_2Erealax_2Ereal$

Definition 25 We define $c_2Ereal_2Ereal_lte$ to be $\lambda V0x \in ty_2Erealax_2Ereal. \lambda V1y \in ty_2Erealax_2Ereal$

Definition 26 We define $c_2Ebool_2E_5C_2F$ to be $(\lambda V0t1 \in 2. (\lambda V1t2 \in 2. (ap (c_2Ebool_2E_21 2) (\lambda V2t \in$

Definition 27 We define $c_2Epred_set_2EINSERT$ to be $\lambda A_27a : \iota. \lambda V0x \in A_27a. \lambda V1s \in (2^{A_27a}). (ap (c_2E$

Definition 28 We define $c_2Epred_set_2EFINITE$ to be $\lambda A_27a : \iota. \lambda V0s \in (2^{A_27a}). (ap (c_2Ebool_2E_21 (2$

Let $c_2Emeasure_2Emeasurable_sets : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a. nonempty A_27a \Rightarrow c_2Emeasure_2Emeasurable_sets A_27a \in ((2^{(2^{A_27a})}) (ty_2Epair_2Eprod (2^{A_27a}) (ty_2Epair_2Eprod (2^{(2^{A_27a})}) (ty_2Erealax_2Ereal^{(2^{A_27a})})))) \quad (22)$$

Definition 29 We define $c_2Eextreal_2Eextreal_of_num$ to be $\lambda V0n \in ty_2Eenum_2Eenum. (ap c_2Eextreal$

Definition 30 We define $c_2Earithmetic_2EZERO$ to be c_2Eenum_2E0 .

Let $c_2Eenum_2EREP_num : \iota$ be given. Assume the following.

$$c_2Eenum_2EREP_num \in (\omega^{ty_2Eenum_2Eenum}) \quad (23)$$

Let $c_2Eenum_2ESUC_REP : \iota$ be given. Assume the following.

$$c_2Eenum_2ESUC_REP \in (\omega^{\omega}) \quad (24)$$

Definition 31 We define c_2Eenum_2ESUC to be $\lambda V0m \in ty_2Eenum_2Eenum. (ap c_2Eenum_2EABS_num$

Let $c_2Earithmetic_2E_2B : \iota$ be given. Assume the following.

$$c_2Earithmetic_2E_2B \in ((ty_2Eenum_2Eenum)^{ty_2Eenum_2Eenum})^{ty_2Eenum_2Eenum} \quad (25)$$

Definition 32 We define $c_2Earithmetic_2EBIT1$ to be $\lambda V0n \in ty_2Eenum_2Eenum. (ap (ap c_2Earithmetic$

Definition 33 We define $c_2Earithmetic_2ENUMERAL$ to be $\lambda V0x \in ty_2Eenum_2Eenum. V0x$.

Definition 34 We define c_2Ebool_2ECOND to be $\lambda A_27a : \iota. (\lambda V0t \in 2. (\lambda V1t1 \in A_27a. (\lambda V2t2 \in A_27a. ($

Definition 35 We define $c_2Emeasure_2Eindicator_fn$ to be $\lambda A_27a : \iota.\lambda V0s \in (2^{A-27a}).(\lambda V1x \in A_27a.(ap$

Let $c_2Eextreal_2Eextreal_mul : \iota$ be given. Assume the following.

$$c_2Eextreal_2Eextreal_mul \in ((ty_2Eextreal_2Eextreal^{ty_2Eextreal_2Eextreal})^{ty_2Eextreal_2Eextreal}) \quad (26)$$

Let $c_2Eextreal_2Eextreal_add : \iota$ be given. Assume the following.

$$c_2Eextreal_2Eextreal_add \in ((ty_2Eextreal_2Eextreal^{ty_2Eextreal_2Eextreal})^{ty_2Eextreal_2Eextreal}) \quad (27)$$

Definition 36 We define $c_2Eextreal_2EEXTREAL_SUM_IMAGE$ to be $\lambda A_27a : \iota.\lambda V0f \in (ty_2Eextreal_2Eextreal)$

Definition 37 We define $c_2Emeasure_2Epos_simple_fn$ to be $\lambda A_27a : \iota.\lambda V0m \in (ty_2Epair_2Eprod (2^{A-27a}))$

Let $c_2Epair_2ESND : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow c_2Epair_2ESND\ A_27a\ A_27b \in (A_27b^{(ty_2Epair_2Eprod\ A_27a\ A_27b)}) \quad (28)$$

Let $c_2Epair_2EFST : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow c_2Epair_2EFST\ A_27a\ A_27b \in (A_27a^{(ty_2Epair_2Eprod\ A_27a\ A_27b)}) \quad (29)$$

Definition 38 We define $c_2Epair_2EUNCURRY$ to be $\lambda A_27a : \iota.\lambda A_27b : \iota.\lambda A_27c : \iota.\lambda V0f \in ((A_27c^{A-27a})^{A-27b})$

Definition 39 We define $c_2ELebesgue_2Epsfs$ to be $\lambda A_27a : \iota.\lambda V0m \in (ty_2Epair_2Eprod (2^{A-27a}) (ty_2Eprod (2^{A-27a})))$

Definition 40 We define $c_2ELebesgue_2Epsfis$ to be $\lambda A_27a : \iota.\lambda V0m \in (ty_2Epair_2Eprod (2^{A-27a}) (ty_2Eprod (2^{A-27a})))$

Definition 41 We define c_2Ereal_2Esup to be $\lambda V0P \in (2^{ty_2Erealax_2Ereal}).(ap (c_2Emin_2E_40\ ty_2Erealax_2Ereal))$

Let $c_2Eextreal_2ENegInf : \iota$ be given. Assume the following.

$$c_2Eextreal_2ENegInf \in ty_2Eextreal_2Eextreal \quad (30)$$

Let $c_2Eextreal_2EPosInf : \iota$ be given. Assume the following.

$$c_2Eextreal_2EPosInf \in ty_2Eextreal_2Eextreal \quad (31)$$

Definition 42 We define $c_2Eextreal_2Eextreal_sup$ to be $\lambda V0p \in (2^{ty_2Eextreal_2Eextreal}).(ap (ap (ap (c_2Emin_2E_40\ ty_2Erealax_2Ereal))))$

Definition 43 We define $c_2ELebesgue_2Epos_fn_integral$ to be $\lambda A_27a : \iota.\lambda V0m \in (ty_2Epair_2Eprod (2^{A-27a}) (ty_2Eprod (2^{A-27a})))$

Definition 44 We define $c_2Eprim_rec_2E_3C$ to be $\lambda V0m \in ty_2Eenum_2Eenum.\lambda V1n \in ty_2Eenum_2Eenum$

Definition 45 We define $c_2Earithmic_2E_3C_3D$ to be $\lambda V0m \in ty_2Eenum_2Eenum.\lambda V1n \in ty_2Eenum_2Eenum$

Definition 46 We define $c_Eextreal_Eext_mono_increasing$ to be $\lambda V0f \in (ty_Eextreal_Eextreal^{ty_Eextreal})$

Definition 47 We define $c_Epred_set_EUNIV$ to be $\lambda A_27a : \iota.(\lambda V0x \in A_27a.c_Ebool_2ET)$.

Definition 48 We define $c_Earithmic_2EBIT2$ to be $\lambda V0n \in ty_Eenum_2Enum.(ap (ap c_Earithmic_2E))$

Let $c_Eextreal_2Eextreal_pow : \iota$ be given. Assume the following.

$$c_Eextreal_2Eextreal_pow \in ((ty_Eextreal_2Eextreal^{ty_Eenum_2Enum})^{ty_Eextreal_2Eextreal}) \quad (32)$$

Let $c_Earithmic_2EEXP : \iota$ be given. Assume the following.

$$c_Earithmic_2EEXP \in ((ty_Eenum_2Enum^{ty_Eenum_2Enum})^{ty_Eenum_2Enum}) \quad (33)$$

Definition 49 We define $c_Epred_set_2Ecount$ to be $\lambda V0n \in ty_Eenum_2Enum.(ap (c_Epred_set_2EG))$

Let $c_Eextreal_2Eextreal_inv : \iota$ be given. Assume the following.

$$c_Eextreal_2Eextreal_inv \in (ty_Eextreal_2Eextreal^{ty_Eextreal_2Eextreal}) \quad (34)$$

Definition 50 We define $c_Eextreal_2Eextreal_div$ to be $\lambda V0x \in ty_Eextreal_2Eextreal.\lambda V1y \in ty_Eextreal$

Definition 51 We define $c_Eextreal_2Eextreal_lt$ to be $\lambda V0x \in ty_Eextreal_2Eextreal.\lambda V1y \in ty_Eextreal$

Definition 52 We define $c_ELebesgue_2Efn_seq$ to be $\lambda A_27a : \iota.\lambda V0m \in (ty_Epair_2Eprod (2^{A-27a}) (ty_Ereal_2Ereal))$

Let $c_Ereal_2Epow : \iota$ be given. Assume the following.

$$c_Ereal_2Epow \in ((ty_Erealax_2Ereal^{ty_Eenum_2Enum})^{ty_Erealax_2Ereal}) \quad (35)$$

Let $c_Erealax_2Etrealm_inv : \iota$ be given. Assume the following.

$$c_Erealax_2Etrealm_inv \in ((ty_Epair_2Eprod ty_Ehreal_2Ehreal ty_Ehreal_2Ehreal)^{(ty_Epair_2Eprod ty_Ehreal_2Ehreal ty_Ehreal_2Ehreal)}) \quad (36)$$

Definition 53 We define $c_Erealax_2Einv$ to be $\lambda V0T1 \in ty_Erealax_2Ereal.(ap c_Erealax_2Ereal_ABS)$

Definition 54 We define c_Ereal_2E2F to be $\lambda V0x \in ty_Erealax_2Ereal.\lambda V1y \in ty_Erealax_2Ereal$

Definition 55 We define $c_ELebesgue_2Efn_seq_integral$ to be $\lambda A_27a : \iota.\lambda V0m \in (ty_Epair_2Eprod (2^{A-27a}) (ty_Ereal_2Ereal))$

Let $c_Emeasure_2Esubsets : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty A_27a \Rightarrow c_Emeasure_2Esubsets A_27a \in (2^{(2^{A-27a})})^{(ty_Epair_2Eprod (2^{A-27a}) (2^{(2^{A-27a})}))} \quad (37)$$

Definition 56 We define $c_Epred_set_2ESUBSET$ to be $\lambda A_27a : \iota.\lambda V0s \in (2^{A-27a}).\lambda V1t \in (2^{A-27a}).(ap (c_Epred_set_2EG))$

Definition 57 We define $c_2Epred_set_2EINJ$ to be $\lambda A_27a : \iota. \lambda A_27b : \iota. \lambda V0f \in (A_27b^{A_27a}). \lambda V1s \in (2^{A_27a})$

Definition 58 We define $c_2Epred_set_2Ecountable$ to be $\lambda A_27a : \iota. \lambda V0s \in (2^{A_27a}). (ap (c_2Ebool_2E3F$

Definition 59 We define $c_2Epred_set_2EUNION$ to be $\lambda A_27a : \iota. \lambda V0s \in (2^{A_27a}). \lambda V1t \in (2^{A_27a}). (ap (c$

Let $c_2Emeasure_2Espace : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a. nonempty A_27a \Rightarrow c_2Emeasure_2Espace A_27a \in ((2^{A_27a})^{(ty_2Epair_2Eprod (2^{A_27a}) (2^{(2^{A_27a})}))}) \quad (38)$$

Definition 60 We define $c_2Epred_set_2EDIFF$ to be $\lambda A_27a : \iota. \lambda V0s \in (2^{A_27a}). \lambda V1t \in (2^{A_27a}). (ap (c_2E$

Definition 61 We define $c_2Emeasure_2Esubset_class$ to be $\lambda A_27a : \iota. \lambda V0sp \in (2^{A_27a}). \lambda V1sts \in (2^{(2^{A_27a})})$

Definition 62 We define $c_2Emeasure_2Ealgebra$ to be $\lambda A_27a : \iota. \lambda V0a \in (ty_2Epair_2Eprod (2^{A_27a}) (2^{(2^{A_27a})}))$

Definition 63 We define $c_2Emeasure_2Esigma_algebra$ to be $\lambda A_27a : \iota. \lambda V0a \in (ty_2Epair_2Eprod (2^{A_27a}) (2^{(2^{A_27a})}))$

Definition 64 We define $c_2Epred_set_2EBIGINTER$ to be $\lambda A_27a : \iota. \lambda V0P \in (2^{(2^{A_27a})}). (ap (c_2Epred_s$

Definition 65 We define $c_2Emeasure_2Esigma$ to be $\lambda A_27a : \iota. \lambda V0sp \in (2^{A_27a}). \lambda V1st \in (2^{(2^{A_27a})}). (ap ($

Definition 66 We define $c_2Emeasure_2EBorel$ to be $(ap (ap (c_2Emeasure_2Esigma ty_2Eextreal_2Eextreal$

Definition 67 We define $c_2Epred_set_2EPREIMAGE$ to be $\lambda A_27a : \iota. \lambda A_27b : \iota. \lambda V0f \in (A_27b^{A_27a}). \lambda V1$

Definition 68 We define $c_2Epred_set_2EFUNSET$ to be $\lambda A_27a : \iota. \lambda A_27b : \iota. \lambda V0P \in (2^{A_27a}). \lambda V1Q \in (2^{(2^{A_27a})})$

Definition 69 We define $c_2Emeasure_2Emeasurable$ to be $\lambda A_27a : \iota. \lambda A_27b : \iota. \lambda V0a \in (ty_2Epair_2Eprod (2^{A_27a}) (2^{(2^{A_27a})}))$

Definition 70 We define $c_2Ecombin_2Eo$ to be $\lambda A_27a : \iota. \lambda A_27b : \iota. \lambda A_27c : \iota. \lambda V0f \in (A_27b^{A_27c}). \lambda V1$

Let $c_2Ereal_2Esum : \iota$ be given. Assume the following.

$$c_2Ereal_2Esum \in ((ty_2Erealax_2Ereal^{(ty_2Erealax_2Ereal^{ty_2Eenum_2Eenum})})^{(ty_2Epair_2Eprod ty_2Eenum_2Eenum)}) \quad (39)$$

Definition 71 We define $c_2Earithmetic_2E_3E$ to be $\lambda V0m \in ty_2Eenum_2Eenum. \lambda V1n \in ty_2Eenum_2Eenum$

Definition 72 We define $c_2Earithmetic_2E_3E_3D$ to be $\lambda V0m \in ty_2Eenum_2Eenum. \lambda V1n \in ty_2Eenum_2Eenum$

Let $c_2Erealax_2Etrealm_neg : \iota$ be given. Assume the following.

$$c_2Erealax_2Etrealm_neg \in ((ty_2Epair_2Eprod ty_2Ehreal_2Ehreal ty_2Ehreal_2Ehreal)^{(ty_2Epair_2Eprod ty_2Ehreal_2Ehreal ty_2Ehreal_2Ehreal)}) \quad (40)$$

Definition 73 We define $c_2Erealax_2Ereal_neg$ to be $\lambda V0T1 \in ty_2Erealax_2Ereal. (ap c_2Erealax_2Ereal$

Definition 74 We define $c_Ereal_Ereal_sub$ to be $\lambda V0x \in ty_Erealax_Ereal.\lambda V1y \in ty_Erealax_Ereal$

Definition 75 We define c_Ereal_Eabs to be $\lambda V0x \in ty_Erealax_Ereal.(ap (ap (ap (c_Ebool_ECON$

Let $ty_Emetric_Emetric : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0.nonempty A0 \Rightarrow nonempty (ty_Emetric_Emetric A0) \quad (41)$$

Let $c_Emetric_Emetric : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty A_27a \Rightarrow c_Emetric_Emetric A_27a \in ((ty_Emetric_Emetric A_27a)^{(ty_Erealax_Ereal^{(ty_Epair_Eprod A_27a A_27a)})}) \quad (42)$$

Definition 76 We define $c_Emetric_Emr1$ to be $(ap (c_Emetric_Emetric ty_Erealax_Ereal) (ap (c$

Let $c_Emetric_Edist : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty A_27a \Rightarrow c_Emetric_Edist A_27a \in ((ty_Erealax_Ereal^{(ty_Epair_Eprod A_27a A_27a)}) \quad (43)$$

Let $ty_Etopology_Etopology : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0.nonempty A0 \Rightarrow nonempty (ty_Etopology_Etopology A0) \quad (44)$$

Let $c_Etopology_Etopology : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty A_27a \Rightarrow c_Etopology_Etopology A_27a \in ((ty_Etopology_Etopology A_27a)^{(2^{(2^{A_27a})})}) \quad (45)$$

Definition 77 We define $c_Emetric_Emtop$ to be $\lambda A_27a : \iota.\lambda V0m \in (ty_Emetric_Emetric A_27a).(ap$

Let $c_Enets_Eetends : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty A_27a \Rightarrow \forall A_27b.nonempty A_27b \Rightarrow c_Enets_Eetends A_27a A_27b \in (((2^{(ty_Epair_Eprod (ty_Etopology_Etopology A_27a) ((2^{A_27b})^{A_27b}))})^{A_27a})^{(A_27a^{A_27b})}) \quad (46)$$

Definition 78 We define $c_Eseq_E_2D_2D_3E$ to be $\lambda V0x \in (ty_Erealax_Ereal^{ty_Eenum_Eenum}).\lambda V1x$

Definition 79 We define c_Eseq_Esums to be $\lambda V0f \in (ty_Erealax_Ereal^{ty_Eenum_Eenum}).\lambda V1s \in ty_E$

Definition 80 We define $c_Emeasure_Ecountably_additive$ to be $\lambda A_27a : \iota.\lambda V0m \in (ty_Epair_Eprod$

Definition 81 We define $c_Emeasure_Epositive$ to be $\lambda A_27a : \iota.\lambda V0m \in (ty_Epair_Eprod (2^{A_27a}) (ty$

Definition 82 We define $c_Emeasure_Emeasure_space$ to be $\lambda A_27a : \iota.\lambda V0m \in (ty_Epair_Eprod (2^{A$

Assume the following.

$$True \quad (47)$$

Assume the following.

$$(\forall V0t1 \in 2. (\forall V1t2 \in 2. ((p V0t1) \Rightarrow (p V1t2)) \Rightarrow ((p V1t2) \Rightarrow (p V0t1)) \Rightarrow ((p V0t1) \Leftrightarrow (p V1t2)))) \quad (48)$$

Assume the following.

$$(\forall V0t \in 2. (((True \wedge (p V0t)) \Leftrightarrow (p V0t)) \wedge (((p V0t) \wedge True) \Leftrightarrow (p V0t)) \wedge (((False \wedge (p V0t)) \Leftrightarrow False) \wedge (((p V0t) \wedge False) \Leftrightarrow False) \wedge (((p V0t) \wedge (p V0t)) \Leftrightarrow (p V0t)))) \quad (49)$$

Assume the following.

$$(\forall V0t \in 2. (((True \Rightarrow (p V0t)) \Leftrightarrow (p V0t)) \wedge (((p V0t) \Rightarrow True) \Leftrightarrow True) \wedge (((False \Rightarrow (p V0t)) \Leftrightarrow True) \wedge (((p V0t) \Rightarrow (p V0t)) \Leftrightarrow True) \wedge ((p V0t) \Rightarrow False) \Leftrightarrow (\neg(p V0t)))) \quad (50)$$

Assume the following.

$$((\forall V0t \in 2. ((\neg(\neg(p V0t))) \Leftrightarrow (p V0t)) \wedge ((\neg True) \Leftrightarrow False) \wedge ((\neg False) \Leftrightarrow True))) \quad (51)$$

Assume the following.

$$\forall A_27a.nonempty A_27a \Rightarrow (\forall V0x \in A_27a. ((V0x = V0x) \Leftrightarrow True)) \quad (52)$$

Assume the following.

$$\forall A_27a.nonempty A_27a \Rightarrow (\forall V0x \in A_27a. (\forall V1y \in A_27a. ((V0x = V1y) \Leftrightarrow (V1y = V0x)))) \quad (53)$$

Assume the following.

$$(\forall V0t \in 2. (((True \Leftrightarrow (p V0t)) \Leftrightarrow (p V0t)) \wedge (((p V0t) \Leftrightarrow True) \Leftrightarrow (p V0t)) \wedge (((False \Leftrightarrow (p V0t)) \Leftrightarrow (\neg(p V0t))) \wedge (((p V0t) \Leftrightarrow False) \Leftrightarrow (\neg(p V0t)))))) \quad (54)$$

Assume the following.

$$\forall A_27a.nonempty A_27a \Rightarrow (\forall V0P \in (2^{A_27a}). (\forall V1Q \in 2. (((\forall V2x \in A_27a. (p (ap V0P V2x))) \wedge (p V1Q)) \Leftrightarrow (\forall V3x \in A_27a. ((p (ap V0P V3x)) \wedge (p V1Q)))))) \quad (55)$$

Assume the following.

$$\forall A_27a.nonempty A_27a \Rightarrow (\forall V0P \in 2. (\forall V1Q \in (2^{A_27a}). ((\forall V2x \in A_27a. ((p V0P) \vee (p (ap V1Q V2x)))) \Leftrightarrow ((p V0P) \vee (\forall V3x \in A_27a. (p (ap V1Q V3x)))))) \quad (56)$$

Assume the following.

$$(\forall V0A \in 2. (\forall V1B \in 2. (\forall V2C \in 2. (((p V0A) \vee (p V1B) \wedge (p V2C)) \Leftrightarrow (((p V0A) \vee (p V1B)) \wedge ((p V0A) \vee (p V2C))))))) \quad (57)$$

Assume the following.

$$(\forall V0t1 \in 2. (\forall V1t2 \in 2. (\forall V2t3 \in 2. (((p V0t1) \Rightarrow ((p V1t2) \Rightarrow (p V2t3))) \Leftrightarrow (((p V0t1) \wedge (p V1t2)) \Rightarrow (p V2t3)))))) \quad (58)$$

Assume the following.

$$(\forall V0x \in 2. (\forall V1x_{27} \in 2. (\forall V2y \in 2. (\forall V3y_{27} \in 2. (((p V0x) \Leftrightarrow (p V1x_{27})) \wedge ((p V1x_{27}) \Rightarrow ((p V2y) \Leftrightarrow (p V3y_{27})))))) \Rightarrow ((p V0x) \Rightarrow (p V2y)) \Leftrightarrow ((p V1x_{27}) \Rightarrow (p V3y_{27})))))) \quad (59)$$

Assume the following.

$$\begin{aligned} & \forall A_{27a}. \text{nonempty } A_{27a} \Rightarrow (\forall V0m \in (ty_2Epair_2Eprod \\ & (2^{A_{27a}}) (ty_2Epair_2Eprod (2^{(2^{A_{27a}})}) (ty_2Erealax_2Ereal^{(2^{A_{27a}})}))). \\ & (\forall V1r \in ty_2Eextreal_2Eextreal. (\forall V2f \in (ty_2Eextreal_2Eextreal^{A_{27a}}). \\ & ((p (ap (ap (c_2Ebool_2EIN ty_2Eextreal_2Eextreal) V1r) (ap (ap \\ & (c_2Elebesgue_2Epsfis A_{27a}) V0m) V2f))) \Leftrightarrow (\exists V3s \in (2^{ty_2Enum_2Enum}). \\ & (\exists V4a \in ((2^{A_{27a}})^{ty_2Enum_2Enum}). (\exists V5x \in (ty_2Erealax_2Ereal^{ty_2Enum_2Enum}). \\ & ((p (ap (ap (ap (ap (ap (ap (c_2Emeasure_2Epos_simple_fn A_{27a}) V0m) \\ & V2f) V3s) V4a) V5x)) \wedge (V1r = (ap (ap (ap (ap (c_2Elebesgue_2Epos_simple_fn_integral \\ & A_{27a}) V0m) V3s) V4a) V5x)))))))))) \quad (60) \end{aligned}$$

Assume the following.

$$\begin{aligned}
& \forall A_27a.nonempty\ A_27a \Rightarrow (\forall V0m \in (ty_2Epair_2Eprod \\
& (2^{A_27a}) (ty_2Epair_2Eprod (2^{(2^{A_27a})}) (ty_2Erealax_2Ereal^{(2^{A_27a})}))). \\
& (\forall V1f \in (ty_2Eextreal_2Eextreal^{A_27a}).(\forall V2fi \in \\
& ((ty_2Eextreal_2Eextreal^{A_27a})ty_2Enum_2Enum).(((p (ap (c_2Emeasure_2Emeasure_space \\
& A_27a) V0m)) \wedge ((\forall V3i \in ty_2Enum_2Enum.(p (ap (ap (c_2Ebool_2EIN \\
& (ty_2Eextreal_2Eextreal^{A_27a})) (ap V2fi V3i)) (ap (ap (c_2Emeasure_2Emeasureable \\
& A_27a ty_2Eextreal_2Eextreal) (ap (ap (c_2Epair_2E2C (2^{A_27a}) \\
& (2^{(2^{A_27a})})) (ap (c_2Emeasure_2Em_space A_27a) V0m)) (ap (\\
& c_2Emeasure_2Emeasureable_sets A_27a) V0m)))) c_2Emeasure_2EBorel)))) \wedge \\
& ((\forall V4i \in ty_2Enum_2Enum.(\forall V5x \in A_27a.(p (ap (ap c_2Eextreal_2Eextreal_le \\
& (ap c_2Eextreal_2Eextreal_of_num c_2Enum_2E0)) (ap (ap V2fi \\
& V4i) V5x)))))) \wedge ((\forall V6x \in A_27a.(p (ap (ap c_2Eextreal_2Eextreal_le \\
& (ap c_2Eextreal_2Eextreal_of_num c_2Enum_2E0)) (ap V1f V6x)))))) \wedge \\
& ((\forall V7x \in A_27a.(p (ap c_2Eextreal_2Eext_mono_increasing \\
& (\lambda V8i \in ty_2Enum_2Enum.(ap (ap V2fi V8i) V7x)))))) \wedge ((\forall V9x \in \\
& A_27a.((p (ap (ap (c_2Ebool_2EIN A_27a) V9x) (ap (c_2Emeasure_2Em_space \\
& A_27a) V0m))) \Rightarrow ((ap c_2Eextreal_2Eextreal_sup (ap (ap (c_2Epred_set_2EIMAGE \\
& ty_2Enum_2Enum ty_2Eextreal_2Eextreal) (\lambda V10i \in ty_2Enum_2Enum. \\
& (ap (ap V2fi V10i) V9x))) (c_2Epred_set_2EUNIV ty_2Enum_2Enum)))) = \\
& (ap V1f V9x)))))) \Rightarrow ((ap (ap (c_2Elebesgue_2Epos_fn_integral \\
& A_27a) V0m) V1f) = (ap c_2Eextreal_2Eextreal_sup (ap (ap (c_2Epred_set_2EIMAGE \\
& ty_2Enum_2Enum ty_2Eextreal_2Eextreal) (\lambda V11i \in ty_2Enum_2Enum. \\
& (ap (ap (c_2Elebesgue_2Epos_fn_integral A_27a) V0m) (ap V2fi \\
& V11i)))) (c_2Epred_set_2EUNIV ty_2Enum_2Enum)))))))))
\end{aligned} \tag{61}$$

Assume the following.

$$\begin{aligned}
& \forall A_27a.nonempty\ A_27a \Rightarrow (\forall V0m \in (ty_2Epair_2Eprod \\
& (2^{A_27a}) (ty_2Epair_2Eprod (2^{(2^{A_27a})}) (ty_2Erealax_2Ereal^{(2^{A_27a})}))). \\
& (\forall V1f \in (ty_2Eextreal_2Eextreal^{A_27a}).(\forall V2n \in ty_2Enum_2Enum. \\
& (\forall V3x \in A_27a.((p (ap (ap c_2Eextreal_2Eextreal_le (ap \\
& c_2Eextreal_2Eextreal_of_num c_2Enum_2E0)) (ap V1f V3x))) \Rightarrow \\
& (p (ap (ap c_2Eextreal_2Eextreal_le (ap c_2Eextreal_2Eextreal_of_num \\
& c_2Enum_2E0)) (ap (ap (ap (ap (c_2Elebesgue_2Efn_seq A_27a) V0m) \\
& V1f) V2n) V3x)))))))))
\end{aligned} \tag{62}$$

Assume the following.

$$\begin{aligned}
& \forall A_{.27a}. \text{nonempty } A_{.27a} \Rightarrow (\forall V0m \in (ty_2Epair_2Eprod \\
& (2^{A_{.27a}}) (ty_2Epair_2Eprod (2^{(2^{A_{.27a}})}) (ty_2Erealax_2Ereal^{(2^{A_{.27a}})}))) \\
& (\forall V1f \in (ty_2Eextreal_2Eextreal^{A_{.27a}}). (\forall V2x \in A_{.27a}. \\
& ((p (ap (ap c_2Eextreal_2Eextreal_le (ap c_2Eextreal_2Eextreal_of_num \\
& c_2Enum_2E0)) (ap V1f V2x))) \Rightarrow (p (ap c_2Eextreal_2Eext_mono_increasing \\
& (\lambda V3n \in ty_2Enum_2Enum. (ap (ap (ap (ap (c_2ELebesgue_2Efn_seq \\
& A_{.27a}) V0m) V1f) V3n) V2x))))))))))
\end{aligned} \tag{63}$$

Assume the following.

$$\begin{aligned}
& \forall A_{.27a}. \text{nonempty } A_{.27a} \Rightarrow (\forall V0m \in (ty_2Epair_2Eprod \\
& (2^{A_{.27a}}) (ty_2Epair_2Eprod (2^{(2^{A_{.27a}})}) (ty_2Erealax_2Ereal^{(2^{A_{.27a}})}))) \\
& (\forall V1f \in (ty_2Eextreal_2Eextreal^{A_{.27a}}). (\forall V2x \in A_{.27a}. \\
& (((p (ap (ap (c_2Ebool_2EIN A_{.27a}) V2x) (ap (c_2Emeasure_2Em_space \\
& A_{.27a}) V0m))) \wedge (p (ap (ap c_2Eextreal_2Eextreal_le (ap c_2Eextreal_2Eextreal_of_num \\
& c_2Enum_2E0)) (ap V1f V2x)))) \Rightarrow ((ap c_2Eextreal_2Eextreal_sup \\
& (ap (ap (c_2Epred_set_2EIMAGE ty_2Enum_2Enum ty_2Eextreal_2Eextreal) \\
& (\lambda V3n \in ty_2Enum_2Enum. (ap (ap (ap (ap (c_2ELebesgue_2Efn_seq \\
& A_{.27a}) V0m) V1f) V3n) V2x))) (c_2Epred_set_2EUNIV ty_2Enum_2Enum)))) = \\
& (ap V1f V2x))))))
\end{aligned} \tag{64}$$

Assume the following.

$$\begin{aligned}
& \forall A_{.27a}. \text{nonempty } A_{.27a} \Rightarrow (\forall V0m \in (ty_2Epair_2Eprod \\
& (2^{A_{.27a}}) (ty_2Epair_2Eprod (2^{(2^{A_{.27a}})}) (ty_2Erealax_2Ereal^{(2^{A_{.27a}})}))) \\
& (\forall V1f \in (ty_2Eextreal_2Eextreal^{A_{.27a}}). (\forall V2n \in ty_2Enum_2Enum. \\
& (((\forall V3x \in A_{.27a}. (p (ap (ap c_2Eextreal_2Eextreal_le (ap \\
& c_2Eextreal_2Eextreal_of_num c_2Enum_2E0)) (ap V1f V3x)))) \wedge \\
& ((p (ap (c_2Emeasure_2Emeasure_space A_{.27a}) V0m)) \wedge (p (ap (ap \\
& (c_2Ebool_2EIN (ty_2Eextreal_2Eextreal^{A_{.27a}}) V1f) (ap (ap (\\
& c_2Emeasure_2Emeasurable A_{.27a} ty_2Eextreal_2Eextreal) (ap \\
& (ap (c_2Epair_2E_2C (2^{A_{.27a}}) (2^{(2^{A_{.27a}})})) (ap (c_2Emeasure_2Em_space \\
& A_{.27a}) V0m)) (ap (c_2Emeasure_2Emeasurable_sets A_{.27a}) V0m))) \\
& c_2Emeasure_2EBorel)))))) \Rightarrow (p (ap (ap (c_2Ebool_2EIN ty_2Eextreal_2Eextreal) \\
& (ap (ap (ap (c_2ELebesgue_2Efn_seq_integral A_{.27a}) V0m) V1f) \\
& V2n)) (ap (ap (c_2ELebesgue_2Epsfis A_{.27a}) V0m) (ap (ap (ap (c_2ELebesgue_2Efn_seq \\
& A_{.27a}) V0m) V1f) V2n)))))))))
\end{aligned} \tag{65}$$

Assume the following.

$$\begin{aligned}
& \forall A_27a.nonempty\ A_27a \Rightarrow (\forall V0m \in (ty_2Epair_2Eprod \\
& (2^{A_27a}) (ty_2Epair_2Eprod (2^{(2^{A_27a})}) (ty_2Erealax_2Ereal^{(2^{A_27a})}))). \\
& (\forall V1f \in (ty_2Eextreal_2Eextreal^{A_27a}).((p (ap (c_2Emeasure_2Emeasure_space \\
& A_27a) V0m)) \wedge (\exists V2s \in (2^{ty_2Enum_2Enum}).(\exists V3a \in \\
& ((2^{A_27a})^{ty_2Enum_2Enum}).(\exists V4x \in (ty_2Erealax_2Ereal^{ty_2Enum_2Enum}). \\
& (p (ap (ap (ap (ap (ap (ap (c_2Emeasure_2Epos_simple_fn\ A_27a) V0m) \\
V1f) V2s) V3a) V4x)))))) \Rightarrow (p (ap (ap (c_2Ebool_2EIN (ty_2Eextreal_2Eextreal^{A_27a}) \\
V1f) (ap (ap (c_2Emeasure_2Emeasurable\ A_27a\ ty_2Eextreal_2Eextreal) \\
(ap (ap (c_2Epair_2E_2C (2^{A_27a}) (2^{(2^{A_27a})})) (ap (c_2Emeasure_2Em_space \\
A_27a) V0m)) (ap (c_2Emeasure_2Emeasurable_sets\ A_27a) V0m))) \\
c_2Emeasure_2EBorel))))))
\end{aligned} \tag{66}$$

Assume the following.

$$(\forall V0t \in 2.((\neg(\neg(p\ V0t))) \Leftrightarrow (p\ V0t))) \tag{67}$$

Assume the following.

$$(\forall V0A \in 2.((p\ V0A) \Rightarrow ((\neg(p\ V0A)) \Rightarrow False))) \tag{68}$$

Assume the following.

$$\begin{aligned}
& (\forall V0A \in 2.(\forall V1B \in 2.(((\neg((p\ V0A) \vee (p\ V1B))) \Rightarrow False) \Leftrightarrow \\
& (((p\ V0A) \Rightarrow False) \Rightarrow ((\neg(p\ V1B)) \Rightarrow False))))
\end{aligned} \tag{69}$$

Assume the following.

$$\begin{aligned}
& (\forall V0A \in 2.(\forall V1B \in 2.(((\neg((\neg(p\ V0A)) \vee (p\ V1B))) \Rightarrow False) \Leftrightarrow \\
& ((p\ V0A) \Rightarrow ((\neg(p\ V1B)) \Rightarrow False))))
\end{aligned} \tag{70}$$

Assume the following.

$$(\forall V0A \in 2.(((\neg(p\ V0A)) \Rightarrow False) \Rightarrow (((p\ V0A) \Rightarrow False) \Rightarrow False))) \tag{71}$$

Assume the following.

$$\begin{aligned}
& (\forall V0p \in 2.(\forall V1q \in 2.(\forall V2r \in 2.(((p\ V0p) \Leftrightarrow (\\
& (p\ V1q) \Leftrightarrow (p\ V2r))) \Leftrightarrow (((p\ V0p) \vee ((p\ V1q) \vee (p\ V2r))) \wedge (((p\ V0p) \vee ((\neg \\
& p\ V2r)) \vee (\neg(p\ V1q)))) \wedge (((p\ V1q) \vee ((\neg(p\ V2r)) \vee (\neg(p\ V0p)))) \wedge ((p\ V2r) \vee \\
& ((\neg(p\ V1q)) \vee (\neg(p\ V0p))))))))))
\end{aligned} \tag{72}$$

Assume the following.

$$\begin{aligned}
& (\forall V0p \in 2.(\forall V1q \in 2.(\forall V2r \in 2.(((p\ V0p) \Leftrightarrow (\\
& (p\ V1q) \wedge (p\ V2r))) \Leftrightarrow (((p\ V0p) \vee ((\neg(p\ V1q)) \vee (\neg(p\ V2r)))) \wedge (((p\ V1q) \vee \\
& (\neg(p\ V0p))) \wedge ((p\ V2r) \vee (\neg(p\ V0p))))))))
\end{aligned} \tag{73}$$

Assume the following.

$$\begin{aligned}
& (\forall V0p \in 2. (\forall V1q \in 2. (\forall V2r \in 2. (((p \ V0p) \Leftrightarrow (\\
& (p \ V1q) \vee (p \ V2r))) \Leftrightarrow (((p \ V0p) \vee \neg(p \ V1q)) \wedge ((p \ V0p) \vee \neg(p \ V2r))) \wedge \\
& ((p \ V1q) \vee ((p \ V2r) \vee \neg(p \ V0p))))))))))
\end{aligned} \tag{74}$$

Assume the following.

$$\begin{aligned}
& (\forall V0p \in 2. (\forall V1q \in 2. (\forall V2r \in 2. (((p \ V0p) \Leftrightarrow (\\
& (p \ V1q) \Rightarrow (p \ V2r))) \Leftrightarrow (((p \ V0p) \vee (p \ V1q)) \wedge ((p \ V0p) \vee \neg(p \ V2r))) \wedge (\\
& \neg(p \ V1q) \vee ((p \ V2r) \vee \neg(p \ V0p))))))))))
\end{aligned} \tag{75}$$

Assume the following.

$$\begin{aligned}
& (\forall V0p \in 2. (\forall V1q \in 2. (((p \ V0p) \Leftrightarrow \neg(p \ V1q)) \Leftrightarrow (((p \ V0p) \vee \\
& (p \ V1q)) \wedge (\neg(p \ V1q) \vee \neg(p \ V0p))))))
\end{aligned} \tag{76}$$

Assume the following.

$$(\forall V0p \in 2. (\forall V1q \in 2. (\neg((p \ V0p) \Rightarrow (p \ V1q)) \Rightarrow (p \ V0p))) \tag{77}$$

Assume the following.

$$(\forall V0p \in 2. (\forall V1q \in 2. (\neg((p \ V0p) \Rightarrow (p \ V1q)) \Rightarrow \neg(p \ V1q))) \tag{78}$$

Theorem 1

$$\begin{aligned}
& \forall A_27a. \text{nonempty } A_27a \Rightarrow (\forall V0m \in (ty_2Epair_2Eprod \\
& (2^{A_27a}) (ty_2Epair_2Eprod (2^{(2^{A_27a})}) (ty_2Erealx_2Ereal^{(2^{A_27a})}))). \\
& (\forall V1f \in (ty_2Eextreal_2Eextreal^{A_27a}). ((\forall V2x \in \\
& A_27a. (p (ap (ap c_2Eextreal_2Eextreal_le (ap c_2Eextreal_2Eextreal_of_num \\
& c_2Enum_2E0)) (ap V1f V2x)))) \wedge ((p (ap (c_2Emeasure_2Emeasure_space \\
& A_27a) V0m)) \wedge (p (ap (ap (c_2Ebool_2EIN (ty_2Eextreal_2Eextreal^{A_27a}) \\
& V1f) (ap (ap (c_2Emeasure_2Emeasurable A_27a ty_2Eextreal_2Eextreal) \\
& (ap (ap (c_2Epair_2E_2C (2^{A_27a}) (2^{(2^{A_27a})})) (ap (c_2Emeasure_2Em_space \\
& A_27a) V0m)) (ap (c_2Emeasure_2Emeasurable_sets A_27a) V0m))) \\
& c_2Emeasure_2EBorel)))))) \Rightarrow ((ap (ap (c_2Elebesgue_2Epos_fn_integral \\
& A_27a) V0m) V1f) = (ap c_2Eextreal_2Eextreal_sup (ap (ap (c_2Epred_set_2EIMAGE \\
& ty_2Enum_2Enum ty_2Eextreal_2Eextreal) (\lambda V3i \in ty_2Enum_2Enum. \\
& (ap (ap (c_2Elebesgue_2Epos_fn_integral A_27a) V0m) (ap (ap \\
& (ap (c_2Elebesgue_2Efn_seq A_27a) V0m) V1f) V3i)))) (c_2Epred_set_2EUNIV \\
& ty_2Enum_2Enum))))))
\end{aligned}$$