

thm_2Elebesgue_2Epos_fn_integral_cmul_indicator
(TM-
Fcy96uDTv8GQeQvsfWw9ZZpm8icSLhBpJ)

October 26, 2020

Definition 1 We define $c_2Emin_2E_40$ to be $\lambda A.\lambda P \in 2^A$. **if** $(\exists x \in A.p (ap P x))$ **then** (the $(\lambda x.x \in A \wedge p x)$ of type $\iota \Rightarrow \iota$).

Definition 2 We define $c_2Emin_2E_3D$ to be $\lambda A.\lambda x \in A.\lambda y \in A.inj_o (x = y)$ of type $\iota \Rightarrow \iota$.

Definition 3 We define $c_2Ebool_2E_2ET$ to be $(ap (ap (c_2Emin_2E_3D (2^2))) (\lambda V0x \in 2.V0x)) (\lambda V1x \in 2.V1x)$

Definition 4 We define $c_2Ecombin_2E_2EK$ to be $\lambda A.\lambda 27a : \iota.\lambda A.\lambda 27b : \iota.(\lambda V0x \in A.27a.(\lambda V1y \in A.27b.V0x))$

Definition 5 We define $c_2Ecombin_2E_2ES$ to be $\lambda A.\lambda 27a : \iota.\lambda A.\lambda 27b : \iota.\lambda A.\lambda 27c : \iota.(\lambda V0f \in ((A.27c^{A.27b})^{A.27a}))$

Definition 6 We define $c_2Ecombin_2E_2EI$ to be $\lambda A.\lambda 27a : \iota.(ap (ap (c_2Ecombin_2E_2ES A.27a (A.27a^{A.27a})) A.27a))$

Definition 7 We define $c_2Ebool_2E_2E_21$ to be $\lambda A.\lambda 27a : \iota.(\lambda V0P \in (2^{A.27a})).(ap (ap (c_2Emin_2E_3D (2^{A.27a})) P))$

Definition 8 We define $c_2Ecombin_2E_2Eo$ to be $\lambda A.\lambda 27a : \iota.\lambda A.\lambda 27b : \iota.\lambda A.\lambda 27c : \iota.(\lambda V0f \in (A.27b^{A.27c}).\lambda V1g \in (A.27c^{A.27b}))$

Let $ty_2Ehreal_2Ehreal : \iota$ be given. Assume the following.

$$nonempty\ ty_2Ehreal_2Ehreal \tag{1}$$

Let $ty_2Epair_2Eprod : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0.nonempty\ A0 \Rightarrow \forall A1.nonempty\ A1 \Rightarrow nonempty\ (ty_2Epair_2Eprod\ A0\ A1) \tag{2}$$

Let $ty_2Erealax_2Ereal : \iota$ be given. Assume the following.

$$nonempty\ ty_2Erealax_2Ereal \tag{3}$$

Let $c_2Erealax_2Ereal_REP_CLASS : \iota$ be given. Assume the following.

$$c_2Erealax_2Ereal_REP_CLASS \in ((2^{(ty_2Epair_2Eprod\ ty_2Ehreal_2Ehreal\ ty_2Ehreal_2Ehreal)})\ ty_2Erealax_2Ereal) \tag{4}$$

Let $ty_2Enum_2Enum : \iota$ be given. Assume the following.

$$nonempty\ ty_2Enum_2Enum \quad (14)$$

Let $c_2Enum_2EZERO_REP : \iota$ be given. Assume the following.

$$c_2Enum_2EZERO_REP \in \omega \quad (15)$$

Let $c_2Enum_2EABS_num : \iota$ be given. Assume the following.

$$c_2Enum_2EABS_num \in (ty_2Enum_2Enum^{\omega}) \quad (16)$$

Definition 14 We define c_2Enum_2E0 to be $(ap\ c_2Enum_2EABS_num\ c_2Enum_2EZERO_REP)$.

Let $c_2Ereal_2Ereal_of_num : \iota$ be given. Assume the following.

$$c_2Ereal_2Ereal_of_num \in (ty_2Erealax_2Ereal^{ty_2Enum_2Enum}) \quad (17)$$

Let $c_2Erealax_2Etreax_add : \iota$ be given. Assume the following.

$$c_2Erealax_2Etreax_add \in (((ty_2Epair_2Eprod\ ty_2Ehreal_2Ehreal\ ty_2Ehreal_2Ehreal)^{(ty_2Epair_2Eprod\ ty_2Ehreal_2Ehreal\ ty_2Ehreal_2Ehreal)})^{(ty_2Epair_2Eprod\ ty_2Ehreal_2Ehreal)}} \quad (18)$$

Definition 15 We define $c_2Erealax_2Ereal_add$ to be $\lambda V0T1 \in ty_2Erealax_2Ereal.\lambda V1T2 \in ty_2Erealax_2Ereal$

Let $c_2Epred_set_2EITSET : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow c_2Epred_set_2EITSET\ A_27a\ A_27b \in (((A_27b^{A_27b})^{(2^{A_27a})})^{((A_27b^{A_27b})^{A_27a})}) \quad (19)$$

Definition 16 We define $c_2Ereal_sigma_2EREAL_SUM_IMAGE$ to be $\lambda A_27a : \iota.\lambda V0f \in (ty_2Erealax_2Ereal$

Let $c_2Eextreal_2ENormal : \iota$ be given. Assume the following.

$$c_2Eextreal_2ENormal \in (ty_2Eextreal_2Eextreal^{ty_2Erealax_2Ereal}) \quad (20)$$

Definition 17 We define $c_2ELebesgue_2Epos_simple_fn_integral$ to be $\lambda A_27a : \iota.\lambda V0m \in (ty_2Epair_2Eprod$

Let $c_2Emeasure_2Em_space : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow c_2Emeasure_2Em_space\ A_27a \in ((2^{A_27a})^{(ty_2Epair_2Eprod\ (2^{A_27a})\ (ty_2Epair_2Eprod\ (2^{(2^{A_27a})})\ (ty_2Erealax_2Ereal^{(2^{A_27a})})))) \quad (21)$$

Definition 18 We define c_2Ebool_2EIN to be $\lambda A_27a : \iota.(\lambda V0x \in A_27a.(\lambda V1f \in (2^{A_27a}).(ap\ V1f\ V0x)))$

Definition 19 We define $c_2Emin_2E_3D_3D_3E$ to be $\lambda P \in 2.\lambda Q \in 2.inj_o\ (p\ P \Rightarrow p\ Q)$ of type ι .

Definition 46 We define $c_2Eextreal_2Eextreal_sup$ to be $\lambda V0p \in (2^{ty_2Eextreal_2Eextreal}).(ap (ap (ap (c_2E$

Definition 47 We define $c_2Elebesgue_2Epos_fn_integral$ to be $\lambda A_27a : \iota.\lambda V0m \in (ty_2Epair_2Eprod (2^{$

Definition 48 We define $c_2Epred_set_2EUNIV$ to be $\lambda A_27a : \iota.(\lambda V0x \in A_27a.c_2Ebool_2ET)$.

Let $c_2Ereal_2Esum : \iota$ be given. Assume the following.

$$c_2Ereal_2Esum \in ((ty_2Erealax_2Ereal^{(ty_2Erealax_2Ereal^{ty_2Eenum_2Eenum})})^{(ty_2Epair_2Eprod ty_2Eenum_2Eenum)}) \quad (32)$$

Definition 49 We define $c_2Eprim_rec_2E_3C$ to be $\lambda V0m \in ty_2Eenum_2Eenum.\lambda V1n \in ty_2Eenum_2Eenum$

Definition 50 We define $c_2Earithmetic_2E_3E$ to be $\lambda V0m \in ty_2Eenum_2Eenum.\lambda V1n \in ty_2Eenum_2Eenum$

Definition 51 We define $c_2Earithmetic_2E_3E_3D$ to be $\lambda V0m \in ty_2Eenum_2Eenum.\lambda V1n \in ty_2Eenum_2Eenum$

Let $c_2Erealax_2Etrealm_neg : \iota$ be given. Assume the following.

$$c_2Erealax_2Etrealm_neg \in ((ty_2Epair_2Eprod ty_2Ehreal_2Ehreal^{(ty_2Epair_2Eprod ty_2Ehreal_2Ehreal ty_2Ehreal_2Ehreal)}) \quad (33)$$

Definition 52 We define $c_2Erealax_2Ereal_neg$ to be $\lambda V0T1 \in ty_2Erealax_2Ereal.(ap c_2Erealax_2Ereal$

Definition 53 We define $c_2Ereal_2Ereal_sub$ to be $\lambda V0x \in ty_2Erealax_2Ereal.\lambda V1y \in ty_2Erealax_2Ereal$

Definition 54 We define c_2Ereal_2Eabs to be $\lambda V0x \in ty_2Erealax_2Ereal.(ap (ap (ap (c_2Ebool_2ECONJ$

Let $ty_2Emetric_2Emetric : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0.nonempty A0 \Rightarrow nonempty (ty_2Emetric_2Emetric A0) \quad (34)$$

Let $c_2Emetric_2Emetric : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty A_27a \Rightarrow c_2Emetric_2Emetric A_27a \in ((ty_2Emetric_2Emetric A_27a)^{(ty_2Erealax_2Ereal^{(ty_2Epair_2Eprod A_27a A_27a)})}) \quad (35)$$

Definition 55 We define $c_2Emetric_2Emr1$ to be $(ap (c_2Emetric_2Emetric ty_2Erealax_2Ereal) (ap (c$

Let $c_2Emetric_2Edist : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty A_27a \Rightarrow c_2Emetric_2Edist A_27a \in ((ty_2Erealax_2Ereal^{(ty_2Epair_2Eprod A_27a A_27a)}) \quad (36)$$

Let $ty_2Etopology_2Etopology : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0.nonempty A0 \Rightarrow nonempty (ty_2Etopology_2Etopology A0) \quad (37)$$

Let $c_2Etopology_2Etopology : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty A_27a \Rightarrow c_2Etopology_2Etopology A_27a \in ((ty_2Etopology_2Etopology A_27a)^{(2^{(2^{A_27a})})}) \quad (38)$$

Definition 56 We define $c_2Emetric_2Emtop$ to be $\lambda A_27a : \iota.\lambda V0m \in (ty_2Emetric_2Emetric A_27a).(ap$
 Let $c_2Enets_2Etends : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\begin{aligned} & \forall A_27a.nonempty A_27a \Rightarrow \forall A_27b.nonempty A_27b \Rightarrow c_2Enets_2Etends \\ & A_27a A_27b \in (((2^{(ty_2Epair_2Eprod (ty_2Etopology_2Etopology A_27a) ((2^{A_27b})^{A_27b}))})_{A_27a})_{(A_27a)^{A_27b}}) \end{aligned} \quad (39)$$

Definition 57 We define $c_2Eseq_2E_2D_2D_3E$ to be $\lambda V0x \in (ty_2Erealx_2Ereal^{ty_2Enum_2Enum}).\lambda V1x$

Definition 58 We define c_2Eseq_2Esums to be $\lambda V0f \in (ty_2Erealx_2Ereal^{ty_2Enum_2Enum}).\lambda V1s \in ty_2$

Definition 59 We define $c_2Epred_set_2EFUNSET$ to be $\lambda A_27a : \iota.\lambda A_27b : \iota.\lambda V0P \in (2^{A_27a}).\lambda V1Q \in (2^{A_27b})$

Definition 60 We define $c_2Emeasure_2Ecountably_additive$ to be $\lambda A_27a : \iota.\lambda V0m \in (ty_2Epair_2Eprod$

Definition 61 We define $c_2Emeasure_2Epositive$ to be $\lambda A_27a : \iota.\lambda V0m \in (ty_2Epair_2Eprod (2^{A_27a}) (ty_2$

Let $c_2Emeasure_2Esubsets : \iota \Rightarrow \iota$ be given. Assume the following.

$$\begin{aligned} & \forall A_27a.nonempty A_27a \Rightarrow c_2Emeasure_2Esubsets A_27a \in (\\ & (2^{(2^{A_27a})})_{(ty_2Epair_2Eprod (2^{A_27a}) (2^{(2^{A_27a})}))}) \end{aligned} \quad (40)$$

Definition 62 We define $c_2Epred_set_2ESUBSET$ to be $\lambda A_27a : \iota.\lambda V0s \in (2^{A_27a}).\lambda V1t \in (2^{A_27a}).(ap$

Definition 63 We define $c_2Epred_set_2EINJ$ to be $\lambda A_27a : \iota.\lambda A_27b : \iota.\lambda V0f \in (A_27b)^{A_27a}.\lambda V1s \in (2^{A_27a})$

Definition 64 We define $c_2Epred_set_2Ecountable$ to be $\lambda A_27a : \iota.\lambda V0s \in (2^{A_27a}).(ap (c_2Ebool_2E3F$

Definition 65 We define $c_2Epred_set_2EUNION$ to be $\lambda A_27a : \iota.\lambda V0s \in (2^{A_27a}).\lambda V1t \in (2^{A_27a}).(ap (c$

Let $c_2Emeasure_2Espace : \iota \Rightarrow \iota$ be given. Assume the following.

$$\begin{aligned} & \forall A_27a.nonempty A_27a \Rightarrow c_2Emeasure_2Espace A_27a \in ((2^{A_27a})_{(ty_2Epair_2Eprod (2^{A_27a}) (2^{(2^{A_27a})}))}) \\ & \end{aligned} \quad (41)$$

Definition 66 We define $c_2Epred_set_2EDIFF$ to be $\lambda A_27a : \iota.\lambda V0s \in (2^{A_27a}).\lambda V1t \in (2^{A_27a}).(ap (c_2$

Definition 67 We define $c_2Emeasure_2Esubset_class$ to be $\lambda A_27a : \iota.\lambda V0sp \in (2^{A_27a}).\lambda V1sts \in (2^{(2^{A_27a})})$

Definition 68 We define $c_2Emeasure_2Ealgebra$ to be $\lambda A_27a : \iota.\lambda V0a \in (ty_2Epair_2Eprod (2^{A_27a}) (2^{(2^{A_27a})})$

Definition 69 We define $c_2Emeasure_2Esigma_algebra$ to be $\lambda A_27a : \iota.\lambda V0a \in (ty_2Epair_2Eprod (2^{A_27a}) (2^{(2^{A_27a})})$

Definition 70 We define $c_2Emeasure_2Emeasure_space$ to be $\lambda A_27a : \iota.\lambda V0m \in (ty_2Epair_2Eprod (2^{A_27a}) (2^{(2^{A_27a})})$

Assume the following.

$$True \quad (42)$$

Assume the following.

$$(\forall V0t1 \in 2. (\forall V1t2 \in 2. (((p V0t1) \Rightarrow (p V1t2)) \Rightarrow (((p V1t2) \Rightarrow (p V0t1)) \Rightarrow ((p V0t1) \Leftrightarrow (p V1t2)))))) \quad (43)$$

Assume the following.

$$(\forall V0t \in 2. (False \Rightarrow (p V0t))) \quad (44)$$

Assume the following.

$$(\forall V0t \in 2. ((p V0t) \vee (\neg(p V0t)))) \quad (45)$$

Assume the following.

$$\forall A_27a.nonempty A_27a \Rightarrow (\forall V0t \in 2. ((\forall V1x \in A_27a. (p V0t)) \Leftrightarrow (p V0t))) \quad (46)$$

Assume the following.

$$(\forall V0t \in 2. (((True \wedge (p V0t)) \Leftrightarrow (p V0t)) \wedge (((p V0t) \wedge True) \Leftrightarrow (p V0t)) \wedge (((False \wedge (p V0t)) \Leftrightarrow False) \wedge (((p V0t) \wedge False) \Leftrightarrow False) \wedge (((p V0t) \wedge (p V0t)) \Leftrightarrow (p V0t)))))) \quad (47)$$

Assume the following.

$$(\forall V0t \in 2. (((True \Rightarrow (p V0t)) \Leftrightarrow (p V0t)) \wedge (((p V0t) \Rightarrow True) \Leftrightarrow True) \wedge (((False \Rightarrow (p V0t)) \Leftrightarrow True) \wedge (((p V0t) \Rightarrow (p V0t)) \Leftrightarrow True) \wedge (((p V0t) \Rightarrow False) \Leftrightarrow (\neg(p V0t)))))) \quad (48)$$

Assume the following.

$$((\forall V0t \in 2. ((\neg(\neg(p V0t))) \Leftrightarrow (p V0t)) \wedge (((\neg True) \Leftrightarrow False) \wedge ((\neg False) \Leftrightarrow True)))) \quad (49)$$

Assume the following.

$$\forall A_27a.nonempty A_27a \Rightarrow (\forall V0x \in A_27a. (V0x = V0x)) \quad (50)$$

Assume the following.

$$\forall A_27a.nonempty A_27a \Rightarrow (\forall V0x \in A_27a. ((V0x = V0x) \Leftrightarrow True)) \quad (51)$$

Assume the following.

$$\forall A_27a.nonempty A_27a \Rightarrow (\forall V0x \in A_27a. (\forall V1y \in A_27a. ((V0x = V1y) \Leftrightarrow (V1y = V0x)))) \quad (52)$$

Assume the following.

$$(\forall V0t \in 2.(((True \Leftrightarrow (p V0t)) \Leftrightarrow (p V0t)) \wedge (((p V0t) \Leftrightarrow True) \Leftrightarrow (p V0t)) \wedge (((False \Leftrightarrow (p V0t)) \Leftrightarrow (\neg(p V0t))) \wedge (((p V0t) \Leftrightarrow False) \Leftrightarrow (\neg(p V0t)))))) \quad (53)$$

Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow (\forall V0t1 \in A_27a. (\forall V1t2 \in A_27a. (((ap (ap (ap (c_2Ebool_2ECOND\ A_27a)\ c_2Ebool_2ET)\ V0t1)\ V1t2) = V0t1) \wedge ((ap (ap (ap (c_2Ebool_2ECOND\ A_27a)\ c_2Ebool_2EF)\ V0t1)\ V1t2) = V1t2)))) \quad (54)$$

Assume the following.

$$(\forall V0A \in 2. (\forall V1B \in 2. (\forall V2C \in 2. (((p V0A) \vee ((p V1B) \wedge (p V2C))) \Leftrightarrow (((p V0A) \vee (p V1B)) \wedge ((p V0A) \vee (p V2C)))))) \quad (55)$$

Assume the following.

$$(\forall V0A \in 2. (\forall V1B \in 2. (\forall V2C \in 2. (((p V1B) \wedge ((p V2C) \vee (p V0A))) \Leftrightarrow (((p V1B) \vee (p V0A)) \wedge ((p V2C) \vee (p V0A)))))) \quad (56)$$

Assume the following.

$$(\forall V0t1 \in 2. (\forall V1t2 \in 2. (\forall V2t3 \in 2. (((p V0t1) \Rightarrow ((p V1t2) \Rightarrow (p V2t3))) \Leftrightarrow (((p V0t1) \wedge (p V1t2)) \Rightarrow (p V2t3)))))) \quad (57)$$

Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow (\forall V0f \in (A_27b^{A_27a}). (\forall V1b \in 2. (\forall V2x \in A_27a. (\forall V3y \in A_27a. ((ap\ V0f\ (ap\ (ap\ (ap\ (c_2Ebool_2ECOND\ A_27a)\ V1b)\ V2x)\ V3y)) = (ap\ (ap\ (ap\ (c_2Ebool_2ECOND\ A_27b)\ V1b)\ (ap\ V0f\ V2x))\ (ap\ V0f\ V3y)))))) \quad (58)$$

Assume the following.

$$(\forall V0x \in 2. (\forall V1x_27 \in 2. (\forall V2y \in 2. (\forall V3y_27 \in 2. (((p V0x) \Leftrightarrow (p V1x_27)) \wedge ((p V1x_27) \Rightarrow ((p V2y) \Leftrightarrow (p V3y_27)))))) \Rightarrow (((p V0x) \Rightarrow (p V2y)) \Leftrightarrow ((p V1x_27) \Rightarrow (p V3y_27)))))) \quad (59)$$

Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow (\forall V0x \in A_27a. ((ap (c_2Ecombin_2EI\ A_27a)\ V0x) = V0x)) \quad (60)$$

Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow (\forall V0f \in (A_27b^{A_27a}). (((ap (ap (c_2Ecombin_2Eo\ A_27a\ A_27b)\ A_27b)\ (c_2Ecombin_2EI\ A_27b))\ V0f) = V0f) \wedge ((ap (ap (c_2Ecombin_2Eo\ A_27a\ A_27b\ A_27a)\ V0f)\ (c_2Ecombin_2EI\ A_27a)) = V0f))) \quad (61)$$

Assume the following.

$$\begin{aligned}
& (\forall V0x \in ty_2Erealax_2Ereal. (\forall V1y \in ty_2Erealax_2Ereal. \\
& \quad (((ap (ap c_2Eextreal_2Eextreal_mul c_2Eextreal_2ENegInf) \\
c_2Eextreal_2ENegInf) = c_2Eextreal_2EPosInf) \wedge (((ap (ap c_2Eextreal_2Eextreal_mul \\
& \quad c_2Eextreal_2ENegInf) c_2Eextreal_2EPosInf) = c_2Eextreal_2ENegInf) \wedge \\
& \quad (((ap (ap c_2Eextreal_2Eextreal_mul c_2Eextreal_2EPosInf) \\
c_2Eextreal_2ENegInf) = c_2Eextreal_2ENegInf) \wedge (((ap (ap c_2Eextreal_2Eextreal_mul \\
& \quad c_2Eextreal_2EPosInf) c_2Eextreal_2EPosInf) = c_2Eextreal_2EPosInf) \wedge \\
& \quad (((ap (ap c_2Eextreal_2Eextreal_mul (ap c_2Eextreal_2ENormal \\
V0x)) c_2Eextreal_2ENegInf) = (ap (ap (ap (c_2Ebool_2ECOND ty_2Eextreal_2Eextreal) \\
& \quad (ap (ap (c_2Emin_2E_3D ty_2Erealax_2Ereal) V0x) (ap c_2Ereal_2Ereal_of_num \\
c_2Enum_2E0))) (ap c_2Eextreal_2ENormal (ap c_2Ereal_2Ereal_of_num \\
& \quad c_2Enum_2E0))) (ap (ap (ap (c_2Ebool_2ECOND ty_2Eextreal_2Eextreal) \\
& \quad (ap (ap c_2Erealax_2Ereal_lt (ap c_2Ereal_2Ereal_of_num c_2Enum_2E0)) \\
V0x)) c_2Eextreal_2ENegInf) c_2Eextreal_2EPosInf))) \wedge (((ap \\
& \quad (ap c_2Eextreal_2Eextreal_mul c_2Eextreal_2ENegInf) (ap c_2Eextreal_2ENormal \\
V1y)) = (ap (ap (ap (c_2Ebool_2ECOND ty_2Eextreal_2Eextreal) (\\
& \quad ap (ap (c_2Emin_2E_3D ty_2Erealax_2Ereal) V1y) (ap c_2Ereal_2Ereal_of_num \\
c_2Enum_2E0))) (ap c_2Eextreal_2ENormal (ap c_2Ereal_2Ereal_of_num \\
& \quad c_2Enum_2E0))) (ap (ap (ap (c_2Ebool_2ECOND ty_2Eextreal_2Eextreal) \\
& \quad (ap (ap c_2Erealax_2Ereal_lt (ap c_2Ereal_2Ereal_of_num c_2Enum_2E0)) \\
V1y)) c_2Eextreal_2ENegInf) c_2Eextreal_2EPosInf))) \wedge (((ap \\
& \quad (ap c_2Eextreal_2Eextreal_mul (ap c_2Eextreal_2ENormal V0x)) \\
c_2Eextreal_2EPosInf) = (ap (ap (ap (c_2Ebool_2ECOND ty_2Eextreal_2Eextreal) \\
& \quad (ap (ap (c_2Emin_2E_3D ty_2Erealax_2Ereal) V0x) (ap c_2Ereal_2Ereal_of_num \\
c_2Enum_2E0))) (ap c_2Eextreal_2ENormal (ap c_2Ereal_2Ereal_of_num \\
& \quad c_2Enum_2E0))) (ap (ap (ap (c_2Ebool_2ECOND ty_2Eextreal_2Eextreal) \\
& \quad (ap (ap c_2Erealax_2Ereal_lt (ap c_2Ereal_2Ereal_of_num c_2Enum_2E0)) \\
V0x)) c_2Eextreal_2EPosInf) c_2Eextreal_2ENegInf))) \wedge (((ap \\
& \quad (ap c_2Eextreal_2Eextreal_mul c_2Eextreal_2EPosInf) (ap c_2Eextreal_2ENormal \\
V1y)) = (ap (ap (ap (c_2Ebool_2ECOND ty_2Eextreal_2Eextreal) (\\
& \quad ap (ap (c_2Emin_2E_3D ty_2Erealax_2Ereal) V1y) (ap c_2Ereal_2Ereal_of_num \\
c_2Enum_2E0))) (ap c_2Eextreal_2ENormal (ap c_2Ereal_2Ereal_of_num \\
& \quad c_2Enum_2E0))) (ap (ap (ap (c_2Ebool_2ECOND ty_2Eextreal_2Eextreal) \\
& \quad (ap (ap c_2Erealax_2Ereal_lt (ap c_2Ereal_2Ereal_of_num c_2Enum_2E0)) \\
V1y)) c_2Eextreal_2EPosInf) c_2Eextreal_2ENegInf))) \wedge ((ap (\\
& \quad ap c_2Eextreal_2Eextreal_mul (ap c_2Eextreal_2ENormal V0x)) \\
& \quad (ap c_2Eextreal_2ENormal V1y)) = (ap c_2Eextreal_2ENormal (ap \\
& \quad (ap c_2Erealax_2Ereal_mul V0x) V1y)))))))))))))
\end{aligned} \tag{62}$$

Assume the following.

$$(\forall V0x \in ty_2Eextreal_2Eextreal. (p (ap (ap c_2Eextreal_2Eextreal_le \\
V0x) V0x))) \tag{63}$$

Assume the following.

$$(p (ap (ap (ap c.2Eextreal.2Eextreal_le (ap c.2Eextreal.2Eextreal_of_num c.2Enum.2E0)) (ap c.2Eextreal.2Eextreal_of_num (ap c.2Earithmetic.2ENUMERAL (ap c.2Earithmetic.2EBIT1 c.2Earithmetic.2EZERO)))))) \quad (64)$$

Assume the following.

$$\begin{aligned} \forall A.27a.nonempty A.27a \Rightarrow & (\forall V0m \in (ty.2Epair.2Eprod \\ & (2^{A.27a}) (ty.2Epair.2Eprod (2^{(2^{A.27a})}) (ty.2Erealax.2Ereal^{(2^{A.27a})}))). \\ & (\forall V1A \in (2^{A.27a}).(((p (ap (c.2Emeasure.2Emeasure_space \\ A.27a) V0m))) \wedge (p (ap (ap (c.2Ebool.2EIN (2^{A.27a}) V1A) (ap (c.2Emeasure.2Emeasurable_sets \\ A.27a) V0m)))))) \Rightarrow (\exists V2s \in (2^{ty.2Enum.2Enum}).(\exists V3a \in \\ ((2^{A.27a})^{ty.2Enum.2Enum}).(\exists V4x \in (ty.2Erealax.2Ereal^{ty.2Enum.2Enum}). \\ ((p (ap (ap (ap (ap (ap (c.2Emeasure.2Epos_simple_fn A.27a) V0m) \\ (ap (c.2Emeasure.2Eindicator_fn A.27a) V1A)) V2s) V3a) V4x))) \wedge \\ ((ap (ap (ap (ap (c.2Elebesgue.2Epos_simple_fn_integral A.27a) \\ V0m) V2s) V3a) V4x) = (ap c.2Eextreal.2ENormal (ap (ap (c.2Emeasure.2Emeasure \\ A.27a) V0m) V1A)))))))))) \end{aligned} \quad (65)$$

Assume the following.

$$\begin{aligned} \forall A.27a.nonempty A.27a \Rightarrow & (\forall V0m \in (ty.2Epair.2Eprod \\ & (2^{A.27a}) (ty.2Epair.2Eprod (2^{(2^{A.27a})}) (ty.2Erealax.2Ereal^{(2^{A.27a})}))). \\ & (\forall V1f \in (ty.2Eextreal.2Eextreal^{A.27a}).(\forall V2s \in (\\ & 2^{ty.2Enum.2Enum}).(\forall V3a \in ((2^{A.27a})^{ty.2Enum.2Enum}). \\ & (\forall V4x \in (ty.2Erealax.2Ereal^{ty.2Enum.2Enum}).(((p (ap (\\ & c.2Emeasure.2Emeasure_space A.27a) V0m))) \wedge (p (ap (ap (ap (ap (\\ & ap (c.2Emeasure.2Epos_simple_fn A.27a) V0m) V1f) V2s) V3a) V4x)))) \Rightarrow \\ & ((ap (ap (c.2Elebesgue.2Epos_fn_integral A.27a) V0m) V1f) = \\ & (ap (ap (ap (ap (c.2Elebesgue.2Epos_simple_fn_integral A.27a) \\ & V0m) V2s) V3a) V4x)))))) \end{aligned} \quad (66)$$

Assume the following.

$$\begin{aligned} \forall A.27a.nonempty A.27a \Rightarrow & (\forall V0m \in (ty.2Epair.2Eprod \\ & (2^{A.27a}) (ty.2Epair.2Eprod (2^{(2^{A.27a})}) (ty.2Erealax.2Ereal^{(2^{A.27a})}))). \\ & (\forall V1f \in (ty.2Eextreal.2Eextreal^{A.27a}).(\forall V2c \in ty.2Erealax.2Ereal. \\ & (((p (ap (c.2Emeasure.2Emeasure_space A.27a) V0m))) \wedge ((\forall V3x \in \\ & A.27a.((p (ap (ap (c.2Ebool.2EIN A.27a) V3x) (ap (c.2Emeasure.2Em_space \\ & A.27a) V0m)))) \Rightarrow (p (ap (ap c.2Eextreal.2Eextreal_le (ap c.2Eextreal.2Eextreal_of_num \\ & c.2Enum.2E0)) (ap V1f V3x)))))) \wedge (p (ap (ap c.2Ereal.2Ereal_lte \\ & (ap c.2Ereal.2Ereal_of_num c.2Enum.2E0)) V2c))) \Rightarrow ((ap (ap \\ & (c.2Elebesgue.2Epos_fn_integral A.27a) V0m) (\lambda V4x \in A.27a. \\ & (ap (ap c.2Eextreal.2Eextreal_mul (ap c.2Eextreal.2ENormal \\ & V2c)) (ap V1f V4x)))) = (ap (ap c.2Eextreal.2Eextreal_mul (ap c.2Eextreal.2ENormal \\ & V2c)) (ap (ap (c.2Elebesgue.2Epos_fn_integral A.27a) V0m) V1f)))))) \end{aligned} \quad (67)$$

Assume the following.

$$(\forall V0t \in 2.((\neg(\neg(p V0t))) \Leftrightarrow (p V0t))) \quad (68)$$

Assume the following.

$$(\forall V0A \in 2.((p V0A) \Rightarrow ((\neg(p V0A)) \Rightarrow \text{False}))) \quad (69)$$

Assume the following.

$$(\forall V0A \in 2.(\forall V1B \in 2.(((\neg((\neg(p V0A) \vee (p V1B))) \Rightarrow \text{False}) \Leftrightarrow ((p V0A) \Rightarrow \text{False}) \Rightarrow ((\neg(p V1B)) \Rightarrow \text{False})))))) \quad (70)$$

Assume the following.

$$(\forall V0A \in 2.(\forall V1B \in 2.(((\neg(\neg(\neg(p V0A)) \vee (p V1B))) \Rightarrow \text{False}) \Leftrightarrow ((p V0A) \Rightarrow ((\neg(p V1B)) \Rightarrow \text{False})))))) \quad (71)$$

Assume the following.

$$(\forall V0A \in 2.(((\neg(p V0A)) \Rightarrow \text{False}) \Rightarrow (((p V0A) \Rightarrow \text{False}) \Rightarrow \text{False}))) \quad (72)$$

Assume the following.

$$(\forall V0p \in 2.(\forall V1q \in 2.(\forall V2r \in 2.(((p V0p) \Leftrightarrow (p V1q) \Leftrightarrow (p V2r)) \Leftrightarrow (((p V0p) \vee ((p V1q) \vee (p V2r))) \wedge (((p V0p) \vee ((\neg(p V2r)) \vee (\neg(p V1q)))) \wedge (((p V1q) \vee ((\neg(p V2r)) \vee (\neg(p V0p)))) \wedge ((p V2r) \vee ((\neg(p V1q)) \vee (\neg(p V0p)))))))))) \quad (73)$$

Assume the following.

$$(\forall V0p \in 2.(\forall V1q \in 2.(\forall V2r \in 2.(((p V0p) \Leftrightarrow (p V1q) \wedge (p V2r)) \Leftrightarrow (((p V0p) \vee ((\neg(p V1q)) \vee (\neg(p V2r)))) \wedge (((p V1q) \vee (\neg(p V0p))) \wedge ((p V2r) \vee (\neg(p V0p)))))))) \quad (74)$$

Assume the following.

$$(\forall V0p \in 2.(\forall V1q \in 2.(\forall V2r \in 2.(((p V0p) \Leftrightarrow (p V1q) \vee (p V2r)) \Leftrightarrow (((p V0p) \vee (\neg(p V1q))) \wedge (((p V0p) \vee (\neg(p V2r))) \wedge ((p V1q) \vee ((p V2r) \vee (\neg(p V0p)))))))))) \quad (75)$$

Assume the following.

$$(\forall V0p \in 2.(\forall V1q \in 2.(\forall V2r \in 2.(((p V0p) \Leftrightarrow (p V1q) \Rightarrow (p V2r)) \Leftrightarrow (((p V0p) \vee (p V1q)) \wedge (((p V0p) \vee (\neg(p V2r))) \wedge ((\neg(p V1q)) \vee ((p V2r) \vee (\neg(p V0p)))))))))) \quad (76)$$

Assume the following.

$$(\forall V0p \in 2.(\forall V1q \in 2.(((p V0p) \Leftrightarrow (\neg(p V1q))) \Leftrightarrow (((p V0p) \vee (p V1q)) \wedge ((\neg(p V1q)) \vee (\neg(p V0p)))))) \quad (77)$$

Assume the following.

$$\begin{aligned}
& (\forall V0p \in 2. (\forall V1q \in 2. (\forall V2r \in 2. (\forall V3s \in \\
& 2. (((p \ V0p) \Leftrightarrow (p \ (ap \ (ap \ (ap \ (c_2Ebool_2ECOND \ 2) \ V1q) \ V2r) \ V3s))) \Leftrightarrow \\
& (((p \ V0p) \vee ((p \ V1q) \vee (\neg(p \ V3s)))) \wedge (((p \ V0p) \vee ((\neg(p \ V2r)) \vee (\neg(p \ V1q)))) \wedge \\
& (((p \ V0p) \vee ((\neg(p \ V2r)) \vee (\neg(p \ V3s)))) \wedge (((\neg(p \ V1q)) \vee ((p \ V2r) \vee (\neg(p \ V0p)))) \wedge ((p \ V1q) \vee ((p \ V3s) \vee (\neg(p \ V0p))))))))))))) \\
& \tag{78}
\end{aligned}$$

Assume the following.

$$(\forall V0p \in 2. (\forall V1q \in 2. ((\neg((p \ V0p) \Rightarrow (p \ V1q))) \Rightarrow (p \ V0p))) \tag{79}$$

Assume the following.

$$(\forall V0p \in 2. (\forall V1q \in 2. ((\neg((p \ V0p) \Rightarrow (p \ V1q))) \Rightarrow (\neg(p \ V1q)))) \tag{80}$$

Assume the following.

$$(\forall V0p \in 2. (\forall V1q \in 2. ((\neg((p \ V0p) \vee (p \ V1q))) \Rightarrow (\neg(p \ V0p)))) \tag{81}$$

Assume the following.

$$(\forall V0p \in 2. (\forall V1q \in 2. ((\neg((p \ V0p) \vee (p \ V1q))) \Rightarrow (\neg(p \ V1q)))) \tag{82}$$

Assume the following.

$$(\forall V0p \in 2. ((\neg(\neg(p \ V0p))) \Rightarrow (p \ V0p))) \tag{83}$$

Theorem 1

$$\begin{aligned}
& \forall A_27a. nonempty \ A_27a \Rightarrow (\forall V0m \in (ty_2Epair_2Eprod \\
& (2^{A_27a}) \ (ty_2Epair_2Eprod \ (2^{(2^{A_27a})}) \ (ty_2Erealax_2Ereal^{(2^{A_27a})}))). \\
& (\forall V1s \in (2^{A_27a}). (\forall V2c \in ty_2Erealax_2Ereal. ((\\
& (p \ (ap \ (c_2Emeasure_2Emeasure_space \ A_27a) \ V0m)) \wedge ((p \ (ap \ (ap \\
& (c_2Ebool_2EIN \ (2^{A_27a}) \ V1s) \ (ap \ (c_2Emeasure_2Emeasurable_sets \\
& A_27a) \ V0m))) \wedge (p \ (ap \ (ap \ c_2Ereal_2Ereal_lte \ (ap \ c_2Ereal_2Ereal_of_num \\
& c_2Enum_2E0) \ V2c)))) \Rightarrow ((ap \ (ap \ (c_2Elebesgue_2Epos_fn_integral \\
& A_27a) \ V0m) \ (\lambda V3x \in A_27a. (ap \ (ap \ c_2Eextreal_2Eextreal_mul \\
& (ap \ c_2Eextreal_2ENormal \ V2c) \ (ap \ (ap \ (c_2Emeasure_2Eindicator_fn \\
& A_27a) \ V1s) \ V3x)))) = (ap \ c_2Eextreal_2ENormal \ (ap \ (ap \ c_2Erealax_2Ereal_mul \\
& V2c) \ (ap \ (ap \ (c_2Emeasure_2Emeasure \ A_27a) \ V0m) \ V1s)))))))))
\end{aligned}$$