

# thm\_2Elebesgue\_2Epos\_\_fn\_\_integral\_\_split (TM-FyEQoAMMbNs7zRMjNr2n3oEGBvYQXXg1h)

October 26, 2020

**Definition 1** We define `c_2Emin_2E_40` to be  $\lambda A. \lambda P \in 2^A. \text{if } (\exists x \in A. p \text{ (ap } P \ x)) \text{ then (the } (\lambda x. x \in A \wedge p \ x) \text{ of type } \iota \Rightarrow \iota.$

**Definition 2** We define `c_2Emin_2E_3D` to be  $\lambda A. \lambda x \in A. \lambda y \in A. \text{inj\_o } (x = y)$  of type  $\iota \Rightarrow \iota.$

**Definition 3** We define `c_2Ebool_2E_3F` to be  $\lambda A. \lambda V0P \in (2^{A-27a}). (\text{ap } V0P \text{ (ap } (c_2Emin_2E_40 \ A \ V0P)))$

**Definition 4** We define `c_2Ebool_2E_2T` to be  $(\text{ap } (\text{ap } (c_2Emin_2E_3D \ (2^2)) \ (\lambda V0x \in 2.V0x)) \ (\lambda V1x \in 2.V1x))$

**Definition 5** We define `c_2Ecombin_2E_2S` to be  $\lambda A. \lambda A_27a : \iota. \lambda A_27b : \iota. \lambda A_27c : \iota. (\lambda V0f \in ((A_27c^{A_27b})^{A_27a}))$

**Definition 6** We define `c_2Ecombin_2E_2K` to be  $\lambda A. \lambda A_27a : \iota. \lambda A_27b : \iota. (\lambda V0x \in A_27a. (\lambda V1y \in A_27b. V0x))$

**Definition 7** We define `c_2Ecombin_2E_2I` to be  $\lambda A. \lambda A_27a : \iota. (\text{ap } (\text{ap } (c_2Ecombin_2E_2S \ A_27a \ (A_27a^{A_27a})) \ A_27a))$

**Definition 8** We define `c_2Ebool_2E_21` to be  $\lambda A. \lambda V0P \in (2^{A-27a}). (\text{ap } (\text{ap } (c_2Emin_2E_3D \ (2^{A-27a})) \ V0P))$

**Definition 9** We define `c_2Ecombin_2E_2o` to be  $\lambda A. \lambda A_27a : \iota. \lambda A_27b : \iota. \lambda A_27c : \iota. \lambda V0f \in (A_27b^{A_27c}). \lambda V1g \in (A_27c^{A_27a}).$

Let `ty_2Eextreal_2Eextreal` :  $\iota$  be given. Assume the following.

$$\text{nonempty } \text{ty\_2Eextreal\_2Eextreal} \tag{1}$$

Let `c_2Eextreal_2Eextreal_add` :  $\iota$  be given. Assume the following.

$$c\_2Eextreal\_2Eextreal\_add \in ((\text{ty\_2Eextreal\_2Eextreal}^{\text{ty\_2Eextreal\_2Eextreal}})^{\text{ty\_2Eextreal\_2Eextreal}}) \tag{2}$$

Let `c_2Enum_2EZERO_REP` :  $\iota$  be given. Assume the following.

$$c\_2Enum\_2EZERO\_REP \in \text{omega} \tag{3}$$

Let `ty_2Enum_2Enum` :  $\iota$  be given. Assume the following.

$$\text{nonempty } \text{ty\_2Enum\_2Enum} \tag{4}$$

Let `c_2Enum_2EABS_num` :  $\iota$  be given. Assume the following.

$$c\_2Enum\_2EABS\_num \in (\text{ty\_2Enum\_2Enum}^{\text{omega}}) \tag{5}$$

**Definition 10** We define  $c\_Enum\_E0$  to be  $(ap\ c\_Enum\_EABS\_num\ c\_Enum\_EZERO\_REP)$ .

Let  $ty\_Erealax\_Ereal : \iota$  be given. Assume the following.

$$nonempty\ ty\_Erealax\_Ereal \quad (6)$$

Let  $c\_Ereal\_Ereal\_of\_num : \iota$  be given. Assume the following.

$$c\_Ereal\_Ereal\_of\_num \in (ty\_Erealax\_Ereal^{ty\_Enum\_Enum}) \quad (7)$$

Let  $c\_Eextreal\_ENormal : \iota$  be given. Assume the following.

$$c\_Eextreal\_ENormal \in (ty\_Eextreal\_Eextreal^{ty\_Erealax\_Ereal}) \quad (8)$$

**Definition 11** We define  $c\_Eextreal\_Eextreal\_of\_num$  to be  $\lambda V0n \in ty\_Enum\_Enum.(ap\ c\_Eextreal\_ENormal)$ .

**Definition 12** We define  $c\_Earithmetic\_EZERO$  to be  $c\_Enum\_E0$ .

Let  $c\_Enum\_EREP\_num : \iota$  be given. Assume the following.

$$c\_Enum\_EREP\_num \in (\omega^{ty\_Enum\_Enum}) \quad (9)$$

Let  $c\_Enum\_ESUC\_REP : \iota$  be given. Assume the following.

$$c\_Enum\_ESUC\_REP \in (\omega^{\omega}) \quad (10)$$

**Definition 13** We define  $c\_Enum\_ESUC$  to be  $\lambda V0m \in ty\_Enum\_Enum.(ap\ c\_Enum\_EABS\_num)$ .

Let  $c\_Earithmetic\_E\_EB : \iota$  be given. Assume the following.

$$c\_Earithmetic\_E\_EB \in ((ty\_Enum\_Enum^{ty\_Enum\_Enum})^{ty\_Enum\_Enum}) \quad (11)$$

**Definition 14** We define  $c\_Earithmetic\_EBIT1$  to be  $\lambda V0n \in ty\_Enum\_Enum.(ap\ (ap\ c\_Earithmetic\_E\_EB))$ .

**Definition 15** We define  $c\_Earithmetic\_ENUMERAL$  to be  $\lambda V0x \in ty\_Enum\_Enum.V0x$ .

**Definition 16** We define  $c\_Ebool\_EIN$  to be  $\lambda A\_27a : \iota.(\lambda V0x \in A\_27a.(\lambda V1f \in (2^{A\_27a}).(ap\ V1f\ V0x)))$ .

**Definition 17** We define  $c\_Ebool\_EF$  to be  $(ap\ (c\_Ebool\_E\_21\ 2))\ (\lambda V0t \in 2.V0t)$ .

**Definition 18** We define  $c\_Emin\_E\_3D\_3D\_3E$  to be  $\lambda P \in 2.\lambda Q \in 2.inj\_o\ (p\ P \Rightarrow p\ Q)$  of type  $\iota$ .

**Definition 19** We define  $c\_Ebool\_E\_2F\_5C$  to be  $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap\ (c\_Ebool\_E\_21\ 2))\ (\lambda V2t \in 2.V2t)))$ .

**Definition 20** We define  $c\_Ebool\_ECOND$  to be  $\lambda A\_27a : \iota.(\lambda V0t \in 2.(\lambda V1t1 \in A\_27a.(\lambda V2t2 \in A\_27a.(ap\ V2t2\ V1t1))))$ .

**Definition 21** We define  $c\_Emeasure\_Eindicator\_fn$  to be  $\lambda A\_27a : \iota.\lambda V0s \in (2^{A\_27a}).(\lambda V1x \in A\_27a.(ap\ V1x\ V0s))$ .

Let  $c\_2Eextreal\_2Eextreal\_mul : \iota$  be given. Assume the following.

$$c\_2Eextreal\_2Eextreal\_mul \in ((ty\_2Eextreal\_2Eextreal^{ty\_2Eextreal\_2Eextreal})^{ty\_2Eextreal\_2Eextreal}) \quad (12)$$

Let  $c\_2Eextreal\_2Eextreal\_le : \iota$  be given. Assume the following.

$$c\_2Eextreal\_2Eextreal\_le \in ((2^{ty\_2Eextreal\_2Eextreal})^{ty\_2Eextreal\_2Eextreal}) \quad (13)$$

Let  $ty\_2Epair\_2Eprod : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A0.nonempty\ A0 \Rightarrow \forall A1.nonempty\ A1 \Rightarrow nonempty\ (ty\_2Epair\_2Eprod\ A0\ A1) \quad (14)$$

Let  $c\_2Emeasure\_2Em\_space : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow c\_2Emeasure\_2Em\_space\ A\_27a \in ((2^{A\_27a})^{(ty\_2Epair\_2Eprod\ (2^{A\_27a})\ (ty\_2Epair\_2Eprod\ (2^{2^{A\_27a}}))\ (ty\_2Erealax\_2Ereal^{(2^{A\_27a}})))) \quad (15)$$

Let  $c\_2Epair\_2EABS\_prod : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow \forall A\_27b.nonempty\ A\_27b \Rightarrow c\_2Epair\_2EABS\_prod\ A\_27a\ A\_27b \in ((ty\_2Epair\_2Eprod\ A\_27a\ A\_27b)^{(2^{A\_27b})^{A\_27a}}) \quad (16)$$

**Definition 22** We define  $c\_2Epair\_2E\_2C$  to be  $\lambda A\_27a : \iota.\lambda A\_27b : \iota.\lambda V0x \in A\_27a.\lambda V1y \in A\_27b.(ap\ (c\_2E$

Let  $c\_2Epred\_set\_2EGSPEC : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow \forall A\_27b.nonempty\ A\_27b \Rightarrow c\_2Epred\_set\_2EGSPEC\ A\_27a\ A\_27b \in ((2^{A\_27a})^{(ty\_2Epair\_2Eprod\ A\_27a\ 2)^{A\_27b}}) \quad (17)$$

**Definition 23** We define  $c\_2Epred\_set\_2EIMAGE$  to be  $\lambda A\_27a : \iota.\lambda A\_27b : \iota.\lambda V0f \in (A\_27b^{A\_27a}).\lambda V1s \in$

**Definition 24** We define  $c\_2Epred\_set\_2EBIGUNION$  to be  $\lambda A\_27a : \iota.\lambda V0P \in (2^{(2^{A\_27a})}).(ap\ (c\_2Epred\_set\_2EGSPEC$

**Definition 25** We define  $c\_2Epred\_set\_2EEMPTY$  to be  $\lambda A\_27a : \iota.(\lambda V0x \in A\_27a.c\_2Ebool\_2EF)$ .

**Definition 26** We define  $c\_2Epred\_set\_2EINTER$  to be  $\lambda A\_27a : \iota.\lambda V0s \in (2^{A\_27a}).\lambda V1t \in (2^{A\_27a}).(ap\ (c\_2E$

**Definition 27** We define  $c\_2Epred\_set\_2EDISJOINT$  to be  $\lambda A\_27a : \iota.\lambda V0s \in (2^{A\_27a}).\lambda V1t \in (2^{A\_27a}).(ap\ (c\_2E$

**Definition 28** We define  $c\_2Ebool\_2E\_7E$  to be  $(\lambda V0t \in 2.(ap\ (ap\ c\_2Emin\_2E\_3D\_3D\_3E\ V0t)\ c\_2Ebool\_2EF)$

Let  $ty\_2Ehreal\_2Ehreal : \iota$  be given. Assume the following.

$$nonempty\ ty\_2Ehreal\_2Ehreal \quad (18)$$

Let  $c\_2Erealax\_2Ereal\_REP\_CLASS : \iota$  be given. Assume the following.

$$c\_2Erealax\_2Ereal\_REP\_CLASS \in ((2^{(ty\_2Epair\_2Eprod\ ty\_2Ehreal\_2Ehreal\ ty\_2Ehreal\_2Ehreal)})^{ty\_2Erealax\_2Ereal}) \quad (19)$$

**Definition 29** We define  $c\_2Erealax\_2Ereal\_REP$  to be  $\lambda V0a \in ty\_2Erealax\_2Ereal.(ap (c\_2Emin\_2E.40 (t$   
Let  $c\_2Erealax\_2Etreal\_lt : \iota$  be given. Assume the following.

$$c\_2Erealax\_2Etreal\_lt \in ((2^{(ty\_2Epair\_2Eprod \ ty\_2Ehreal\_2Ehreal \ ty\_2Ehreal\_2Ehreal)})(ty\_2Epair\_2Eprod \ ty\_2Ehreal\_2Ehreal)) \quad (20)$$

**Definition 30** We define  $c\_2Erealax\_2Ereal\_lt$  to be  $\lambda V0T1 \in ty\_2Erealax\_2Ereal.\lambda V1T2 \in ty\_2Erealax\_2Ereal$

**Definition 31** We define  $c\_2Ereal\_2Ereal\_lte$  to be  $\lambda V0x \in ty\_2Erealax\_2Ereal.\lambda V1y \in ty\_2Erealax\_2Ereal$

**Definition 32** We define  $c\_2Ebool\_2E.5C\_2F$  to be  $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap (c\_2Ebool\_2E.21 \ 2) (\lambda V2t \in 2$

**Definition 33** We define  $c\_2Epred\_set\_2EINSERT$  to be  $\lambda A\_27a : \iota.\lambda V0x \in A\_27a.\lambda V1s \in (2^{A\_27a}).(ap (c\_2Ebool\_2E.21 \ 2) (\lambda V2t \in 2$

**Definition 34** We define  $c\_2Epred\_set\_2EFINITE$  to be  $\lambda A\_27a : \iota.\lambda V0s \in (2^{A\_27a}).(ap (c\_2Ebool\_2E.21 \ 2) (\lambda V2t \in 2$

Let  $c\_2Emeasure\_2Emeasurable\_sets : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.nonempty \ A\_27a \Rightarrow c\_2Emeasure\_2Emeasurable\_sets \ A\_27a \in ((2^{(2^{A\_27a})})(ty\_2Epair\_2Eprod \ (2^{A\_27a}) \ (ty\_2Epair\_2Eprod \ (2^{(2^{A\_27a})}) \ (ty\_2Erealax\_2Ereal^{(2^{A\_27a})})))) \quad (21)$$

Let  $c\_2Epred\_set\_2EITSET : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.nonempty \ A\_27a \Rightarrow \forall A\_27b.nonempty \ A\_27b \Rightarrow c\_2Epred\_set\_2EITSET \ A\_27a \ A\_27b \in (((A\_27b^{A\_27b})^{(2^{A\_27a})})^{((A\_27b^{A\_27b})^{A\_27a})}) \quad (22)$$

**Definition 35** We define  $c\_2Eextreal\_2EEXTREAL\_SUM\_IMAGE$  to be  $\lambda A\_27a : \iota.\lambda V0f \in (ty\_2Eextreal\_2EEXTREAL\_SUM\_IMAGE \ A\_27a \ f)$

**Definition 36** We define  $c\_2Emeasure\_2Epos\_simple\_fn$  to be  $\lambda A\_27a : \iota.\lambda V0m \in (ty\_2Epair\_2Eprod \ (2^{A\_27a}) \ (2^{A\_27a}))$

Let  $c\_2Epair\_2ESND : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.nonempty \ A\_27a \Rightarrow \forall A\_27b.nonempty \ A\_27b \Rightarrow c\_2Epair\_2ESND \ A\_27a \ A\_27b \in (A\_27b^{(ty\_2Epair\_2Eprod \ A\_27a \ A\_27b)}) \quad (23)$$

Let  $c\_2Epair\_2EFST : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.nonempty \ A\_27a \Rightarrow \forall A\_27b.nonempty \ A\_27b \Rightarrow c\_2Epair\_2EFST \ A\_27a \ A\_27b \in (A\_27a^{(ty\_2Epair\_2Eprod \ A\_27a \ A\_27b)}) \quad (24)$$

**Definition 37** We define  $c\_2Epair\_2EUNCURRY$  to be  $\lambda A\_27a : \iota.\lambda A\_27b : \iota.\lambda A\_27c : \iota.\lambda V0f \in ((A\_27c^{A\_27a \ A\_27b})^{(A\_27a \ A\_27b)})$

**Definition 38** We define  $c\_2ELebesgue\_2Epsfs$  to be  $\lambda A\_27a : \iota.\lambda V0m \in (ty\_2Epair\_2Eprod \ (2^{A\_27a}) \ (ty\_2Epair\_2Eprod \ (2^{A\_27a}) \ (2^{A\_27a})))$

Let  $c\_2Emeasure\_2Emeasure : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow c\_2Emeasure\_2Emeasure\ A\_27a \in ( (ty\_2Erealax\_2Ereal^{(2^{A\_27a})})(ty\_2Epair\_2Eprod\ (2^{A\_27a})\ (ty\_2Epair\_2Eprod\ (2^{A\_27a}))\ (ty\_2Erealax\_2Ereal^{(2^{A\_27a})})) (25)$$

Let  $c\_2Erealax\_2Etrealmul : \iota$  be given. Assume the following.

$$c\_2Erealax\_2Etrealmul \in ( ((ty\_2Epair\_2Eprod\ ty\_2Ehreal\_2Ehreal\ ty\_2Ehreal\_2Ehreal)(ty\_2Epair\_2Eprod\ ty\_2Ehreal\_2Ehreal\ ty\_2Ehreal\_2Ehreal)(ty\_2Epair\_2Eprod\ ty\_2Ehreal\_2Ehreal) (26)$$

Let  $c\_2Erealax\_2Etrealeq : \iota$  be given. Assume the following.

$$c\_2Erealax\_2Etrealeq \in ( (2^{(ty\_2Epair\_2Eprod\ ty\_2Ehreal\_2Ehreal\ ty\_2Ehreal\_2Ehreal)})(ty\_2Epair\_2Eprod\ ty\_2Ehreal\_2Ehreal) (27)$$

Let  $c\_2Erealax\_2Ereal\_ABS\_CLASS : \iota$  be given. Assume the following.

$$c\_2Erealax\_2Ereal\_ABS\_CLASS \in ( ty\_2Erealax\_2Ereal^{(2^{(ty\_2Epair\_2Eprod\ ty\_2Ehreal\_2Ehreal\ ty\_2Ehreal\_2Ehreal)}} (28)$$

**Definition 39** We define  $c\_2Erealax\_2Ereal\_ABS$  to be  $\lambda V0r \in (ty\_2Epair\_2Eprod\ ty\_2Ehreal\_2Ehreal\ ty\_2Ehreal\_2Ehreal)$

**Definition 40** We define  $c\_2Erealax\_2Ereal\_mul$  to be  $\lambda V0T1 \in ty\_2Erealax\_2Ereal.\lambda V1T2 \in ty\_2Erealax\_2Ereal$

Let  $c\_2Erealax\_2Erealadd : \iota$  be given. Assume the following.

$$c\_2Erealax\_2Erealadd \in ( ((ty\_2Epair\_2Eprod\ ty\_2Ehreal\_2Ehreal\ ty\_2Ehreal\_2Ehreal)(ty\_2Epair\_2Eprod\ ty\_2Ehreal\_2Ehreal\ ty\_2Ehreal\_2Ehreal)(ty\_2Epair\_2Eprod\ ty\_2Ehreal\_2Ehreal) (29)$$

**Definition 41** We define  $c\_2Erealax\_2Erealadd$  to be  $\lambda V0T1 \in ty\_2Erealax\_2Ereal.\lambda V1T2 \in ty\_2Erealax\_2Ereal$

**Definition 42** We define  $c\_2Ereal\_sigma\_2EREAL\_SUM\_IMAGE$  to be  $\lambda A\_27a : \iota.\lambda V0f \in (ty\_2Erealax\_2Ereal$

**Definition 43** We define  $c\_2ELebesgue\_2Epos\_simple\_fn\_integral$  to be  $\lambda A\_27a : \iota.\lambda V0m \in (ty\_2Epair\_2Eprod$

**Definition 44** We define  $c\_2ELebesgue\_2Epsfis$  to be  $\lambda A\_27a : \iota.\lambda V0m \in (ty\_2Epair\_2Eprod\ (2^{A\_27a})\ (ty\_2Erealax\_2Ereal$

**Definition 45** We define  $c\_2Ereal\_2Esup$  to be  $\lambda V0P \in (2^{ty\_2Erealax\_2Ereal}).(ap\ (c\_2Emin\_2E.40\ ty\_2Erealax\_2Ereal$

Let  $c\_2Eextreal\_2ENegInf : \iota$  be given. Assume the following.

$$c\_2Eextreal\_2ENegInf \in ty\_2Eextreal\_2Eextreal (30)$$

Let  $c\_2Eextreal\_2EPosInf : \iota$  be given. Assume the following.

$$c\_2Eextreal\_2EPosInf \in ty\_2Eextreal\_2Eextreal (31)$$

**Definition 46** We define  $c\_2Eextreal\_2Eextreal\_sup$  to be  $\lambda V0p \in (2^{ty\_2Eextreal\_2Eextreal}).(ap\ (ap\ (ap\ (c\_2Emin\_2E.40$

**Definition 47** We define  $c\_2E\text{lebesgue\_2Epos\_fn\_integral}$  to be  $\lambda A\_27a : \iota.\lambda V0m \in (ty\_2E\text{pair\_2Eprod } (2^{A\_27a}))$

**Definition 48** We define  $c\_2E\text{pred\_set\_2EUNIV}$  to be  $\lambda A\_27a : \iota.(\lambda V0x \in A\_27a.c\_2E\text{bool\_2ET})$ .

**Definition 49** We define  $c\_2E\text{extreal\_2Eextreal\_lt}$  to be  $\lambda V0x \in ty\_2E\text{extreal\_2Eextreal}.\lambda V1y \in ty\_2E\text{extreal}$

Let  $c\_2E\text{measure\_2Esubsets} : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.\text{nonempty } A\_27a \Rightarrow c\_2E\text{measure\_2Esubsets } A\_27a \in ( (2^{(2^{A\_27a})})^{(ty\_2E\text{pair\_2Eprod } (2^{A\_27a}) (2^{(2^{A\_27a})}))}) \quad (32)$$

**Definition 50** We define  $c\_2E\text{pred\_set\_2ESUBSET}$  to be  $\lambda A\_27a : \iota.\lambda V0s \in (2^{A\_27a}).\lambda V1t \in (2^{A\_27a}).(ap (c\_2E\text{bool\_2ET}) (c\_2E\text{bool\_2ET}))$

**Definition 51** We define  $c\_2E\text{pred\_set\_2EINJ}$  to be  $\lambda A\_27a : \iota.\lambda A\_27b : \iota.\lambda V0f \in (A\_27b^{A\_27a}).\lambda V1s \in (2^{A\_27b})$

**Definition 52** We define  $c\_2E\text{pred\_set\_2Ecountable}$  to be  $\lambda A\_27a : \iota.\lambda V0s \in (2^{A\_27a}).(ap (c\_2E\text{bool\_2E3F}) (c\_2E\text{bool\_2E3F}))$

**Definition 53** We define  $c\_2E\text{pred\_set\_2EUNION}$  to be  $\lambda A\_27a : \iota.\lambda V0s \in (2^{A\_27a}).\lambda V1t \in (2^{A\_27a}).(ap (c\_2E\text{bool\_2ET}) (c\_2E\text{bool\_2ET}))$

Let  $c\_2E\text{measure\_2Espace} : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.\text{nonempty } A\_27a \Rightarrow c\_2E\text{measure\_2Espace } A\_27a \in ((2^{A\_27a})^{(ty\_2E\text{pair\_2Eprod } (2^{A\_27a}) (2^{(2^{A\_27a})}))}) \quad (33)$$

**Definition 54** We define  $c\_2E\text{pred\_set\_2EDIFF}$  to be  $\lambda A\_27a : \iota.\lambda V0s \in (2^{A\_27a}).\lambda V1t \in (2^{A\_27a}).(ap (c\_2E\text{bool\_2ET}) (c\_2E\text{bool\_2ET}))$

**Definition 55** We define  $c\_2E\text{measure\_2Esubset\_class}$  to be  $\lambda A\_27a : \iota.\lambda V0sp \in (2^{A\_27a}).\lambda V1sts \in (2^{(2^{A\_27a})})$

**Definition 56** We define  $c\_2E\text{measure\_2Ealgebra}$  to be  $\lambda A\_27a : \iota.\lambda V0a \in (ty\_2E\text{pair\_2Eprod } (2^{A\_27a}) (2^{(2^{A\_27a})}))$

**Definition 57** We define  $c\_2E\text{measure\_2Esigma\_algebra}$  to be  $\lambda A\_27a : \iota.\lambda V0a \in (ty\_2E\text{pair\_2Eprod } (2^{A\_27a}) (2^{(2^{A\_27a})}))$

**Definition 58** We define  $c\_2E\text{pred\_set\_2EBIGINTER}$  to be  $\lambda A\_27a : \iota.\lambda V0P \in (2^{(2^{A\_27a})}).(ap (c\_2E\text{pred\_set\_2EINJ}) (c\_2E\text{pred\_set\_2EINJ}))$

**Definition 59** We define  $c\_2E\text{measure\_2Esigma}$  to be  $\lambda A\_27a : \iota.\lambda V0sp \in (2^{A\_27a}).\lambda V1st \in (2^{(2^{A\_27a})}).(ap (c\_2E\text{measure\_2Esubset\_class}) (c\_2E\text{measure\_2Esubset\_class}))$

**Definition 60** We define  $c\_2E\text{measure\_2EBorel}$  to be  $(ap (ap (c\_2E\text{measure\_2Esigma } ty\_2E\text{extreal\_2Eextreal}) (c\_2E\text{measure\_2Esigma } ty\_2E\text{extreal\_2Eextreal})) (c\_2E\text{measure\_2Esigma } ty\_2E\text{extreal\_2Eextreal}))$

**Definition 61** We define  $c\_2E\text{pred\_set\_2EPREIMAGE}$  to be  $\lambda A\_27a : \iota.\lambda A\_27b : \iota.\lambda V0f \in (A\_27b^{A\_27a}).\lambda V1s \in (2^{A\_27b})$

**Definition 62** We define  $c\_2E\text{pred\_set\_2EFUNSET}$  to be  $\lambda A\_27a : \iota.\lambda A\_27b : \iota.\lambda V0P \in (2^{A\_27a}).\lambda V1Q \in (2^{A\_27b})$

**Definition 63** We define  $c\_2E\text{measure\_2Emeasurable}$  to be  $\lambda A\_27a : \iota.\lambda A\_27b : \iota.\lambda V0a \in (ty\_2E\text{pair\_2Eprod } (2^{A\_27a}) (2^{(2^{A\_27a})}))$

Let  $c\_2E\text{real\_2Esum} : \iota$  be given. Assume the following.

$$c\_2E\text{real\_2Esum} \in ((ty\_2E\text{realax\_2Ereal}^{(ty\_2E\text{realax\_2Ereal}^{ty\_2E\text{enum\_2Eenum}})})^{(ty\_2E\text{pair\_2Eprod } ty\_2E\text{enum\_2Eenum})}) \quad (34)$$

**Definition 64** We define  $c\_2E\text{prim\_rec\_2E3C}$  to be  $\lambda V0m \in ty\_2E\text{enum\_2Eenum}.\lambda V1n \in ty\_2E\text{enum\_2Eenum}$

**Definition 65** We define  $c\_2Earithmic\_2E\_3E$  to be  $\lambda V0m \in ty\_2Enum\_2Enum.\lambda V1n \in ty\_2Enum\_2Enum$

**Definition 66** We define  $c\_2Earithmic\_2E\_3E\_3D$  to be  $\lambda V0m \in ty\_2Enum\_2Enum.\lambda V1n \in ty\_2Enum\_2Enum$

Let  $c\_2Erealax\_2Etreax\_neg : \iota$  be given. Assume the following.

$$\begin{aligned} c\_2Erealax\_2Etreax\_neg \in ((ty\_2Epair\_2Eprod\ ty\_2Ehreal\_2Ehreal \\ ty\_2Ehreal\_2Ehreal)^{(ty\_2Epair\_2Eprod\ ty\_2Ehreal\_2Ehreal\ ty\_2Ehreal\_2Ehreal)}) \end{aligned} \quad (35)$$

**Definition 67** We define  $c\_2Erealax\_2Ereal\_neg$  to be  $\lambda V0T1 \in ty\_2Erealax\_2Ereal.(ap\ c\_2Erealax\_2Ereal$

**Definition 68** We define  $c\_2Ereal\_2Ereal\_sub$  to be  $\lambda V0x \in ty\_2Erealax\_2Ereal.\lambda V1y \in ty\_2Erealax\_2Ereal$

**Definition 69** We define  $c\_2Ereal\_2Eabs$  to be  $\lambda V0x \in ty\_2Erealax\_2Ereal.(ap\ (ap\ (ap\ (c\_2Ebool\_2ECON$

Let  $ty\_2Emetric\_2Emetric : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A0.nonempty\ A0 \Rightarrow nonempty\ (ty\_2Emetric\_2Emetric\ A0) \quad (36)$$

Let  $c\_2Emetric\_2Emetric : \iota \Rightarrow \iota$  be given. Assume the following.

$$\begin{aligned} \forall A\_27a.nonempty\ A\_27a \Rightarrow c\_2Emetric\_2Emetric\ A\_27a \in ((ty\_2Emetric\_2Emetric \\ A\_27a)^{(ty\_2Erealax\_2Ereal\ (ty\_2Epair\_2Eprod\ A\_27a\ A\_27a)}) \end{aligned} \quad (37)$$

**Definition 70** We define  $c\_2Emetric\_2Emr1$  to be  $(ap\ (c\_2Emetric\_2Emetric\ ty\_2Erealax\_2Ereal)\ (ap\ (c$

Let  $c\_2Emetric\_2Edist : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow c\_2Emetric\_2Edist\ A\_27a \in ((ty\_2Erealax\_2Ereal\ (ty\_2Epair\_2Eprod\ A\_27a\ A\_27a)) \quad (38)$$

Let  $ty\_2Etopology\_2Etopology : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A0.nonempty\ A0 \Rightarrow nonempty\ (ty\_2Etopology\_2Etopology\ A0) \quad (39)$$

Let  $c\_2Etopology\_2Etopology : \iota \Rightarrow \iota$  be given. Assume the following.

$$\begin{aligned} \forall A\_27a.nonempty\ A\_27a \Rightarrow c\_2Etopology\_2Etopology\ A\_27a \in \\ ((ty\_2Etopology\_2Etopology\ A\_27a)^{(2^{(2^{A\_27a})})}) \end{aligned} \quad (40)$$

**Definition 71** We define  $c\_2Emetric\_2Emtop$  to be  $\lambda A\_27a : \iota.\lambda V0m \in (ty\_2Emetric\_2Emetric\ A\_27a).(ap$

Let  $c\_2Enets\_2Eetends : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\begin{aligned} \forall A\_27a.nonempty\ A\_27a \Rightarrow \forall A\_27b.nonempty\ A\_27b \Rightarrow c\_2Enets\_2Eetends \\ A\_27a\ A\_27b \in (((2^{(ty\_2Epair\_2Eprod\ (ty\_2Etopology\_2Etopology\ A\_27a)\ ((2^{A\_27b})^{A\_27b})})))_{A\_27a}\ (A\_27a^{A\_27b}) \end{aligned} \quad (41)$$

**Definition 72** We define  $c\_2Eseq\_2E\_2D\_2D\_3E$  to be  $\lambda V0x \in (ty\_2Erealax\_2Ereal^{ty\_2Enum\_2Enum}).\lambda V1x$

**Definition 73** We define  $c\_2Eseq\_2Esums$  to be  $\lambda V0f \in (ty\_2Erealax\_2Ereal^{ty\_2Enum\_2Enum}).\lambda V1s \in ty\_2$

**Definition 74** We define  $c\_2Emeasure\_2Ecountably\_additive$  to be  $\lambda A\_27a : \iota.\lambda V0m \in (ty\_2Epair\_2Eprod$

**Definition 75** We define  $c\_2Emeasure\_2Epositive$  to be  $\lambda A\_27a : \iota.\lambda V0m \in (ty\_2Epair\_2Eprod (2^{A\_27a}) (ty\_2$

**Definition 76** We define  $c\_2Emeasure\_2Emeasure\_space$  to be  $\lambda A\_27a : \iota.\lambda V0m \in (ty\_2Epair\_2Eprod (2^{A\_27a})$

Assume the following.

$$True \quad (42)$$

Assume the following.

$$(\forall V0t1 \in 2.(\forall V1t2 \in 2.(((p V0t1) \Rightarrow (p V1t2)) \Rightarrow (((p V1t2) \Rightarrow (p V0t1)) \Rightarrow ((p V0t1) \Leftrightarrow (p V1t2)))))) \quad (43)$$

Assume the following.

$$\forall A\_27a.nonempty A\_27a \Rightarrow (\forall V0t \in 2.((\forall V1x \in A\_27a.(p V0t)) \Leftrightarrow (p V0t))) \quad (44)$$

Assume the following.

$$(\forall V0t \in 2.(((True \wedge (p V0t)) \Leftrightarrow (p V0t)) \wedge (((p V0t) \wedge True) \Leftrightarrow (p V0t)) \wedge (((False \wedge (p V0t)) \Leftrightarrow False) \wedge (((p V0t) \wedge False) \Leftrightarrow False) \wedge (((p V0t) \wedge (p V0t)) \Leftrightarrow (p V0t)))))) \quad (45)$$

Assume the following.

$$(\forall V0t \in 2.(((True \Rightarrow (p V0t)) \Leftrightarrow (p V0t)) \wedge (((p V0t) \Rightarrow True) \Leftrightarrow True) \wedge (((False \Rightarrow (p V0t)) \Leftrightarrow True) \wedge (((p V0t) \Rightarrow (p V0t)) \Leftrightarrow True) \wedge (((p V0t) \Rightarrow False) \Leftrightarrow (\neg (p V0t)))))) \quad (46)$$

Assume the following.

$$((\forall V0t \in 2.((\neg (\neg (p V0t))) \Leftrightarrow (p V0t)) \wedge (((\neg True) \Leftrightarrow False) \wedge ((\neg False) \Leftrightarrow True)))) \quad (47)$$

Assume the following.

$$\forall A\_27a.nonempty A\_27a \Rightarrow (\forall V0x \in A\_27a.((V0x = V0x) \Leftrightarrow True)) \quad (48)$$

Assume the following.

$$\forall A\_27a.nonempty A\_27a \Rightarrow (\forall V0x \in A\_27a.(\forall V1y \in A\_27a.((V0x = V1y) \Leftrightarrow (V1y = V0x)))) \quad (49)$$

Assume the following.

$$(\forall V0t \in 2.(((True \Leftrightarrow (p V0t)) \Leftrightarrow (p V0t)) \wedge (((p V0t) \Leftrightarrow True) \Leftrightarrow (p V0t)) \wedge (((False \Leftrightarrow (p V0t)) \Leftrightarrow (\neg (p V0t))) \wedge (((p V0t) \Leftrightarrow False) \Leftrightarrow (\neg (p V0t)))))) \quad (50)$$



Assume the following.

$$(\forall V0A \in 2.(\forall V1B \in 2.(\forall V2C \in 2.((((p V1B) \wedge (p V2C)) \vee (p V0A)) \Leftrightarrow (((p V1B) \vee (p V0A)) \wedge ((p V2C) \vee (p V0A))))))) \quad (51)$$

Assume the following.

$$(\forall V0t1 \in 2.(\forall V1t2 \in 2.(\forall V2t3 \in 2.(((p V0t1) \Rightarrow ((p V1t2) \Rightarrow (p V2t3))) \Leftrightarrow (((p V0t1) \wedge (p V1t2)) \Rightarrow (p V2t3)))))) \quad (52)$$

Assume the following.

$$(\forall V0x \in 2.(\forall V1x_{27} \in 2.(\forall V2y \in 2.(\forall V3y_{27} \in 2.((((p V0x) \Leftrightarrow (p V1x_{27})) \wedge ((p V1x_{27}) \Rightarrow ((p V2y) \Leftrightarrow (p V3y_{27})))))) \Rightarrow (((p V0x) \Rightarrow (p V2y)) \Leftrightarrow ((p V1x_{27}) \Rightarrow (p V3y_{27})))))) \quad (53)$$

Assume the following.

$$\forall A_{27a}. \text{nonempty } A_{27a} \Rightarrow (\forall V0x \in A_{27a}. ((\text{ap } (c_{2Ecombin\_2EI} A_{27a}) V0x) = V0x)) \quad (54)$$

Assume the following.

$$\forall A_{27a}. \text{nonempty } A_{27a} \Rightarrow \forall A_{27b}. \text{nonempty } A_{27b} \Rightarrow (\forall V0f \in (A_{27b}^{A_{27a}}). (((\text{ap } (\text{ap } (c_{2Ecombin\_2Eo} A_{27a} A_{27b} A_{27b}) (c_{2Ecombin\_2EI} A_{27b}) V0f) = V0f) \wedge ((\text{ap } (\text{ap } (c_{2Ecombin\_2Eo} A_{27a} A_{27b} A_{27a}) V0f) (c_{2Ecombin\_2EI} A_{27a}) = V0f)))))) \quad (55)$$

Assume the following.

$$\begin{aligned} & \forall A_{27a}. \text{nonempty } A_{27a} \Rightarrow (\forall V0m \in (ty\_2Epair\_2Eprod \\ & (2^{A_{27a}}) (ty\_2Epair\_2Eprod (2^{(2^{A_{27a}})}) (ty\_2Erealax\_2Ereal^{(2^{A_{27a}})}))). \\ & (\forall V1f \in (ty\_2Eextreal\_2Eextreal^{A_{27a}}). (((\text{ap } (c_{2Emeasure\_2Emeasure\_space} \\ & A_{27a}) V0m)) \wedge (\forall V2x \in A_{27a}. (p (\text{ap } (\text{ap } c_{2Eextreal\_2Eextreal\_le} \\ & (\text{ap } c_{2Eextreal\_2Eextreal\_of\_num} c_{2Enum\_2E0})) (\text{ap } V1f V2x)))))) \Rightarrow \\ & ((\text{ap } (\text{ap } (c_{2Elebesgue\_2Epos\_fn\_integral} A_{27a}) V0m) V1f) = \\ & (\text{ap } (\text{ap } (c_{2Elebesgue\_2Epos\_fn\_integral} A_{27a}) V0m) (\lambda V3x \in \\ & A_{27a}. (\text{ap } (\text{ap } c_{2Eextreal\_2Eextreal\_mul} (\text{ap } V1f V3x)) (\text{ap } (\text{ap } \\ & (c_{2Emeasure\_2Eindicator\_fn} A_{27a}) (\text{ap } (c_{2Emeasure\_2Em\_space} \\ & A_{27a}) V0m)) V3x)))))) \quad (56) \end{aligned}$$

Assume the following.

$$\begin{aligned}
& \forall A.27a.nonempty A.27a \Rightarrow (\forall V0m \in (ty\_2Epair\_2Eprod \\
& (2^{A.27a}) (ty\_2Epair\_2Eprod (2^{(2^{A.27a})}) (ty\_2Erealax\_2Ereal^{(2^{A.27a})}))). \\
& (\forall V1f \in (ty\_2Eextreal\_2Eextreal^{A.27a}). (\forall V2s \in ( \\
& 2^{A.27a}). (\forall V3t \in (2^{A.27a}). (((p (ap (c\_2Emeasure\_2Emeasure\_space \\
& A.27a) V0m)) \wedge ((p (ap (ap (c\_2Epred\_set\_2EDISJOINT A.27a) V2s) \\
& V3t)) \wedge ((p (ap (ap (c\_2Ebool\_2EIN (2^{A.27a}) V2s) (ap (c\_2Emeasure\_2Emeasurable\_sets \\
& A.27a) V0m))) \wedge ((p (ap (ap (c\_2Ebool\_2EIN (2^{A.27a}) V3t) (ap (c\_2Emeasure\_2Emeasurable\_sets \\
& A.27a) V0m)))) \wedge ((p (ap (ap (c\_2Ebool\_2EIN (ty\_2Eextreal\_2Eextreal^{A.27a}) \\
& V1f) (ap (ap (c\_2Emeasure\_2Emeasurable A.27a ty\_2Eextreal\_2Eextreal) \\
& (ap (ap (c\_2Epair\_2E\_2C (2^{A.27a}) (2^{(2^{A.27a})})) (ap (c\_2Emeasure\_2Em\_space \\
& A.27a) V0m)) (ap (c\_2Emeasure\_2Emeasurable\_sets A.27a) V0m)))) \\
& c\_2Emeasure\_2EBorel)))) \wedge (\forall V4x \in A.27a. (p (ap (ap c\_2Eextreal\_2Eextreal\_le \\
& (ap c\_2Eextreal\_2Eextreal\_of\_num c\_2Enum\_2E0)) (ap V1f V4x)))))) \Rightarrow \\
& ((ap (ap (c\_2Elebesgue\_2Epos\_fn\_integral A.27a) V0m) (\lambda V5x \in \\
& A.27a. (ap (ap c\_2Eextreal\_2Eextreal\_mul (ap V1f V5x)) (ap (ap \\
& (c\_2Emeasure\_2Eindicator\_fn A.27a) (ap (ap (c\_2Epred\_set\_2EUNION \\
& A.27a) V2s) V3t)) V5x)))) = (ap (ap c\_2Eextreal\_2Eextreal\_add \\
& (ap (ap (c\_2Elebesgue\_2Epos\_fn\_integral A.27a) V0m) (\lambda V6x \in \\
& A.27a. (ap (ap c\_2Eextreal\_2Eextreal\_mul (ap V1f V6x)) (ap (ap \\
& (c\_2Emeasure\_2Eindicator\_fn A.27a) V2s) V6x)))))) (ap (ap (c\_2Elebesgue\_2Epos\_fn\_integral \\
& A.27a) V0m) (\lambda V7x \in A.27a. (ap (ap c\_2Eextreal\_2Eextreal\_mul \\
& (ap V1f V7x)) (ap (ap (c\_2Emeasure\_2Eindicator\_fn A.27a) V3t) \\
& V7x))))))))))
\end{aligned} \tag{57}$$

Assume the following.

$$\begin{aligned}
& \forall A.27a.nonempty A.27a \Rightarrow (\forall V0m \in (ty\_2Epair\_2Eprod \\
& (2^{A.27a}) (ty\_2Epair\_2Eprod (2^{(2^{A.27a})}) (ty\_2Erealax\_2Ereal^{(2^{A.27a})}))). \\
& (\forall V1s \in (2^{A.27a}). (\forall V2t \in (2^{A.27a}). (((p (ap (c\_2Emeasure\_2Emeasure\_space \\
& A.27a) V0m)) \wedge ((p (ap (ap (c\_2Ebool\_2EIN (2^{A.27a}) V1s) (ap (c\_2Emeasure\_2Emeasurable\_sets \\
& A.27a) V0m))) \wedge (p (ap (ap (c\_2Ebool\_2EIN (2^{A.27a}) V2t) (ap (c\_2Emeasure\_2Emeasurable\_sets \\
& A.27a) V0m)))) \Rightarrow (p (ap (ap (c\_2Ebool\_2EIN (2^{A.27a}) (ap (ap (c\_2Epred\_set\_2EDIFF \\
& A.27a) V1s) V2t)) (ap (c\_2Emeasure\_2Emeasurable\_sets A.27a) \\
& V0m))))))
\end{aligned} \tag{58}$$

Assume the following.

$$\begin{aligned}
& \forall A.27a.nonempty A.27a \Rightarrow (\forall V0A \in (2^{A.27a}). (\forall V1m \in \\
& (ty\_2Epair\_2Eprod (2^{A.27a}) (ty\_2Epair\_2Eprod (2^{(2^{A.27a})}) \\
& (ty\_2Erealax\_2Ereal^{(2^{A.27a})}))). (((p (ap (c\_2Emeasure\_2Emeasure\_space \\
& A.27a) V1m)) \wedge (p (ap (ap (c\_2Ebool\_2EIN (2^{A.27a}) V0A) (ap (c\_2Emeasure\_2Emeasurable\_sets \\
& A.27a) V1m)))) \Rightarrow (p (ap (ap (c\_2Epred\_set\_2ESUBSET A.27a) V0A) \\
& (ap (c\_2Emeasure\_2Em\_space A.27a) V1m))))))
\end{aligned} \tag{59}$$

Assume the following.

$$\begin{aligned}
& \forall A\_27a.nonempty\ A\_27a \Rightarrow (\forall V0m \in (ty\_2Epair\_2Eprod \\
& (2^{A\_27a}) (ty\_2Epair\_2Eprod (2^{(2^{A\_27a})}) (ty\_2Erealax\_2Ereal^{(2^{A\_27a})})))) \\
& ((p (ap (c\_2Emeasure\_2Emeasure\_space\ A\_27a)\ V0m)) \Rightarrow (p (ap (ap \\
& (c\_2Ebool\_2EIN (2^{A\_27a}) (ap (c\_2Emeasure\_2Em\_space\ A\_27a) \\
& V0m)) (ap (c\_2Emeasure\_2Emeasurable\_sets\ A\_27a)\ V0m))))))
\end{aligned} \tag{60}$$

Assume the following.

$$\begin{aligned}
& \forall A\_27a.nonempty\ A\_27a \Rightarrow (\forall V0s \in (2^{A\_27a}). (\forall V1t \in \\
& (2^{A\_27a}). ((p (ap (ap (c\_2Epred\_set\_2ESUBSET\ A\_27a)\ V0s)\ V1t)) \Rightarrow \\
& (((ap (ap (c\_2Epred\_set\_2EUNION\ A\_27a)\ V0s) (ap (ap (c\_2Epred\_set\_2EDIFF \\
& A\_27a)\ V1t)\ V0s)) = V1t) \wedge ((ap (ap (c\_2Epred\_set\_2EUNION\ A\_27a) \\
& (ap (ap (c\_2Epred\_set\_2EDIFF\ A\_27a)\ V1t)\ V0s)) = V1t))))))
\end{aligned} \tag{61}$$

Assume the following.

$$\begin{aligned}
& \forall A\_27a.nonempty\ A\_27a \Rightarrow (\forall V0s \in (2^{A\_27a}). (\forall V1t \in \\
& (2^{A\_27a}). ((p (ap (ap (c\_2Epred\_set\_2EDISJOINT\ A\_27a)\ V1t) ( \\
& ap (ap (c\_2Epred\_set\_2EDIFF\ A\_27a)\ V0s)\ V1t))) \wedge (p (ap (ap (c\_2Epred\_set\_2EDISJOINT \\
& A\_27a) (ap (ap (c\_2Epred\_set\_2EDIFF\ A\_27a)\ V0s)\ V1t)) V1t))))))
\end{aligned} \tag{62}$$

Assume the following.

$$(\forall V0t \in 2. ((\neg(\neg(p\ V0t))) \Leftrightarrow (p\ V0t))) \tag{63}$$

Assume the following.

$$(\forall V0A \in 2. ((p\ V0A) \Rightarrow ((\neg(p\ V0A)) \Rightarrow False))) \tag{64}$$

Assume the following.

$$\begin{aligned}
& (\forall V0A \in 2. (\forall V1B \in 2. (((\neg((p\ V0A) \vee (p\ V1B))) \Rightarrow False) \Leftrightarrow \\
& (((p\ V0A) \Rightarrow False) \Rightarrow ((\neg(p\ V1B)) \Rightarrow False))))))
\end{aligned} \tag{65}$$

Assume the following.

$$\begin{aligned}
& (\forall V0A \in 2. (\forall V1B \in 2. (((\neg((\neg(p\ V0A)) \vee (p\ V1B))) \Rightarrow False) \Leftrightarrow \\
& ((p\ V0A) \Rightarrow ((\neg(p\ V1B)) \Rightarrow False))))))
\end{aligned} \tag{66}$$

Assume the following.

$$(\forall V0A \in 2. (((\neg(p\ V0A)) \Rightarrow False) \Rightarrow (((p\ V0A) \Rightarrow False) \Rightarrow False))) \tag{67}$$

Assume the following.

$$\begin{aligned}
& (\forall V0p \in 2. (\forall V1q \in 2. (\forall V2r \in 2. (((p\ V0p) \Leftrightarrow ( \\
& (p\ V1q) \Leftrightarrow (p\ V2r))) \Leftrightarrow (((p\ V0p) \vee ((p\ V1q) \vee (p\ V2r))) \wedge (((p\ V0p) \vee ((\neg \\
& p\ V2r)) \vee (\neg(p\ V1q)))) \wedge (((p\ V1q) \vee ((\neg(p\ V2r)) \vee (\neg(p\ V0p)))) \wedge ((p\ V2r) \vee \\
& ((\neg(p\ V1q)) \vee (\neg(p\ V0p))))))))))
\end{aligned} \tag{68}$$

Assume the following.

$$\begin{aligned}
& (\forall V0p \in 2. (\forall V1q \in 2. (\forall V2r \in 2. (((p \vee V0p) \Leftrightarrow ( \\
& (p \vee V1q) \wedge (p \vee V2r))) \Leftrightarrow (((p \vee V0p) \vee (\neg(p \vee V1q)) \vee (\neg(p \vee V2r)))) \wedge (((p \vee V1q) \vee \\
& (\neg(p \vee V0p))) \wedge ((p \vee V2r) \vee (\neg(p \vee V0p))))))))))
\end{aligned} \tag{69}$$

Assume the following.

$$\begin{aligned}
& (\forall V0p \in 2. (\forall V1q \in 2. (\forall V2r \in 2. (((p \vee V0p) \Leftrightarrow ( \\
& (p \vee V1q) \vee (p \vee V2r))) \Leftrightarrow (((p \vee V0p) \vee (\neg(p \vee V1q))) \wedge ((p \vee V0p) \vee (\neg(p \vee V2r)))) \wedge \\
& ((p \vee V1q) \vee ((p \vee V2r) \vee (\neg(p \vee V0p))))))))))
\end{aligned} \tag{70}$$

Assume the following.

$$\begin{aligned}
& (\forall V0p \in 2. (\forall V1q \in 2. (\forall V2r \in 2. (((p \vee V0p) \Leftrightarrow ( \\
& (p \vee V1q) \Rightarrow (p \vee V2r))) \Leftrightarrow (((p \vee V0p) \vee (p \vee V1q)) \wedge (((p \vee V0p) \vee (\neg(p \vee V2r))) \wedge ( \\
& \neg(p \vee V1q)) \vee ((p \vee V2r) \vee (\neg(p \vee V0p))))))))))
\end{aligned} \tag{71}$$

Assume the following.

$$\begin{aligned}
& (\forall V0p \in 2. (\forall V1q \in 2. (((p \vee V0p) \Leftrightarrow (\neg(p \vee V1q))) \Leftrightarrow (((p \vee V0p) \vee \\
& (p \vee V1q)) \wedge ((\neg(p \vee V1q)) \vee (\neg(p \vee V0p))))))
\end{aligned} \tag{72}$$

Assume the following.

$$(\forall V0p \in 2. (\forall V1q \in 2. ((\neg((p \vee V0p) \Rightarrow (p \vee V1q))) \Rightarrow (p \vee V0p))) \tag{73}$$

Assume the following.

$$(\forall V0p \in 2. (\forall V1q \in 2. ((\neg((p \vee V0p) \Rightarrow (p \vee V1q))) \Rightarrow (\neg(p \vee V1q)))) \tag{74}$$

Assume the following.

$$(\forall V0p \in 2. (\forall V1q \in 2. ((\neg((p \vee V0p) \vee (p \vee V1q))) \Rightarrow (\neg(p \vee V0p)))) \tag{75}$$

Assume the following.

$$(\forall V0p \in 2. (\forall V1q \in 2. ((\neg((p \vee V0p) \vee (p \vee V1q))) \Rightarrow (\neg(p \vee V1q)))) \tag{76}$$

Assume the following.

$$(\forall V0p \in 2. ((\neg(\neg(p \vee V0p))) \Rightarrow (p \vee V0p))) \tag{77}$$

**Theorem 1**

$$\begin{aligned}
& \forall A.27a.nonempty\ A.27a \Rightarrow (\forall V0m \in (ty\_2Epair\_2Eprod \\
& (2^{A.27a}) (ty\_2Epair\_2Eprod (2^{(2^{A.27a})}) (ty\_2Erealx\_2Ereal^{(2^{A.27a})}))))). \\
& (\forall V1f \in (ty\_2Eextreal\_2Eextreal^{A.27a}).(\forall V2s \in ( \\
& 2^{A.27a}).(((p (ap (c\_2Emeasure\_2Emeasure\_space\ A.27a)\ V0m)) \wedge \\
& ((p (ap (ap (c\_2Ebool\_2EIN (2^{A.27a})\ V2s) (ap (c\_2Emeasure\_2Emeasurable\_sets \\
& A.27a)\ V0m)))) \wedge ((\forall V3x \in A.27a.(p (ap (ap\ c\_2Eextreal\_2Eextreal\_le \\
& (ap\ c\_2Eextreal\_2Eextreal\_of\_num\ c\_2Enum\_2E0)) (ap\ V1f\ V3x)))) \wedge \\
& (p (ap (ap (c\_2Ebool\_2EIN (ty\_2Eextreal\_2Eextreal^{A.27a})\ V1f) \\
& (ap (ap (c\_2Emeasure\_2Emeasurable\ A.27a\ ty\_2Eextreal\_2Eextreal) \\
& (ap (ap (c\_2Epair\_2E\_2C (2^{A.27a}) (2^{(2^{A.27a})})) (ap (c\_2Emeasure\_2Em\_space \\
& A.27a)\ V0m)) (ap (c\_2Emeasure\_2Emeasurable\_sets\ A.27a)\ V0m))) \\
& c\_2Emeasure\_2EBorel)))))) \Rightarrow ((ap (ap (c\_2Elebesgue\_2Epos\_fn\_integral \\
& A.27a)\ V0m)\ V1f) = (ap (ap\ c\_2Eextreal\_2Eextreal\_add (ap (ap (c\_2Elebesgue\_2Epos\_fn\_integral \\
& A.27a)\ V0m) (\lambda V4x \in A.27a.(ap (ap\ c\_2Eextreal\_2Eextreal\_mul \\
& (ap\ V1f\ V4x)) (ap (ap (c\_2Emeasure\_2Eindicator\_fn\ A.27a)\ V2s) \\
& V4x)))))) (ap (ap (c\_2Elebesgue\_2Epos\_fn\_integral\ A.27a)\ V0m) \\
& (\lambda V5x \in A.27a.(ap (ap\ c\_2Eextreal\_2Eextreal\_mul (ap\ V1f\ V5x) \\
& (ap (ap (c\_2Emeasure\_2Eindicator\_fn\ A.27a) (ap (ap (c\_2Epred\_set\_2EDIFF \\
& A.27a) (ap (c\_2Emeasure\_2Em\_space\ A.27a)\ V0m))\ V2s))\ V5x))))))))))
\end{aligned}$$