

# thm\_2Elebesgue\_2Epos\_\_simple\_\_fn\_\_integral\_\_cmul\_\_alt (TMZnVH2MnuQxu5XFZTnWh79kEW6s1sEkxJR)

October 26, 2020

**Definition 1** We define `c_2Emin_2E_40` to be  $\lambda A. \lambda P \in 2^A. \text{if } (\exists x \in A. p \text{ (ap } P \ x)) \text{ then (the } (\lambda x. x \in A \wedge p \ x) \text{ of type } \iota \Rightarrow \iota.$

**Definition 2** We define `c_2Emin_2E_3D` to be  $\lambda A. \lambda x \in A. \lambda y \in A. \text{inj\_o } (x = y) \text{ of type } \iota \Rightarrow \iota.$

**Definition 3** We define `c_2Ebool_2E_3F` to be  $\lambda A. 27a : \iota. (\lambda V0P \in (2^{A-27a}). (\text{ap } V0P \text{ (ap (c_2Emin_2E_40 } A \text{ (ap } P \ x))$

**Definition 4** We define `c_2Ebool_2E_T` to be  $(\text{ap (ap (c_2Emin_2E_3D } (2^2)) (\lambda V0x \in 2.V0x)) (\lambda V1x \in 2.V1x))$

**Definition 5** We define `c_2Ebool_2E_21` to be  $\lambda A. 27a : \iota. (\lambda V0P \in (2^{A-27a}). (\text{ap (ap (c_2Emin_2E_3D } (2^{A-27a})$

**Definition 6** We define `c_2Ebool_2E_F` to be  $(\text{ap (c_2Ebool_2E_21 } 2) (\lambda V0t \in 2.V0t)).$

Let `ty_2Ehreal_2Ehreal` :  $\iota$  be given. Assume the following.

$$\text{nonempty ty\_2Ehreal\_2Ehreal} \tag{1}$$

Let `ty_2Epair_2Eprod` :  $\iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A0. \text{nonempty } A0 \Rightarrow \forall A1. \text{nonempty } A1 \Rightarrow \text{nonempty (ty\_2Epair\_2Eprod } A0 \ A1) \tag{2}$$

Let `ty_2Erealax_2Ereal` :  $\iota$  be given. Assume the following.

$$\text{nonempty ty\_2Erealax\_2Ereal} \tag{3}$$

Let `c_2Erealax_2Ereal__REP__CLASS` :  $\iota$  be given. Assume the following.

$$c\_2Erealax\_2Ereal\_REP\_CLASS \in ((2^{(\text{ty\_2Epair\_2Eprod ty\_2Ehreal\_2Ehreal ty\_2Ehreal\_2Ehreal}) \text{ ty\_2Erealax\_2Ereal}})) \tag{4}$$

**Definition 7** We define `c_2Erealax_2Ereal__REP` to be  $\lambda V0a \in \text{ty\_2Erealax\_2Ereal}. (\text{ap (c\_2Emin\_2E\_40 (ty\_2Erealax\_2Ereal\_REP\_CLASS } a))$

Let  $c\_2Erealax\_2Etreal\_lt : \iota$  be given. Assume the following.

$$c\_2Erealax\_2Etreal\_lt \in ((2^{(ty\_2Epair\_2Eprod\ ty\_2Ehreal\_2Ehreal\ ty\_2Ehreal\_2Ehreal)})^{(ty\_2Epair\_2Eprod\ ty\_2Ehreal\_2Ehreal)}) \quad (5)$$

**Definition 8** We define  $c\_2Erealax\_2Ereal\_lt$  to be  $\lambda V0T1 \in ty\_2Erealax\_2Ereal.\lambda V1T2 \in ty\_2Erealax\_2Ereal$

**Definition 9** We define  $c\_2Emin\_2E3D\_3D\_3E$  to be  $\lambda P \in 2.\lambda Q \in 2.inj\_o (p\ P \Rightarrow p\ Q)$  of type  $\iota$ .

**Definition 10** We define  $c\_2Ebool\_2E2F\_5C$  to be  $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap\ (c\_2Ebool\_2E21\ 2)\ (\lambda V2t \in 2.))$

**Definition 11** We define  $c\_2Ebool\_2ECOND$  to be  $\lambda A\_27a : \iota.(\lambda V0t \in 2.(\lambda V1t1 \in A\_27a.(\lambda V2t2 \in A\_27a.))$

Let  $ty\_2Eextreal\_2Eextreal : \iota$  be given. Assume the following.

$$nonempty\ ty\_2Eextreal\_2Eextreal \quad (6)$$

Let  $c\_2Eextreal\_2EPosInf : \iota$  be given. Assume the following.

$$c\_2Eextreal\_2EPosInf \in ty\_2Eextreal\_2Eextreal \quad (7)$$

Let  $c\_2Eextreal\_2ENegInf : \iota$  be given. Assume the following.

$$c\_2Eextreal\_2ENegInf \in ty\_2Eextreal\_2Eextreal \quad (8)$$

Let  $c\_2Emeasure\_2Emeasure : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow c\_2Emeasure\_2Emeasure\ A\_27a \in (ty\_2Erealax\_2Ereal^{(2^{A\_27a})})^{(ty\_2Epair\_2Eprod\ (2^{A\_27a})\ (ty\_2Epair\_2Eprod\ (2^{(2^{A\_27a})}))\ (ty\_2Erealax\_2Ereal^{(2^{A\_27a})}))} \quad (9)$$

Let  $c\_2Erealax\_2Etreal\_mul : \iota$  be given. Assume the following.

$$c\_2Erealax\_2Etreal\_mul \in (((ty\_2Epair\_2Eprod\ ty\_2Ehreal\_2Ehreal\ ty\_2Ehreal\_2Ehreal)^{(ty\_2Epair\_2Eprod\ ty\_2Ehreal\_2Ehreal\ ty\_2Ehreal\_2Ehreal)})^{(ty\_2Epair\_2Eprod\ ty\_2Ehreal\_2Ehreal\ ty\_2Ehreal\_2Ehreal)}) \quad (10)$$

Let  $c\_2Erealax\_2Etreal\_eq : \iota$  be given. Assume the following.

$$c\_2Erealax\_2Etreal\_eq \in ((2^{(ty\_2Epair\_2Eprod\ ty\_2Ehreal\_2Ehreal\ ty\_2Ehreal\_2Ehreal)})^{(ty\_2Epair\_2Eprod\ ty\_2Ehreal\_2Ehreal\ ty\_2Ehreal\_2Ehreal)}) \quad (11)$$

Let  $c\_2Erealax\_2Ereal\_ABS\_CLASS : \iota$  be given. Assume the following.

$$c\_2Erealax\_2Ereal\_ABS\_CLASS \in (ty\_2Erealax\_2Ereal)^{(2^{(ty\_2Epair\_2Eprod\ ty\_2Ehreal\_2Ehreal\ ty\_2Ehreal\_2Ehreal)})} \quad (12)$$

**Definition 12** We define  $c\_2Erealax\_2Ereal\_ABS$  to be  $\lambda V0r \in (ty\_2Epair\_2Eprod\ ty\_2Ehreal\_2Ehreal\ ty\_2Ehreal\_2Ehreal)$

**Definition 13** We define  $c\_2Erealax\_2Ereal\_mul$  to be  $\lambda V0T1 \in ty\_2Erealax\_2Ereal.\lambda V1T2 \in ty\_2Erealax\_2Ereal$

Let  $ty\_2Enum\_2Enum : \iota$  be given. Assume the following.

$$nonempty\ ty\_2Enum\_2Enum \quad (13)$$

Let  $c\_2Enum\_2EZERO\_REP : \iota$  be given. Assume the following.

$$c\_2Enum\_2EZERO\_REP \in \omega \quad (14)$$

Let  $c\_2Enum\_2EABS\_num : \iota$  be given. Assume the following.

$$c\_2Enum\_2EABS\_num \in (ty\_2Enum\_2Enum^{\omega}) \quad (15)$$

**Definition 14** We define  $c\_2Enum\_2E0$  to be  $(ap\ c\_2Enum\_2EABS\_num\ c\_2Enum\_2EZERO\_REP)$ .

Let  $c\_2Ereal\_2Ereal\_of\_num : \iota$  be given. Assume the following.

$$c\_2Ereal\_2Ereal\_of\_num \in (ty\_2Erealax\_2Ereal^{ty\_2Enum\_2Enum}) \quad (16)$$

Let  $c\_2Erealax\_2Etreall\_add : \iota$  be given. Assume the following.

$$c\_2Erealax\_2Etreall\_add \in (((ty\_2Epair\_2Eprod\ ty\_2Ehreal\_2Ehreal\ ty\_2Ehreal\_2Ehreal)\ (ty\_2Epair\_2Eprod\ ty\_2Ehreal\_2Ehreal\ ty\_2Ehreal\_2Ehreal))\ (ty\_2Epair\_2Eprod\ ty\_2Ehreal\_2Ehreal\ ty\_2Ehreal\_2Ehreal)) \quad (17)$$

**Definition 15** We define  $c\_2Erealax\_2Ereal\_add$  to be  $\lambda V0T1 \in ty\_2Erealax\_2Ereal.\lambda V1T2 \in ty\_2Erealax\_2Ereal$

Let  $c\_2Epred\_set\_2EITSET : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow \forall A\_27b.nonempty\ A\_27b \Rightarrow c\_2Epred\_set\_2EITSET\ A\_27a\ A\_27b \in (((A\_27b^{A\_27b})^{(2^{A\_27a})})\ ((A\_27b^{A\_27b})^{A\_27a})) \quad (18)$$

**Definition 16** We define  $c\_2Ereal\_sigma\_2EREAL\_SUM\_IMAGE$  to be  $\lambda A\_27a : \iota.\lambda V0f \in (ty\_2Erealax\_2Ereal)$

Let  $c\_2Eextreal\_2ENormal : \iota$  be given. Assume the following.

$$c\_2Eextreal\_2ENormal \in (ty\_2Eextreal\_2Eextreal^{ty\_2Erealax\_2Ereal}) \quad (19)$$

**Definition 17** We define  $c\_2Elebesgue\_2Epos\_simple\_fn\_integral$  to be  $\lambda A\_27a : \iota.\lambda V0m \in (ty\_2Epair\_2Eprod)$

**Definition 18** We define  $c\_2Epred\_set\_2EUNIV$  to be  $\lambda A\_27a : \iota.(\lambda V0x \in A\_27a.c\_2Ebool\_2ET)$ .

**Definition 19** We define  $c\_2Ebool\_2EIN$  to be  $\lambda A\_27a : \iota.(\lambda V0x \in A\_27a.(\lambda V1f \in (2^{A\_27a}).)(ap\ V1f\ V0x))$

Let  $c\_2Epair\_2EABS\_prod : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow \forall A\_27b.nonempty\ A\_27b \Rightarrow c\_2Epair\_2EABS\_prod\ A\_27a\ A\_27b \in ((ty\_2Epair\_2Eprod\ A\_27a\ A\_27b)^{(2^{A\_27b})^{A\_27a}}) \quad (20)$$

**Definition 20** We define  $c\_2Epair\_2E\_2C$  to be  $\lambda A\_27a : \iota.\lambda A\_27b : \iota.\lambda V0x \in A\_27a.\lambda V1y \in A\_27b.(ap\ (c\_2Epair\_2EABS\_prod\ A\_27a\ A\_27b)\ V0x\ V1y)$

Let  $c\_2Epred\_set\_2EGSPEC : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\begin{aligned} \forall A\_27a.nonempty\ A\_27a \Rightarrow \forall A\_27b.nonempty\ A\_27b \Rightarrow c\_2Epred\_set\_2EGSPEC \\ A\_27a\ A\_27b \in ((2^{A\_27a})^{(ty\_2Epair\_2Eprod\ A\_27a\ 2)^{A\_27b}}) \end{aligned} \quad (21)$$

**Definition 21** We define  $c\_2Epred\_set\_2EIMAGE$  to be  $\lambda A\_27a : \iota.\lambda A\_27b : \iota.\lambda V0f \in (A\_27b^{A\_27a}).\lambda V1s \in$

**Definition 22** We define  $c\_2Epred\_set\_2EBIGUNION$  to be  $\lambda A\_27a : \iota.\lambda V0P \in (2^{(2^{A\_27a})}).(ap\ (c\_2Epred\_set\_2E$

**Definition 23** We define  $c\_2Ecombin\_2Eo$  to be  $\lambda A\_27a : \iota.\lambda A\_27b : \iota.\lambda A\_27c : \iota.\lambda V0f \in (A\_27b^{A\_27c}).\lambda V1$

Let  $c\_2Ereal\_2Esum : \iota$  be given. Assume the following.

$$c\_2Ereal\_2Esum \in ((ty\_2Erealax\_2Ereal^{(ty\_2Erealax\_2Ereal^{ty\_2Enum\_2Enum})})^{(ty\_2Epair\_2Eprod\ ty\_2Enum\_2Enum)}) \quad (22)$$

**Definition 24** We define  $c\_2Ebool\_2E\_7E$  to be  $(\lambda V0t \in 2.(ap\ (ap\ c\_2Emin\_2E\_3D\_3D\_3E\ V0t)\ c\_2Ebool\_2E$

Let  $c\_2Enum\_2EREP\_num : \iota$  be given. Assume the following.

$$c\_2Enum\_2EREP\_num \in (\omega^{ty\_2Enum\_2Enum}) \quad (23)$$

Let  $c\_2Enum\_2ESUC\_REP : \iota$  be given. Assume the following.

$$c\_2Enum\_2ESUC\_REP \in (\omega^{\omega}) \quad (24)$$

**Definition 25** We define  $c\_2Enum\_2ESUC$  to be  $\lambda V0m \in ty\_2Enum\_2Enum.(ap\ c\_2Enum\_2EABS\_num$

**Definition 26** We define  $c\_2Eprim\_rec\_2E\_3C$  to be  $\lambda V0m \in ty\_2Enum\_2Enum.\lambda V1n \in ty\_2Enum\_2Enum$

**Definition 27** We define  $c\_2Earithmetic\_2E\_3E$  to be  $\lambda V0m \in ty\_2Enum\_2Enum.\lambda V1n \in ty\_2Enum\_2Enum$

**Definition 28** We define  $c\_2Ebool\_2E\_5C\_2F$  to be  $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap\ (c\_2Ebool\_2E\_21\ 2)\ (\lambda V2t \in$

**Definition 29** We define  $c\_2Earithmetic\_2E\_3E\_3D$  to be  $\lambda V0m \in ty\_2Enum\_2Enum.\lambda V1n \in ty\_2Enum\_2Enum$

Let  $c\_2Erealax\_2Etrealm\_neg : \iota$  be given. Assume the following.

$$\begin{aligned} c\_2Erealax\_2Etrealm\_neg \in ((ty\_2Epair\_2Eprod\ ty\_2Ehreal\_2Ehreal \\ ty\_2Ehreal\_2Ehreal)^{(ty\_2Epair\_2Eprod\ ty\_2Ehreal\_2Ehreal\ ty\_2Ehreal\_2Ehreal)}) \end{aligned} \quad (25)$$

**Definition 30** We define  $c\_2Erealax\_2Ereal\_neg$  to be  $\lambda V0T1 \in ty\_2Erealax\_2Ereal.(ap\ c\_2Erealax\_2Ereal$

**Definition 31** We define  $c\_2Ereal\_2Ereal\_sub$  to be  $\lambda V0x \in ty\_2Erealax\_2Ereal.\lambda V1y \in ty\_2Erealax\_2Ereal$

**Definition 32** We define  $c\_2Ereal\_2Ereal\_lte$  to be  $\lambda V0x \in ty\_2Erealax\_2Ereal.\lambda V1y \in ty\_2Erealax\_2Ereal$

**Definition 33** We define  $c\_2Ereal\_2Eabs$  to be  $\lambda V0x \in ty\_2Erealax\_2Ereal.(ap\ (ap\ (ap\ (c\_2Ebool\_2ECON$

Let  $c\_2Epair\_2ESND : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow \forall A\_27b.nonempty\ A\_27b \Rightarrow c\_2Epair\_2ESND\ A\_27a\ A\_27b \in (A\_27b)^{(ty\_2Epair\_2Eprod\ A\_27a\ A\_27b)} \quad (26)$$

Let  $c\_2Epair\_2EFST : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow \forall A\_27b.nonempty\ A\_27b \Rightarrow c\_2Epair\_2EFST\ A\_27a\ A\_27b \in (A\_27a)^{(ty\_2Epair\_2Eprod\ A\_27a\ A\_27b)} \quad (27)$$

**Definition 34** We define  $c\_2Epair\_2EUNCURRY$  to be  $\lambda A\_27a : \iota. \lambda A\_27b : \iota. \lambda A\_27c : \iota. \lambda V0f \in ((A\_27c)^{A\_27a})$

Let  $ty\_2Emetric\_2Emetric : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A0.nonempty\ A0 \Rightarrow nonempty\ (ty\_2Emetric\_2Emetric\ A0) \quad (28)$$

Let  $c\_2Emetric\_2Emetric : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow c\_2Emetric\_2Emetric\ A\_27a \in ((ty\_2Emetric\_2Emetric\ A\_27a)^{(ty\_2Erealax\_2Ereal\ (ty\_2Epair\_2Eprod\ A\_27a\ A\_27a))}) \quad (29)$$

**Definition 35** We define  $c\_2Emetric\_2Emr1$  to be  $(ap\ (c\_2Emetric\_2Emetric\ ty\_2Erealax\_2Ereal)\ (ap\ (c\_2Emetric\_2Emetric\ ty\_2Erealax\_2Ereal)\ ty\_2Erealax\_2Ereal))$

Let  $c\_2Emetric\_2Edist : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow c\_2Emetric\_2Edist\ A\_27a \in ((ty\_2Erealax\_2Ereal\ (ty\_2Epair\_2Eprod\ A\_27a\ A\_27a))^{(ty\_2Emetric\_2Edist\ A\_27a)}) \quad (30)$$

Let  $ty\_2Etopology\_2Etopology : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A0.nonempty\ A0 \Rightarrow nonempty\ (ty\_2Etopology\_2Etopology\ A0) \quad (31)$$

Let  $c\_2Etopology\_2Etopology : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow c\_2Etopology\_2Etopology\ A\_27a \in ((ty\_2Etopology\_2Etopology\ A\_27a)^{(2^{(2^{A\_27a})})}) \quad (32)$$

**Definition 36** We define  $c\_2Emetric\_2Emtop$  to be  $\lambda A\_27a : \iota. \lambda V0m \in (ty\_2Emetric\_2Emetric\ A\_27a). (ap\ (c\_2Emetric\_2Emetric\ ty\_2Erealax\_2Ereal)\ ty\_2Erealax\_2Ereal)$

Let  $c\_2Enets\_2Etends : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow \forall A\_27b.nonempty\ A\_27b \Rightarrow c\_2Enets\_2Etends\ A\_27a\ A\_27b \in (((2^{(ty\_2Epair\_2Eprod\ (ty\_2Etopology\_2Etopology\ A\_27a)\ ((2^{A\_27b})^{A\_27b}))})_{A\_27a})_{(A\_27a)^{A\_27b}}) \quad (33)$$

**Definition 37** We define  $c\_2Eseq\_2E\_2D\_2D\_3E$  to be  $\lambda V0x \in (ty\_2Erealax\_2Ereal\ ty\_2Eenum\_2Enum). \lambda V1x \in (ty\_2Erealax\_2Ereal\ ty\_2Eenum\_2Enum)$

**Definition 38** We define  $c\_2Eseq\_2Esums$  to be  $\lambda V0f \in (ty\_2Erealax\_2Ereal\ ty\_2Eenum\_2Enum). \lambda V1s \in (ty\_2Erealax\_2Ereal\ ty\_2Eenum\_2Enum)$

Let  $c\_2Emeasure\_2Emeasurable\_sets : \iota \Rightarrow \iota$  be given. Assume the following.

$$\begin{aligned} & \forall A\_27a.nonempty\ A\_27a \Rightarrow c\_2Emeasure\_2Emeasurable\_sets \\ A\_27a \in & ((2^{(2^{A\_27a})}) (ty\_2Epair\_2Eprod\ (2^{A\_27a})\ (ty\_2Epair\_2Eprod\ (2^{(2^{A\_27a})})\ (ty\_2Erealax\_2Ereal^{(2^{A\_27a})})))) \end{aligned} \quad (34)$$

**Definition 39** We define  $c\_2Epred\_set\_2EEMPTY$  to be  $\lambda A\_27a : \iota. (\lambda V0x \in A\_27a.c\_2Ebool\_2EF)$ .

**Definition 40** We define  $c\_2Epred\_set\_2EINTER$  to be  $\lambda A\_27a : \iota. \lambda V0s \in (2^{A\_27a}). \lambda V1t \in (2^{A\_27a}). (ap\ (c\_2Ebool\_2EAND))$

**Definition 41** We define  $c\_2Epred\_set\_2EDISJOINT$  to be  $\lambda A\_27a : \iota. \lambda V0s \in (2^{A\_27a}). \lambda V1t \in (2^{A\_27a}). (ap\ (c\_2Ebool\_2EOR))$

**Definition 42** We define  $c\_2Epred\_set\_2EFUNSET$  to be  $\lambda A\_27a : \iota. \lambda A\_27b : \iota. \lambda V0P \in (2^{A\_27a}). \lambda V1Q \in (2^{A\_27b}). (ap\ (c\_2Ebool\_2EAND))$

**Definition 43** We define  $c\_2Emeasure\_2Ecountably\_additive$  to be  $\lambda A\_27a : \iota. \lambda V0m \in (ty\_2Epair\_2Eprod\ (2^{A\_27a})\ (2^{(2^{A\_27a})}))$

**Definition 44** We define  $c\_2Emeasure\_2Epositive$  to be  $\lambda A\_27a : \iota. \lambda V0m \in (ty\_2Epair\_2Eprod\ (2^{A\_27a})\ (ty\_2Erealax\_2Ereal^{(2^{A\_27a})}))$

Let  $c\_2Emeasure\_2Em\_space : \iota \Rightarrow \iota$  be given. Assume the following.

$$\begin{aligned} & \forall A\_27a.nonempty\ A\_27a \Rightarrow c\_2Emeasure\_2Em\_space\ A\_27a \in \\ & ((2^{A\_27a}) (ty\_2Epair\_2Eprod\ (2^{A\_27a})\ (ty\_2Epair\_2Eprod\ (2^{(2^{A\_27a})})\ (ty\_2Erealax\_2Ereal^{(2^{A\_27a})})))) \end{aligned} \quad (35)$$

Let  $c\_2Emeasure\_2Esubsets : \iota \Rightarrow \iota$  be given. Assume the following.

$$\begin{aligned} & \forall A\_27a.nonempty\ A\_27a \Rightarrow c\_2Emeasure\_2Esubsets\ A\_27a \in ( \\ & (2^{(2^{A\_27a})}) (ty\_2Epair\_2Eprod\ (2^{A\_27a})\ (2^{(2^{A\_27a})}))) \end{aligned} \quad (36)$$

**Definition 45** We define  $c\_2Epred\_set\_2ESUBSET$  to be  $\lambda A\_27a : \iota. \lambda V0s \in (2^{A\_27a}). \lambda V1t \in (2^{A\_27a}). (ap\ (c\_2Ebool\_2EAND))$

**Definition 46** We define  $c\_2Epred\_set\_2EINJ$  to be  $\lambda A\_27a : \iota. \lambda A\_27b : \iota. \lambda V0f \in (A\_27b^{A\_27a}). \lambda V1s \in (2^{A\_27b}). (ap\ (c\_2Ebool\_2EAND))$

**Definition 47** We define  $c\_2Epred\_set\_2Ecountable$  to be  $\lambda A\_27a : \iota. \lambda V0s \in (2^{A\_27a}). (ap\ (c\_2Ebool\_2EAND))$

**Definition 48** We define  $c\_2Epred\_set\_2EUNION$  to be  $\lambda A\_27a : \iota. \lambda V0s \in (2^{A\_27a}). \lambda V1t \in (2^{A\_27a}). (ap\ (c\_2Ebool\_2EOR))$

Let  $c\_2Emeasure\_2Espace : \iota \Rightarrow \iota$  be given. Assume the following.

$$\begin{aligned} & \forall A\_27a.nonempty\ A\_27a \Rightarrow c\_2Emeasure\_2Espace\ A\_27a \in ((2^{A\_27a}) (ty\_2Epair\_2Eprod\ (2^{A\_27a})\ (2^{(2^{A\_27a})}))) \end{aligned} \quad (37)$$

**Definition 49** We define  $c\_2Epred\_set\_2EDIFF$  to be  $\lambda A\_27a : \iota. \lambda V0s \in (2^{A\_27a}). \lambda V1t \in (2^{A\_27a}). (ap\ (c\_2Ebool\_2EAND))$

**Definition 50** We define  $c\_2Emeasure\_2Esubset\_class$  to be  $\lambda A\_27a : \iota. \lambda V0sp \in (2^{A\_27a}). \lambda V1sts \in (2^{(2^{A\_27a})})$

**Definition 51** We define  $c\_2Emeasure\_2Ealgebra$  to be  $\lambda A\_27a : \iota. \lambda V0a \in (ty\_2Epair\_2Eprod\ (2^{A\_27a})\ (2^{(2^{A\_27a})}))$

**Definition 52** We define  $c\_2Emeasure\_2Esigma\_algebra$  to be  $\lambda A\_27a : \iota. \lambda V0a \in (ty\_2Epair\_2Eprod\ (2^{A\_27a})\ (2^{(2^{A\_27a})}))$

**Definition 53** We define  $c\_2Emeasure\_2Emeasure\_space$  to be  $\lambda A\_27a : \iota.\lambda V0m \in (ty\_2Epair\_2Eprod (2^A$

**Definition 54** We define  $c\_2Eextreal\_2Eextreal\_of\_num$  to be  $\lambda V0n \in ty\_2Enum\_2Enum.(ap c\_2Eextreal$

**Definition 55** We define  $c\_2Earithmetic\_2EZERO$  to be  $c\_2Enum\_2E0$ .

Let  $c\_2Earithmetic\_2E\_2B : \iota$  be given. Assume the following.

$$c\_2Earithmetic\_2E\_2B \in ((ty\_2Enum\_2Enum^{ty\_2Enum\_2Enum})^{ty\_2Enum\_2Enum}) \quad (38)$$

**Definition 56** We define  $c\_2Earithmetic\_2EBIT1$  to be  $\lambda V0n \in ty\_2Enum\_2Enum.(ap (ap c\_2Earithmetic$

**Definition 57** We define  $c\_2Earithmetic\_2ENUMERAL$  to be  $\lambda V0x \in ty\_2Enum\_2Enum.V0x$ .

**Definition 58** We define  $c\_2Emeasure\_2Eindicator\_fn$  to be  $\lambda A\_27a : \iota.\lambda V0s \in (2^{A-27a}).(\lambda V1x \in A\_27a.(ap$

Let  $c\_2Eextreal\_2Eextreal\_mul : \iota$  be given. Assume the following.

$$c\_2Eextreal\_2Eextreal\_mul \in ((ty\_2Eextreal\_2Eextreal^{ty\_2Eextreal\_2Eextreal})^{ty\_2Eextreal\_2Eextreal}) \quad (39)$$

Let  $c\_2Eextreal\_2Eextreal\_add : \iota$  be given. Assume the following.

$$c\_2Eextreal\_2Eextreal\_add \in ((ty\_2Eextreal\_2Eextreal^{ty\_2Eextreal\_2Eextreal})^{ty\_2Eextreal\_2Eextreal}) \quad (40)$$

**Definition 59** We define  $c\_2Eextreal\_2EEXTREAL\_SUM\_IMAGE$  to be  $\lambda A\_27a : \iota.\lambda V0f \in (ty\_2Eextreal$

Let  $c\_2Eextreal\_2Eextreal\_le : \iota$  be given. Assume the following.

$$c\_2Eextreal\_2Eextreal\_le \in ((2^{ty\_2Eextreal\_2Eextreal})^{ty\_2Eextreal\_2Eextreal}) \quad (41)$$

**Definition 60** We define  $c\_2Epred\_set\_2EINSERT$  to be  $\lambda A\_27a : \iota.\lambda V0x \in A\_27a.\lambda V1s \in (2^{A-27a}).(ap (c$

**Definition 61** We define  $c\_2Epred\_set\_2EFINITE$  to be  $\lambda A\_27a : \iota.\lambda V0s \in (2^{A-27a}).(ap (c\_2Ebool\_2E\_21 (2$

**Definition 62** We define  $c\_2Emeasure\_2Epos\_simple\_fn$  to be  $\lambda A\_27a : \iota.\lambda V0m \in (ty\_2Epair\_2Eprod (2^A$

Assume the following.

$$True \quad (42)$$

Assume the following.

$$\begin{aligned} & (\forall V0t \in 2.(((True \wedge (p V0t)) \Leftrightarrow (p V0t)) \wedge (((p V0t) \wedge True) \Leftrightarrow \\ & (p V0t)) \wedge (((False \wedge (p V0t)) \Leftrightarrow False) \wedge (((p V0t) \wedge False) \Leftrightarrow False) \wedge \\ & (((p V0t) \wedge (p V0t)) \Leftrightarrow (p V0t)))))) \end{aligned} \quad (43)$$

Assume the following.

$$\forall A\_27a.nonempty A\_27a \Rightarrow (\forall V0x \in A\_27a.((V0x = V0x) \Leftrightarrow True)) \quad (44)$$

Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow (\forall V0x \in A\_27a. (\forall V1y \in A\_27a. ((V0x = V1y) \Leftrightarrow (V1y = V0x)))) \quad (45)$$

Assume the following.

$$\begin{aligned} & (\forall V0t \in 2. (((True \Leftrightarrow (p\ V0t)) \Leftrightarrow (p\ V0t)) \wedge (((p\ V0t) \Leftrightarrow True) \Leftrightarrow \\ & (p\ V0t)) \wedge (((False \Leftrightarrow (p\ V0t)) \Leftrightarrow \neg(p\ V0t)) \wedge (((p\ V0t) \Leftrightarrow False) \Leftrightarrow \neg( \\ & p\ V0t)))))) \end{aligned} \quad (46)$$

Assume the following.

$$\begin{aligned} & (\forall V0t1 \in 2. (\forall V1t2 \in 2. (\forall V2t3 \in 2. (((p\ V0t1) \Rightarrow \\ & ((p\ V1t2) \Rightarrow (p\ V2t3))) \Leftrightarrow (((p\ V0t1) \wedge (p\ V1t2)) \Rightarrow (p\ V2t3)))))) \end{aligned} \quad (47)$$



Assume the following.

$$\begin{aligned}
& (\forall V0x \in ty\_2Erealax\_2Ereal. (\forall V1y \in ty\_2Erealax\_2Ereal. \\
& \quad (((ap (ap c\_2Eextreal\_2Eextreal\_mul c\_2Eextreal\_2ENegInf) \\
c\_2Eextreal\_2ENegInf) = c\_2Eextreal\_2EPosInf) \wedge (((ap (ap c\_2Eextreal\_2Eextreal\_mul \\
& \quad c\_2Eextreal\_2ENegInf) c\_2Eextreal\_2EPosInf) = c\_2Eextreal\_2ENegInf) \wedge \\
& \quad (((ap (ap c\_2Eextreal\_2Eextreal\_mul c\_2Eextreal\_2EPosInf) \\
c\_2Eextreal\_2ENegInf) = c\_2Eextreal\_2ENegInf) \wedge (((ap (ap c\_2Eextreal\_2Eextreal\_mul \\
& \quad c\_2Eextreal\_2EPosInf) c\_2Eextreal\_2EPosInf) = c\_2Eextreal\_2EPosInf) \wedge \\
& \quad (((ap (ap c\_2Eextreal\_2Eextreal\_mul (ap c\_2Eextreal\_2ENormal \\
V0x)) c\_2Eextreal\_2ENegInf) = (ap (ap (ap (c\_2Ebool\_2ECOND ty\_2Eextreal\_2Eextreal) \\
& \quad (ap (ap (c\_2Emin\_2E\_3D ty\_2Erealax\_2Ereal) V0x) (ap c\_2Ereal\_2Ereal\_of\_num \\
c\_2Enum\_2E0))) (ap c\_2Eextreal\_2ENormal (ap c\_2Ereal\_2Ereal\_of\_num \\
& \quad c\_2Enum\_2E0))) (ap (ap (ap (c\_2Ebool\_2ECOND ty\_2Eextreal\_2Eextreal) \\
& \quad (ap (ap c\_2Erealax\_2Ereal\_lt (ap c\_2Ereal\_2Ereal\_of\_num c\_2Enum\_2E0)) \\
V0x)) c\_2Eextreal\_2ENegInf) c\_2Eextreal\_2EPosInf))) \wedge (((ap \\
& \quad (ap c\_2Eextreal\_2Eextreal\_mul c\_2Eextreal\_2ENegInf) (ap c\_2Eextreal\_2ENormal \\
V1y)) = (ap (ap (ap (c\_2Ebool\_2ECOND ty\_2Eextreal\_2Eextreal) ( \\
& \quad ap (ap (c\_2Emin\_2E\_3D ty\_2Erealax\_2Ereal) V1y) (ap c\_2Ereal\_2Ereal\_of\_num \\
c\_2Enum\_2E0))) (ap c\_2Eextreal\_2ENormal (ap c\_2Ereal\_2Ereal\_of\_num \\
& \quad c\_2Enum\_2E0))) (ap (ap (ap (c\_2Ebool\_2ECOND ty\_2Eextreal\_2Eextreal) \\
& \quad (ap (ap c\_2Erealax\_2Ereal\_lt (ap c\_2Ereal\_2Ereal\_of\_num c\_2Enum\_2E0)) \\
V1y)) c\_2Eextreal\_2ENegInf) c\_2Eextreal\_2EPosInf))) \wedge (((ap \\
& \quad (ap c\_2Eextreal\_2Eextreal\_mul (ap c\_2Eextreal\_2ENormal V0x)) \\
c\_2Eextreal\_2EPosInf) = (ap (ap (ap (c\_2Ebool\_2ECOND ty\_2Eextreal\_2Eextreal) \\
& \quad (ap (ap (c\_2Emin\_2E\_3D ty\_2Erealax\_2Ereal) V0x) (ap c\_2Ereal\_2Ereal\_of\_num \\
c\_2Enum\_2E0))) (ap c\_2Eextreal\_2ENormal (ap c\_2Ereal\_2Ereal\_of\_num \\
& \quad c\_2Enum\_2E0))) (ap (ap (ap (c\_2Ebool\_2ECOND ty\_2Eextreal\_2Eextreal) \\
& \quad (ap (ap c\_2Erealax\_2Ereal\_lt (ap c\_2Ereal\_2Ereal\_of\_num c\_2Enum\_2E0)) \\
V0x)) c\_2Eextreal\_2EPosInf) c\_2Eextreal\_2ENegInf))) \wedge (((ap \\
& \quad (ap c\_2Eextreal\_2Eextreal\_mul c\_2Eextreal\_2EPosInf) (ap c\_2Eextreal\_2ENormal \\
V1y)) = (ap (ap (ap (c\_2Ebool\_2ECOND ty\_2Eextreal\_2Eextreal) ( \\
& \quad ap (ap (c\_2Emin\_2E\_3D ty\_2Erealax\_2Ereal) V1y) (ap c\_2Ereal\_2Ereal\_of\_num \\
c\_2Enum\_2E0))) (ap c\_2Eextreal\_2ENormal (ap c\_2Ereal\_2Ereal\_of\_num \\
& \quad c\_2Enum\_2E0))) (ap (ap (ap (c\_2Ebool\_2ECOND ty\_2Eextreal\_2Eextreal) \\
& \quad (ap (ap c\_2Erealax\_2Ereal\_lt (ap c\_2Ereal\_2Ereal\_of\_num c\_2Enum\_2E0)) \\
V1y)) c\_2Eextreal\_2EPosInf) c\_2Eextreal\_2ENegInf))) \wedge ((ap ( \\
& \quad ap c\_2Eextreal\_2Eextreal\_mul (ap c\_2Eextreal\_2ENormal V0x)) \\
& \quad (ap c\_2Eextreal\_2ENormal V1y)) = (ap c\_2Eextreal\_2ENormal (ap \\
& \quad (ap c\_2Erealax\_2Ereal\_mul V0x) V1y)))))))))))))
\end{aligned} \tag{48}$$

Assume the following.

$$\begin{aligned}
& (\forall V0a \in ty\_2Erealax\_2Ereal. (\forall V1a\_27 \in ty\_2Erealax\_2Ereal. \\
& \quad (((ap c\_2Eextreal\_2ENormal V0a) = (ap c\_2Eextreal\_2ENormal V1a\_27)) \Leftrightarrow \\
& \quad (V0a = V1a\_27))))
\end{aligned} \tag{49}$$

Assume the following.

$$\begin{aligned}
& \forall A.27a.nonempty\ A.27a \Rightarrow (\forall V0m \in (ty\_2Epair\_2Eprod \\
& (2^{A.27a})\ (ty\_2Epair\_2Eprod\ (2^{(2^{A.27a})})\ (ty\_2Erealax\_2Ereal^{(2^{A.27a})}))). \\
& \quad (\forall V1f \in (ty\_2Eextreal\_2Eextreal^{A.27a}).(\forall V2s \in ( \\
& \quad 2^{ty\_2Enum\_2Enum}).(\forall V3a \in ((2^{A.27a})^{ty\_2Enum\_2Enum}). \\
& \quad (\forall V4x \in (ty\_2Erealax\_2Ereal^{ty\_2Enum\_2Enum}).(\forall V5z \in \\
& \quad ty\_2Erealax\_2Ereal.(((p\ (ap\ (c\_2Emeasure\_2Emeasure\_space \\
& \quad A.27a)\ V0m)) \wedge ((p\ (ap\ (ap\ (ap\ c\_2Ereal\_2Ereal\_lte\ (ap\ c\_2Ereal\_2Ereal\_of\_num \\
& \quad c\_2Enum\_2E0))\ V5z)) \wedge (p\ (ap\ (ap\ (ap\ (ap\ (ap\ (c\_2Emeasure\_2Epos\_simple\_fn \\
& \quad A.27a)\ V0m)\ V1f)\ V2s)\ V3a)\ V4x)))))) \Rightarrow (p\ (ap\ (ap\ (ap\ (ap\ (ap\ (c\_2Emeasure\_2Epos\_simple\_fn \\
& \quad A.27a)\ V0m)\ (\lambda V6t \in A.27a.(ap\ (ap\ c\_2Eextreal\_2Eextreal\_mul \\
& \quad (ap\ c\_2Eextreal\_2ENormal\ V5z))\ (ap\ V1f\ V6t))))))\ V2s)\ V3a)\ (\lambda V7i \in \\
& \quad ty\_2Enum\_2Enum.(ap\ (ap\ c\_2Erealax\_2Ereal\_mul\ V5z)\ (ap\ V4x\ V7i))))))))))))) \\
& \hspace{15em} (50)
\end{aligned}$$

Assume the following.

$$\begin{aligned}
& (\forall V0x \in ty\_2Erealax\_2Ereal.(\forall V1y \in ty\_2Erealax\_2Ereal. \\
& (\forall V2z \in ty\_2Erealax\_2Ereal.((ap\ (ap\ c\_2Erealax\_2Ereal\_mul \\
& V0x)\ (ap\ (ap\ c\_2Erealax\_2Ereal\_mul\ V1y)\ V2z)) = (ap\ (ap\ c\_2Erealax\_2Ereal\_mul \\
& \quad (ap\ (ap\ c\_2Erealax\_2Ereal\_mul\ V0x)\ V1y))\ V2z)))))) \\
& \hspace{15em} (51)
\end{aligned}$$

Assume the following.

$$\begin{aligned}
& \forall A.27a.nonempty\ A.27a \Rightarrow (\forall V0P \in (2^{A.27a}).((p\ (ap \\
& (c\_2Epred\_set\_2EFINITE\ A.27a)\ V0P)) \Rightarrow (\forall V1f \in (ty\_2Erealax\_2Ereal^{A.27a}). \\
& (\forall V2c \in ty\_2Erealax\_2Ereal.((ap\ (ap\ (c\_2Ereal\_sigma\_2EREAL\_SUM\_IMAGE \\
& \quad A.27a)\ (\lambda V3x \in A.27a.(ap\ (ap\ c\_2Erealax\_2Ereal\_mul\ V2c)\ (ap \\
& \quad V1f\ V3x))))))\ V0P) = (ap\ (ap\ c\_2Erealax\_2Ereal\_mul\ V2c)\ (ap\ (ap\ (c\_2Ereal\_sigma\_2EREAL\_SUM\_IMAG \\
& \quad A.27a)\ V1f)\ V0P)))))) \\
& \hspace{15em} (52)
\end{aligned}$$

**Theorem 1**

$$\begin{aligned}
& \forall A_{27a}. \text{nonempty } A_{27a} \Rightarrow (\forall V0m \in (\text{ty\_2Epair\_2Eprod} \\
& (2^{A_{27a}}) (\text{ty\_2Epair\_2Eprod } (2^{(2^{A_{27a}})}) (\text{ty\_2Erealax\_2Ereal}^{(2^{A_{27a}})})))). \\
& (\forall V1f \in (\text{ty\_2Eextreal\_2Eextreal}^{A_{27a}}). (\forall V2s \in ( \\
& 2^{\text{ty\_2Enum\_2Enum}}). (\forall V3a \in ((2^{A_{27a}})^{\text{ty\_2Enum\_2Enum}}). \\
& (\forall V4x \in (\text{ty\_2Erealax\_2Ereal}^{\text{ty\_2Enum\_2Enum}}). (\forall V5z \in \\
& \text{ty\_2Erealax\_2Ereal}. (((p (\text{ap } (\text{c\_2Emeasure\_2Emeasure\_space} \\
& A_{27a}) V0m)) \wedge ((p (\text{ap } (\text{ap } (\text{c\_2Ereal\_2Ereal\_lte } (\text{ap } \text{c\_2Ereal\_2Ereal\_of\_num} \\
& \text{c\_2Enum\_2E0}) V5z)) \wedge (p (\text{ap } (\text{ap } (\text{ap } (\text{ap } (\text{ap } (\text{c\_2Emeasure\_2Epos\_simple\_fn} \\
& A_{27a}) V0m) V1f) V2s) V3a) V4x)))))) \Rightarrow (\exists V6s_{27} \in (2^{\text{ty\_2Enum\_2Enum}}). \\
& (\exists V7a_{27} \in ((2^{A_{27a}})^{\text{ty\_2Enum\_2Enum}}). (\exists V8x_{27} \in \\
& (\text{ty\_2Erealax\_2Ereal}^{\text{ty\_2Enum\_2Enum}}). ((p (\text{ap } (\text{ap } (\text{ap } (\text{ap } (\text{ap } (\text{c\_2Emeasure\_2Epos\_simple\_fn} \\
& A_{27a}) V0m) (\lambda V9t \in A_{27a}. (\text{ap } (\text{ap } \text{c\_2Eextreal\_2Eextreal\_mul} \\
& (\text{ap } \text{c\_2Eextreal\_2ENormal } V5z)) (\text{ap } V1f V9t)))))) V6s_{27}) V7a_{27}) \\
& V8x_{27})) \wedge ((\text{ap } (\text{ap } (\text{ap } (\text{ap } (\text{c\_2ELebesgue\_2Epos\_simple\_fn\_integral} \\
& A_{27a}) V0m) V6s_{27}) V7a_{27}) V8x_{27}) = (\text{ap } (\text{ap } \text{c\_2Eextreal\_2Eextreal\_mul} \\
& (\text{ap } \text{c\_2Eextreal\_2ENormal } V5z)) (\text{ap } (\text{ap } (\text{ap } (\text{ap } (\text{c\_2ELebesgue\_2Epos\_simple\_fn\_integral} \\
& A_{27a}) V0m) V2s) V3a) V4x)))))))))))))
\end{aligned}$$