

thm_2Elebesgue_2Epos_simple_fn_integral_unique
(TMW7aWsdFd5o25PxVAKNkTNuEHNeNm2XnKR)

October 26, 2020

Definition 1 We define $c_2Emin_2E_40$ to be $\lambda A.\lambda P \in 2^A$. **if** $(\exists x \in A.p (ap P x))$ **then** (the $(\lambda x.x \in A \wedge p x)$ of type $\iota \Rightarrow \iota$).

Definition 2 We define $c_2Emin_2E_3D$ to be $\lambda A.\lambda x \in A.\lambda y \in A.inj_o (x = y)$ of type $\iota \Rightarrow \iota$.

Definition 3 We define $c_2Ebool_2E_3F$ to be $\lambda A_27a : \iota.(\lambda V0P \in (2^{A_27a}).(ap V0P (ap (c_2Emin_2E_40 A_27a) P)))$

Definition 4 We define $c_2Ebool_2E_2T$ to be $(ap (ap (c_2Emin_2E_3D (2^2)) (\lambda V0x \in 2.V0x)) (\lambda V1x \in 2.V1x))$

Let $ty_2Erealax_2Ereal : \iota$ be given. Assume the following.

$$nonempty\ ty_2Erealax_2Ereal \tag{1}$$

Let $ty_2Epair_2Eprod : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0.nonempty\ A0 \Rightarrow \forall A1.nonempty\ A1 \Rightarrow nonempty\ (ty_2Epair_2Eprod\ A0\ A1) \tag{2}$$

Let $c_2Emeasure_2Emeasure : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow c_2Emeasure_2Emeasure\ A_27a \in (ty_2Erealax_2Ereal^{(2^{A_27a})})(ty_2Epair_2Eprod\ (2^{A_27a})\ (ty_2Epair_2Eprod\ (2^{(2^{A_27a})}))\ (ty_2Erealax_2Ereal^{(2^{A_27a})})) \tag{3}$$

Let $ty_2Ehreal_2Ehreal : \iota$ be given. Assume the following.

$$nonempty\ ty_2Ehreal_2Ehreal \tag{4}$$

Let $c_2Erealax_2Ereal_REP_CLASS : \iota$ be given. Assume the following.

$$c_2Erealax_2Ereal_REP_CLASS \in ((2^{(ty_2Epair_2Eprod\ ty_2Ehreal_2Ehreal\ ty_2Ehreal_2Ehreal)})ty_2Erealax_2Ereal) \tag{5}$$

Definition 5 We define c_2Ebool_2E21 to be $\lambda A_27a : \iota. (\lambda V0P \in (2^{A_27a}). (ap (ap (c_2Emin_2E3D (2^{A_27a})))$

Definition 6 We define $c_2Erealax_2Ereal_REP$ to be $\lambda V0a \in ty_2Erealax_2Ereal. (ap (c_2Emin_2E40 (ty_2Erealax_2Ereal$

Let $c_2Erealax_2Etrealmul : \iota$ be given. Assume the following.

$$c_2Erealax_2Etrealmul \in (((ty_2Epair_2Eprod ty_2Ehreal_2Ehreal ty_2Ehreal_2Ehreal)^{(ty_2Epair_2Eprod ty_2Ehreal_2Ehreal ty_2Ehreal_2Ehreal)})^{(ty_2Epair_2Eprod ty_2Ehreal_2Ehreal ty_2Ehreal_2Ehreal)})^{(ty_2Epair_2Eprod ty_2Ehreal_2Ehreal ty_2Ehreal_2Ehreal)} \quad (6)$$

Let $c_2Erealax_2Etrealeq : \iota$ be given. Assume the following.

$$c_2Erealax_2Etrealeq \in ((2^{(ty_2Epair_2Eprod ty_2Ehreal_2Ehreal ty_2Ehreal_2Ehreal)})^{(ty_2Epair_2Eprod ty_2Ehreal_2Ehreal ty_2Ehreal_2Ehreal)})^{(ty_2Epair_2Eprod ty_2Ehreal_2Ehreal ty_2Ehreal_2Ehreal)} \quad (7)$$

Let $c_2Erealax_2Ereal_ABS_CLASS : \iota$ be given. Assume the following.

$$c_2Erealax_2Ereal_ABS_CLASS \in (ty_2Erealax_2Ereal)^{(2^{(ty_2Epair_2Eprod ty_2Ehreal_2Ehreal ty_2Ehreal_2Ehreal)})^{(ty_2Epair_2Eprod ty_2Ehreal_2Ehreal ty_2Ehreal_2Ehreal)}} \quad (8)$$

Definition 7 We define $c_2Erealax_2Ereal_ABS$ to be $\lambda V0r \in (ty_2Epair_2Eprod ty_2Ehreal_2Ehreal ty_2Ehreal_2Ehreal)$

Definition 8 We define $c_2Erealax_2Ereal_mul$ to be $\lambda V0T1 \in ty_2Erealax_2Ereal. \lambda V1T2 \in ty_2Erealax_2Ereal$

Let $ty_2Eenum_2Eenum : \iota$ be given. Assume the following.

$$nonempty\ ty_2Eenum_2Eenum \quad (9)$$

Let $c_2Eenum_2EZERO_REP : \iota$ be given. Assume the following.

$$c_2Eenum_2EZERO_REP \in \omega \quad (10)$$

Let $c_2Eenum_2EABS_num : \iota$ be given. Assume the following.

$$c_2Eenum_2EABS_num \in (ty_2Eenum_2Eenum)^{\omega} \quad (11)$$

Definition 9 We define c_2Eenum_2E0 to be $(ap\ c_2Eenum_2EABS_num\ c_2Eenum_2EZERO_REP)$.

Let $c_2Ereal_2Ereal_of_num : \iota$ be given. Assume the following.

$$c_2Ereal_2Ereal_of_num \in (ty_2Erealax_2Ereal)^{ty_2Eenum_2Eenum} \quad (12)$$

Let $c_2Erealax_2Ereal_add : \iota$ be given. Assume the following.

$$c_2Erealax_2Ereal_add \in (((ty_2Epair_2Eprod ty_2Ehreal_2Ehreal ty_2Ehreal_2Ehreal)^{(ty_2Epair_2Eprod ty_2Ehreal_2Ehreal ty_2Ehreal_2Ehreal)})^{(ty_2Epair_2Eprod ty_2Ehreal_2Ehreal ty_2Ehreal_2Ehreal)})^{(ty_2Epair_2Eprod ty_2Ehreal_2Ehreal ty_2Ehreal_2Ehreal)} \quad (13)$$

Definition 10 We define $c_2Erealax_2Ereal_add$ to be $\lambda V0T1 \in ty_2Erealax_2Ereal. \lambda V1T2 \in ty_2Erealax_2Ereal$

Let $c_2Epred_set_2EITSET : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a. nonempty\ A_27a \Rightarrow \forall A_27b. nonempty\ A_27b \Rightarrow c_2Epred_set_2EITSET\ A_27a\ A_27b \in (((A_27b)^{A_27a})^{(2^{A_27a})})^{((A_27b)^{A_27a})^{A_27a}} \quad (14)$$

Definition 11 We define $c_Ereal_sigma_EREAL_SUM_IMAGE$ to be $\lambda A_27a : \iota. \lambda V0f \in (ty_2Erealx_2Ereal)$. Let $ty_2Eextreal_2Eextreal : \iota$ be given. Assume the following.

$$nonempty\ ty_2Eextreal_2Eextreal \quad (15)$$

Let $c_2Eextreal_2ENormal : \iota$ be given. Assume the following.

$$c_2Eextreal_2ENormal \in (ty_2Eextreal_2Eextreal^{ty_2Erealx_2Ereal}) \quad (16)$$

Definition 12 We define $c_2Elebesgue_2Epos_simple_fn_integral$ to be $\lambda A_27a : \iota. \lambda V0m \in (ty_2Epair_2Eprod)$. Let $c_2Eextreal_2Eextreal_le : \iota$ be given. Assume the following.

$$c_2Eextreal_2Eextreal_le \in ((2^{ty_2Eextreal_2Eextreal})^{ty_2Eextreal_2Eextreal}) \quad (17)$$

Let $c_2Emeasure_2Em_space : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a. nonempty\ A_27a \Rightarrow c_2Emeasure_2Em_space\ A_27a \in ((2^{A_27a})^{(ty_2Epair_2Eprod\ (2^{A_27a})\ (ty_2Epair_2Eprod\ (2^{(2^{A_27a})})\ (ty_2Erealx_2Ereal^{(2^{A_27a})})))}) \quad (18)$$

Definition 13 We define c_2Ebool_2EIN to be $\lambda A_27a : \iota. (\lambda V0x \in A_27a. (\lambda V1f \in (2^{A_27a}). (ap\ V1f\ V0x)))$

Definition 14 We define $c_2Emin_2E3D_3D_3E$ to be $\lambda P \in 2. \lambda Q \in 2. inj_o\ (p\ P \Rightarrow p\ Q)$ of type ι .

Definition 15 We define $c_2Ebool_2E2F_5C$ to be $(\lambda V0t1 \in 2. (\lambda V1t2 \in 2. (ap\ (c_2Ebool_2E21\ 2)\ (\lambda V2t \in 2. (ap\ V2t\ V1t2))))))$

Let $c_2Epair_2EABS_prod : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a. nonempty\ A_27a \Rightarrow \forall A_27b. nonempty\ A_27b \Rightarrow c_2Epair_2EABS_prod\ A_27a\ A_27b \in ((ty_2Epair_2Eprod\ A_27a\ A_27b)^{(2^{A_27b})^{A_27a}}) \quad (19)$$

Definition 16 We define c_2Epair_2E2C to be $\lambda A_27a : \iota. \lambda A_27b : \iota. \lambda V0x \in A_27a. \lambda V1y \in A_27b. (ap\ (c_2Ebool_2E21\ 2)\ (\lambda V2t \in 2. (ap\ V2t\ V1y))))$

Let $c_2Epred_set_2EGSPEC : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a. nonempty\ A_27a \Rightarrow \forall A_27b. nonempty\ A_27b \Rightarrow c_2Epred_set_2EGSPEC\ A_27a\ A_27b \in ((2^{A_27a})^{((ty_2Epair_2Eprod\ A_27a\ 2)^{A_27b})}) \quad (20)$$

Definition 17 We define $c_2Epred_set_2EIMAGE$ to be $\lambda A_27a : \iota. \lambda A_27b : \iota. \lambda V0f \in (A_27b^{A_27a}). \lambda V1s \in A_27b. (ap\ (c_2Ebool_2E21\ 2)\ (\lambda V2t \in 2. (ap\ V2t\ V1s))))$

Definition 18 We define $c_2Epred_set_2EBIGUNION$ to be $\lambda A_27a : \iota. \lambda V0P \in (2^{(2^{A_27a})}). (ap\ (c_2Epred_set_2EGSPEC\ A_27a\ A_27a))$

Definition 19 We define c_2Ebool_2E2F to be $(ap\ (c_2Ebool_2E21\ 2)\ (\lambda V0t \in 2. V0t))$.

Definition 20 We define $c_2Epred_set_2EEMPTY$ to be $\lambda A_27a : \iota. (\lambda V0x \in A_27a. c_2Ebool_2E2F)$.

Definition 21 We define $c_2Epred_set_2EINTER$ to be $\lambda A_27a : \iota. \lambda V0s \in (2^{A_27a}). \lambda V1t \in (2^{A_27a}). (ap (c_2E$

Definition 22 We define $c_2Epred_set_2EDISJOINT$ to be $\lambda A_27a : \iota. \lambda V0s \in (2^{A_27a}). \lambda V1t \in (2^{A_27a}). (ap$

Definition 23 We define $c_2Ebool_2E_7E$ to be $(\lambda V0t \in 2. (ap (ap c_2Emin_2E_3D_3D_3E V0t) c_2Ebool_2E$

Let $c_2Erealax_2Etrealt_lt : \iota$ be given. Assume the following.

$$c_2Erealax_2Etrealt_lt \in ((2^{(ty_2Epair_2Eprod ty_2Ehreal_2Ehreal ty_2Ehreal_2Ehreal)})(ty_2Epair_2Eprod ty_2Ehreal_2Ehreal)) \quad (21)$$

Definition 24 We define $c_2Erealax_2Ereal_lt$ to be $\lambda V0T1 \in ty_2Erealax_2Ereal. \lambda V1T2 \in ty_2Erealax_2Ereal$

Definition 25 We define $c_2Ereal_2Ereal_lte$ to be $\lambda V0x \in ty_2Erealax_2Ereal. \lambda V1y \in ty_2Erealax_2Ereal$

Definition 26 We define $c_2Ebool_2E_5C_2F$ to be $(\lambda V0t1 \in 2. (\lambda V1t2 \in 2. (ap (c_2Ebool_2E_21 2) (\lambda V2t \in$

Definition 27 We define $c_2Epred_set_2EINSERT$ to be $\lambda A_27a : \iota. \lambda V0x \in A_27a. \lambda V1s \in (2^{A_27a}). (ap (c_2E$

Definition 28 We define $c_2Epred_set_2EFINITE$ to be $\lambda A_27a : \iota. \lambda V0s \in (2^{A_27a}). (ap (c_2Ebool_2E_21 (2$

Let $c_2Emeasure_2Emeasurable_sets : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a. nonempty A_27a \Rightarrow c_2Emeasure_2Emeasurable_sets A_27a \in ((2^{(2^{A_27a})})(ty_2Epair_2Eprod (2^{A_27a}) (ty_2Epair_2Eprod (2^{(2^{A_27a})}) (ty_2Erealax_2Ereal^{(2^{A_27a})})))) \quad (22)$$

Definition 29 We define $c_2Eextreal_2Eextreal_of_num$ to be $\lambda V0n \in ty_2Eenum_2Eenum. (ap c_2Eextreal$

Definition 30 We define $c_2Earithmetic_2EZERO$ to be c_2Eenum_2E0 .

Let $c_2Eenum_2EREP_num : \iota$ be given. Assume the following.

$$c_2Eenum_2EREP_num \in (\omega^{ty_2Eenum_2Eenum}) \quad (23)$$

Let $c_2Eenum_2ESUC_REP : \iota$ be given. Assume the following.

$$c_2Eenum_2ESUC_REP \in (\omega^{\omega}) \quad (24)$$

Definition 31 We define c_2Eenum_2ESUC to be $\lambda V0m \in ty_2Eenum_2Eenum. (ap c_2Eenum_2EABS_num$

Let $c_2Earithmetic_2E_2B : \iota$ be given. Assume the following.

$$c_2Earithmetic_2E_2B \in ((ty_2Eenum_2Eenum^{ty_2Eenum_2Eenum})^{ty_2Eenum_2Eenum}) \quad (25)$$

Definition 32 We define $c_2Earithmetic_2EBIT1$ to be $\lambda V0n \in ty_2Eenum_2Eenum. (ap (ap c_2Earithmetic$

Definition 33 We define $c_2Earithmetic_2ENUMERAL$ to be $\lambda V0x \in ty_2Eenum_2Eenum. V0x$.

Definition 34 We define c_2Ebool_2ECOND to be $\lambda A_27a : \iota. (\lambda V0t \in 2. (\lambda V1t1 \in A_27a. (\lambda V2t2 \in A_27a. ($

Definition 35 We define $c_2Emeasure_2Eindicator_fn$ to be $\lambda A_27a : \iota.\lambda V0s \in (2^{A_27a}).(\lambda V1x \in A_27a.(ap$

Let $c_2Eextreal_2Eextreal_mul : \iota$ be given. Assume the following.

$$c_2Eextreal_2Eextreal_mul \in ((ty_2Eextreal_2Eextreal^{ty_2Eextreal_2Eextreal})_{ty_2Eextreal_2Eextreal}) \quad (26)$$

Let $c_2Eextreal_2Eextreal_add : \iota$ be given. Assume the following.

$$c_2Eextreal_2Eextreal_add \in ((ty_2Eextreal_2Eextreal^{ty_2Eextreal_2Eextreal})_{ty_2Eextreal_2Eextreal}) \quad (27)$$

Definition 36 We define $c_2Eextreal_2EEXTREAL_SUM_IMAGE$ to be $\lambda A_27a : \iota.\lambda V0f \in (ty_2Eextreal_2Eextreal)$

Definition 37 We define $c_2Emeasure_2Epos_simple_fn$ to be $\lambda A_27a : \iota.\lambda V0m \in (ty_2Epair_2Eprod (2^{A_27a}))$

Definition 38 We define $c_2Epred_set_2EUNIV$ to be $\lambda A_27a : \iota.(\lambda V0x \in A_27a.c_2Ebool_2EET)$.

Definition 39 We define $c_2Ecombin_2Eo$ to be $\lambda A_27a : \iota.\lambda A_27b : \iota.\lambda A_27c : \iota.\lambda V0f \in (A_27b^{A_27c}).\lambda V1g \in (A_27c^{A_27b})$

Let $c_2Ereal_2Esum : \iota$ be given. Assume the following.

$$c_2Ereal_2Esum \in ((ty_2Erealax_2Ereal^{(ty_2Erealax_2Ereal^{ty_2Eenum_2Eenum})})_{(ty_2Epair_2Eprod ty_2Eenum_2Eenum)}) \quad (28)$$

Definition 40 We define $c_2Eprim_rec_2E_3C$ to be $\lambda V0m \in ty_2Eenum_2Eenum.\lambda V1n \in ty_2Eenum_2Eenum$

Definition 41 We define $c_2Earithmic_2E_3E$ to be $\lambda V0m \in ty_2Eenum_2Eenum.\lambda V1n \in ty_2Eenum_2Eenum$

Definition 42 We define $c_2Earithmic_2E_3E_3D$ to be $\lambda V0m \in ty_2Eenum_2Eenum.\lambda V1n \in ty_2Eenum_2Eenum$

Let $c_2Erealax_2Etrealm_neg : \iota$ be given. Assume the following.

$$c_2Erealax_2Etrealm_neg \in ((ty_2Epair_2Eprod ty_2Ehreal_2Ehreal)_{(ty_2Epair_2Eprod ty_2Ehreal_2Ehreal ty_2Ehreal_2Ehreal)}) \quad (29)$$

Definition 43 We define $c_2Erealax_2Ereal_neg$ to be $\lambda V0T1 \in ty_2Erealax_2Ereal.(ap c_2Erealax_2Ereal)$

Definition 44 We define $c_2Ereal_2Ereal_sub$ to be $\lambda V0x \in ty_2Erealax_2Ereal.\lambda V1y \in ty_2Erealax_2Ereal$

Definition 45 We define c_2Ereal_2Eabs to be $\lambda V0x \in ty_2Erealax_2Ereal.(ap (ap (ap (c_2Ebool_2ECONJ))$

Let $c_2Epair_2ESND : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty A_27a \Rightarrow \forall A_27b.nonempty A_27b \Rightarrow c_2Epair_2ESND A_27a A_27b \in (A_27b^{(ty_2Epair_2Eprod A_27a A_27b)}) \quad (30)$$

Let $c_2Epair_2EFST : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty A_27a \Rightarrow \forall A_27b.nonempty A_27b \Rightarrow c_2Epair_2EFST A_27a A_27b \in (A_27a^{(ty_2Epair_2Eprod A_27a A_27b)}) \quad (31)$$

Definition 46 We define $c_2Epair_2EUNCURRY$ to be $\lambda A_27a : \iota.\lambda A_27b : \iota.\lambda A_27c : \iota.\lambda V0f \in ((A_27c)^{A_27a})$. Let $ty_2Emetric_2Emetric : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0.nonempty\ A0 \Rightarrow nonempty\ (ty_2Emetric_2Emetric\ A0) \quad (32)$$

Let $c_2Emetric_2Emetric : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow c_2Emetric_2Emetric\ A_27a \in ((ty_2Emetric_2Emetric\ A_27a)^{(ty_2Erealax_2Ereal)^{(ty_2Epair_2Eprod\ A_27a\ A_27a)}})) \quad (33)$$

Definition 47 We define $c_2Emetric_2Emr1$ to be $(ap\ (c_2Emetric_2Emetric\ ty_2Erealax_2Ereal)\ (ap\ (c_2Emetric_2Emetric\ ty_2Erealax_2Ereal)))$. Let $c_2Emetric_2Edist : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow c_2Emetric_2Edist\ A_27a \in ((ty_2Erealax_2Ereal)^{(ty_2Epair_2Eprod\ A_27a\ A_27a)}) \quad (34)$$

Let $ty_2Etopology_2Etopology : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0.nonempty\ A0 \Rightarrow nonempty\ (ty_2Etopology_2Etopology\ A0) \quad (35)$$

Let $c_2Etopology_2Etopology : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow c_2Etopology_2Etopology\ A_27a \in ((ty_2Etopology_2Etopology\ A_27a)^{(2^{(2^A_27a)})}) \quad (36)$$

Definition 48 We define $c_2Emetric_2Emtop$ to be $\lambda A_27a : \iota.\lambda V0m \in (ty_2Emetric_2Emetric\ A_27a).$ Let $c_2Enets_2Etends : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow c_2Enets_2Etends\ A_27a\ A_27b \in (((2^{(ty_2Epair_2Eprod\ (ty_2Etopology_2Etopology\ A_27a)\ (2^{A_27b})^{A_27b})})_{A_27a})_{(A_27a)^{A_27b}})) \quad (37)$$

Definition 49 We define $c_2Eseq_2E_2D_2D_3E$ to be $\lambda V0x \in (ty_2Erealax_2Ereal)^{ty_2Enum_2Enum}.\lambda V1x \in ty_2Enum_2Enum$.

Definition 50 We define c_2Eseq_2Esums to be $\lambda V0f \in (ty_2Erealax_2Ereal)^{ty_2Enum_2Enum}.\lambda V1s \in ty_2Enum_2Enum$.

Definition 51 We define $c_2Epred_set_2EFUNSET$ to be $\lambda A_27a : \iota.\lambda A_27b : \iota.\lambda V0P \in (2^{A_27a}).\lambda V1Q \in (2^{A_27b})$.

Definition 52 We define $c_2Emeasure_2Ecountably_additive$ to be $\lambda A_27a : \iota.\lambda V0m \in (ty_2Epair_2Eprod\ (2^{A_27a})\ (2^{A_27a}))$.

Definition 53 We define $c_2Emeasure_2Epositive$ to be $\lambda A_27a : \iota.\lambda V0m \in (ty_2Epair_2Eprod\ (2^{A_27a})\ (2^{A_27a}))$.

Let $c_2Emeasure_2Esubsets : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow c_2Emeasure_2Esubsets\ A_27a \in ((2^{(2^{A_27a})})^{(ty_2Epair_2Eprod\ (2^{A_27a})\ (2^{(2^{A_27a})})})) \quad (38)$$

Definition 54 We define $c_2Epred_set_2ESUBSET$ to be $\lambda A_27a : \iota.\lambda V0s \in (2^{A_27a}).\lambda V1t \in (2^{A_27a}).(ap$

Definition 55 We define $c_2Epred_set_2EINJ$ to be $\lambda A_27a : \iota.\lambda A_27b : \iota.\lambda V0f \in (A_27b^{A_27a}).\lambda V1s \in (2^{A_27a})$

Definition 56 We define $c_2Epred_set_2Ecountable$ to be $\lambda A_27a : \iota.\lambda V0s \in (2^{A_27a}).(ap (c_2Ebool_2E_3F$

Definition 57 We define $c_2Epred_set_2EUNION$ to be $\lambda A_27a : \iota.\lambda V0s \in (2^{A_27a}).\lambda V1t \in (2^{A_27a}).(ap (c$

Let $c_2Emeasure_2Espace : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty A_27a \Rightarrow c_2Emeasure_2Espace A_27a \in ((2^{A_27a})^{(ty_2Epair_2Eprod (2^{A_27a}) (2^{2^{A_27a}}))}) \quad (39)$$

Definition 58 We define $c_2Epred_set_2EDIFF$ to be $\lambda A_27a : \iota.\lambda V0s \in (2^{A_27a}).\lambda V1t \in (2^{A_27a}).(ap (c_2E$

Definition 59 We define $c_2Emeasure_2Esubset_class$ to be $\lambda A_27a : \iota.\lambda V0sp \in (2^{A_27a}).\lambda V1sts \in (2^{2^{A_27a}})$

Definition 60 We define $c_2Emeasure_2Ealgebra$ to be $\lambda A_27a : \iota.\lambda V0a \in (ty_2Epair_2Eprod (2^{A_27a}) (2^{2^{A_27a}}))$

Definition 61 We define $c_2Emeasure_2Esigma_algebra$ to be $\lambda A_27a : \iota.\lambda V0a \in (ty_2Epair_2Eprod (2^{A_27a}) (2^{2^{A_27a}}))$

Definition 62 We define $c_2Emeasure_2Emeasure_space$ to be $\lambda A_27a : \iota.\lambda V0m \in (ty_2Epair_2Eprod (2^{A_27a}) (2^{2^{A_27a}}))$

Assume the following.

$$True \quad (40)$$

Assume the following.

$$(\forall V0t1 \in 2.(\forall V1t2 \in 2.(((p V0t1) \Rightarrow (p V1t2)) \Rightarrow (((p V1t2) \Rightarrow (p V0t1)) \Rightarrow ((p V0t1) \Leftrightarrow (p V1t2)))))) \quad (41)$$

Assume the following.

$$(\forall V0t \in 2.(((True \Rightarrow (p V0t)) \Leftrightarrow (p V0t)) \wedge (((p V0t) \Rightarrow True) \Leftrightarrow True) \wedge (((False \Rightarrow (p V0t)) \Leftrightarrow True) \wedge (((p V0t) \Rightarrow (p V0t)) \Leftrightarrow True) \wedge ((p V0t) \Rightarrow False) \Leftrightarrow (\neg (p V0t)))))) \quad (42)$$

Assume the following.

$$((\forall V0t \in 2.((\neg (\neg (p V0t))) \Leftrightarrow (p V0t)) \wedge (((\neg True) \Leftrightarrow False) \wedge ((\neg False) \Leftrightarrow True))) \quad (43)$$

Assume the following.

$$(\forall V0t \in 2.(((True \Leftrightarrow (p V0t)) \Leftrightarrow (p V0t)) \wedge (((p V0t) \Leftrightarrow True) \Leftrightarrow (p V0t)) \wedge (((False \Leftrightarrow (p V0t)) \Leftrightarrow (\neg (p V0t))) \wedge (((p V0t) \Leftrightarrow False) \Leftrightarrow (\neg (p V0t)))))) \quad (44)$$

Assume the following.

$$(\forall V0A \in 2.(\forall V1B \in 2.(\forall V2C \in 2.(((p V0A) \vee (p V1B) \wedge (p V2C)) \Leftrightarrow (((p V0A) \vee (p V1B)) \wedge ((p V0A) \vee (p V2C)))))) \quad (45)$$

Assume the following.

$$(\forall V0A \in 2. (\forall V1B \in 2. (\forall V2C \in 2. (((p V1B) \wedge (p V2C)) \vee (p V0A)) \Leftrightarrow (((p V1B) \vee (p V0A)) \wedge ((p V2C) \vee (p V0A)))))) \quad (46)$$

Assume the following.

$$(\forall V0x \in ty_2Eextreal_2Eextreal. (p (ap (ap c_2Eextreal_2Eextreal_le V0x) V0x))) \quad (47)$$

Assume the following.

$$(\forall V0x \in ty_2Eextreal_2Eextreal. (\forall V1y \in ty_2Eextreal_2Eextreal. (((p (ap (ap c_2Eextreal_2Eextreal_le V0x) V1y)) \wedge (p (ap (ap c_2Eextreal_2Eextreal_le V1y) V0x))) \Leftrightarrow (V0x = V1y)))) \quad (48)$$

Assume the following.

$$\begin{aligned} & \forall A.27a.nonempty\ A.27a \Rightarrow (\forall V0m \in (ty_2Epair_2Eprod \\ & (2^{A.27a}) (ty_2Epair_2Eprod (2^{(2^{A.27a})}) (ty_2Erealx_2Ereal^{(2^{A.27a})}))). \\ & (\forall V1f \in (ty_2Eextreal_2Eextreal^{A.27a}). (\forall V2s \in (\\ & 2^{ty_2Enum_2Enum}). (\forall V3a \in ((2^{A.27a})^{ty_2Enum_2Enum}). \\ & (\forall V4x \in (ty_2Erealx_2Ereal^{ty_2Enum_2Enum}). (\forall V5g \in \\ & (ty_2Eextreal_2Eextreal^{A.27a}). (\forall V6s_27 \in (2^{ty_2Enum_2Enum}). \\ & (\forall V7b \in ((2^{A.27a})^{ty_2Enum_2Enum}). (\forall V8y \in (ty_2Erealx_2Ereal^{ty_2Enum_2Enum}). \\ & (((p (ap (c_2Emeasure_2Emeasure_space\ A.27a) V0m)) \wedge ((p (ap (\\ & ap (ap (ap (ap (c_2Emeasure_2Epos_simple_fn\ A.27a) V0m) V1f) \\ & V2s) V3a) V4x)) \wedge ((p (ap (ap (ap (ap (c_2Emeasure_2Epos_simple_fn \\ & A.27a) V0m) V5g) V6s_27) V7b) V8y)) \wedge (\forall V9x \in A.27a. ((p (ap \\ & (ap (c_2Ebool_2EIN\ A.27a) V9x) (ap (c_2Emeasure_2Em_space\ A.27a) \\ & V0m))) \Rightarrow (p (ap (ap c_2Eextreal_2Eextreal_le (ap V1f V9x)) (ap V5g \\ & V9x)))))) \Rightarrow (p (ap (ap c_2Eextreal_2Eextreal_le (ap (ap (ap (\\ & ap (c_2Elebesgue_2Epos_simple_fn_integral\ A.27a) V0m) V2s) \\ & V3a) V4x)) (ap (ap (ap (ap (c_2Elebesgue_2Epos_simple_fn_integral \\ & A.27a) V0m) V6s_27) V7b) V8y)))))))))) \quad (49) \end{aligned}$$

Assume the following.

$$(\forall V0t \in 2. ((\neg(\neg(p V0t))) \Leftrightarrow (p V0t))) \quad (50)$$

Assume the following.

$$(\forall V0A \in 2. ((p V0A) \Rightarrow ((\neg(p V0A)) \Rightarrow False))) \quad (51)$$

Assume the following.

$$(\forall V0A \in 2. (\forall V1B \in 2. (((\neg((p V0A) \vee (p V1B))) \Rightarrow False) \Leftrightarrow (((p V0A) \Rightarrow False) \Rightarrow ((\neg(p V1B)) \Rightarrow False)))) \quad (52)$$

Assume the following.

$$(\forall V0A \in 2.(\forall V1B \in 2.(((\neg(\neg(p V0A)) \vee (p V1B))) \Rightarrow False) \Leftrightarrow (p V0A) \Rightarrow ((\neg(p V1B)) \Rightarrow False)))) \quad (53)$$

Assume the following.

$$(\forall V0A \in 2.(((\neg(p V0A)) \Rightarrow False) \Rightarrow ((p V0A) \Rightarrow False) \Rightarrow False)) \quad (54)$$

Assume the following.

$$\begin{aligned} & (\forall V0p \in 2.(\forall V1q \in 2.(\forall V2r \in 2.(((p V0p) \Leftrightarrow (\\ & (p V1q) \Leftrightarrow (p V2r))) \Leftrightarrow (((p V0p) \vee ((p V1q) \vee (p V2r))) \wedge (((p V0p) \vee (\neg(\\ & p V2r)) \vee (\neg(p V1q)))) \wedge (((p V1q) \vee (\neg(p V2r)) \vee (\neg(p V0p)))) \wedge ((p V2r) \vee \\ & ((\neg(p V1q)) \vee (\neg(p V0p)))))))))) \quad (55) \end{aligned}$$

Assume the following.

$$\begin{aligned} & (\forall V0p \in 2.(\forall V1q \in 2.(\forall V2r \in 2.(((p V0p) \Leftrightarrow (\\ & (p V1q) \wedge (p V2r))) \Leftrightarrow (((p V0p) \vee (\neg(p V1q)) \vee (\neg(p V2r))) \wedge (((p V1q) \vee \\ & (\neg(p V0p))) \wedge ((p V2r) \vee (\neg(p V0p)))))))) \quad (56) \end{aligned}$$

Assume the following.

$$\begin{aligned} & (\forall V0p \in 2.(\forall V1q \in 2.(\forall V2r \in 2.(((p V0p) \Leftrightarrow (\\ & (p V1q) \vee (p V2r))) \Leftrightarrow (((p V0p) \vee (\neg(p V1q))) \wedge (((p V0p) \vee (\neg(p V2r))) \wedge \\ & ((p V1q) \vee ((p V2r) \vee (\neg(p V0p)))))))))) \quad (57) \end{aligned}$$

Assume the following.

$$\begin{aligned} & (\forall V0p \in 2.(\forall V1q \in 2.(\forall V2r \in 2.(((p V0p) \Leftrightarrow (\\ & (p V1q) \Rightarrow (p V2r))) \Leftrightarrow (((p V0p) \vee (p V1q)) \wedge (((p V0p) \vee (\neg(p V2r))) \wedge (\\ & \neg(p V1q)) \vee ((p V2r) \vee (\neg(p V0p)))))))))) \quad (58) \end{aligned}$$

Assume the following.

$$\begin{aligned} & (\forall V0p \in 2.(\forall V1q \in 2.(((p V0p) \Leftrightarrow (\neg(p V1q))) \Leftrightarrow (((p V0p) \vee \\ & (p V1q)) \wedge ((\neg(p V1q)) \vee (\neg(p V0p)))))) \quad (59) \end{aligned}$$

Assume the following.

$$(\forall V0p \in 2.(\forall V1q \in 2.(((\neg((p V0p) \Rightarrow (p V1q))) \Rightarrow (p V0p)))) \quad (60)$$

Assume the following.

$$(\forall V0p \in 2.(\forall V1q \in 2.(((\neg((p V0p) \Rightarrow (p V1q))) \Rightarrow (\neg(p V1q)))) \quad (61)$$

Theorem 1

$$\begin{aligned}
& \forall A_27a.nonempty\ A_27a \Rightarrow (\forall V0m \in (ty_2Epair_2Eprod \\
& (2^{A_27a})\ (ty_2Epair_2Eprod\ (2^{(2^{A_27a})})\ (ty_2Erealax_2Ereal^{(2^{A_27a})}))). \\
& \quad (\forall V1f \in (ty_2Eextreal_2Eextreal^{A_27a}). (\forall V2s \in (\\
& \quad 2^{ty_2Enum_2Enum}). (\forall V3a \in ((2^{A_27a})^{ty_2Enum_2Enum}). \\
& \quad (\forall V4x \in (ty_2Erealax_2Ereal^{ty_2Enum_2Enum}). (\forall V5s_27 \in \\
& \quad (2^{ty_2Enum_2Enum}). (\forall V6b \in ((2^{A_27a})^{ty_2Enum_2Enum}). \\
& \quad (\forall V7y \in (ty_2Erealax_2Ereal^{ty_2Enum_2Enum}). (((p\ (ap\ (\\
& \quad c_2Emeasure_2Emeasure_space\ A_27a)\ V0m)) \wedge ((p\ (ap\ (ap\ (ap\ (ap \\
& \quad (ap\ (c_2Emeasure_2Epos_simple_fn\ A_27a)\ V0m)\ V1f)\ V2s)\ V3a) \\
& \quad V4x)) \wedge (p\ (ap\ (ap\ (ap\ (ap\ (ap\ (c_2Emeasure_2Epos_simple_fn\ A_27a) \\
& \quad V0m)\ V1f)\ V5s_27)\ V6b)\ V7y)))))) \Rightarrow ((ap\ (ap\ (ap\ (ap\ (c_2Elebesgue_2Epos_simple_fn_integral \\
& \quad A_27a)\ V0m)\ V2s)\ V3a)\ V4x) = (ap\ (ap\ (ap\ (ap\ (c_2Elebesgue_2Epos_simple_fn_integral \\
& \quad A_27a)\ V0m)\ V5s_27)\ V6b)\ V7y)))))))))
\end{aligned}$$