

thm_2Elebesgue_2Epos__simple__fn__le
(TMU1TAztm1CtmPfg3Gp56dTQQT4nnFCxQrM)

October 26, 2020

Definition 1 We define $c_2Emin_2E_40$ to be $\lambda A.\lambda P \in 2^A.$ if $(\exists x \in A.p (ap P x))$ **then** (the $(\lambda x.x \in A \wedge p x)$ of type $\iota \Rightarrow \iota$).

Definition 2 We define $c_2Emin_2E_3D$ to be $\lambda A.\lambda x \in A.\lambda y \in A.inj_o (x = y)$ of type $\iota \Rightarrow \iota$.

Definition 3 We define $c_2Ebool_2E_3F$ to be $\lambda A.\lambda P \in (2^{A-27a}).(ap V0P (ap (c_2Emin_2E_40 A P)))$

Definition 4 We define $c_2Ebool_2E_2T$ to be $(ap (ap (c_2Emin_2E_3D (2^2))) (\lambda V0x \in 2.V0x)) (\lambda V1x \in 2.V1x)$

Definition 5 We define $c_2Ecombin_2E_2S$ to be $\lambda A.\lambda A_27a : \iota.\lambda A_27b : \iota.\lambda A_27c : \iota.(\lambda V0f \in ((A_27c^{A-27b})^{A-27a}))$

Definition 6 We define $c_2Ecombin_2E_2C$ to be $\lambda A.\lambda A_27a : \iota.\lambda A_27b : \iota.\lambda A_27c : \iota.(\lambda V0f \in ((A_27c^{A-27b})^{A-27a}))$

Definition 7 We define $c_2Ebool_2E_21$ to be $\lambda A.\lambda P \in (2^{A-27a}).(ap (ap (c_2Emin_2E_3D (2^{A-27a})) P))$

Definition 8 We define $c_2Ecombin_2E_2o$ to be $\lambda A.\lambda A_27a : \iota.\lambda A_27b : \iota.\lambda A_27c : \iota.\lambda V0f \in (A_27b^{A-27c}).\lambda V1g \in (A_27c^{A-27b}).$

Definition 9 We define $c_2Ebool_2E_2IN$ to be $\lambda A.\lambda P \in (2^{A-27a}).(ap V1f V0x))$

Definition 10 We define $c_2Emin_2E_3D_3D_3E$ to be $\lambda P \in 2.\lambda Q \in 2.inj_o (p P \Rightarrow p Q)$ of type ι .

Definition 11 We define $c_2Ebool_2E_2F_5C$ to be $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap (c_2Ebool_2E_21 2) (\lambda V2t \in 2.V2t))))$

Let $ty_2Epair_2Eprod : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0.nonempty A0 \Rightarrow \forall A1.nonempty A1 \Rightarrow nonempty (ty_2Epair_2Eprod A0 A1) \tag{1}$$

Let $c_2Epair_2EABS_prod : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty A_27a \Rightarrow \forall A_27b.nonempty A_27b \Rightarrow c_2Epair_2EABS_prod A_27a A_27b \in ((ty_2Epair_2Eprod A_27a A_27b)^{(2^{A-27b})^{A-27a}}) \tag{2}$$

Definition 12 We define $c_2Epair_2E_2C$ to be $\lambda A_27a : \iota.\lambda A_27b : \iota.\lambda V0x \in A_27a.\lambda V1y \in A_27b.(ap (c_2Epred_set_2EGSPEC : \iota \Rightarrow \iota \Rightarrow \iota)$ be given. Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow c_2Epred_set_2EGSPEC\ A_27a\ A_27b \in ((2^{A_27a})^{(ty_2Epair_2Eprod\ A_27a\ 2)^{A_27b}})$$
(3)

Definition 13 We define $c_2Epred_set_2EIMAGE$ to be $\lambda A_27a : \iota.\lambda A_27b : \iota.\lambda V0f \in (A_27b^{A_27a}).\lambda V1s \in$

Definition 14 We define $c_2Epred_set_2EBIGUNION$ to be $\lambda A_27a : \iota.\lambda V0P \in (2^{(2^{A_27a})}).(ap (c_2Epred_set_2E$

Definition 15 We define c_2Ebool_2EF to be $(ap (c_2Ebool_2E_21\ 2) (\lambda V0t \in 2.V0t))$.

Definition 16 We define $c_2Epred_set_2EEMPTY$ to be $\lambda A_27a : \iota.(\lambda V0x \in A_27a.c_2Ebool_2EF)$.

Definition 17 We define $c_2Epred_set_2EINTER$ to be $\lambda A_27a : \iota.\lambda V0s \in (2^{A_27a}).\lambda V1t \in (2^{A_27a}).(ap (c_2E$

Definition 18 We define $c_2Epred_set_2EDISJOINT$ to be $\lambda A_27a : \iota.\lambda V0s \in (2^{A_27a}).\lambda V1t \in (2^{A_27a}).(ap (c_2E$

Let $ty_2Erealx_2Ereal : \iota$ be given. Assume the following.

$$nonempty\ ty_2Erealx_2Ereal$$
(4)

Let $ty_2Enum_2Enum : \iota$ be given. Assume the following.

$$nonempty\ ty_2Enum_2Enum$$
(5)

Let $c_2Ereal_2Ereal_of_num : \iota$ be given. Assume the following.

$$c_2Ereal_2Ereal_of_num \in (ty_2Erealx_2Ereal^{ty_2Enum_2Enum})$$
(6)

Let $ty_2Ehreal_2Ehreal : \iota$ be given. Assume the following.

$$nonempty\ ty_2Ehreal_2Ehreal$$
(7)

Let $c_2Erealx_2Ereal_REP_CLASS : \iota$ be given. Assume the following.

$$c_2Erealx_2Ereal_REP_CLASS \in ((2^{(ty_2Epair_2Eprod\ ty_2Ehreal_2Ehreal\ ty_2Ehreal_2Ehreal)})^{ty_2Erealx_2Ereal})$$
(8)

Definition 19 We define $c_2Erealx_2Ereal_REP$ to be $\lambda V0a \in ty_2Erealx_2Ereal.(ap (c_2Emin_2E_40 (t$

Let $c_2Erealx_2Etreallt : \iota$ be given. Assume the following.

$$c_2Erealx_2Etreallt \in ((2^{(ty_2Epair_2Eprod\ ty_2Ehreal_2Ehreal\ ty_2Ehreal_2Ehreal)})^{(ty_2Epair_2Eprod\ ty_2Ehreal_2Ehreal)})$$
(9)

Definition 20 We define $c_2Erealx_2Ereal_lt$ to be $\lambda V0T1 \in ty_2Erealx_2Ereal.\lambda V1T2 \in ty_2Erealx_2Ereal$

Definition 21 We define $c_2Ebool_2E_7E$ to be $(\lambda V0t \in 2.(ap (ap (c_2Emin_2E_3D_3D_3E\ V0t) c_2Ebool_2E$

Definition 22 We define $c_Ereal_Ereal_lte$ to be $\lambda V0x \in ty_Erealax_Ereal.\lambda V1y \in ty_Erealax_Ereal$

Definition 23 We define $c_Ebool_E_5C_2F$ to be $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap (c_Ebool_E_21) 2) (\lambda V2t \in 2$

Definition 24 We define $c_Epred_set_EINSERT$ to be $\lambda A_27a : \iota.\lambda V0x \in A_27a.\lambda V1s \in (2^{A_27a}).(ap (c_Ebool_E_21) 2)$

Definition 25 We define $c_Epred_set_EFINITE$ to be $\lambda A_27a : \iota.\lambda V0s \in (2^{A_27a}).(ap (c_Ebool_E_21) 2)$

Let $c_Enum_EZERO_REP : \iota$ be given. Assume the following.

$$c_Enum_EZERO_REP \in \omega \tag{10}$$

Let $c_Enum_EABS_num : \iota$ be given. Assume the following.

$$c_Enum_EABS_num \in (ty_Enum_Enum^{\omega}) \tag{11}$$

Definition 26 We define c_Enum_E0 to be $(ap c_Enum_EABS_num c_Enum_EZERO_REP)$.

Let $ty_Eextreal_Eextreal : \iota$ be given. Assume the following.

$$nonempty\ ty_Eextreal_Eextreal \tag{12}$$

Let $c_Eextreal_ENormal : \iota$ be given. Assume the following.

$$c_Eextreal_ENormal \in (ty_Eextreal_Eextreal^{ty_Erealax_Ereal}) \tag{13}$$

Definition 27 We define $c_Eextreal_Eextreal_of_num$ to be $\lambda V0n \in ty_Enum_Enum.(ap c_Eextreal_ENormal$

Definition 28 We define $c_Earithmetic_EZERO$ to be c_Enum_E0 .

Let $c_Enum_EREP_num : \iota$ be given. Assume the following.

$$c_Enum_EREP_num \in (\omega^{ty_Enum_Enum}) \tag{14}$$

Let $c_Enum_ESUC_REP : \iota$ be given. Assume the following.

$$c_Enum_ESUC_REP \in (\omega^{\omega}) \tag{15}$$

Definition 29 We define c_Enum_ESUC to be $\lambda V0m \in ty_Enum_Enum.(ap c_Enum_EABS_num$

Let $c_Earithmetic_E_2B : \iota$ be given. Assume the following.

$$c_Earithmetic_E_2B \in ((ty_Enum_Enum^{ty_Enum_Enum})^{ty_Enum_Enum}) \tag{16}$$

Definition 30 We define $c_Earithmetic_EBIT1$ to be $\lambda V0n \in ty_Enum_Enum.(ap (ap c_Earithmetic_E_2B$

Definition 31 We define $c_Earithmetic_ENUMERAL$ to be $\lambda V0x \in ty_Enum_Enum.V0x$.

Definition 32 We define c_Ebool_ECOND to be $\lambda A_27a : \iota.(\lambda V0t \in 2.(\lambda V1t1 \in A_27a.(\lambda V2t2 \in A_27a.($

Definition 33 We define $c_Emeasure_Eindicator_fn$ to be $\lambda A_27a : \iota.\lambda V0s \in (2^{A_27a}).(\lambda V1x \in A_27a.(ap$

Let $c_2Eextreal_2Eextreal_mul : \iota$ be given. Assume the following.

$$c_2Eextreal_2Eextreal_mul \in ((ty_2Eextreal_2Eextreal^{ty_2Eextreal_2Eextreal})^{ty_2Eextreal_2Eextreal}) \quad (17)$$

Let $c_2Eextreal_2Eextreal_add : \iota$ be given. Assume the following.

$$c_2Eextreal_2Eextreal_add \in ((ty_2Eextreal_2Eextreal^{ty_2Eextreal_2Eextreal})^{ty_2Eextreal_2Eextreal}) \quad (18)$$

Let $c_2Epred_set_2EITSET : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\begin{aligned} \forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow c_2Epred_set_2EITSET \\ A_27a\ A_27b \in (((A_27b^{A_27b})^{(2^{A_27a})})^{((A_27b^{A_27b})^{A_27a})}) \end{aligned} \quad (19)$$

Definition 34 We define $c_2Eextreal_2EEXTREAL_SUM_IMAGE$ to be $\lambda A_27a : \iota.\lambda V0f \in (ty_2Eextreal_2Eextreal)$

Let $c_2Eextreal_2Eextreal_le : \iota$ be given. Assume the following.

$$c_2Eextreal_2Eextreal_le \in ((2^{ty_2Eextreal_2Eextreal})^{ty_2Eextreal_2Eextreal}) \quad (20)$$

Let $c_2Emeasure_2Em_space : \iota \Rightarrow \iota$ be given. Assume the following.

$$\begin{aligned} \forall A_27a.nonempty\ A_27a \Rightarrow c_2Emeasure_2Em_space\ A_27a \in \\ ((2^{A_27a})(ty_2Epair_2Eprod\ (2^{A_27a})\ (ty_2Epair_2Eprod\ (2^{2^{A_27a}})\ (ty_2Erealax_2Ereal^{(2^{A_27a})})))) \end{aligned} \quad (21)$$

Let $c_2Emeasure_2Emeasurable_sets : \iota \Rightarrow \iota$ be given. Assume the following.

$$\begin{aligned} \forall A_27a.nonempty\ A_27a \Rightarrow c_2Emeasure_2Emeasurable_sets \\ A_27a \in (((2^{A_27a})(ty_2Epair_2Eprod\ (2^{A_27a})\ (ty_2Epair_2Eprod\ (2^{2^{A_27a}})\ (ty_2Erealax_2Ereal^{(2^{A_27a})})))) \end{aligned} \quad (22)$$

Definition 35 We define $c_2Emeasure_2Epos_simple_fn$ to be $\lambda A_27a : \iota.\lambda V0m \in (ty_2Epair_2Eprod\ (2^{A_27a}))$

Definition 36 We define $c_2Epred_set_2EUNIV$ to be $\lambda A_27a : \iota.(\lambda V0x \in A_27a.c_2Ebool_2ET)$.

Let $c_2Emeasure_2Emeasure : \iota \Rightarrow \iota$ be given. Assume the following.

$$\begin{aligned} \forall A_27a.nonempty\ A_27a \Rightarrow c_2Emeasure_2Emeasure\ A_27a \in (\\ (ty_2Erealax_2Ereal^{(2^{A_27a})})(ty_2Epair_2Eprod\ (2^{A_27a})\ (ty_2Epair_2Eprod\ (2^{2^{A_27a}})\ (ty_2Erealax_2Ereal^{(2^{A_27a})})))) \end{aligned} \quad (23)$$

Let $c_2Ereal_2Esum : \iota$ be given. Assume the following.

$$c_2Ereal_2Esum \in ((ty_2Erealax_2Ereal^{(ty_2Erealax_2Ereal^{ty_2Enum_2Enum})})(ty_2Epair_2Eprod\ ty_2Enum_2Enum)) \quad (24)$$

Definition 37 We define $c_2Eprim_rec_2E_3C$ to be $\lambda V0m \in ty_2Enum_2Enum.\lambda V1n \in ty_2Enum_2Enum$

Definition 38 We define $c_2Earithmic_2E_3E$ to be $\lambda V0m \in ty_2Enum_2Enum.\lambda V1n \in ty_2Enum_2Enum$

Definition 39 We define $c_2Earithmic_2E_3E_3D$ to be $\lambda V0m \in ty_2Enum_2Enum.\lambda V1n \in ty_2Enum_2Enum$.

Let $c_2Erealax_2Etrealm_neg : \iota$ be given. Assume the following.

$$c_2Erealax_2Etrealm_neg \in ((ty_2Epair_2Eprod\ ty_2Ehreal_2Ehreal\ ty_2Ehreal_2Ehreal)_{(ty_2Epair_2Eprod\ ty_2Ehreal_2Ehreal\ ty_2Ehreal_2Ehreal)}) \quad (25)$$

Let $c_2Erealax_2Etrealm_eq : \iota$ be given. Assume the following.

$$c_2Erealax_2Etrealm_eq \in ((2^{(ty_2Epair_2Eprod\ ty_2Ehreal_2Ehreal\ ty_2Ehreal_2Ehreal)})_{(ty_2Epair_2Eprod\ ty_2Ehreal_2Ehreal)}) \quad (26)$$

Let $c_2Erealax_2Ereal_2EABS_2ECLASS : \iota$ be given. Assume the following.

$$c_2Erealax_2Ereal_2EABS_2ECLASS \in (ty_2Erealax_2Ereal)^{(2^{(ty_2Epair_2Eprod\ ty_2Ehreal_2Ehreal\ ty_2Ehreal_2Ehreal)})} \quad (27)$$

Definition 40 We define $c_2Erealax_2Ereal_2EABS$ to be $\lambda V0r \in (ty_2Epair_2Eprod\ ty_2Ehreal_2Ehreal\ ty_2Ehreal_2Ehreal)$.

Definition 41 We define $c_2Erealax_2Ereal_2Eneg$ to be $\lambda V0T1 \in ty_2Erealax_2Ereal.(ap\ c_2Erealax_2Ereal)$.

Let $c_2Erealax_2Etrealm_add : \iota$ be given. Assume the following.

$$c_2Erealax_2Etrealm_add \in (((ty_2Epair_2Eprod\ ty_2Ehreal_2Ehreal\ ty_2Ehreal_2Ehreal)_{(ty_2Epair_2Eprod\ ty_2Ehreal_2Ehreal\ ty_2Ehreal_2Ehreal)})_{(ty_2Epair_2Eprod\ ty_2Ehreal_2Ehreal\ ty_2Ehreal_2Ehreal)}) \quad (28)$$

Definition 42 We define $c_2Erealax_2Ereal_2Eadd$ to be $\lambda V0T1 \in ty_2Erealax_2Ereal.\lambda V1T2 \in ty_2Erealax_2Ereal$.

Definition 43 We define $c_2Ereal_2Ereal_2Esub$ to be $\lambda V0x \in ty_2Erealax_2Ereal.\lambda V1y \in ty_2Erealax_2Ereal$.

Definition 44 We define c_2Ereal_2Eabs to be $\lambda V0x \in ty_2Erealax_2Ereal.(ap\ (ap\ (ap\ (c_2Ebool_2ECONJ))))$.

Let $c_2Epair_2ESND : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow c_2Epair_2ESND\ A_27a\ A_27b \in (A_27b)^{(ty_2Epair_2Eprod\ A_27a\ A_27b)} \quad (29)$$

Let $c_2Epair_2EFST : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow c_2Epair_2EFST\ A_27a\ A_27b \in (A_27a)^{(ty_2Epair_2Eprod\ A_27a\ A_27b)} \quad (30)$$

Definition 45 We define $c_2Epair_2EUNCURRY$ to be $\lambda A_27a : \iota.\lambda A_27b : \iota.\lambda A_27c : \iota.\lambda V0f \in ((A_27c)^{A_27a})$.

Let $ty_2Emetric_2Emetric : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0.nonempty\ A0 \Rightarrow nonempty\ (ty_2Emetric_2Emetric\ A0) \quad (31)$$

Let $c_2Emetric_2Emetric : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow c_2Emetric_2Emetric\ A_27a \in ((ty_2Emetric_2Emetric\ A_27a)^{(ty_2Erealax_2Ereal)^{(ty_2Epair_2Eprod\ A_27a\ A_27a)}}) \quad (32)$$

Definition 46 We define $c_2Emetric_2Emr1$ to be $(ap (c_2Emetric_2Emetric ty_2Erealx_2Ereal) (ap (c_2Emetric_2Edist : \iota \Rightarrow \iota)$ be given. Assume the following.

$$\forall A_27a.nonempty A_27a \Rightarrow c_2Emetric_2Edist A_27a \in ((ty_2Erealx_2Ereal)^{(ty_2Epair_2Eprod A_27a A_27a)}) \quad (33)$$

Let $ty_2Etopology_2Etopology : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0.nonempty A0 \Rightarrow nonempty (ty_2Etopology_2Etopology A0) \quad (34)$$

Let $c_2Etopology_2Etopology : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty A_27a \Rightarrow c_2Etopology_2Etopology A_27a \in ((ty_2Etopology_2Etopology A_27a)^{(2^{(2^{A-27a})})}) \quad (35)$$

Definition 47 We define $c_2Emetric_2Emtop$ to be $\lambda A_27a : \iota.\lambda V0m \in (ty_2Emetric_2Emetric A_27a).(ap$

Let $c_2Enets_2Etends : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty A_27a \Rightarrow \forall A_27b.nonempty A_27b \Rightarrow c_2Enets_2Etends A_27a A_27b \in (((2^{(ty_2Epair_2Eprod (ty_2Etopology_2Etopology A_27a) ((2^{A-27b})^{A-27b}))})_{A_27a})_{(A_27a^{A-27b})}) \quad (36)$$

Definition 48 We define $c_2Eseq_2E_2D_2D_3E$ to be $\lambda V0x \in (ty_2Erealx_2Ereal)^{ty_2Enum_2Enum}.\lambda V1x$

Definition 49 We define c_2Eseq_2Esums to be $\lambda V0f \in (ty_2Erealx_2Ereal)^{ty_2Enum_2Enum}.\lambda V1s \in (ty_2Erealx_2Ereal)^{ty_2Enum_2Enum}$

Definition 50 We define $c_2Epred_set_2EFUNSET$ to be $\lambda A_27a : \iota.\lambda A_27b : \iota.\lambda V0P \in (2^{A-27a}).\lambda V1Q \in (2^{A-27b})$

Definition 51 We define $c_2Emeasure_2Ecountably_additive$ to be $\lambda A_27a : \iota.\lambda V0m \in (ty_2Epair_2Eprod$

Definition 52 We define $c_2Emeasure_2Epositive$ to be $\lambda A_27a : \iota.\lambda V0m \in (ty_2Epair_2Eprod (2^{A-27a}) (ty_2Erealx_2Ereal)^{ty_2Enum_2Enum})$

Let $c_2Emeasure_2Esubsets : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty A_27a \Rightarrow c_2Emeasure_2Esubsets A_27a \in (2^{(2^{A-27a})})^{(ty_2Epair_2Eprod (2^{A-27a}) (2^{(2^{A-27a})}))} \quad (37)$$

Definition 53 We define $c_2Epred_set_2ESUBSET$ to be $\lambda A_27a : \iota.\lambda V0s \in (2^{A-27a}).\lambda V1t \in (2^{A-27a}).(ap$

Definition 54 We define $c_2Epred_set_2EINJ$ to be $\lambda A_27a : \iota.\lambda A_27b : \iota.\lambda V0f \in (A_27b^{A-27a}).\lambda V1s \in (2^{A-27a})$

Definition 55 We define $c_2Epred_set_2Ecountable$ to be $\lambda A_27a : \iota.\lambda V0s \in (2^{A-27a}).(ap (c_2Ebool_2E3F$

Definition 56 We define $c_2Epred_set_2EUNION$ to be $\lambda A_27a : \iota.\lambda V0s \in (2^{A-27a}).\lambda V1t \in (2^{A-27a}).(ap (c_2Ebool_2E3F$

Let $c_2Emeasure_2Espace : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty A_27a \Rightarrow c_2Emeasure_2Espace A_27a \in ((2^{A-27a})^{(ty_2Epair_2Eprod (2^{A-27a}) (2^{(2^{A-27a})}))}) \quad (38)$$

Definition 57 We define $c_2Epred_set_2EDIFF$ to be $\lambda A_27a : \iota.\lambda V0s \in (2^{A_27a}).\lambda V1t \in (2^{A_27a}).(ap (c_2E$

Definition 58 We define $c_2Emeasure_2Esubset_class$ to be $\lambda A_27a : \iota.\lambda V0sp \in (2^{A_27a}).\lambda V1sts \in (2^{(2^{A_27a})})$

Definition 59 We define $c_2Emeasure_2Ealgebra$ to be $\lambda A_27a : \iota.\lambda V0a \in (ty_2Epair_2Eprod (2^{A_27a}) (2^{(2^{A_27a})}))$

Definition 60 We define $c_2Emeasure_2Esigma_algebra$ to be $\lambda A_27a : \iota.\lambda V0a \in (ty_2Epair_2Eprod (2^{A_27a}) (2^{(2^{A_27a})}))$

Definition 61 We define $c_2Emeasure_2Emeasure_space$ to be $\lambda A_27a : \iota.\lambda V0m \in (ty_2Epair_2Eprod (2^{A_27a}) (2^{(2^{A_27a})}))$

Let $c_2Epred_set_2ECHOICE : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty A_27a \Rightarrow c_2Epred_set_2ECHOICE A_27a \in (A_27a^{(2^{A_27a})}) \quad (39)$$

Assume the following.

$$True \quad (40)$$

Assume the following.

$$(\forall V0t1 \in 2.(\forall V1t2 \in 2.(((p V0t1) \Rightarrow (p V1t2)) \Rightarrow (((p V1t2) \Rightarrow (p V0t1)) \Rightarrow ((p V0t1) \Leftrightarrow (p V1t2)))))) \quad (41)$$

Assume the following.

$$\forall A_27a.nonempty A_27a \Rightarrow (\forall V0t \in 2.((\forall V1x \in A_27a.(p V0t) \Leftrightarrow (p V0t))) \quad (42)$$

Assume the following.

$$(\forall V0t \in 2.(((True \Rightarrow (p V0t)) \Leftrightarrow (p V0t)) \wedge (((p V0t) \Rightarrow True) \Leftrightarrow True) \wedge (((False \Rightarrow (p V0t)) \Leftrightarrow True) \wedge (((p V0t) \Rightarrow (p V0t)) \Leftrightarrow True) \wedge ((p V0t) \Rightarrow False) \Leftrightarrow \neg (p V0t)))))) \quad (43)$$

Assume the following.

$$((\forall V0t \in 2.((\neg(\neg(p V0t))) \Leftrightarrow (p V0t)) \wedge (((\neg True) \Leftrightarrow False) \wedge ((\neg False) \Leftrightarrow True))) \quad (44)$$

Assume the following.

$$\forall A_27a.nonempty A_27a \Rightarrow (\forall V0x \in A_27a.((V0x = V0x) \Leftrightarrow True)) \quad (45)$$

Assume the following.

$$\forall A_27a.nonempty A_27a \Rightarrow (\forall V0x \in A_27a.(\forall V1y \in A_27a.((V0x = V1y) \Leftrightarrow (V1y = V0x)))) \quad (46)$$

Assume the following.

$$(\forall V0t \in 2.(((True \Leftrightarrow (p V0t)) \Leftrightarrow (p V0t)) \wedge (((p V0t) \Leftrightarrow True) \Leftrightarrow (p V0t)) \wedge (((False \Leftrightarrow (p V0t)) \Leftrightarrow (\neg(p V0t))) \wedge (((p V0t) \Leftrightarrow False) \Leftrightarrow (\neg(p V0t)))))) \quad (47)$$

Assume the following.

$$\forall A.27a.nonempty A.27a \Rightarrow (\forall V0P \in (2^{A-27a}).(\forall V1Q \in (2^{A-27a}).((\forall V2x \in A.27a.((p (ap V0P V2x)) \wedge (p (ap V1Q V2x)))) \Leftrightarrow ((\forall V3x \in A.27a.(p (ap V0P V3x))) \wedge (\forall V4x \in A.27a.(p (ap V1Q V4x))))))) \quad (48)$$

Assume the following.

$$\forall A.27a.nonempty A.27a \Rightarrow (\forall V0P \in (2^{A-27a}).(\forall V1Q \in 2.(((\forall V2x \in A.27a.(p (ap V0P V2x))) \wedge (p V1Q)) \Leftrightarrow (\forall V3x \in A.27a.((p (ap V0P V3x)) \wedge (p V1Q)))))) \quad (49)$$

Assume the following.

$$\forall A.27a.nonempty A.27a \Rightarrow (\forall V0P \in 2.(\forall V1Q \in (2^{A-27a}).(((p V0P) \wedge (\forall V2x \in A.27a.(p (ap V1Q V2x)))) \Leftrightarrow (\forall V3x \in A.27a.((p V0P) \wedge (p (ap V1Q V3x)))))) \quad (50)$$

Assume the following.

$$\forall A.27a.nonempty A.27a \Rightarrow (\forall V0P \in 2.(\forall V1Q \in (2^{A-27a}).(((\forall V2x \in A.27a.((p V0P) \vee (p (ap V1Q V2x)))) \Leftrightarrow ((p V0P) \vee (\forall V3x \in A.27a.(p (ap V1Q V3x)))))) \quad (51)$$

Assume the following.

$$(\forall V0A \in 2.(\forall V1B \in 2.(\forall V2C \in 2.(((p V0A) \vee ((p V1B) \wedge (p V2C))) \Leftrightarrow (((p V0A) \vee (p V1B)) \wedge ((p V0A) \vee (p V2C)))))) \quad (52)$$

Assume the following.

$$(\forall V0A \in 2.(\forall V1B \in 2.(\forall V2C \in 2.(((p V1B) \wedge ((p V2C) \vee (p V0A)) \Leftrightarrow (((p V1B) \vee (p V0A)) \wedge ((p V2C) \vee (p V0A)))))) \quad (53)$$

Assume the following.

$$\begin{aligned} & \forall A.27a.nonempty A.27a \Rightarrow (\forall V0m \in (ty_2Epair_2Eprod \\ & (2^{A-27a}) (ty_2Epair_2Eprod (2^{(2^{A-27a})}) (ty_2Erealax_2Ereal^{(2^{A-27a})}))). \\ & (\forall V1f \in (ty_2Eextreal_2Eextreal^{A-27a}).(\forall V2s \in (\\ & 2^{ty_2Enum_2Enum}).(\forall V3a \in ((2^{A-27a})^{ty_2Enum_2Enum}). \\ & (\forall V4x \in (ty_2Erealax_2Ereal^{ty_2Enum_2Enum}).(\forall V5i \in \\ & ty_2Enum_2Enum.(\forall V6y \in A.27a.(((p (ap (c_2Emeasure_2Emeasure_space \\ & A.27a) V0m)) \wedge ((p (ap (ap (ap (ap (ap (c_2Emeasure_2Epos_simple_fn \\ & A.27a) V0m) V1f) V2s) V3a) V4x)) \wedge ((p (ap (ap (c_2Ebool_2EIN ty_2Enum_2Enum) \\ & V5i) V2s)) \wedge (p (ap (ap (c_2Ebool_2EIN A.27a) V6y) (ap V3a V5i)))))) \Rightarrow \\ & ((ap V1f V6y) = (ap c_2Eextreal_2ENormal (ap V4x V5i)))))) \quad (54) \end{aligned}$$

Assume the following.

$$\begin{aligned}
& \forall A_27a.nonempty\ A_27a \Rightarrow (\forall V0A \in (2^{A_27a}). (\forall V1m \in \\
& \quad (ty_2Epair_2Eprod\ (2^{A_27a})\ (ty_2Epair_2Eprod\ (2^{2^{A_27a}})) \\
& \quad (ty_2Erealax_2Ereal^{(2^{A_27a})}))) . (((p\ (ap\ (c_2Emeasure_2Emeasure_space \\
& \quad A_27a)\ V1m)) \wedge (p\ (ap\ (ap\ (c_2Ebool_2EIN\ (2^{A_27a})\ V0A)\ (ap\ (c_2Emeasure_2Emeasurable_sets \\
& \quad A_27a)\ V1m)))) \Rightarrow (p\ (ap\ (ap\ (c_2Epred_set_2ESUBSET\ A_27a)\ V0A) \\
& \quad (ap\ (c_2Emeasure_2Em_space\ A_27a)\ V1m))))))
\end{aligned} \tag{55}$$

Assume the following.

$$\begin{aligned}
& \forall A_27a.nonempty\ A_27a \Rightarrow (\forall V0s \in (2^{A_27a}). ((\neg(V0s = \\
& \quad (c_2Epred_set_2EEMPTY\ A_27a))) \Rightarrow (p\ (ap\ (ap\ (c_2Ebool_2EIN\ A_27a) \\
& \quad (ap\ (c_2Epred_set_2ECHOICE\ A_27a)\ V0s))\ V0s))))
\end{aligned} \tag{56}$$

Assume the following.

$$(\forall V0t \in 2. ((\neg(\neg(p\ V0t))) \Leftrightarrow (p\ V0t))) \tag{57}$$

Assume the following.

$$(\forall V0A \in 2. ((p\ V0A) \Rightarrow ((\neg(p\ V0A)) \Rightarrow False))) \tag{58}$$

Assume the following.

$$\begin{aligned}
& (\forall V0A \in 2. (\forall V1B \in 2. (((\neg((p\ V0A) \vee (p\ V1B))) \Rightarrow False) \Leftrightarrow \\
& \quad (((p\ V0A) \Rightarrow False) \Rightarrow ((\neg(p\ V1B)) \Rightarrow False))))))
\end{aligned} \tag{59}$$

Assume the following.

$$\begin{aligned}
& (\forall V0A \in 2. (\forall V1B \in 2. (((\neg((\neg(p\ V0A)) \vee (p\ V1B))) \Rightarrow False) \Leftrightarrow \\
& \quad ((p\ V0A) \Rightarrow ((\neg(p\ V1B)) \Rightarrow False))))))
\end{aligned} \tag{60}$$

Assume the following.

$$(\forall V0A \in 2. (((\neg(p\ V0A)) \Rightarrow False) \Rightarrow (((p\ V0A) \Rightarrow False) \Rightarrow False))) \tag{61}$$

Assume the following.

$$\begin{aligned}
& (\forall V0p \in 2. (\forall V1q \in 2. (\forall V2r \in 2. (((p\ V0p) \Leftrightarrow (\\
& \quad (p\ V1q) \Leftrightarrow (p\ V2r))) \Leftrightarrow (((p\ V0p) \vee ((p\ V1q) \vee (p\ V2r))) \wedge (((p\ V0p) \vee ((\neg(\\
& \quad p\ V2r)) \vee (\neg(p\ V1q)))) \wedge (((p\ V1q) \vee ((\neg(p\ V2r)) \vee (\neg(p\ V0p)))) \wedge ((p\ V2r) \vee \\
& \quad ((\neg(p\ V1q)) \vee (\neg(p\ V0p))))))))))
\end{aligned} \tag{62}$$

Assume the following.

$$\begin{aligned}
& (\forall V0p \in 2. (\forall V1q \in 2. (\forall V2r \in 2. (((p\ V0p) \Leftrightarrow (\\
& \quad (p\ V1q) \wedge (p\ V2r))) \Leftrightarrow (((p\ V0p) \vee ((\neg(p\ V1q)) \vee (\neg(p\ V2r)))) \wedge (((p\ V1q) \vee \\
& \quad (\neg(p\ V0p))) \wedge ((p\ V2r) \vee (\neg(p\ V0p))))))))))
\end{aligned} \tag{63}$$

Assume the following.

$$\begin{aligned}
& (\forall V0p \in 2. (\forall V1q \in 2. (\forall V2r \in 2. (((p V0p) \Leftrightarrow (\\
& (p V1q) \vee (p V2r))) \Leftrightarrow (((p V0p) \vee (\neg(p V1q))) \wedge (((p V0p) \vee (\neg(p V2r))) \wedge \\
& ((p V1q) \vee ((p V2r) \vee (\neg(p V0p))))))))))
\end{aligned} \tag{64}$$

Assume the following.

$$\begin{aligned}
& (\forall V0p \in 2. (\forall V1q \in 2. (\forall V2r \in 2. (((p V0p) \Leftrightarrow (\\
& (p V1q) \Rightarrow (p V2r))) \Leftrightarrow (((p V0p) \vee (p V1q)) \wedge (((p V0p) \vee (\neg(p V2r))) \wedge (\\
& \neg(p V1q) \vee ((p V2r) \vee (\neg(p V0p))))))))))
\end{aligned} \tag{65}$$

Assume the following.

$$\begin{aligned}
& (\forall V0p \in 2. (\forall V1q \in 2. (((p V0p) \Leftrightarrow (\neg(p V1q))) \Leftrightarrow (((p V0p) \vee \\
& (p V1q)) \wedge ((\neg(p V1q) \vee (\neg(p V0p))))))
\end{aligned} \tag{66}$$

Assume the following.

$$(\forall V0p \in 2. (\forall V1q \in 2. ((\neg((p V0p) \Rightarrow (p V1q))) \Rightarrow (p V0p))) \tag{67}$$

Assume the following.

$$(\forall V0p \in 2. (\forall V1q \in 2. ((\neg((p V0p) \Rightarrow (p V1q))) \Rightarrow (\neg(p V1q)))) \tag{68}$$

Assume the following.

$$(\forall V0p \in 2. (\forall V1q \in 2. ((\neg((p V0p) \vee (p V1q))) \Rightarrow (\neg(p V0p)))) \tag{69}$$

Assume the following.

$$(\forall V0p \in 2. (\forall V1q \in 2. ((\neg((p V0p) \vee (p V1q))) \Rightarrow (\neg(p V1q)))) \tag{70}$$

Assume the following.

$$(\forall V0p \in 2. ((\neg(\neg(p V0p))) \Rightarrow (p V0p))) \tag{71}$$

Theorem 1

$$\begin{aligned}
& \forall A.27a.nonempty \ A.27a \Rightarrow (\forall V0m \in (ty.2Epair.2Eprod \\
& (2^{A.27a}) (ty.2Epair.2Eprod (2^{(2^{A.27a})}) (ty.2Erealax.2Ereal(2^{A.27a}))))). \\
& (\forall V1f \in (ty.2Eextreal.2Eextreal^{A.27a}). (\forall V2g \in (\\
& ty.2Eextreal.2Eextreal^{A.27a}). (\forall V3s \in (2^{ty.2Enum.2Enum}). \\
& (\forall V4a \in ((2^{A.27a})^{ty.2Enum.2Enum}). (\forall V5x \in (ty.2Erealax.2Ereal^{ty.2Enum.2Enum}). \\
& (\forall V6x.27 \in (ty.2Erealax.2Ereal^{ty.2Enum.2Enum}). (\forall V7i \in \\
& ty.2Enum.2Enum. (((p (ap (c.2Emeasure.2Emeasure_space \ A.27a) \\
& V0m)) \wedge ((p (ap (ap (ap (ap (ap (ap (c.2Emeasure.2Epos_simple_fn \ A.27a) \\
V0m) \ V1f) \ V3s) \ V4a) \ V5x)) \wedge ((p (ap (ap (ap (ap (ap (ap (c.2Emeasure.2Epos_simple_fn \\
& A.27a) \ V0m) \ V2g) \ V3s) \ V4a) \ V6x.27)) \wedge ((\forall V8x \in A.27a. ((p (ap \\
& (ap (c.2Ebool.2EIN \ A.27a) \ V8x) (ap (c.2Emeasure.2Em_space \ A.27a) \\
& V0m))) \Rightarrow (p (ap (ap c.2Eextreal.2Eextreal_le (ap V2g \ V8x)) (ap V1f \\
& V8x)))))) \wedge ((p (ap (ap (c.2Ebool.2EIN \ ty.2Enum.2Enum) \ V7i) \ V3s)) \wedge \\
& (\neg((ap \ V4a \ V7i) = (c.2Epred_set.2EEMPTY \ A.27a)))))) \Rightarrow (p (ap \\
& (ap c.2Eextreal.2Eextreal_le (ap c.2Eextreal.2ENormal (ap V6x.27 \\
& V7i)) (ap c.2Eextreal.2ENormal (ap V5x \ V7i))))))
\end{aligned}$$