

thm\_2Elift\_ieee\_2Error\_at\_worst\_lemma  
 (TMWu5SGZBdE9anqEDt bubQuKW6gjiBZVwTj)

October 26, 2020

Let  $ty\_2Ebinary\_ieee\_2Erounding : \iota$  be given. Assume the following.

$$nonempty\ ty\_2Ebinary\_ieee\_2Erounding \quad (1)$$

Let  $c\_2Ebinary\_ieee\_2EroundTowardZero : \iota$  be given. Assume the following.

$$c\_2Ebinary\_ieee\_2EroundTowardZero \in ty\_2Ebinary\_ieee\_2Erounding \quad (2)$$

Let  $c\_2Ebinary\_ieee\_2EroundTowardNegative : \iota$  be given. Assume the following.

$$c\_2Ebinary\_ieee\_2EroundTowardNegative \in ty\_2Ebinary\_ieee\_2Erounding \quad (3)$$

Let  $c\_2Ebinary\_ieee\_2EroundTowardPositive : \iota$  be given. Assume the following.

$$c\_2Ebinary\_ieee\_2EroundTowardPositive \in ty\_2Ebinary\_ieee\_2Erounding \quad (4)$$

Let  $ty\_2Ebinary\_ieee\_2Efloat : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A0. nonempty\ A0 \Rightarrow \forall A1. nonempty\ A1 \Rightarrow nonempty\ (ty\_2Ebinary\_ieee\_2Efloat\ A0\ A1) \quad (5)$$

Let  $ty\_2Epair\_2Eprod : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A0. nonempty\ A0 \Rightarrow \forall A1. nonempty\ A1 \Rightarrow nonempty\ (ty\_2Epair\_2Eprod\ A0\ A1) \quad (6)$$

Let  $ty\_2Ebool\_2Eitself : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A0. nonempty\ A0 \Rightarrow nonempty\ (ty\_2Ebool\_2Eitself\ A0) \quad (7)$$

Let  $c\_2Ebinary\_ieee\_2Efloat\_top : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\begin{aligned} & \forall A_{27t}. nonempty\ A_{27t} \Rightarrow \forall A_{27w}. nonempty\ A_{27w} \Rightarrow c\_2Ebinary\_ieee\_2Efloat\_top \\ & A_{27t}\ A_{27w} \in ((ty\_2Ebinary\_ieee\_2Efloat\ A_{27t}\ A_{27w})^{(ty\_2Ebool\_2Eitself\ (ty\_2Epair\_2Eprod\ A_{27t}\ A_{27w}))}) \end{aligned} \quad (8)$$

Let  $ty\_2Erealax\_2Ereal : \iota$  be given. Assume the following.

$$nonempty\ ty\_2Erealax\_2Ereal \quad (9)$$

Let  $c\_2Ebinary\_ieee\_2Elargest : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27t. nonempty\ A\_27t \Rightarrow \forall A\_27w. nonempty\ A\_27w \Rightarrow c\_2Ebinary\_ieee\_2Elargest\ A\_27t\ A\_27w \in (ty\_2Erealax\_2Ereal^{(ty\_2Ebool\_2Eitself\ (ty\_2Epair\_2Eprod\ A\_27t\ A\_27w))}) \quad (10)$$

**Definition 1** We define  $c\_2Emin\_2E\_3D$  to be  $\lambda A. \lambda x \in A. \lambda y \in A. inj\_o (x = y)$  of type  $\iota \Rightarrow \iota$ .

**Definition 2** We define  $c\_2Ebool\_2ET$  to be  $(ap\ (ap\ (c\_2Emin\_2E\_3D\ (2^2))\ (\lambda V0x \in 2.V0x))\ (\lambda V1x \in 2.V1x))$

**Definition 3** We define  $c\_2Ecombin\_2EK$  to be  $\lambda A\_27a : \iota. \lambda A\_27b : \iota. (\lambda V0x \in A\_27a. (\lambda V1y \in A\_27b. V0x))$

Let  $c\_2Ebool\_2Ethethe\_value : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a. nonempty\ A\_27a \Rightarrow c\_2Ebool\_2Ethethe\_value\ A\_27a \in (ty\_2Ebool\_2Eitself\ A\_27a) \quad (11)$$

Let  $ty\_2Enum\_2Enum : \iota$  be given. Assume the following.

$$nonempty\ ty\_2Enum\_2Enum \quad (12)$$

Let  $c\_2Efcp\_2Edimindex : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a. nonempty\ A\_27a \Rightarrow c\_2Efcp\_2Edimindex\ A\_27a \in (ty\_2Enum\_2Enum^{(ty\_2Ebool\_2Eitself\ A\_27a)}) \quad (13)$$

Let  $c\_2Enum\_2EZERO\_REP : \iota$  be given. Assume the following.

$$c\_2Enum\_2EZERO\_REP \in \omega \quad (14)$$

Let  $c\_2Enum\_2EABS\_num : \iota$  be given. Assume the following.

$$c\_2Enum\_2EABS\_num \in (ty\_2Enum\_2Enum^{\omega}) \quad (15)$$

**Definition 4** We define  $c\_2Enum\_2E0$  to be  $(ap\ c\_2Enum\_2EABS\_num\ c\_2Enum\_2EZERO\_REP)$ .

**Definition 5** We define  $c\_2Earithmetic\_2EZERO$  to be  $c\_2Enum\_2E0$ .

Let  $c\_2Enum\_2EREP\_num : \iota$  be given. Assume the following.

$$c\_2Enum\_2EREP\_num \in (\omega^{ty\_2Enum\_2Enum}) \quad (16)$$

Let  $c\_2Enum\_2ESUC\_REP : \iota$  be given. Assume the following.

$$c\_2Enum\_2ESUC\_REP \in (\omega^{\omega}) \quad (17)$$

**Definition 6** We define  $c\_2Ebool\_2E\_21$  to be  $\lambda A\_27a : \iota. (\lambda V0P \in (2^{A\_27a}). (ap\ (ap\ (c\_2Emin\_2E\_3D\ (2^{A\_27a}))\ (c\_2Ebool\_2ET)))$

**Definition 7** We define  $c\_2Enum\_2ESUC$  to be  $\lambda V0m \in ty\_2Enum\_2Enum.(ap\ c\_2Enum\_2EABS\_num\ m)$

Let  $c\_2Earithmetic\_2E\_2B : \iota$  be given. Assume the following.

$$c\_2Earithmetic\_2E\_2B \in ((ty\_2Enum\_2Enum^{ty\_2Enum\_2Enum})^{ty\_2Enum\_2Enum}) \quad (18)$$

**Definition 8** We define  $c\_2Earithmetic\_2EBIT2$  to be  $\lambda V0n \in ty\_2Enum\_2Enum.(ap\ (ap\ c\_2Earithmetic\_2E\_2B)\ n)$

**Definition 9** We define  $c\_2Earithmetic\_2ENUMERAL$  to be  $\lambda V0x \in ty\_2Enum\_2Enum.V0x$ .

Let  $c\_2Ereal\_2Ereal\_of\_num : \iota$  be given. Assume the following.

$$c\_2Ereal\_2Ereal\_of\_num \in (ty\_2Erealax\_2Ereal^{ty\_2Enum\_2Enum}) \quad (19)$$

Let  $c\_2Ereal\_2Epow : \iota$  be given. Assume the following.

$$c\_2Ereal\_2Epow \in ((ty\_2Erealax\_2Ereal^{ty\_2Enum\_2Enum})^{ty\_2Erealax\_2Ereal}) \quad (20)$$

Let  $ty\_2Efcp\_2Ecart : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\begin{aligned} \forall A0.nonempty\ A0 \Rightarrow & \forall A1.nonempty\ A1 \Rightarrow nonempty\ (ty\_2Efcp\_2Ecart \\ & A0\ A1) \end{aligned} \quad (21)$$

Let  $c\_2Ebinary\_ieee\_2Efloat\_Significand : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\begin{aligned} \forall A\_27t.nonempty\ A\_27t \Rightarrow & \forall A\_27w.nonempty\ A\_27w \Rightarrow c\_2Ebinary\_ieee\_2Efloat\_Significand \\ & A\_27t\ A\_27w \in ((ty\_2Efcp\_2Ecart\ 2\ A\_27t)^{(ty\_2Ebinary\_ieee\_2Efloat\ A\_27t\ A\_27w)}) \end{aligned} \quad (22)$$

Let  $ty\_2Efcp\_2Efinite\_image : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A0.nonempty\ A0 \Rightarrow nonempty\ (ty\_2Efcp\_2Efinite\_image\ A0) \quad (23)$$

**Definition 10** We define  $c\_2Ebool\_2EF$  to be  $(ap\ (c\_2Ebool\_2E\_21\ 2)\ (\lambda V0t \in 2.V0t))$ .

**Definition 11** We define  $c\_2Emin\_2E\_3D\_3D\_3E$  to be  $\lambda P \in 2.\lambda Q \in 2.inj\_o\ (p\ P \Rightarrow p\ Q)$  of type  $\iota$ .

**Definition 12** We define  $c\_2Ebool\_2E\_7E$  to be  $(\lambda V0t \in 2.(ap\ (ap\ c\_2Emin\_2E\_3D\_3D\_3E\ V0t)\ c\_2Ebool\_2E))$

**Definition 13** We define  $c\_2Ebool\_2E\_2F\_5C$  to be  $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap\ (c\_2Ebool\_2E\_21\ 2)\ (\lambda V2t \in 2.inj\_o\ (V1t2\ V2t))))$

**Definition 14** We define  $c\_2Emin\_2E\_40$  to be  $\lambda A.\lambda P \in 2^A.\text{if } (\exists x \in A.p\ (ap\ P\ x)) \text{ then } (\text{the } (\lambda x.x \in A \wedge p\ x)) \text{ of type } \iota \Rightarrow \iota$ .

**Definition 15** We define  $c\_2Ebool\_2E\_3F$  to be  $\lambda A\_27a : \iota.(\lambda V0P \in (2^{A\_27a}).(ap\ V0P\ (ap\ (c\_2Emin\_2E\_40\ A\_27a)\ P)))$

**Definition 16** We define  $c\_2Eprim\_rec\_2E\_3C$  to be  $\lambda V0m \in ty\_2Enum\_2Enum.\lambda V1n \in ty\_2Enum\_2Enum.(\lambda V2t \in 2.inj\_o\ (m\ V1n\ V2t))$

**Definition 17** We define  $c\_2Ebool\_2E\_3F\_21$  to be  $\lambda A\_27a : \iota. (\lambda V0P \in (2^{A\_27a}).(ap (ap c\_2Ebool\_2E\_2F\_5C))$

**Definition 18** We define  $c\_2Efcp\_2Efinite\_index$  to be  $\lambda A\_27a : \iota. (ap (c\_2Emin\_2E\_40 (A\_27a^{ty\_2Enum\_2Enum}))$

Let  $c\_2Efcp\_2Edest\_cart : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\begin{aligned} & \forall A\_27a.\text{nonempty } A\_27a \Rightarrow \forall A\_27b.\text{nonempty } A\_27b \Rightarrow c\_2Efcp\_2Edest\_cart \\ & A\_27a A\_27b \in ((A\_27a^{(ty\_2Efcp\_2Efinit\_image A\_27b)})^{(ty\_2Efcp\_2Ecart A\_27a A\_27b)}) \end{aligned} \quad (24)$$

**Definition 19** We define  $c\_2Efcp\_2Efcp\_index$  to be  $\lambda A\_27a : \iota. \lambda A\_27b : \iota. \lambda V0x \in (ty\_2Efcp\_2Ecart A\_27a A\_27b)$

Let  $c\_2Earithmetic\_2EXP : \iota$  be given. Assume the following.

$$c\_2Earithmetic\_2EXP \in ((ty\_2Enum\_2Enum^{ty\_2Enum\_2Enum})^{ty\_2Enum\_2Enum}) \quad (25)$$

**Definition 20** We define  $c\_2Ebool\_2ECOND$  to be  $\lambda A\_27a : \iota. (\lambda V0t \in 2. (\lambda V1t1 \in A\_27a. (\lambda V2t2 \in A\_27a. ($

**Definition 21** We define  $c\_2Ebit\_2ESBIT$  to be  $\lambda V0b \in 2. \lambda V1n \in ty\_2Enum\_2Enum. (ap (ap (ap (c\_2Ebool\_2Ebit\_2ESBIT)))$

Let  $c\_2Esum\_num\_2ESUM : \iota$  be given. Assume the following.

$$c\_2Esum\_num\_2ESUM \in ((ty\_2Enum\_2Enum^{(ty\_2Enum\_2Enum^{ty\_2Enum\_2Enum})^{ty\_2Enum\_2Enum}})^{ty\_2Enum\_2Enum}) \quad (26)$$

**Definition 22** We define  $c\_2Ewords\_2Ew2n$  to be  $\lambda A\_27a : \iota. \lambda V0w \in (ty\_2Efcp\_2Ecart 2 A\_27a). (ap (ap (ap (c\_2Ebool\_2Ewords\_2Ew2n)))$

Let  $ty\_2Ehreal\_2Ehreal : \iota$  be given. Assume the following.

$$\text{nonempty } ty\_2Ehreal\_2Ehreal \quad (27)$$

Let  $c\_2Erealax\_2Ereal\_REP\_CLASS : \iota$  be given. Assume the following.

$$c\_2Erealax\_2Ereal\_REP\_CLASS \in ((2^{(ty\_2Epair\_2Eprod ty\_2Ehreal\_2Ehreal ty\_2Ehreal\_2Ehreal)})^{ty\_2Erealax\_2Ereal\_REP\_CLASS}) \quad (28)$$

**Definition 23** We define  $c\_2Erealax\_2Ereal\_REP$  to be  $\lambda V0a \in ty\_2Erealax\_2Ereal. (ap (c\_2Emin\_2E\_40 (ty\_2Erealax\_2Ereal\_REP)))$

Let  $c\_2Erealax\_2Etreal\_inv : \iota$  be given. Assume the following.

$$\begin{aligned} c\_2Erealax\_2Etreal\_inv \in & ((ty\_2Epair\_2Eprod ty\_2Ehreal\_2Ehreal \\ & ty\_2Ehreal\_2Ehreal)^{(ty\_2Epair\_2Eprod ty\_2Ehreal\_2Ehreal ty\_2Ehreal\_2Ehreal)}) \end{aligned} \quad (29)$$

Let  $c\_2Erealax\_2Etreal\_eq : \iota$  be given. Assume the following.

$$c\_2Erealax\_2Etreal\_eq \in ((2^{(ty\_2Epair\_2Eprod ty\_2Ehreal\_2Ehreal ty\_2Ehreal\_2Ehreal)})^{(ty\_2Epair\_2Eprod ty\_2Ehreal\_2Ehreal)}) \quad (30)$$

Let  $c\_2Erealax\_2Ereal\_ABS\_CLASS : \iota$  be given. Assume the following.

$$c\_2Erealax\_2Ereal\_ABS\_CLASS \in (ty\_2Erealax\_2Ereal)^{(2^{(ty\_2Epair\_2Eprod ty\_2Ehreal\_2Ehreal ty\_2Ehreal\_2Ehreal)})^{(ty\_2Epair\_2Eprod ty\_2Ehreal\_2Ehreal)}} \quad (31)$$

**Definition 24** We define  $c\_2Erealax\_2Ereal\_ABS$  to be  $\lambda V0r \in (ty\_2Epair\_2Eprod\ ty\_2Ehreal\_2Ehreal\ ty\_2Ehreal\_2Ehreal)$

**Definition 25** We define  $c\_2Erealax\_2Ein$  to be  $\lambda V0T1 \in ty\_2Erealax\_2Ereal.(ap\ c\_2Erealax\_2Ereal\_ABS\ T1)$

Let  $c\_2Erealax\_2Etreal\_mul : \iota$  be given. Assume the following.

$$c\_2Erealax\_2Etreal\_mul \in (((ty\_2Epair\_2Eprod\ ty\_2Ehreal\_2Ehreal\ ty\_2Ehreal\_2Ehreal)^{(ty\_2Epair\_2Eprod\ ty\_2Ehreal\_2Ehreal\ ty\_2Ehreal\_2Ehreal)})^{(ty\_2Epair\_2Eprod\ ty\_2Ehreal\_2Ehreal\_2Ehreal)}) \quad (32)$$

**Definition 26** We define  $c\_2Erealax\_2Ereal\_mul$  to be  $\lambda V0T1 \in ty\_2Erealax\_2Ereal.\lambda V1T2 \in ty\_2Erealax\_2Ereal.(c\_2Erealax\_2Etreal\_mul\ T1\ T2)$

**Definition 27** We define  $c\_2Ereal\_2E\_2F$  to be  $\lambda V0x \in ty\_2Erealax\_2Ereal.\lambda V1y \in ty\_2Erealax\_2Ereal.(c\_2Erealax\_2Etreal\_mul\ x\ y)$

**Definition 28** We define  $c\_2Earithmetic\_2EBIT1$  to be  $\lambda V0n \in ty\_2Enum\_2Enum.(ap\ (ap\ c\_2Earithmetic\_2EBIT1\ n)\ 1)$

Let  $c\_2Erealax\_2Etreal\_add : \iota$  be given. Assume the following.

$$c\_2Erealax\_2Etreal\_add \in (((ty\_2Epair\_2Eprod\ ty\_2Ehreal\_2Ehreal\ ty\_2Ehreal\_2Ehreal)^{(ty\_2Epair\_2Eprod\ ty\_2Ehreal\_2Ehreal\ ty\_2Ehreal\_2Ehreal)})^{(ty\_2Epair\_2Eprod\ ty\_2Ehreal\_2Ehreal\_2Ehreal)}) \quad (33)$$

**Definition 29** We define  $c\_2Erealax\_2Ereal\_add$  to be  $\lambda V0T1 \in ty\_2Erealax\_2Ereal.\lambda V1T2 \in ty\_2Erealax\_2Ereal.(c\_2Erealax\_2Etreal\_add\ T1\ T2)$

Let  $c\_2Ewords\_2EINT\_MAX : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.\text{nonempty } A\_27a \Rightarrow c\_2Ewords\_2EINT\_MAX\ A\_27a \in (ty\_2Enum\_2Enum^{(ty\_2Ebool\_2Eitself\ A\_27a)}) \quad (34)$$

Let  $c\_2Ebinary\_ieee\_2Efloat\_Exponent : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27t.\text{nonempty } A\_27t \Rightarrow \forall A\_27w.\text{nonempty } A\_27w \Rightarrow c\_2Ebinary\_ieee\_2Efloat\_Exponent\ A\_27t\ A\_27w \in ((ty\_2Efcp\_2Ecart\ 2\ A\_27t\ A\_27w)^{(ty\_2Ebinary\_ieee\_2Efloat\ A\_27t\ A\_27w)}) \quad (35)$$

Let  $ty\_2Eone\_2Eone : \iota$  be given. Assume the following.

$$\text{nonempty } ty\_2Eone\_2Eone \quad (36)$$

Let  $c\_2Ebinary\_ieee\_2Efloat\_Sign : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27t.\text{nonempty } A\_27t \Rightarrow \forall A\_27w.\text{nonempty } A\_27w \Rightarrow c\_2Ebinary\_ieee\_2Efloat\_Sign\ A\_27t\ A\_27w \in ((ty\_2Efcp\_2Ecart\ 2\ ty\_2Eone\_2Eone)^{(ty\_2Ebinary\_ieee\_2Efloat\ A\_27t\ A\_27w)}) \quad (37)$$

Let  $c\_2Erealax\_2Etreal\_neg : \iota$  be given. Assume the following.

$$c\_2Erealax\_2Etreal\_neg \in ((ty\_2Epair\_2Eprod\ ty\_2Ehreal\_2Ehreal\ ty\_2Ehreal\_2Ehreal)^{(ty\_2Epair\_2Eprod\ ty\_2Ehreal\_2Ehreal\ ty\_2Ehreal\_2Ehreal)}) \quad (38)$$

**Definition 30** We define  $c\_2Erealax\_2Ereal\_neg$  to be  $\lambda V0T1 \in ty\_2Erealax\_2Ereal.(ap\ c\_2Erealax\_2Ereal\_neg\ T1)$

Let  $c\_2Earithmetic\_2EDIV : \iota$  be given. Assume the following.

$$c\_2Earithmetic\_2EDIV \in ((ty\_2Enum\_2Enum^{ty\_2Enum\_2Enum})^{ty\_2Enum\_2Enum})^{ty\_2Enum\_2Enum} \quad (39)$$

**Definition 31** We define  $c\_2Ebit\_2EDIV\_2EXP$  to be  $\lambda V0x \in ty\_2Enum\_2Enum. \lambda V1n \in ty\_2Enum\_2Enum. \dots$

Let  $c\_2Earithmetic\_2E\_2D : \iota$  be given. Assume the following.

$$c\_2Earithmetic\_2E\_2D \in ((ty\_2Enum\_2Enum^{ty\_2Enum\_2Enum})^{ty\_2Enum\_2Enum})^{ty\_2Enum\_2Enum} \quad (40)$$

Let  $c\_2Earithmetic\_2EMOD : \iota$  be given. Assume the following.

$$c\_2Earithmetic\_2EMOD \in ((ty\_2Enum\_2Enum^{ty\_2Enum\_2Enum})^{ty\_2Enum\_2Enum})^{ty\_2Enum\_2Enum} \quad (41)$$

**Definition 32** We define  $c\_2Ebit\_2EMOD\_2EXP$  to be  $\lambda V0x \in ty\_2Enum\_2Enum. \lambda V1n \in ty\_2Enum\_2Enum. \dots$

**Definition 33** We define  $c\_2Ebit\_2EBITS$  to be  $\lambda V0h \in ty\_2Enum\_2Enum. \lambda V1l \in ty\_2Enum\_2Enum. \lambda V2m \in ty\_2Enum\_2Enum. \dots$

**Definition 34** We define  $c\_2Ebit\_2EBIT$  to be  $\lambda V0b \in ty\_2Enum\_2Enum. \lambda V1n \in ty\_2Enum\_2Enum. (ap (c\_2Ebit\_2EBITS) V0b) V1n$

**Definition 35** We define  $c\_2Efcp\_2EFCP$  to be  $\lambda A\_27a : \iota. \lambda A\_27b : \iota. (\lambda V0g \in (A\_27a^{ty\_2Enum\_2Enum}). (ap (c\_2Efcp\_2EFCP) A\_27a) V0g) A\_27b$

**Definition 36** We define  $c\_2Ewords\_2En2w$  to be  $\lambda A\_27a : \iota. \lambda V0n \in ty\_2Enum\_2Enum. (ap (c\_2Efcp\_2EFCP) A\_27a) V0n$

**Definition 37** We define  $c\_2Ebinary\_ieee\_2Efloat\_to\_real$  to be  $\lambda A\_27t : \iota. \lambda A\_27w : \iota. \lambda V0x \in (ty\_2Ebinary\_ieee\_2Efloat). (ap (c\_2Ebinary\_ieee\_2Efloat\_to\_real) A\_27t) A\_27w V0x$

**Definition 38** We define  $c\_2Ereal\_2Ereal\_sub$  to be  $\lambda V0x \in ty\_2Erealax\_2Ereal. \lambda V1y \in ty\_2Erealax\_2Ereal. (ap (c\_2Ereal\_2Ereal\_sub) V0x) V1y$

Let  $c\_2Erealax\_2Etreal\_lt : \iota$  be given. Assume the following.

$$c\_2Erealax\_2Etreal\_lt \in ((2^{(ty\_2Epair\_2Eprod ty\_2Ehreal\_2Ehreal ty\_2Ehreal\_2Ehreal)})^{(ty\_2Epair\_2Eprod ty\_2Ehreal\_2Ehreal)})^{(ty\_2Epair\_2Eprod ty\_2Ehreal\_2Ehreal)} \quad (42)$$

**Definition 39** We define  $c\_2Erealax\_2Ereal\_lt$  to be  $\lambda V0T1 \in ty\_2Erealax\_2Ereal. \lambda V1T2 \in ty\_2Erealax\_2Ereal. (ap (c\_2Erealax\_2Etreal\_lt) V0T1) V1T2$

**Definition 40** We define  $c\_2Ereal\_2Ereal\_lte$  to be  $\lambda V0x \in ty\_2Erealax\_2Ereal. \lambda V1y \in ty\_2Erealax\_2Ereal. (ap (c\_2Erealax\_2Etreal\_lt) V0x) V1y$

**Definition 41** We define  $c\_2Ereal\_2Eabs$  to be  $\lambda V0x \in ty\_2Erealax\_2Ereal. (ap (ap (c\_2Ebool\_2ECON) V0x) V0x)$

**Definition 42** We define  $c\_2Ebool\_2EIN$  to be  $\lambda A\_27a : \iota. (\lambda V0x \in A\_27a. (\lambda V1f \in (2^{A\_27a}). (ap V1f V0x)))$

**Definition 43** We define  $c\_2Ebinary\_ieee\_2Eis\_closest$  to be  $\lambda A\_27a : \iota. \lambda A\_27b : \iota. \lambda V0s \in (2^{(ty\_2Ebinary\_ieee\_2Efloat)}).$

**Definition 44** We define  $c\_2Ebinary\_ieee\_2Ec closest\_such$  to be  $\lambda A\_27a : \iota. \lambda A\_27b : \iota. \lambda V0p \in (2^{(ty\_2Ebinary\_ieee\_2Efloat)}).$

**Definition 45** We define  $c\_2Ebinary\_ieee\_2Ec closest$  to be  $\lambda A\_27a : \iota. \lambda A\_27b : \iota. (ap (c\_2Ebinary\_ieee\_2Ec closest) A\_27a) A\_27b$

**Definition 46** We define  $c\_2Ereal\_2Ereal\_gt$  to be  $\lambda V0x \in ty\_2Erealax\_2Ereal. \lambda V1y \in ty\_2Erealax\_2Ereal. (ap (c\_2Ereal\_2Ereal\_gt) V0x) V1y$

Let  $c\_2Ebinary\_ieee\_2Efloat\_bottom : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\begin{aligned} & \forall A_{27t}.nonempty A_{27t} \Rightarrow \forall A_{27w}.nonempty A_{27w} \Rightarrow c\_2Ebinary\_ieee\_2Efloat\_bottom \\ & A_{27t} A_{27w} \in ((ty\_2Ebinary\_ieee\_2Efloat A_{27t} A_{27w})^{(ty\_2Ebool\_2Eitself (ty\_2Epair\_2Eprod A_{27t} A_{27w}))}) \end{aligned} \quad (43)$$

Let  $c\_2Ebinary\_ieee\_2Ethreshold : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\begin{aligned} & \forall A_{27t}.nonempty A_{27t} \Rightarrow \forall A_{27w}.nonempty A_{27w} \Rightarrow c\_2Ebinary\_ieee\_2Ethreshold \\ & A_{27t} A_{27w} \in (ty\_2Erealax\_2Ereal^{(ty\_2Ebool\_2Eitself (ty\_2Epair\_2Eprod A_{27t} A_{27w}))}) \end{aligned} \quad (44)$$

**Definition 47** We define  $c\_2Ewords\_2Eword\_lsb$  to be  $\lambda A_{27a} : \iota. \lambda V0w \in (ty\_2Efcp\_2Ecart 2 A_{27a}).(ap$

Let  $c\_2Ebinary\_ieee\_2Efloat\_plus\_infinity : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\begin{aligned} & \forall A_{27t}.nonempty A_{27t} \Rightarrow \forall A_{27w}.nonempty A_{27w} \Rightarrow c\_2Ebinary\_ieee\_2Efloat\_plus\_infinity \\ & A_{27t} A_{27w} \in ((ty\_2Ebinary\_ieee\_2Efloat A_{27t} A_{27w})^{(ty\_2Ebool\_2Eitself (ty\_2Epair\_2Eprod A_{27t} A_{27w}))}) \end{aligned} \quad (45)$$

Let  $c\_2Ebinary\_ieee\_2Efloat\_minus\_infinity : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\begin{aligned} & \forall A_{27t}.nonempty A_{27t} \Rightarrow \forall A_{27w}.nonempty A_{27w} \Rightarrow c\_2Ebinary\_ieee\_2Efloat\_minus\_infinity \\ & A_{27t} A_{27w} \in ((ty\_2Ebinary\_ieee\_2Efloat A_{27t} A_{27w})^{(ty\_2Ebool\_2Eitself (ty\_2Epair\_2Eprod A_{27t} A_{27w}))}) \end{aligned} \quad (46)$$

Let  $c\_2Ebinary\_ieee\_2Erouting2num : \iota$  be given. Assume the following.

$$c\_2Ebinary\_ieee\_2Erouting2num \in (ty\_2Enum\_2Enum^{ty\_2Ebinary\_ieee\_2Erouting}) \quad (47)$$

**Definition 48** We define  $c\_2Ebinary\_ieee\_2Erouting\_CASE$  to be  $\lambda A_{27a} : \iota. \lambda V0x \in ty\_2Ebinary\_ieee\_2Erouting$

**Definition 49** We define  $c\_2Ebool\_2ELET$  to be  $\lambda A_{27a} : \iota. \lambda A_{27b} : \iota. (\lambda V0f \in (A_{27b}^{A_{27a}}).(\lambda V1x \in A_{27b}^{A_{27a}}))$

**Definition 50** We define  $c\_2Ecombin\_2ES$  to be  $\lambda A_{27a} : \iota. \lambda A_{27b} : \iota. \lambda A_{27c} : \iota. (\lambda V0f \in ((A_{27c}^{A_{27b}})^{A_{27a}}))$

**Definition 51** We define  $c\_2Ecombin\_2EI$  to be  $\lambda A_{27a} : \iota. (ap (ap (c\_2Ecombin\_2ES A_{27a} (A_{27a}^{A_{27a}}) A_{27a})))$

Let  $c\_2Ebinary\_ieee\_2EroutingTiesToEven : \iota$  be given. Assume the following.

$$c\_2Ebinary\_ieee\_2EroutingTiesToEven \in ty\_2Ebinary\_ieee\_2Erouting \quad (48)$$

Let  $ty\_2Ebinary\_ieee\_2Efloat\_value : \iota$  be given. Assume the following.

$$nonempty ty\_2Ebinary\_ieee\_2Efloat\_value \quad (49)$$

Let  $c\_2Ebinary\_ieee\_2EFfloat : \iota$  be given. Assume the following.

$$c\_2Ebinary\_ieee\_2EFfloat \in (ty\_2Ebinary\_ieee\_2Efloat\_value^{ty\_2Erealax\_2Ereal}) \quad (50)$$

Let  $c\_2Ebinary\_ieee\_2ENaN : \iota$  be given. Assume the following.

$$c\_2Ebinary\_ieee\_2ENaN \in ty\_2Ebinary\_ieee\_2Efloat\_value \quad (51)$$

Let  $c\_2Ebinary\_ieee\_2EInfinity : \iota$  be given. Assume the following.

$$c\_2Ebinary\_ieee\_2EInfinity \in ty\_2Ebinary\_ieee\_2Efloat\_value \quad (52)$$

Let  $c\_2Ewords\_2EUINT\_MAX : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A_{27a}.nonempty A_{27a} \Rightarrow c\_2Ewords\_2EUINT\_MAX A_{27a} \in (ty\_2Enum\_2Enum^{(ty\_2Ebool\_2Eitself A_{27a})}) \quad (53)$$

**Definition 52** We define  $c\_2Ewords\_2Eword\_T$  to be  $\lambda A_{27a} : \iota.(ap (c\_2Ewords\_2En2w A_{27a}) (ap (c\_2Ew$

**Definition 53** We define  $c\_2Ebinary\_ieee\_2Efloat\_value$  to be  $\lambda A_{27t} : \iota.\lambda A_{27w} : \iota.\lambda V0x \in (ty\_2Ebina$

Let  $c\_2Ebinary\_ieee\_2Efloat\_value\_CASE : \iota \Rightarrow \iota$  be given. Assume the following.

$$\begin{aligned} & \forall A_{27a}.nonempty A_{27a} \Rightarrow c\_2Ebinary\_ieee\_2Efloat\_value\_CASE \\ & A_{27a} \in (((((A_{27a})^{A_{27a}})^{(A_{27a})^{ty\_2Erealax\_2Ereal}}))^{ty\_2Ebinary\_ieee\_2Efloat\_value}) \end{aligned} \quad (54)$$

**Definition 54** We define  $c\_2Ebinary\_ieee\_2Efloat\_is\_finite$  to be  $\lambda A_{27t} : \iota.\lambda A_{27w} : \iota.\lambda V0x \in (ty\_2Ebina$

Let  $c\_2Epair\_2EABS\_prod : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\begin{aligned} & \forall A_{27a}.nonempty A_{27a} \Rightarrow \forall A_{27b}.nonempty A_{27b} \Rightarrow c\_2Epair\_2EABS\_prod \\ & A_{27a} A_{27b} \in ((ty\_2Epair\_2Eprod A_{27a} A_{27b})^{((2^{A_{27b}})^{A_{27a}})}) \end{aligned} \quad (55)$$

**Definition 55** We define  $c\_2Epair\_2E\_2C$  to be  $\lambda A_{27a} : \iota.\lambda A_{27b} : \iota.\lambda V0x \in A_{27a}.\lambda V1y \in A_{27b}.(ap (c\_2$

Let  $c\_2Epred\_set\_2EGSPEC : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\begin{aligned} & \forall A_{27a}.nonempty A_{27a} \Rightarrow \forall A_{27b}.nonempty A_{27b} \Rightarrow c\_2Epred\_set\_2EGSPEC \\ & A_{27a} A_{27b} \in ((2^{A_{27a}})^{(ty\_2Epair\_2Eprod A_{27a} 2)^{A_{27b}}}) \end{aligned} \quad (56)$$

**Definition 56** We define  $c\_2Ereal\_2Ereal\_ge$  to be  $\lambda V0x \in ty\_2Erealax\_2Ereal.\lambda V1y \in ty\_2Erealax\_2Ereal$

**Definition 57** We define  $c\_2Ebinary\_ieee\_2Eround$  to be  $\lambda A_{27t} : \iota.\lambda A_{27w} : \iota.\lambda V0mode \in ty\_2Ebina$

Let  $c\_2Elift\_ieee\_2Error : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\begin{aligned} & \forall A_{27t}.nonempty A_{27t} \Rightarrow \forall A_{27w}.nonempty A_{27w} \Rightarrow c\_2Elift\_ieee\_2Error \\ & A_{27t} A_{27w} \in ((ty\_2Erealax\_2Ereal)^{ty\_2Erealax\_2Ereal})^{(ty\_2Ebool\_2Eitself (ty\_2Epair\_2Eprod A_{27t} A_{27w}))} \end{aligned} \quad (57)$$

**Definition 58** We define  $c\_2Ebool\_2E\_5C\_2F$  to be  $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap (c\_2Ebool\_2E\_21 2) (\lambda V2t \in$

**Definition 59** We define  $c\_2Epred\_set\_2EINSERT$  to be  $\lambda A\_27a : \iota. \lambda V0x \in A\_27a. \lambda V1s \in (2^{A\_27a}). (ap (c\_2Epred\_set\_2EINSERT A\_27a) V0x) V1s$

**Definition 60** We define  $c\_2Epred\_set\_2EEMPTY$  to be  $\lambda A\_27a : \iota. (\lambda V0x \in A\_27a. c\_2Ebool\_2EF)$ .

**Definition 61** We define  $c\_2Epred\_set\_2EFINITE$  to be  $\lambda A\_27a : \iota. \lambda V0s \in (2^{A\_27a}). (ap (c\_2Ebool\_2E\_21 (2^{A\_27a})) V0s)$

Let  $c\_2Earithmetic\_2EEVEN : \iota$  be given. Assume the following.

$$c\_2Earithmetic\_2EEVEN \in (2^{ty\_2Enum\_2Enum}) \quad (58)$$

Let  $c\_2Earithmetic\_2EODD : \iota$  be given. Assume the following.

$$c\_2Earithmetic\_2EODD \in (2^{ty\_2Enum\_2Enum}) \quad (59)$$

**Definition 62** We define  $c\_2Earithmetic\_2E\_3E$  to be  $\lambda V0m \in ty\_2Enum\_2Enum. \lambda V1n \in ty\_2Enum\_2Enum. (c\_2Earithmetic\_2EEVEN V0m) \wedge (c\_2Earithmetic\_2EODD V1n)$

**Definition 63** We define  $c\_2Earithmetic\_2E\_3E\_3D$  to be  $\lambda V0m \in ty\_2Enum\_2Enum. \lambda V1n \in ty\_2Enum\_2Enum. (c\_2Earithmetic\_2E\_3E V0m) \wedge (V0m \neq V1n)$

**Definition 64** We define  $c\_2Eprim\_rec\_2EPRE$  to be  $\lambda V0m \in ty\_2Enum\_2Enum. (ap (ap (ap (c\_2Ebool\_2E\_21 (2^{ty\_2Enum\_2Enum})) V0m) c\_2Eprim\_rec\_2EPRE) V0m)$

Let  $c\_2Earithmetic\_2E\_2A : \iota$  be given. Assume the following.

$$c\_2Earithmetic\_2E\_2A \in ((ty\_2Enum\_2Enum^{ty\_2Enum\_2Enum})^{ty\_2Enum\_2Enum}) \quad (60)$$

**Definition 65** We define  $c\_2Eenumeral\_2EiZ$  to be  $\lambda V0x \in ty\_2Enum\_2Enum. V0x$ .

**Definition 66** We define  $c\_2Earithmetic\_2E\_3C\_3D$  to be  $\lambda V0m \in ty\_2Enum\_2Enum. \lambda V1n \in ty\_2Enum\_2Enum. (c\_2Eenumeral\_2EiZ V0m) \wedge (c\_2Eenumeral\_2EiZ V1n) \wedge (V0m \neq V1n)$

Assume the following.

$$(\forall V0n \in ty\_2Enum\_2Enum. (p (ap (ap c\_2Earithmetic\_2E\_3C\_3D c\_2Eenum\_2E0) V0n))) \quad (61)$$

Assume the following.

$$\begin{aligned} & (\forall V0m \in ty\_2Enum\_2Enum. (\forall V1n \in ty\_2Enum\_2Enum. \\ & (\neg(p (ap (ap c\_2Earithmetic\_2E\_3C\_3D V0m) V1n)) \Leftrightarrow (p (ap (ap c\_2Eprim\_rec\_2E\_3C V1n) V0m)))))) \end{aligned} \quad (62)$$

Assume the following.

$$\begin{aligned} & (\forall V0m \in ty\_2Enum\_2Enum. (\forall V1n \in ty\_2Enum\_2Enum. \\ & ((ap (ap c\_2Earithmetic\_2E\_2B V0m) V1n) = c\_2Eenum\_2E0) \Leftrightarrow ((V0m = c\_2Eenum\_2E0) \wedge (V1n = c\_2Eenum\_2E0)))) \end{aligned} \quad (63)$$

Assume the following.

$$\begin{aligned} & ((\forall V0n \in ty\_2Enum\_2Enum. ((p (ap (ap c\_2Earithmetic\_2E\_3C\_3D V0n) c\_2Eenum\_2E0)) \Leftrightarrow (V0n = c\_2Eenum\_2E0))) \wedge (\forall V1m \in ty\_2Enum\_2Enum. \\ & (\forall V2n \in ty\_2Enum\_2Enum. ((p (ap (ap c\_2Earithmetic\_2E\_3C\_3D V1m) ap c\_2Eenum\_2ESUC V2n)) \Leftrightarrow ((V1m = (ap c\_2Eenum\_2ESUC V2n)) \vee \\ & (p (ap (ap c\_2Earithmetic\_2E\_3C\_3D V1m) V2n))))))) \end{aligned} \quad (64)$$

Assume the following.

$$\begin{aligned}
& \forall A_{27a}.nonempty A_{27a} \Rightarrow ((\forall V0v0 \in A_{27a}.(\forall V1v1 \in \\
& A_{27a}.(\forall V2v2 \in A_{27a}.(\forall V3v3 \in A_{27a}.((ap (ap (ap ( \\
& ap (ap (c_2Ebinary_ieee_2Erouting_CASE A_{27a}) c_2Ebinary_ieee_2EroutingTiesToEven) \\
& V0v0) V1v1) V2v2) V3v3) = V0v0)))))) \wedge ((\forall V4v0 \in A_{27a}.(\forall V5v1 \in \\
& A_{27a}.(\forall V6v2 \in A_{27a}.(\forall V7v3 \in A_{27a}.((ap (ap (ap ( \\
& ap (ap (c_2Ebinary_ieee_2Erouting_CASE A_{27a}) c_2Ebinary_ieee_2EroutingTowardPositive) \\
& V4v0) V5v1) V6v2) V7v3) = V5v1)))))) \wedge ((\forall V8v0 \in A_{27a}.(\forall V9v1 \in \\
& A_{27a}.(\forall V10v2 \in A_{27a}.(\forall V11v3 \in A_{27a}.((ap (ap (ap ( \\
& ap (ap (c_2Ebinary_ieee_2Erouting_CASE A_{27a}) c_2Ebinary_ieee_2EroutingTowardNegative) \\
& V8v0) V9v1) V10v2) V11v3) = V10v2)))))) \wedge (\forall V12v0 \in A_{27a}.( \\
& \forall V13v1 \in A_{27a}.(\forall V14v2 \in A_{27a}.(\forall V15v3 \in A_{27a}. \\
& ((ap (ap (ap (ap (c_2Ebinary_ieee_2Erouting_CASE A_{27a}) \\
& c_2Ebinary_ieee_2EroutingTowardZero) V12v0) V13v1) V14v2) V15v3) = \\
& V15v3))))))) \\
\end{aligned} \tag{65}$$

Assume the following.

$$True \tag{66}$$

Assume the following.

$$(\forall V0t1 \in 2.(\forall V1t2 \in 2.(((p V0t1) \Rightarrow (p V1t2)) \Rightarrow (((p \\
V1t2) \Rightarrow (p V0t1)) \Rightarrow ((p V0t1) \Leftrightarrow (p V1t2))))) \tag{67}$$

Assume the following.

$$(\forall V0t \in 2.(False \Rightarrow (p V0t))) \tag{68}$$

Assume the following.

$$(\forall V0t \in 2.((p V0t) \vee (\neg(p V0t)))) \tag{69}$$

Assume the following.

$$\begin{aligned}
& \forall A_{27a}.nonempty A_{27a} \Rightarrow \forall A_{27b}.nonempty A_{27b} \Rightarrow ( \\
& \forall V0f \in (A_{27b}^{A_{27a}}).(\forall V1x \in A_{27a}.((ap (ap (c_2Ebool_2ELET \\
& A_{27a} A_{27b}) V0f) V1x) = (ap V0f V1x)))) \\
\end{aligned} \tag{70}$$

Assume the following.

$$\begin{aligned}
& \forall A_{27a}.nonempty A_{27a} \Rightarrow (\forall V0t \in 2.((\forall V1x \in \\
& A_{27a}.(p V0t)) \Leftrightarrow (p V0t))) \\
\end{aligned} \tag{71}$$

Assume the following.

$$\begin{aligned}
& (\forall V0t \in 2.(((True \wedge (p V0t)) \Leftrightarrow (p V0t)) \wedge (((p V0t) \wedge True) \Leftrightarrow \\
& (p V0t)) \wedge (((False \wedge (p V0t)) \Leftrightarrow False) \wedge (((p V0t) \wedge False) \Leftrightarrow False) \wedge \\
& (((p V0t) \wedge (p V0t)) \Leftrightarrow (p V0t)))))) \\
\end{aligned} \tag{72}$$

Assume the following.

$$\begin{aligned} & (\forall V0t \in 2.(((True \vee (p V0t)) \Leftrightarrow True) \wedge (((p V0t) \vee True) \Leftrightarrow True) \wedge \\ & (((False \vee (p V0t)) \Leftrightarrow (p V0t)) \wedge (((p V0t) \vee False) \Leftrightarrow (p V0t)) \wedge (((p V0t) \vee \\ & (p V0t)) \Leftrightarrow (p V0t)))))) \end{aligned} \quad (73)$$

Assume the following.

$$\begin{aligned} & (\forall V0t \in 2.(((True \Rightarrow (p V0t)) \Leftrightarrow (p V0t)) \wedge (((p V0t) \Rightarrow True) \Leftrightarrow \\ & True) \wedge (((False \Rightarrow (p V0t)) \Leftrightarrow True) \wedge (((p V0t) \Rightarrow (p V0t)) \Leftrightarrow True) \wedge (( \\ & (p V0t) \Rightarrow False) \Leftrightarrow (\neg(p V0t))))))) \end{aligned} \quad (74)$$

Assume the following.

$$\begin{aligned} & ((\forall V0t \in 2.((\neg(\neg(p V0t)) \Leftrightarrow (p V0t)) \wedge (((\neg True) \Leftrightarrow False) \wedge \\ & ((\neg False) \Leftrightarrow True)))))) \end{aligned} \quad (75)$$

Assume the following.

$$\forall A\_27a.\text{nonempty } A\_27a \Rightarrow (\forall V0x \in A\_27a.((V0x = V0x) \Leftrightarrow True)) \quad (76)$$

Assume the following.

$$\forall A\_27a.\text{nonempty } A\_27a \Rightarrow (\forall V0x \in A\_27a.(\forall V1y \in A\_27a.((V0x = V1y) \Leftrightarrow (V1y = V0x)))) \quad (77)$$

Assume the following.

$$\begin{aligned} & (\forall V0t \in 2.(((True \Leftrightarrow (p V0t)) \Leftrightarrow (p V0t)) \wedge (((p V0t) \Leftrightarrow True) \Leftrightarrow \\ & (p V0t)) \wedge (((False \Leftrightarrow (p V0t)) \Leftrightarrow (\neg(p V0t))) \wedge (((p V0t) \Leftrightarrow False) \Leftrightarrow (\neg \\ & (p V0t))))))) \end{aligned} \quad (78)$$

Assume the following.

$$\begin{aligned} & \forall A\_27a.\text{nonempty } A\_27a \Rightarrow (\forall V0t1 \in A\_27a.(\forall V1t2 \in A\_27a.((ap(ap(c\_2Ebool\_2ECOND A\_27a) c\_2Ebool\_2ET) V0t1) \\ & V1t2) = V0t1) \wedge ((ap(ap(c\_2Ebool\_2ECOND A\_27a) c\_2Ebool\_2EF) V0t1) V1t2) = V1t2))) \end{aligned} \quad (79)$$

Assume the following.

$$(\forall V0A \in 2.(\forall V1B \in 2.(\forall V2C \in 2.(((p V0A) \vee (p V1B) \vee (p V2C)) \Leftrightarrow (((p V0A) \vee (p V1B)) \vee (p V2C))))))) \quad (80)$$

Assume the following.

$$(\forall V0A \in 2.(\forall V1B \in 2.(((\neg((p V0A) \wedge (p V1B))) \Leftrightarrow ((\neg(p V0A)) \vee (\neg(p V1B))))))) \wedge ((\neg((p V0A) \vee (p V1B))) \Leftrightarrow ((\neg(p V0A)) \wedge (\neg(p V1B))))))) \quad (81)$$

Assume the following.

$$(\forall V0t1 \in 2. (\forall V1t2 \in 2. (\forall V2t3 \in 2. (((p V0t1) \Rightarrow ((p V1t2) \Rightarrow (p V2t3))) \Leftrightarrow (((p V0t1) \wedge (p V1t2)) \Rightarrow (p V2t3)))))) \quad (82)$$

Assume the following.

$$\begin{aligned} & (\forall V0x \in 2. (\forall V1x\_27 \in 2. (\forall V2y \in 2. (\forall V3y\_27 \in \\ & 2. (((p V0x) \Leftrightarrow (p V1x\_27)) \wedge ((p V1x\_27) \Rightarrow ((p V2y) \Leftrightarrow (p V3y\_27)))))) \Rightarrow \\ & (((p V0x) \Rightarrow (p V2y)) \Leftrightarrow ((p V1x\_27) \Rightarrow (p V3y\_27))))))) \end{aligned} \quad (83)$$

Assume the following.

$$\begin{aligned} & \forall A\_27a.\text{nonempty } A\_27a \Rightarrow (\forall V0P \in 2. (\forall V1Q \in 2. \\ & (\forall V2x \in A\_27a. (\forall V3x\_27 \in A\_27a. (\forall V4y \in A\_27a. \\ & (\forall V5y\_27 \in A\_27a. (((p V0P) \Leftrightarrow (p V1Q)) \wedge ((p V1Q) \Rightarrow (V2x = V3x\_27))) \wedge \\ & ((\neg(p V1Q)) \Rightarrow (V4y = V5y\_27)))))) \Rightarrow ((ap (ap (ap (c\_2Ebool\_2ECOND A\_27a) \\ & V0P) V2x) V4y) = (ap (ap (ap (c\_2Ebool\_2ECOND A\_27a) V1Q) V3x\_27) \\ & V5y\_27))))))) \end{aligned} \quad (84)$$

Assume the following.

$$\begin{aligned} & \forall A\_27a.\text{nonempty } A\_27a \Rightarrow ((\forall V0t1 \in A\_27a. (\forall V1t2 \in \\ & A\_27a. ((ap (ap (ap (c\_2Ebool\_2ECOND A\_27a) c\_2Ebool\_2ET) V0t1) \\ & V1t2) = V0t1))) \wedge (\forall V2t1 \in A\_27a. (\forall V3t2 \in A\_27a. ((ap \\ & (ap (ap (c\_2Ebool\_2ECOND A\_27a) c\_2Ebool\_2EF) V2t1) V3t2) = V3t2)))))) \end{aligned} \quad (85)$$

Assume the following.

$$\forall A\_27a.\text{nonempty } A\_27a \Rightarrow (\forall V0x \in A\_27a. ((ap (c\_2Ecombin\_2EI \\ & A\_27a) V0x) = V0x)) \quad (86)$$

Assume the following.

$$\begin{aligned} & \forall A\_27t.\text{nonempty } A\_27t \Rightarrow \forall A\_27w.\text{nonempty } A\_27w \Rightarrow \\ & (\forall V0x \in ty\_2Erealax\_2Ereal. ((ap (ap (c\_2Elift\_ieee\_2Error \\ & A\_27t A\_27w) (c\_2Ebool\_2Ethe\_value (ty\_2Epair\_2Eprod A\_27t \\ & A\_27w))) V0x) = (ap (ap c\_2Ereal\_2Ereal\_sub (ap (c\_2Ebinary\_ieee\_2Efloat\_to\_real \\ & A\_27t A\_27w) (ap (ap (c\_2Ebinary\_ieee\_2Eround A\_27t A\_27w) c\_2Ebinary\_ieee\_2EroundTiesToEven) \\ & V0x))) V0x))) \end{aligned} \quad (87)$$

Assume the following.

$$\begin{aligned} & \forall A\_27a.\text{nonempty } A\_27a \Rightarrow \forall A\_27b.\text{nonempty } A\_27b \Rightarrow \\ & (\forall V0p \in (2^{(ty\_2Ebinary\_ieee\_2Efloat A\_27a A\_27b)}). (\forall V1s \in \\ & (2^{(ty\_2Ebinary\_ieee\_2Efloat A\_27a A\_27b)}). (\forall V2x \in ty\_2Erealax\_2Ereal. \\ & ((p (ap (c\_2Epred\_set\_2EFINITE (ty\_2Ebinary\_ieee\_2Efloat \\ & A\_27a A\_27b)) V1s)) \Rightarrow ((\neg(V1s = (c\_2Epred\_set\_2EEMPTY (ty\_2Ebinary\_ieee\_2Efloat \\ & A\_27a A\_27b))) \Rightarrow (p (ap (ap (c\_2Ebinary\_ieee\_2Eis\_closest \\ & A\_27a A\_27b) V1s) V2x) (ap (ap (ap (c\_2Ebinary\_ieee\_2Eclosest\_such \\ & A\_27a A\_27b) V0p) V1s) V2x))))))) \end{aligned} \quad (88)$$

Assume the following.

$$\begin{aligned} \forall A_{.27a}.nonempty\ A_{.27a} \Rightarrow & \forall A_{.27b}.nonempty\ A_{.27b} \Rightarrow ( \\ p(ap(c_{.2Epred\_set\_2EFINITE}(ty_{.2Ebinary\_ieee\_2Efloat}\ A_{.27a} \\ A_{.27b})) \& (ap(c_{.2Epred\_set\_2EGSPEC}(ty_{.2Ebinary\_ieee\_2Efloat}\ A_{.27a} \\ A_{.27b}) (ty_{.2Ebinary\_ieee\_2Efloat}\ A_{.27a}\ A_{.27b})) (\lambda V0a \in \\ (ty_{.2Ebinary\_ieee\_2Efloat}\ A_{.27a}\ A_{.27b}).(ap(ap(c_{.2Epair\_2E\_2C} \\ (ty_{.2Ebinary\_ieee\_2Efloat}\ A_{.27a}\ A_{.27b})\ 2)\ V0a) (ap(c_{.2Ebinary\_ieee\_2Efloat\_is\_finite} \\ A_{.27a}\ A_{.27b})\ V0a)))))) \end{aligned} \quad (89)$$

Assume the following.

$$\begin{aligned} \forall A_{.27a}.nonempty\ A_{.27a} \Rightarrow & \forall A_{.27b}.nonempty\ A_{.27b} \Rightarrow ( \\ \neg((ap(c_{.2Epred\_set\_2EGSPEC}(ty_{.2Ebinary\_ieee\_2Efloat}\ A_{.27a} \\ A_{.27b}) (ty_{.2Ebinary\_ieee\_2Efloat}\ A_{.27a}\ A_{.27b})) (\lambda V0a \in (ty_{.2Ebinary\_ieee\_2Efloat} \\ A_{.27a}\ A_{.27b}).(ap(ap(c_{.2Epair\_2E\_2C}(ty_{.2Ebinary\_ieee\_2Efloat} \\ A_{.27a}\ A_{.27b})\ 2)\ V0a) (ap(c_{.2Ebinary\_ieee\_2Efloat\_is\_finite} \\ A_{.27a}\ A_{.27b})\ V0a)))) = (c_{.2Epred\_set\_2EEMPTY}(ty_{.2Ebinary\_ieee\_2Efloat} \\ A_{.27a}\ A_{.27b}))) \end{aligned} \quad (90)$$

Assume the following.

$$\begin{aligned}
& ((\forall V0n \in ty\_2Enum\_2Enum.((ap (ap c\_2Earithmetic\_2E\_2B \\
& c\_2Enum\_2E0) V0n) = V0n)) \wedge ((\forall V1n \in ty\_2Enum\_2Enum.((ap \\
& (ap c\_2Earithmetic\_2E\_2B V1n) c\_2Enum\_2E0) = V1n)) \wedge ((\forall V2n \in \\
ty\_2Enum\_2Enum.(\forall V3m \in ty\_2Enum\_2Enum.((ap (ap c\_2Earithmetic\_2E\_2B \\
& (ap c\_2Earithmetic\_2ENUMERAL V2n)) (ap c\_2Earithmetic\_2ENUMERAL \\
V3m)) = (ap c\_2Earithmetic\_2ENUMERAL (ap c\_2Enum\_2EiZ (ap \\
& (ap c\_2Earithmetic\_2E\_2B V2n) V3m))))))) \wedge ((\forall V4n \in ty\_2Enum\_2Enum. \\
& ((ap (ap c\_2Earithmetic\_2E\_2A c\_2Enum\_2E0) V4n) = c\_2Enum\_2E0)) \wedge \\
& ((\forall V5n \in ty\_2Enum\_2Enum.((ap (ap c\_2Earithmetic\_2E\_2A \\
V5n) c\_2Enum\_2E0) = c\_2Enum\_2E0)) \wedge ((\forall V6n \in ty\_2Enum\_2Enum. \\
& ((\forall V7m \in ty\_2Enum\_2Enum.((ap (ap c\_2Earithmetic\_2E\_2A \\
& ap c\_2Earithmetic\_2ENUMERAL V6n)) (ap c\_2Earithmetic\_2ENUMERAL \\
V7m)) = (ap c\_2Earithmetic\_2ENUMERAL (ap (ap c\_2Earithmetic\_2E\_2A \\
V6n) V7m)))))) \wedge ((\forall V8n \in ty\_2Enum\_2Enum.((ap (ap c\_2Earithmetic\_2E\_2D \\
c\_2Enum\_2E0) V8n) = c\_2Enum\_2E0)) \wedge ((\forall V9n \in ty\_2Enum\_2Enum. \\
& ((ap (ap c\_2Earithmetic\_2E\_2D V9n) c\_2Enum\_2E0) = V9n)) \wedge ((\forall V10n \in \\
ty\_2Enum\_2Enum.(\forall V11m \in ty\_2Enum\_2Enum.((ap (ap c\_2Earithmetic\_2E\_2D \\
& (ap c\_2Earithmetic\_2ENUMERAL V10n)) (ap c\_2Earithmetic\_2ENUMERAL \\
V11m)) = (ap c\_2Earithmetic\_2ENUMERAL (ap (ap c\_2Earithmetic\_2E\_2D \\
V10n) V11m)))))) \wedge ((\forall V12n \in ty\_2Enum\_2Enum.((ap (ap c\_2Earithmetic\_2EEXP \\
c\_2Enum\_2E0) (ap c\_2Earithmetic\_2ENUMERAL (ap c\_2Earithmetic\_2EBIT1 \\
V12n))) = c\_2Enum\_2E0)) \wedge ((\forall V13n \in ty\_2Enum\_2Enum.((ap \\
& (ap c\_2Earithmetic\_2EEXP c\_2Enum\_2E0) (ap c\_2Earithmetic\_2ENUMERAL \\
(ap c\_2Earithmetic\_2EBIT2 V13n))) = c\_2Enum\_2E0)) \wedge ((\forall V14n \in \\
ty\_2Enum\_2Enum.((ap (ap c\_2Earithmetic\_2EEXP V14n) c\_2Enum\_2E0) = \\
& (ap c\_2Earithmetic\_2ENUMERAL (ap c\_2Earithmetic\_2EBIT1 c\_2Earithmetic\_2EZERO)))))) \wedge \\
& ((\forall V15n \in ty\_2Enum\_2Enum.(\forall V16m \in ty\_2Enum\_2Enum. \\
& ((ap (ap c\_2Earithmetic\_2EEXP (ap c\_2Earithmetic\_2ENUMERAL V15n)) \\
(ap c\_2Earithmetic\_2ENUMERAL V16m)) = (ap c\_2Earithmetic\_2ENUMERAL \\
(ap (ap c\_2Earithmetic\_2EEXP V15n) V16m)))))) \wedge (((ap c\_2Enum\_2ESUC \\
c\_2Enum\_2E0) = (ap c\_2Earithmetic\_2ENUMERAL (ap c\_2Earithmetic\_2EBIT1 \\
c\_2Earithmetic\_2EZERO)))) \wedge ((\forall V17n \in ty\_2Enum\_2Enum. \\
& (ap c\_2Enum\_2ESUC (ap c\_2Earithmetic\_2ENUMERAL V17n)) = (ap c\_2Earithmetic\_2ENUMERAL \\
(ap c\_2Enum\_2ESUC V17n)))) \wedge (((ap c\_2Eprim\_rec\_2EPRE c\_2Enum\_2E0) = \\
c\_2Enum\_2E0) \wedge ((\forall V18n \in ty\_2Enum\_2Enum.((ap c\_2Eprim\_rec\_2EPRE \\
(ap c\_2Earithmetic\_2ENUMERAL V18n)) = (ap c\_2Earithmetic\_2ENUMERAL \\
(ap c\_2Eprim\_rec\_2EPRE V18n)))))) \wedge ((\forall V19n \in ty\_2Enum\_2Enum. \\
& (((ap c\_2Earithmetic\_2ENUMERAL V19n) = c\_2Enum\_2E0) \Leftrightarrow (V19n = c\_2Earithmetic\_2EZERO))) \wedge \\
& ((\forall V20n \in ty\_2Enum\_2Enum.((c\_2Enum\_2E0 = (ap c\_2Earithmetic\_2ENUMERAL \\
V20n)) \Leftrightarrow (V20n = c\_2Earithmetic\_2EZERO))) \wedge ((\forall V21n \in ty\_2Enum\_2Enum. \\
& ((\forall V22m \in ty\_2Enum\_2Enum.(((ap c\_2Earithmetic\_2ENUMERAL \\
V21n) = (ap c\_2Earithmetic\_2ENUMERAL V22m)) \Leftrightarrow (V21n = V22m)))) \wedge \\
& ((\forall V23n \in ty\_2Enum\_2Enum.((p (ap (ap c\_2Eprim\_rec\_2E\_3C \\
V23n) c\_2Enum\_2E0)) \Leftrightarrow False)) \wedge ((\forall V24n \in ty\_2Enum\_2Enum. \\
& ((p (ap (ap c\_2Eprim\_rec\_2E\_3C c\_2Enum\_2E0) (ap c\_2Earithmetic\_2ENUMERAL \\
V24n))) \Leftrightarrow (p (ap (ap c\_2Eprim\_rec\_2E\_3C c\_2Earithmetic\_2EZERO) \\
V24n)))) \wedge ((\forall V25n \in ty\_2Enum\_2Enum.(\forall V26m \in ty\_2Enum\_2Enum. \\
& ((p (ap (ap c\_2Eprim\_rec\_2E\_3C (ap c\_2Earithmetic\_2ENUMERAL \\
V25n)) (ap c\_2Earithmetic\_2ENUMERAL V26m))) \Leftrightarrow (p (ap (ap c\_2Eprim\_rec\_2E\_3C \\
V25n) V26m)))))) \wedge ((\forall V27n \in ty\_2Enum\_2Enum.((p (ap (ap c\_2Earithmetic\_2E\_3E \\
c\_2Enum\_2E0) V27n)) \Leftrightarrow False)) \wedge ((\forall V28n \in ty\_2Enum\_2Enum. \\
& ((p (ap (ap c\_2Earithmetic\_2E\_3E (ap c\_2Earithmetic\_2ENUMERAL \\
V28n)) c\_2Enum\_2E0)) \Leftrightarrow (p (ap (ap c\_2Eprim\_rec\_2E\_3C c\_2Earithmetic\_2EZERO) \\
V28n)))) \wedge ((\forall V29n \in ty\_2Enum\_2Enum.(\forall V30m \in ty\_2Enum\_2Enum. \\
& ((p (ap (ap c\_2Earithmetic\_2E\_3E (ap c\_2Earithmetic\_2ENUMERAL \\
V29n)) (ap c\_2Earithmetic\_2ENUMERAL V30m))) \Leftrightarrow (p (ap (ap c\_2Eprim\_rec\_2E\_3C \\
V30m) V29n)))) \wedge ((\forall V31n \in ty\_2Enum\_2Enum.((p (ap (ap c\_2Earithmetic\_2E\_3C\_3D \\
c\_2Enum\_2E0) V31n)) \Leftrightarrow True)) \wedge ((\forall V32n \in ty\_2Enum\_2Enum. \\
& ((p (ap (ap c\_2Earithmetic\_2E\_3C\_3D (ap c\_2Earithmetic\_2ENUMERAL \\
V32n)))) \wedge ((\forall V33n \in ty\_2Enum\_2Enum.((p (ap (ap c\_2Earithmetic\_2E\_3C\_3D \\
c\_2Enum\_2E0) V33n)) \Leftrightarrow False)) \wedge ((\forall V34n \in ty\_2Enum\_2Enum. \\
& ((p (ap (ap c\_2Earithmetic\_2E\_3C\_3D (ap c\_2Earithmetic\_2ENUMERAL \\
V34n)) \Leftrightarrow False)))))))
\end{aligned}$$

Assume the following.

$$\forall A_{27a}. \text{nonempty } A_{27a} \Rightarrow (\forall V0P \in (2^{A_{27a}}). (\forall V1x \in A_{27a}. ((p (ap (ap (c_2Ebool_2EIN A_{27a}) V1x) V0P)) \Leftrightarrow (p (ap V0P V1x)))))) \quad (92)$$

Assume the following.

$$\forall A_{27a}. \text{nonempty } A_{27a} \Rightarrow (\forall V0P \in (2^{A_{27a}}). ((ap (c_2Epred_set_2EGSPEC A_{27a} A_{27a}) (\lambda V1x \in A_{27a}. (ap (ap (c_2Epair_2E_2C A_{27a} 2) V1x) (ap V0P V1x)))) = V0P))) \quad (93)$$

Assume the following.

$$(\forall V0x \in ty_2Erealax_2Ereal. (\forall V1y \in ty_2Erealax_2Ereal. ((ap (ap c_2Erealax_2Ereal_add V0x) V1y) = (ap (ap c_2Erealax_2Ereal_add V1y) V0x)))) \quad (94)$$

Assume the following.

$$(\forall V0x \in ty_2Erealax_2Ereal. (\forall V1y \in ty_2Erealax_2Ereal. (\forall V2z \in ty_2Erealax_2Ereal. ((ap (ap c_2Erealax_2Ereal_add V0x) (ap (ap c_2Erealax_2Ereal_add V1y) V2z)) = (ap (ap c_2Erealax_2Ereal_add (ap (ap c_2Erealax_2Ereal_add V0x) V1y)) V2z)))))) \quad (95)$$

Assume the following.

$$(\forall V0x \in ty_2Erealax_2Ereal. ((ap (ap c_2Erealax_2Ereal_add (ap c_2Ereal_2Ereal_of_num c_2Enum_2E0)) V0x) = V0x)) \quad (96)$$

Assume the following.

$$(\forall V0x \in ty_2Erealax_2Ereal. ((ap (ap c_2Erealax_2Ereal_add (ap c_2Erealax_2Ereal_neg V0x)) V0x) = (ap c_2Ereal_2Ereal_of_num c_2Enum_2E0))) \quad (97)$$

Assume the following.

$$(\forall V0x \in ty_2Erealax_2Ereal. (\forall V1y \in ty_2Erealax_2Ereal. (\forall V2z \in ty_2Erealax_2Ereal. (((p (ap (ap c_2Erealax_2Ereal_lt V0x) V1y)) \wedge (p (ap (ap c_2Erealax_2Ereal_lt V1y) V2z))) \Rightarrow (p (ap (ap c_2Erealax_2Ereal_lt V0x) V2z))))))) \quad (98)$$

Assume the following.

$$(\forall V0x \in ty_2Erealax_2Ereal. ((ap (ap c_2Erealax_2Ereal_mul (ap c_2Ereal_2Ereal_of_num (ap c_2Earithmetic_2ENUMERAL (ap c_2Earithmetic_2EBIT1 c_2Earithmetic_2EZERO)))) V0x) = V0x)) \quad (99)$$

Assume the following.

$$(\forall V0x \in ty_2Erealax_2Ereal. ((ap (ap c_2Erealax_2Ereal_add V0x) (ap c_2Ereal_2Ereal_of_num c_2Enum_2E0)) = V0x)) \quad (100)$$

Assume the following.

$$(\forall V0x \in ty\_2Erealax\_2Ereal. ((ap (ap c\_2Erealax\_2Ereal\_add V0x) (ap c\_2Erealax\_2Ereal\_neg V0x)) = (ap c\_2Ereal\_2Ereal\_of\_num c\_2Enum\_2E0))) \quad (101)$$

Assume the following.

$$(\forall V0x \in ty\_2Erealax\_2Ereal. ((ap (ap c\_2Erealax\_2Ereal\_mul (ap c\_2Ereal\_2Ereal\_of\_num c\_2Enum\_2E0)) V0x) = (ap c\_2Ereal\_2Ereal\_of\_num c\_2Enum\_2E0))) \quad (102)$$

Assume the following.

$$(\forall V0x \in ty\_2Erealax\_2Ereal. (\forall V1y \in ty\_2Erealax\_2Ereal. (\forall V2z \in ty\_2Erealax\_2Ereal. ((p (ap (ap c\_2Erealax\_2Ereal\_lt (ap (ap c\_2Erealax\_2Ereal\_add V0x) V1y)) (ap (ap c\_2Erealax\_2Ereal\_add V0x) V2z))) \Leftrightarrow (p (ap (ap c\_2Erealax\_2Ereal\_lt V1y) V2z))))))) \quad (103)$$

Assume the following.

$$(\forall V0x \in ty\_2Erealax\_2Ereal. (\forall V1y \in ty\_2Erealax\_2Ereal. ((p (ap (ap c\_2Ereal\_2Ereal\_lte V0x) V1y)) \vee (p (ap (ap c\_2Ereal\_2Ereal\_lte V1y) V0x)))))) \quad (104)$$

Assume the following.

$$(\forall V0x \in ty\_2Erealax\_2Ereal. (\forall V1y \in ty\_2Erealax\_2Ereal. (\forall V2z \in ty\_2Erealax\_2Ereal. (((p (ap (ap c\_2Erealax\_2Ereal\_lt V0x) V1y)) \wedge (p (ap (ap c\_2Ereal\_2Ereal\_lte V1y) V2z))) \Rightarrow (p (ap (ap c\_2Erealax\_2Ereal\_lt V0x) V2z))))))) \quad (105)$$

Assume the following.

$$(\forall V0x \in ty\_2Erealax\_2Ereal. (\forall V1y \in ty\_2Erealax\_2Ereal. (\forall V2z \in ty\_2Erealax\_2Ereal. (((p (ap (ap c\_2Ereal\_2Ereal\_lte V0x) V1y)) \wedge (p (ap (ap c\_2Erealax\_2Ereal\_lt V1y) V2z))) \Rightarrow (p (ap (ap c\_2Erealax\_2Ereal\_lt V0x) V2z))))))) \quad (106)$$

Assume the following.

$$(\forall V0x \in ty\_2Erealax\_2Ereal. (\forall V1y \in ty\_2Erealax\_2Ereal. (\forall V2z \in ty\_2Erealax\_2Ereal. (((p (ap (ap c\_2Ereal\_2Ereal\_lte V0x) V1y)) \wedge (p (ap (ap c\_2Erealax\_2Ereal\_lt V1y) V2z))) \Rightarrow (p (ap (ap c\_2Ereal\_2Ereal\_lte V0x) V2z))))))) \quad (107)$$

Assume the following.

$$(\forall V0x \in ty\_2Erealax\_2Ereal. (\forall V1y \in ty\_2Erealax\_2Ereal. (((p (ap (ap c\_2Ereal\_2Ereal\_lte V0x) V1y)) \wedge (p (ap (ap c\_2Ereal\_2Ereal\_lte V1y) V0x))) \Leftrightarrow (V0x = V1y)))) \quad (108)$$

Assume the following.

$$\begin{aligned}
 & (\forall V0m \in ty\_2Enum\_2Enum. (\forall V1n \in ty\_2Enum\_2Enum. \\
 & (ap (ap c_2Erealax_2Ereal_add (ap c_2Ereal_2Ereal_of_num \\
 & V0m)) (ap c_2Ereal_2Ereal_of_num V1n)) = (ap c_2Ereal_2Ereal_of_num \\
 & (ap (ap c_2Earithmetic_2E_2B V0m) V1n)))) \\
 \end{aligned} \tag{109}$$

Assume the following.

$$\begin{aligned}
 & (\forall V0x \in ty\_2Erealax_2Ereal. (\forall V1y \in ty\_2Erealax_2Ereal. \\
 & ((ap (ap c_2Erealax_2Ereal_mul (ap c_2Erealax_2Ereal_neg V0x)) \\
 & V1y) = (ap c_2Erealax_2Ereal_neg (ap (ap c_2Erealax_2Ereal_mul \\
 & V0x) V1y)))))) \\
 \end{aligned} \tag{110}$$

Assume the following.

$$\begin{aligned}
 & (\forall V0y \in ty\_2Erealax_2Ereal. (\forall V1x \in ty\_2Erealax_2Ereal. \\
 & ((p (ap (ap c_2Erealax_2Ereal_lt V1x) V0y)) \Leftrightarrow (\neg(p (ap (ap c_2Ereal_2Ereal_lte \\
 & V0y) V1x)))))) \\
 \end{aligned} \tag{111}$$

Assume the following.

$$\begin{aligned}
 & (\forall V0x \in ty\_2Erealax_2Ereal. (\forall V1y \in ty\_2Erealax_2Ereal. \\
 & (\forall V2z \in ty\_2Erealax_2Ereal. ((p (ap (ap c_2Ereal_2Ereal_lte \\
 & V1y) V2z)) \Rightarrow (p (ap (ap c_2Ereal_2Ereal_lte (ap (ap c_2Erealax_2Ereal_add \\
 & V0x) V1y)) (ap (ap c_2Erealax_2Ereal_add V0x) V2z))))))) \\
 \end{aligned} \tag{112}$$

Assume the following.

$$\begin{aligned}
 & (\forall V0x \in ty\_2Erealax_2Ereal. (\forall V1y \in ty\_2Erealax_2Ereal. \\
 & ((p (ap (ap c_2Ereal_2Ereal_lte (ap c_2Erealax_2Ereal_neg V0x)) \\
 & V1y)) \Leftrightarrow (p (ap (ap c_2Ereal_2Ereal_lte (ap c_2Ereal_2Ereal_of_num \\
 & c_2Enum_2E0)) (ap (ap c_2Erealax_2Ereal_add V0x) V1y)))))) \\
 \end{aligned} \tag{113}$$

Assume the following.

$$\begin{aligned}
 & (\forall V0x \in ty\_2Erealax_2Ereal. (\forall V1y \in ty\_2Erealax_2Ereal. \\
 & ((p (ap (ap c_2Ereal_2Ereal_lte (ap c_2Erealax_2Ereal_neg V0x)) \\
 & (ap c_2Erealax_2Ereal_neg V1y)) \Leftrightarrow (p (ap (ap c_2Ereal_2Ereal_lte \\
 & V1y) V0x)))))) \\
 \end{aligned} \tag{114}$$

Assume the following.

$$\begin{aligned}
 & (\forall V0x \in ty\_2Erealax_2Ereal. ((ap c_2Erealax_2Ereal_neg \\
 & (ap c_2Erealax_2Ereal_neg V0x)) = V0x)) \\
 \end{aligned} \tag{115}$$

Assume the following.

$$\begin{aligned}
 & (\forall V0x \in ty\_2Erealax\_2Ereal. (\forall V1y \in ty\_2Erealax\_2Ereal. \\
 & ((p (ap (ap c\_2Ereal\_2Ereal\_lte V0x) (ap c\_2Erealax\_2Ereal\_neg \\
 & V1y))) \Leftrightarrow (p (ap (ap c\_2Ereal\_2Ereal\_lte (ap (ap c\_2Erealax\_2Ereal\_add \\
 & V0x) V1y)) (ap c\_2Ereal\_2Ereal\_of\_num c\_2Enum\_2E0)))))) \\
 \end{aligned} \tag{116}$$

Assume the following.

$$\begin{aligned}
 & (\forall V0x \in ty\_2Erealax\_2Ereal. (\forall V1y \in ty\_2Erealax\_2Ereal. \\
 & (\forall V2z \in ty\_2Erealax\_2Ereal. ((ap (ap c\_2Erealax\_2Ereal\_mul \\
 & (ap (ap c\_2Erealax\_2Ereal\_add V0x) V1y)) V2z) = (ap (ap c\_2Erealax\_2Ereal\_add \\
 & (ap (ap c\_2Erealax\_2Ereal\_mul V0x) V2z)) (ap (ap c\_2Erealax\_2Ereal\_mul \\
 & V1y) V2z)))))) \\
 \end{aligned} \tag{117}$$

Assume the following.

$$\begin{aligned}
 & (\forall V0m \in ty\_2Enum\_2Enum. (\forall V1n \in ty\_2Enum\_2Enum. \\
 & ((p (ap (ap c\_2Ereal\_2Ereal\_lte (ap c\_2Ereal\_2Ereal\_of\_num \\
 & V0m)) (ap c\_2Ereal\_2Ereal\_of\_num V1n))) \Leftrightarrow (p (ap (ap c\_2Earthmetic\_2E\_3C\_3D \\
 & V0m) V1n)))))) \\
 \end{aligned} \tag{118}$$

Assume the following.

$$(\forall V0t \in 2. ((\neg(\neg(p V0t))) \Leftrightarrow (p V0t))) \tag{119}$$

Assume the following.

$$(\forall V0A \in 2. ((p V0A) \Rightarrow ((\neg(p V0A)) \Rightarrow False))) \tag{120}$$

Assume the following.

$$(\forall V0A \in 2. (\forall V1B \in 2. (((\neg((p V0A) \vee (p V1B))) \Rightarrow False) \Leftrightarrow ((p V0A) \Rightarrow False) \Rightarrow ((\neg(p V1B)) \Rightarrow False)))) \tag{121}$$

Assume the following.

$$(\forall V0A \in 2. (\forall V1B \in 2. (((\neg((\neg(p V0A)) \vee (p V1B))) \Rightarrow False) \Leftrightarrow ((p V0A) \Rightarrow ((\neg(p V1B)) \Rightarrow False)))))) \tag{122}$$

Assume the following.

$$(\forall V0A \in 2. (((\neg(p V0A)) \Rightarrow False) \Rightarrow (((p V0A) \Rightarrow False) \Rightarrow False))) \tag{123}$$

Assume the following.

$$\begin{aligned}
 & (\forall V0p \in 2. (\forall V1q \in 2. (\forall V2r \in 2. (((p V0p) \Leftrightarrow \\
 & (p V1q) \Leftrightarrow (p V2r))) \Leftrightarrow (((p V0p) \vee ((p V1q) \vee (p V2r))) \wedge (((p V0p) \vee ((\neg \\
 & p V2r)) \vee (\neg(p V1q)))) \wedge (((p V1q) \vee ((\neg(p V2r)) \vee (\neg(p V0p)))) \wedge ((p V2r) \vee \\
 & ((\neg(p V1q)) \vee (\neg(p V0p))))))))))) \\
 \end{aligned} \tag{124}$$

Assume the following.

$$\begin{aligned} & (\forall V0p \in 2. (\forall V1q \in 2. (\forall V2r \in 2. (((p V0p) \Leftrightarrow \\ & (p V1q) \wedge (p V2r))) \Leftrightarrow (((p V0p) \vee (\neg(p V1q)) \vee (\neg(p V2r)))) \wedge (((p V1q) \vee \\ & (\neg(p V0p))) \wedge ((p V2r) \vee (\neg(p V0p))))))) \end{aligned} \quad (125)$$

Assume the following.

$$\begin{aligned} & (\forall V0p \in 2. (\forall V1q \in 2. (\forall V2r \in 2. (((p V0p) \Leftrightarrow \\ & (p V1q) \vee (p V2r))) \Leftrightarrow (((p V0p) \vee (\neg(p V1q))) \wedge (((p V0p) \vee (\neg(p V2r))) \wedge \\ & ((p V1q) \vee ((p V2r) \vee (\neg(p V0p)))))))))) \end{aligned} \quad (126)$$

Assume the following.

$$\begin{aligned} & (\forall V0p \in 2. (\forall V1q \in 2. (\forall V2r \in 2. (((p V0p) \Leftrightarrow \\ & (p V1q) \Rightarrow (p V2r))) \Leftrightarrow (((p V0p) \vee (p V1q)) \wedge (((p V0p) \vee (\neg(p V2r))) \wedge ((\\ & (\neg(p V1q)) \vee ((p V2r) \vee (\neg(p V0p)))))))))) \end{aligned} \quad (127)$$

Assume the following.

$$(\forall V0p \in 2. (\forall V1q \in 2. (((p V0p) \Leftrightarrow (\neg(p V1q))) \Leftrightarrow (((p V0p) \vee \\ (p V1q)) \wedge ((\neg(p V1q)) \vee (\neg(p V0p))))))) \quad (128)$$

### Theorem 1

$$\begin{aligned} & \forall A\_27t.\text{nonempty } A\_27t \Rightarrow \forall A\_27w.\text{nonempty } A\_27w \Rightarrow ( \\ & \forall V0a \in (\text{ty\_2Ebinary\_ieee\_2Efloat } A\_27t \ A\_27w). (\forall V1x \in \\ & \text{ty\_2Erealax\_2Ereal}. (((p (\text{ap } (\text{ap } c\_2Erealax\_2Ereal\_lt } (ap c\_2Ereal\_2Eabs \\ V1x)) \ (ap (c\_2Ebinary\_ieee\_2Ethreshold } A\_27t \ A\_27w) \ (c\_2Ebool\_2Ethe\_value \\ (\text{ty\_2Epair\_2Eprod } A\_27t \ A\_27w))))))) \wedge (p (\text{ap } (c\_2Ebinary\_ieee\_2Efloating\_is\_finite} \\ A\_27t \ A\_27w) \ V0a))) \Rightarrow (p (\text{ap } (\text{ap } c\_2Ereal\_2Ereal\_lte } (ap c\_2Ereal\_2Eabs \\ (ap (ap (c\_2Elift\_ieee\_2Error } A\_27t \ A\_27w) \ (c\_2Ebool\_2Ethe\_value \\ (\text{ty\_2Epair\_2Eprod } A\_27t \ A\_27w))) \ V1x))) \ (ap c\_2Ereal\_2Eabs (ap \\ (ap c\_2Ereal\_2Ereal\_sub } (ap (c\_2Ebinary\_ieee\_2Efloating\_to\_real \\ A\_27t \ A\_27w) \ V0a)) \ V1x))))))) \end{aligned}$$