

thm\_2Elift\_ieee\_2Efloat\_mul\_add\_finite  
 (TMVphVRpiXLYTYdj-  
 tYnRm5JpTeXadDMHQc7)

October 26, 2020

**Definition 1** We define  $c\_2Emin\_2E\_3D$  to be  $\lambda A.\lambda x \in A.\lambda y \in A.inj\_o (x = y)$  of type  $\iota \Rightarrow \iota$ .

**Definition 2** We define  $c\_2Ebool\_2ET$  to be  $(ap (ap (c\_2Emin\_2E\_3D (2^2)) (\lambda V0x \in 2.V0x)) (\lambda V1x \in 2.V1x))$

Let  $ty\_2Erealx\_2Ereal : \iota$  be given. Assume the following.

$$nonempty\ ty\_2Erealx\_2Ereal \tag{1}$$

Let  $ty\_2Epair\_2Eprod : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A0.nonempty\ A0 \Rightarrow \forall A1.nonempty\ A1 \Rightarrow nonempty\ (ty\_2Epair\_2Eprod\ A0\ A1) \tag{2}$$

Let  $ty\_2Ebool\_2Eitself : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A0.nonempty\ A0 \Rightarrow nonempty\ (ty\_2Ebool\_2Eitself\ A0) \tag{3}$$

Let  $c\_2Elift\_ieee\_2Eerror : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27t.nonempty\ A\_27t \Rightarrow \forall A\_27w.nonempty\ A\_27w \Rightarrow c\_2Elift\_ieee\_2Eerror\ A\_27t\ A\_27w \in ((ty\_2Erealx\_2Ereal^{ty\_2Erealx\_2Ereal})^{(ty\_2Ebool\_2Eitself\ (ty\_2Epair\_2Eprod\ A\_27t\ A\_27w))}) \tag{4}$$

Let  $ty\_2Ebinary\_ieee\_2Erounding : \iota$  be given. Assume the following.

$$nonempty\ ty\_2Ebinary\_ieee\_2Erounding \tag{5}$$

Let  $c\_2Ebinary\_ieee\_2EroundTiesToEven : \iota$  be given. Assume the following.

$$c\_2Ebinary\_ieee\_2EroundTiesToEven \in ty\_2Ebinary\_ieee\_2Erounding \tag{6}$$

Let  $ty\_2Eone\_2Eone : \iota$  be given. Assume the following.

$$nonempty\ ty\_2Eone\_2Eone \tag{7}$$

Let  $ty\_2EfcP\_2Ecart : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A0.nonempty\ A0 \Rightarrow \forall A1.nonempty\ A1 \Rightarrow nonempty\ (ty\_2EfcP\_2Ecart\ A0\ A1) \quad (8)$$

Let  $ty\_2Ebinary\_ieee\_2Efloat : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A0.nonempty\ A0 \Rightarrow \forall A1.nonempty\ A1 \Rightarrow nonempty\ (ty\_2Ebinary\_ieee\_2Efloat\ A0\ A1) \quad (9)$$

Let  $c\_2Ebinary\_ieee\_2Efloat\_Sign : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27t.nonempty\ A\_27t \Rightarrow \forall A\_27w.nonempty\ A\_27w \Rightarrow c\_2Ebinary\_ieee\_2Efloat\_Sign\ A\_27t\ A\_27w \in ((ty\_2EfcP\_2Ecart\ 2\ ty\_2Eone\_2Eone)^{(ty\_2Ebinary\_ieee\_2Efloat\ A\_27t\ A\_27w)}) \quad (10)$$

Let  $ty\_2EfcP\_2Efinite\_image : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A0.nonempty\ A0 \Rightarrow nonempty\ (ty\_2EfcP\_2Efinite\_image\ A0) \quad (11)$$

Let  $c\_2Ebool\_2Ethe\_value : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow c\_2Ebool\_2Ethe\_value\ A\_27a \in (ty\_2Ebool\_2Eitself\ A\_27a) \quad (12)$$

Let  $ty\_2Enum\_2Enum : \iota$  be given. Assume the following.

$$nonempty\ ty\_2Enum\_2Enum \quad (13)$$

Let  $c\_2EfcP\_2Edimindex : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow c\_2EfcP\_2Edimindex\ A\_27a \in (ty\_2Enum\_2Enum^{(ty\_2Ebool\_2Eitself\ A\_27a)}) \quad (14)$$

**Definition 3** We define  $c\_2Ebool\_2E\_21$  to be  $\lambda A\_27a : \iota. (\lambda V0P \in (2^{A\_27a}). (ap\ (ap\ (c\_2Emin\_2E\_3D\ (2^{A\_27a})))$

**Definition 4** We define  $c\_2Ebool\_2EF$  to be  $(ap\ (c\_2Ebool\_2E\_21\ 2)\ (\lambda V0t \in 2.V0t))$ .

**Definition 5** We define  $c\_2Emin\_2E\_3D\_3D\_3E$  to be  $\lambda P \in 2. \lambda Q \in 2. inj\_o\ (p\ P \Rightarrow p\ Q)$  of type  $\iota$ .

**Definition 6** We define  $c\_2Ebool\_2E\_7E$  to be  $(\lambda V0t \in 2. (ap\ (ap\ c\_2Emin\_2E\_3D\_3D\_3E\ V0t)\ c\_2Ebool\_2EF))$

**Definition 7** We define  $c\_2Ebool\_2E\_2F\_5C$  to be  $(\lambda V0t1 \in 2. (\lambda V1t2 \in 2. (ap\ (c\_2Ebool\_2E\_21\ 2)\ (\lambda V2t \in 2. (ap\ (c\_2Emin\_2E\_3D\_3D\_3E\ V2t)\ c\_2Ebool\_2EF))))$

Let  $c\_2Enum\_2EREP\_num : \iota$  be given. Assume the following.

$$c\_2Enum\_2EREP\_num \in (\omega^{ty\_2Enum\_2Enum}) \quad (15)$$

Let  $c\_2Enum\_2ESUC\_REP : \iota$  be given. Assume the following.

$$c\_2Enum\_2ESUC\_REP \in (\omega^{\omega}) \quad (16)$$

Let  $c\_2Enum\_2EABS\_num : \iota$  be given. Assume the following.

$$c\_2Enum\_2EABS\_num \in (ty\_2Enum\_2Enum^{\omega}) \quad (17)$$

**Definition 8** We define  $c\_2Enum\_2ESUC$  to be  $\lambda V0m \in ty\_2Enum\_2Enum.(ap\ c\_2Enum\_2EABS\_num$

**Definition 9** We define  $c\_2Emin\_2E\_40$  to be  $\lambda A.\lambda P \in 2^A.\text{if } (\exists x \in A.p\ (ap\ P\ x))$  then (the  $(\lambda x.x \in A \wedge p$   
of type  $\iota \Rightarrow \iota$ ).

**Definition 10** We define  $c\_2Ebool\_2E\_3F$  to be  $\lambda A\_27a : \iota.(\lambda V0P \in (2^{A\_27a}).(ap\ V0P\ (ap\ (c\_2Emin\_2E\_40$

**Definition 11** We define  $c\_2Eprim\_rec\_2E\_3C$  to be  $\lambda V0m \in ty\_2Enum\_2Enum.\lambda V1n \in ty\_2Enum\_2Enum$

**Definition 12** We define  $c\_2Ebool\_2E\_3F\_21$  to be  $\lambda A\_27a : \iota.(\lambda V0P \in (2^{A\_27a}).(ap\ (ap\ c\_2Ebool\_2E\_2F\_5C$

**Definition 13** We define  $c\_2Efcp\_2Efinite\_index$  to be  $\lambda A\_27a : \iota.(ap\ (c\_2Emin\_2E\_40\ (A\_27a^{ty\_2Enum\_2Enum}$

Let  $c\_2Efcp\_2Edest\_cart : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\begin{aligned} \forall A\_27a.nonempty\ A\_27a \Rightarrow \forall A\_27b.nonempty\ A\_27b \Rightarrow c\_2Efcp\_2Edest\_cart \\ A\_27a\ A\_27b \in ((A\_27a^{(ty\_2Efcp\_2Efinite\_image\ A\_27b)})^{(ty\_2Efcp\_2Ecart\ A\_27a\ A\_27b)}) \end{aligned} \quad (18)$$

**Definition 14** We define  $c\_2Efcp\_2Efcp\_index$  to be  $\lambda A\_27a : \iota.\lambda A\_27b : \iota.\lambda V0x \in (ty\_2Efcp\_2Ecart\ A\_27a$

**Definition 15** We define  $c\_2Efcp\_2EFCP$  to be  $\lambda A\_27a : \iota.\lambda A\_27b : \iota.(\lambda V0g \in (A\_27a^{ty\_2Enum\_2Enum}).(ap$

**Definition 16** We define  $c\_2Ewords\_2Eword\_xor$  to be  $\lambda A\_27a : \iota.\lambda V0v \in (ty\_2Efcp\_2Ecart\ 2\ A\_27a).\lambda V1$

Let  $c\_2Enum\_2EZERO\_REP : \iota$  be given. Assume the following.

$$c\_2Enum\_2EZERO\_REP \in \omega \quad (19)$$

**Definition 17** We define  $c\_2Enum\_2E0$  to be  $(ap\ c\_2Enum\_2EABS\_num\ c\_2Enum\_2EZERO\_REP)$ .

**Definition 18** We define  $c\_2Earithmetic\_2EZERO$  to be  $c\_2Enum\_2E0$ .

Let  $c\_2Earithmetic\_2E\_2B : \iota$  be given. Assume the following.

$$c\_2Earithmetic\_2E\_2B \in ((ty\_2Enum\_2Enum^{ty\_2Enum\_2Enum})^{ty\_2Enum\_2Enum}) \quad (20)$$

**Definition 19** We define  $c\_2Earithmetic\_2EBIT2$  to be  $\lambda V0n \in ty\_2Enum\_2Enum.(ap\ (ap\ c\_2Earithmetic$

**Definition 20** We define  $c\_2Earithmetic\_2ENUMERAL$  to be  $\lambda V0x \in ty\_2Enum\_2Enum.V0x$ .

Let  $c\_2Ereal\_2Ereal\_of\_num : \iota$  be given. Assume the following.

$$c\_2Ereal\_2Ereal\_of\_num \in (ty\_2Erealax\_2Ereal^{ty\_2Enum\_2Enum}) \quad (21)$$

Let  $c\_2Ereal\_2Epow : \iota$  be given. Assume the following.

$$c\_2Ereal\_2Epow \in ((ty\_2Erealax\_2Ereal^{ty\_2Enum\_2Enum})^{ty\_2Erealax\_2Ereal}) \quad (22)$$

Let  $c\_2Ebinary\_ieee\_2Efloat\_Significand : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27t.nonempty\ A\_27t \Rightarrow \forall A\_27w.nonempty\ A\_27w \Rightarrow c\_2Ebinary\_ieee\_2Efloat\_Significand\ A\_27t\ A\_27w \in ((ty\_2Efc\_2Ecart\ 2\ A\_27t)^{(ty\_2Ebinary\_ieee\_2Efloat\ A\_27t\ A\_27w)}) \quad (23)$$

Let  $c\_2Earithmetic\_2EEXP : \iota$  be given. Assume the following.

$$c\_2Earithmetic\_2EEXP \in ((ty\_2Enum\_2Enum)^{ty\_2Enum\_2Enum})^{ty\_2Enum\_2Enum} \quad (24)$$

**Definition 21** We define  $c\_2Ebool\_2ECOND$  to be  $\lambda A\_27a : \iota. (\lambda V0t \in 2. (\lambda V1t1 \in A\_27a. (\lambda V2t2 \in A\_27a. ($

**Definition 22** We define  $c\_2Ebit\_2ESBIT$  to be  $\lambda V0b \in 2. \lambda V1n \in ty\_2Enum\_2Enum. (ap\ (ap\ (ap\ (c\_2Eboo$

Let  $c\_2Esum\_num\_2ESUM : \iota$  be given. Assume the following.

$$c\_2Esum\_num\_2ESUM \in ((ty\_2Enum\_2Enum)^{(ty\_2Enum\_2Enum)^{ty\_2Enum\_2Enum}})^{ty\_2Enum\_2Enum} \quad (25)$$

**Definition 23** We define  $c\_2Ewords\_2Ew2n$  to be  $\lambda A\_27a : \iota. \lambda V0w \in (ty\_2Efc\_2Ecart\ 2\ A\_27a). (ap\ (ap\ c$

Let  $ty\_2Ehreal\_2Ehreal : \iota$  be given. Assume the following.

$$nonempty\ ty\_2Ehreal\_2Ehreal \quad (26)$$

Let  $c\_2Erealax\_2Ereal\_REP\_CLASS : \iota$  be given. Assume the following.

$$c\_2Erealax\_2Ereal\_REP\_CLASS \in ((2^{(ty\_2Epair\_2Eprod\ ty\_2Ehreal\_2Ehreal\ ty\_2Ehreal\_2Ehreal)})^{ty\_2Erealax}) \quad (27)$$

**Definition 24** We define  $c\_2Erealax\_2Ereal\_REP$  to be  $\lambda V0a \in ty\_2Erealax\_2Ereal. (ap\ (c\_2Emin\_2E40\ (t$

Let  $c\_2Erealax\_2Etrealm\_inv : \iota$  be given. Assume the following.

$$c\_2Erealax\_2Etrealm\_inv \in ((ty\_2Epair\_2Eprod\ ty\_2Ehreal\_2Ehreal\ ty\_2Ehreal\_2Ehreal)^{(ty\_2Epair\_2Eprod\ ty\_2Ehreal\_2Ehreal\ ty\_2Ehreal\_2Ehreal)}) \quad (28)$$

Let  $c\_2Erealax\_2Etrealm\_eq : \iota$  be given. Assume the following.

$$c\_2Erealax\_2Etrealm\_eq \in ((2^{(ty\_2Epair\_2Eprod\ ty\_2Ehreal\_2Ehreal\ ty\_2Ehreal\_2Ehreal)})^{(ty\_2Epair\_2Eprod\ ty\_2Ehreal\_2Ehreal\ ty\_2Ehreal\_2Ehreal)}) \quad (29)$$

Let  $c\_2Erealax\_2Ereal\_ABS\_CLASS : \iota$  be given. Assume the following.

$$c\_2Erealax\_2Ereal\_ABS\_CLASS \in (ty\_2Erealax\_2Ereal)^{(2^{(ty\_2Epair\_2Eprod\ ty\_2Ehreal\_2Ehreal\ ty\_2Ehreal\_2Ehreal)})} \quad (30)$$

**Definition 25** We define  $c\_2Erealax\_2Ereal\_ABS$  to be  $\lambda V0r \in (ty\_2Epair\_2Eprod\ ty\_2Ehreal\_2Ehreal\ ty\_2Ehreal\_2Ehreal)$

**Definition 26** We define  $c\_2Erealax\_2Einv$  to be  $\lambda V0T1 \in ty\_2Erealax\_2Ereal. (ap\ c\_2Erealax\_2Ereal\_ABS$

Let  $c\_2Erealax\_2Etreal\_mul : \iota$  be given. Assume the following.

$$c\_2Erealax\_2Etreal\_mul \in (((ty\_2Epair\_2Eprod\ ty\_2Ehreal\_2Ehreal\ ty\_2Ehreal\_2Ehreal)(ty\_2Epair\_2Eprod\ ty\_2Ehreal\_2Ehreal\ ty\_2Ehreal\_2Ehreal)(ty\_2Epair\_2Eprod\ ty\_2Ehreal\_2Ehreal)))(ty\_2Epair\_2Eprod\ ty\_2Ehreal\_2Ehreal\ ty\_2Ehreal\_2Ehreal) \quad (31)$$

**Definition 27** We define  $c\_2Erealax\_2Ereal\_mul$  to be  $\lambda V0T1 \in ty\_2Erealax\_2Ereal.\lambda V1T2 \in ty\_2Erealax\_2Ereal.$

**Definition 28** We define  $c\_2Ereal\_2E\_2F$  to be  $\lambda V0x \in ty\_2Erealax\_2Ereal.\lambda V1y \in ty\_2Erealax\_2Ereal.$

**Definition 29** We define  $c\_2Earithmetic\_2EBIT1$  to be  $\lambda V0n \in ty\_2Enum\_2Enum.(ap\ (ap\ c\_2Earithmetic\_2EBIT1))$

Let  $c\_2Erealax\_2Etreal\_add : \iota$  be given. Assume the following.

$$c\_2Erealax\_2Etreal\_add \in (((ty\_2Epair\_2Eprod\ ty\_2Ehreal\_2Ehreal\ ty\_2Ehreal\_2Ehreal)(ty\_2Epair\_2Eprod\ ty\_2Ehreal\_2Ehreal\ ty\_2Ehreal\_2Ehreal)(ty\_2Epair\_2Eprod\ ty\_2Ehreal\_2Ehreal)))(ty\_2Epair\_2Eprod\ ty\_2Ehreal\_2Ehreal\ ty\_2Ehreal\_2Ehreal) \quad (32)$$

**Definition 30** We define  $c\_2Erealax\_2Ereal\_add$  to be  $\lambda V0T1 \in ty\_2Erealax\_2Ereal.\lambda V1T2 \in ty\_2Erealax\_2Ereal.$

Let  $c\_2Ewords\_2EINT\_MAX : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow c\_2Ewords\_2EINT\_MAX\ A\_27a \in (ty\_2Enum\_2Enum^{(ty\_2Ebool\_2Eitself\ A\_27a)})(ty\_2Enum\_2Enum^{(ty\_2Ebool\_2Eitself\ A\_27a)}) \quad (33)$$

Let  $c\_2Ebinary\_2ieee\_2Efloat\_2Exponent : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27t.nonempty\ A\_27t \Rightarrow \forall A\_27w.nonempty\ A\_27w \Rightarrow c\_2Ebinary\_2ieee\_2Efloat\_2Exponent\ A\_27t\ A\_27w \in ((ty\_2EfcP\_2Ecart\ 2\ A\_27w)^{(ty\_2Ebinary\_2ieee\_2Efloat\ A\_27t\ A\_27w)})(ty\_2Ebinary\_2ieee\_2Efloat\ A\_27t\ A\_27w) \quad (34)$$

Let  $c\_2Erealax\_2Etreal\_neg : \iota$  be given. Assume the following.

$$c\_2Erealax\_2Etreal\_neg \in ((ty\_2Epair\_2Eprod\ ty\_2Ehreal\_2Ehreal\ ty\_2Ehreal\_2Ehreal)(ty\_2Epair\_2Eprod\ ty\_2Ehreal\_2Ehreal\ ty\_2Ehreal\_2Ehreal)) \quad (35)$$

**Definition 31** We define  $c\_2Erealax\_2Ereal\_neg$  to be  $\lambda V0T1 \in ty\_2Erealax\_2Ereal.(ap\ c\_2Erealax\_2Ereal\_neg)$

Let  $c\_2Earithmetic\_2EDIV : \iota$  be given. Assume the following.

$$c\_2Earithmetic\_2EDIV \in ((ty\_2Enum\_2Enum^{ty\_2Enum\_2Enum})ty\_2Enum\_2Enum) \quad (36)$$

**Definition 32** We define  $c\_2Ebit\_2EDIV\_2EXP$  to be  $\lambda V0x \in ty\_2Enum\_2Enum.\lambda V1n \in ty\_2Enum\_2Enum.$

Let  $c\_2Earithmetic\_2E\_2D : \iota$  be given. Assume the following.

$$c\_2Earithmetic\_2E\_2D \in ((ty\_2Enum\_2Enum^{ty\_2Enum\_2Enum})ty\_2Enum\_2Enum) \quad (37)$$

Let  $c\_2Earithmetic\_2EMOD : \iota$  be given. Assume the following.

$$c\_2Earithmetic\_2EMOD \in ((ty\_2Enum\_2Enum^{ty\_2Enum\_2Enum})ty\_2Enum\_2Enum) \quad (38)$$

**Definition 33** We define  $c\_2Ebit\_2EMOD\_2EXP$  to be  $\lambda V0x \in ty\_2Enum\_2Enum.\lambda V1n \in ty\_2Enum\_2Enum.$

**Definition 34** We define  $c\_2Ebit\_2EBITS$  to be  $\lambda V0h \in ty\_2Enum\_2Enum.\lambda V1l \in ty\_2Enum\_2Enum.\lambda V$

**Definition 35** We define  $c\_2Ebit\_2EBIT$  to be  $\lambda V0b \in ty\_2Enum\_2Enum.\lambda V1n \in ty\_2Enum\_2Enum.(ap$

**Definition 36** We define  $c\_2Ewords\_2En2w$  to be  $\lambda A\_27a : \iota.\lambda V0n \in ty\_2Enum\_2Enum.(ap (c\_2Efc$

**Definition 37** We define  $c\_2Ebinary\_ieeee\_2Efloat\_to\_real$  to be  $\lambda A\_27t : \iota.\lambda A\_27w : \iota.\lambda V0x \in (ty\_2Ebina$

Let  $ty\_2Ebinary\_ieeee\_2Efloat\_value : \iota$  be given. Assume the following.

$$nonempty\ ty\_2Ebinary\_ieeee\_2Efloat\_value \quad (39)$$

Let  $c\_2Ebinary\_ieeee\_2Efloat : \iota$  be given. Assume the following.

$$c\_2Ebinary\_ieeee\_2Efloat \in (ty\_2Ebinary\_ieeee\_2Efloat\_value^{ty\_2Erealax\_2Ereal}) \quad (40)$$

Let  $c\_2Ebinary\_ieeee\_2ENaN : \iota$  be given. Assume the following.

$$c\_2Ebinary\_ieeee\_2ENaN \in ty\_2Ebinary\_ieeee\_2Efloat\_value \quad (41)$$

Let  $c\_2Ebinary\_ieeee\_2EInfinity : \iota$  be given. Assume the following.

$$c\_2Ebinary\_ieeee\_2EInfinity \in ty\_2Ebinary\_ieeee\_2Efloat\_value \quad (42)$$

Let  $c\_2Ewords\_2EUINT\_MAX : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow c\_2Ewords\_2EUINT\_MAX\ A\_27a \in ( ty\_2Enum\_2Enum^{(ty\_2Ebool\_2Eitself\ A\_27a)} ) \quad (43)$$

**Definition 38** We define  $c\_2Ewords\_2Eword\_T$  to be  $\lambda A\_27a : \iota.(ap (c\_2Ewords\_2En2w\ A\_27a) (ap (c\_2Ew$

**Definition 39** We define  $c\_2Ebinary\_ieeee\_2Efloat\_value$  to be  $\lambda A\_27t : \iota.\lambda A\_27w : \iota.\lambda V0x \in (ty\_2Ebina$

Let  $c\_2Ebinary\_ieeee\_2Efloat\_value\_CASE : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow c\_2Ebinary\_ieeee\_2Efloat\_value\_CASE\ A\_27a \in (((A\_27a^{A\_27a})^{A\_27a})^{(A\_27a^{ty\_2Erealax\_2Ereal})})^{ty\_2Ebinary\_ieeee\_2Efloat\_value} \quad (44)$$

**Definition 40** We define  $c\_2Ebinary\_ieeee\_2Efloat\_is\_infinite$  to be  $\lambda A\_27t : \iota.\lambda A\_27w : \iota.\lambda V0x \in (ty\_2Ebin$

**Definition 41** We define  $c\_2Ebool\_2E5C\_2F$  to be  $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap (c\_2Ebool\_2E21\ 2) (\lambda V2t \in$

Let  $c\_2Ebinary\_ieeee\_2EroundTowardNegative : \iota$  be given. Assume the following.

$$c\_2Ebinary\_ieeee\_2EroundTowardNegative \in ty\_2Ebinary\_ieeee\_2Erounding \quad (45)$$

Let  $c\_2Erealax\_2Etreallt : \iota$  be given. Assume the following.

$$c\_2Erealax\_2Etreallt \in ((2^{(ty\_2Epair\_2Eprod\ ty\_2Ehreal\_2Ehreal\ ty\_2Ehreal\_2Ehreal)})^{(ty\_2Epair\_2Eprod\ ty\_2Eh$$
 \quad (46)

**Definition 42** We define  $c\_2Erealax\_2Ereal\_lt$  to be  $\lambda V0T1 \in ty\_2Erealax\_2Ereal.\lambda V1T2 \in ty\_2Erealax\_2Ereal$ .

**Definition 43** We define  $c\_2Ereal\_2Ereal\_lte$  to be  $\lambda V0x \in ty\_2Erealax\_2Ereal.\lambda V1y \in ty\_2Erealax\_2Ereal$ .

**Definition 44** We define  $c\_2Ereal\_2Eabs$  to be  $\lambda V0x \in ty\_2Erealax\_2Ereal.(ap (ap (ap (c\_2Ebool\_2ECONJ$

Let  $c\_2Ebinary\_ieeee\_2Elargest : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\begin{aligned} \forall A\_27t.nonempty\ A\_27t \Rightarrow \forall A\_27w.nonempty\ A\_27w \Rightarrow c\_2Ebinary\_ieeee\_2Elargest \\ A\_27t\ A\_27w \in (ty\_2Erealax\_2Ereal^{(ty\_2Ebool\_2Eitself\ (ty\_2Epair\_2Eprod\ A\_27t\ A\_27w))}) \end{aligned} \quad (47)$$

**Definition 45** We define  $c\_2Ebinary\_ieeee\_2Efloat\_is\_finite$  to be  $\lambda A\_27t : \iota.\lambda A\_27w : \iota.\lambda V0x \in (ty\_2Ebina$

Let  $c\_2Epair\_2EABS\_prod : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\begin{aligned} \forall A\_27a.nonempty\ A\_27a \Rightarrow \forall A\_27b.nonempty\ A\_27b \Rightarrow c\_2Epair\_2EABS\_prod \\ A\_27a\ A\_27b \in ((ty\_2Epair\_2Eprod\ A\_27a\ A\_27b)^{(2^{A\_27b})^{A\_27a}}) \end{aligned} \quad (48)$$

**Definition 46** We define  $c\_2Epair\_2E\_2C$  to be  $\lambda A\_27a : \iota.\lambda A\_27b : \iota.\lambda V0x \in A\_27a.\lambda V1y \in A\_27b.(ap (c\_2$

Let  $c\_2Epred\_set\_2EGSPEC : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\begin{aligned} \forall A\_27a.nonempty\ A\_27a \Rightarrow \forall A\_27b.nonempty\ A\_27b \Rightarrow c\_2Epred\_set\_2EGSPEC \\ A\_27a\ A\_27b \in ((2^{A\_27a})^{((ty\_2Epair\_2Eprod\ A\_27a\ 2)^{A\_27b})}) \end{aligned} \quad (49)$$

**Definition 47** We define  $c\_2Ecombin\_2EK$  to be  $\lambda A\_27a : \iota.\lambda A\_27b : \iota.(\lambda V0x \in A\_27a.(\lambda V1y \in A\_27b.V0x)$

**Definition 48** We define  $c\_2Ereal\_2Ereal\_sub$  to be  $\lambda V0x \in ty\_2Erealax\_2Ereal.\lambda V1y \in ty\_2Erealax\_2Ereal$

**Definition 49** We define  $c\_2Ebool\_2EIN$  to be  $\lambda A\_27a : \iota.(\lambda V0x \in A\_27a.(\lambda V1f \in (2^{A\_27a}).(ap\ V1f\ V0x))$

**Definition 50** We define  $c\_2Ebinary\_ieeee\_2Eis\_closest$  to be  $\lambda A\_27a : \iota.\lambda A\_27b : \iota.\lambda V0s \in (2^{(ty\_2Ebina$

**Definition 51** We define  $c\_2Ebinary\_ieeee\_2Eclosest\_such$  to be  $\lambda A\_27a : \iota.\lambda A\_27b : \iota.\lambda V0p \in (2^{(ty\_2Ebina$

**Definition 52** We define  $c\_2Ebinary\_ieeee\_2Eclosest$  to be  $\lambda A\_27a : \iota.\lambda A\_27b : \iota.(ap (c\_2Ebina$

Let  $c\_2Ebinary\_ieeee\_2Efloat\_top : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\begin{aligned} \forall A\_27t.nonempty\ A\_27t \Rightarrow \forall A\_27w.nonempty\ A\_27w \Rightarrow c\_2Ebinary\_ieeee\_2Efloat\_top \\ A\_27t\ A\_27w \in ((ty\_2Ebina$$

**Definition 53** We define  $c\_2Ereal\_2Ereal\_gt$  to be  $\lambda V0x \in ty\_2Erealax\_2Ereal.\lambda V1y \in ty\_2Erealax\_2Ereal$

Let  $c\_2Ebinary\_ieeee\_2Efloat\_bottom : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\begin{aligned} \forall A\_27t.nonempty\ A\_27t \Rightarrow \forall A\_27w.nonempty\ A\_27w \Rightarrow c\_2Ebina$$

**Definition 54** We define  $c\_2Ebool\_2ELET$  to be  $\lambda A\_27a : \iota.\lambda A\_27b : \iota.(\lambda V0f \in (A\_27b^{A\_27a}).(\lambda V1x \in A\_27w$

Let  $c\_2Ebinary\_ieee\_2Efloat\_minus\_infinity : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27t.nonempty\ A\_27t \Rightarrow \forall A\_27w.nonempty\ A\_27w \Rightarrow c\_2Ebinary\_ieee\_2Efloat\_minus\_infinity\ A\_27t\ A\_27w \in ((ty\_2Ebinary\_ieee\_2Efloat\ A\_27t\ A\_27w)^{(ty\_2Ebool\_2Eitself\ (ty\_2Epair\_2Eprod\ A\_27t\ A\_27w))}) \quad (52)$$

**Definition 55** We define  $c\_2Ereal\_2Ereal\_ge$  to be  $\lambda V0x \in ty\_2Erealax\_2Ereal.\lambda V1y \in ty\_2Erealax\_2Ereal$

Let  $c\_2Ebinary\_ieee\_2Efloat\_plus\_infinity : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27t.nonempty\ A\_27t \Rightarrow \forall A\_27w.nonempty\ A\_27w \Rightarrow c\_2Ebinary\_ieee\_2Efloat\_plus\_infinity\ A\_27t\ A\_27w \in ((ty\_2Ebinary\_ieee\_2Efloat\ A\_27t\ A\_27w)^{(ty\_2Ebool\_2Eitself\ (ty\_2Epair\_2Eprod\ A\_27t\ A\_27w))}) \quad (53)$$

Let  $c\_2Ebinary\_ieee\_2Ethreshold : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27t.nonempty\ A\_27t \Rightarrow \forall A\_27w.nonempty\ A\_27w \Rightarrow c\_2Ebinary\_ieee\_2Ethreshold\ A\_27t\ A\_27w \in (ty\_2Erealax\_2Ereal^{(ty\_2Ebool\_2Eitself\ (ty\_2Epair\_2Eprod\ A\_27t\ A\_27w))}) \quad (54)$$

**Definition 56** We define  $c\_2Ewords\_2Eword\_lsb$  to be  $\lambda A\_27a : \iota.\lambda V0w \in (ty\_2Efcpcart\ 2\ A\_27a).(\lambda V1$

Let  $c\_2Ebinary\_ieee\_2Erounding2num : \iota$  be given. Assume the following.

$$c\_2Ebinary\_ieee\_2Erounding2num \in (ty\_2Enum\_2Enum^{ty\_2Ebinary\_ieee\_2Erounding}) \quad (55)$$

**Definition 57** We define  $c\_2Ebinary\_ieee\_2Erounding\_CASE$  to be  $\lambda A\_27a : \iota.\lambda V0x \in ty\_2Ebinary\_ieee\_2E$

**Definition 58** We define  $c\_2Ebinary\_ieee\_2ERound$  to be  $\lambda A\_27t : \iota.\lambda A\_27w : \iota.\lambda V0mode \in ty\_2Ebinary\_ieee\_2E$

Let  $c\_2Ebinary\_ieee\_2Efloat\_plus\_zero : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27t.nonempty\ A\_27t \Rightarrow \forall A\_27w.nonempty\ A\_27w \Rightarrow c\_2Ebinary\_ieee\_2Efloat\_plus\_zero\ A\_27t\ A\_27w \in ((ty\_2Ebinary\_ieee\_2Efloat\ A\_27t\ A\_27w)^{(ty\_2Ebool\_2Eitself\ (ty\_2Epair\_2Eprod\ A\_27t\ A\_27w))}) \quad (56)$$

Let  $c\_2Ebinary\_ieee\_2Efloat\_minus\_zero : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27t.nonempty\ A\_27t \Rightarrow \forall A\_27w.nonempty\ A\_27w \Rightarrow c\_2Ebinary\_ieee\_2Efloat\_minus\_zero\ A\_27t\ A\_27w \in ((ty\_2Ebinary\_ieee\_2Efloat\ A\_27t\ A\_27w)^{(ty\_2Ebool\_2Eitself\ (ty\_2Epair\_2Eprod\ A\_27t\ A\_27w))}) \quad (57)$$

**Definition 59** We define  $c\_2Ebinary\_ieee\_2Efloat\_is\_zero$  to be  $\lambda A\_27t : \iota.\lambda A\_27w : \iota.\lambda V0x \in (ty\_2Ebinary\_ieee\_2E$

**Definition 60** We define  $c\_2Ebinary\_ieee\_2Efloat\_round$  to be  $\lambda A\_27t : \iota.\lambda A\_27w : \iota.\lambda V0mode \in ty\_2Ebinary\_ieee\_2E$



Let  $ty\_2Ebinary\_ieee\_2Eflags : \iota$  be given. Assume the following.

$$nonempty\ ty\_2Ebinary\_ieee\_2Eflags \quad (58)$$

Let  $c\_2Ebool\_2EARB : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a. nonempty\ A\_27a \Rightarrow c\_2Ebool\_2EARB\ A\_27a \in A\_27a \quad (59)$$

Let  $c\_2Ebinary\_ieee\_2Eflags\_Underflow\_AfterRounding\_fupd : \iota$  be given. Assume the following.

$$c\_2Ebinary\_ieee\_2Eflags\_Underflow\_AfterRounding\_fupd \in ((ty\_2Ebinary\_ieee\_2Eflags^{ty\_2Ebinary\_ieee\_2Eflags})^{(2^2)}) \quad (60)$$

Let  $c\_2Ebinary\_ieee\_2Eflags\_Underflow\_BeforeRounding\_fupd : \iota$  be given. Assume the following.

$$c\_2Ebinary\_ieee\_2Eflags\_Underflow\_BeforeRounding\_fupd \in ((ty\_2Ebinary\_ieee\_2Eflags^{ty\_2Ebinary\_ieee\_2Eflags})^{(2^2)}) \quad (61)$$

Let  $c\_2Ebinary\_ieee\_2Eflags\_Precision\_fupd : \iota$  be given. Assume the following.

$$c\_2Ebinary\_ieee\_2Eflags\_Precision\_fupd \in ((ty\_2Ebinary\_ieee\_2Eflags^{ty\_2Ebinary\_ieee\_2Eflags})^{(2^2)}) \quad (62)$$

Let  $c\_2Ebinary\_ieee\_2Eflags\_Overflow\_fupd : \iota$  be given. Assume the following.

$$c\_2Ebinary\_ieee\_2Eflags\_Overflow\_fupd \in ((ty\_2Ebinary\_ieee\_2Eflags^{ty\_2Ebinary\_ieee\_2Eflags})^{(2^2)}) \quad (63)$$

Let  $c\_2Ebinary\_ieee\_2Eflags\_InvalidOp\_fupd : \iota$  be given. Assume the following.

$$c\_2Ebinary\_ieee\_2Eflags\_InvalidOp\_fupd \in ((ty\_2Ebinary\_ieee\_2Eflags^{ty\_2Ebinary\_ieee\_2Eflags})^{(2^2)}) \quad (64)$$

Let  $c\_2Ebinary\_ieee\_2Eflags\_DivideByZero\_fupd : \iota$  be given. Assume the following.

$$c\_2Ebinary\_ieee\_2Eflags\_DivideByZero\_fupd \in ((ty\_2Ebinary\_ieee\_2Eflags^{ty\_2Ebinary\_ieee\_2Eflags})^{(2^2)}) \quad (65)$$

**Definition 61** We define  $c\_2Ebinary\_ieee\_2Eclear\_flags$  to be  $(ap\ (ap\ c\_2Ebinary\_ieee\_2Eflags\_DivideByZero\_fupd))$

Let  $c\_2Ewords\_2EINT\_MIN : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a. nonempty\ A\_27a \Rightarrow c\_2Ewords\_2EINT\_MIN\ A\_27a \in (ty\_2Enum\_2Enum^{(ty\_2Ebool\_2Eitself\ A\_27a)}) \quad (66)$$

Let  $ty\_2Esum\_2Esum : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A0. nonempty\ A0 \Rightarrow \forall A1. nonempty\ A1 \Rightarrow nonempty\ (ty\_2Esum\_2Esum\ A0\ A1) \quad (67)$$

Let  $c\_2Ewords\_2Edimword : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow c\_2Ewords\_2Edimword\ A\_27a \in (ty\_2Enum\_2Enum^{(ty\_2Ebool\_2Eitself\ A\_27a)}) \quad (68)$$

**Definition 62** We define  $c\_2Ewords\_2Eword\_2comp$  to be  $\lambda A\_27a : \iota.\lambda V0w \in (ty\_2Efc\_2Ecart\ 2\ A\_27a).$

**Definition 63** We define  $c\_2Ewords\_2Eword\_2msb$  to be  $\lambda A\_27a : \iota.\lambda V0w \in (ty\_2Efc\_2Ecart\ 2\ A\_27a).$

**Definition 64** We define  $c\_2Ewords\_2Enzcv$  to be  $\lambda A\_27a : \iota.\lambda V0a \in (ty\_2Efc\_2Ecart\ 2\ A\_27a).\lambda V1b \in$

Let  $c\_2Epair\_2ESND : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow \forall A\_27b.nonempty\ A\_27b \Rightarrow c\_2Epair\_2ESND\ A\_27a\ A\_27b \in (A\_27b^{(ty\_2Epair\_2Eprod\ A\_27a\ A\_27b)}) \quad (69)$$

Let  $c\_2Epair\_2EFST : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow \forall A\_27b.nonempty\ A\_27b \Rightarrow c\_2Epair\_2EFST\ A\_27a\ A\_27b \in (A\_27a^{(ty\_2Epair\_2Eprod\ A\_27a\ A\_27b)}) \quad (70)$$

**Definition 65** We define  $c\_2Epair\_2EUNCURRY$  to be  $\lambda A\_27a : \iota.\lambda A\_27b : \iota.\lambda A\_27c : \iota.\lambda V0f \in ((A\_27c^{A\_27a})$

**Definition 66** We define  $c\_2Ewords\_2Eword\_2ls$  to be  $\lambda A\_27a : \iota.\lambda V0a \in (ty\_2Efc\_2Ecart\ 2\ A\_27a).\lambda V1b$

**Definition 67** We define  $c\_2Ebinary\_2ieee\_2Efloat\_2round\_2with\_2flags$  to be  $\lambda A\_27t : \iota.\lambda A\_27w : \iota.\lambda V0mode$

Let  $ty\_2Ebinary\_2ieee\_2Efp\_2op : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A0.nonempty\ A0 \Rightarrow \forall A1.nonempty\ A1 \Rightarrow nonempty\ (ty\_2Ebinary\_2ieee\_2Efp\_2op\ A0\ A1) \quad (71)$$

Let  $c\_2Ebinary\_2ieee\_2EFP\_2MulAdd : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$A\_27t\ A\_27w \in ((((((ty\_2Ebinary\_2ieee\_2Efp\_2op\ A\_27t\ A\_27w)^{(ty\_2Ebinary\_2ieee\_2Efloat\ A\_27t\ A\_27w)})^{(ty\_2Efloat\ A\_27t\ A\_27w)})^{(ty\_2Efloat\ A\_27t\ A\_27w)})^{(ty\_2Efloat\ A\_27t\ A\_27w)})^{(ty\_2Efloat\ A\_27t\ A\_27w)})^{(ty\_2Efloat\ A\_27t\ A\_27w)}) \quad (72)$$

**Definition 68** We define  $c\_2Ebinary\_2ieee\_2Efloat\_2is\_2nan$  to be  $\lambda A\_27t : \iota.\lambda A\_27w : \iota.\lambda V0x \in (ty\_2Ebinary\_2ieee\_2Efloat\_2is\_2nan\ A\_27t\ A\_27w)$

**Definition 69** We define  $c\_2Ebinary\_2ieee\_2Efloat\_2is\_2signalling$  to be  $\lambda A\_27t : \iota.\lambda A\_27w : \iota.\lambda V0x \in (ty\_2Ebinary\_2ieee\_2Efloat\_2is\_2signalling\ A\_27t\ A\_27w)$

**Definition 70** We define  $c\_2Ebinary\_2ieee\_2Efloat\_2some\_2qnan$  to be  $\lambda A\_27t : \iota.\lambda A\_27w : \iota.\lambda V0fp\_2op \in (ty\_2Ebinary\_2ieee\_2Efloat\_2some\_2qnan\ A\_27t\ A\_27w\ fp\_2op)$

**Definition 71** We define  $c\_2Ebinary\_2ieee\_2Einvalidop\_2flags$  to be  $(ap\ (ap\ c\_2Ebinary\_2ieee\_2Eflags\_2Invop\ A\_27t\ A\_27w)\ fp\_2op)$

Let  $ty\_2Elist\_2Elist : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A0.nonempty\ A0 \Rightarrow nonempty\ (ty\_2Elist\_2Elist\ A0) \quad (73)$$

Let  $c\_2Elist\_2ENIL : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow c\_2Elist\_2ENIL\ A\_27a \in (ty\_2Elist\_2Elist\ A\_27a) \quad (74)$$

Let  $c\_2Elist\_2ECONS : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow c\_2Elist\_2ECONS\ A\_27a \in (((ty\_2Elist\_2Elist\ A\_27a)^{(ty\_2Elist\_2Elist\ A\_27a)})^{A\_27a}) \quad (75)$$

Let  $c\_2Elist\_2EEXISTS : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow c\_2Elist\_2EEXISTS\ A\_27a \in ((2^{(ty\_2Elist\_2Elist\ A\_27a)})^{(2^{A\_27a})}) \quad (76)$$

**Definition 72** We define  $c\_2Ebinary\_ieee\_2Echeck\_for\_signalling$  to be  $\lambda A\_27a : \iota. \lambda A\_27b : \iota. \lambda V0l \in (ty\_2Elist\_2Elist\ A\_27a)$

**Definition 73** We define  $c\_2Ebinary\_ieee\_2Efloat\_mul\_add$  to be  $\lambda A\_27t : \iota. \lambda A\_27w : \iota. \lambda V0mode \in (ty\_2Elist\_2Elist\ A\_27t)$

Assume the following.

$$True \quad (77)$$

Assume the following.

$$\begin{aligned} & (\forall V0t \in 2. (((True \Leftrightarrow (p\ V0t)) \Leftrightarrow (p\ V0t)) \wedge (((p\ V0t) \Leftrightarrow True) \Leftrightarrow \\ & (p\ V0t)) \wedge (((False \Leftrightarrow (p\ V0t)) \Leftrightarrow \neg(p\ V0t)) \wedge (((p\ V0t) \Leftrightarrow False) \Leftrightarrow \neg( \\ & p\ V0t)))))) \end{aligned} \quad (78)$$

Assume the following.

$$\begin{aligned}
& \forall A\_27t.\text{nonempty } A\_27t \Rightarrow \forall A\_27w.\text{nonempty } A\_27w \Rightarrow ( \\
& \quad \forall V0a \in (\text{ty\_2Ebinary\_ieee\_2Efloat } A\_27t \ A\_27w). (\forall V1b \in \\
& \quad (\text{ty\_2Ebinary\_ieee\_2Efloat } A\_27t \ A\_27w). (\forall V2c \in (\text{ty\_2Ebinary\_ieee\_2Efloat } \\
& \quad A\_27t \ A\_27w). (((p \ (ap \ (c\_2Ebinary\_ieee\_2Efloat\_is\_finite \\
& \quad A\_27t \ A\_27w) \ V0a)) \wedge (p \ (ap \ (c\_2Ebinary\_ieee\_2Efloat\_is\_finite \\
& \quad A\_27t \ A\_27w) \ V1b)) \wedge (p \ (ap \ (c\_2Ebinary\_ieee\_2Efloat\_is\_finite \\
& \quad A\_27t \ A\_27w) \ V2c)) \wedge (p \ (ap \ (ap \ c\_2Erealax\_2Ereal\_lt \ (ap \ c\_2Ereal\_2Eabs \\
& \quad (ap \ (ap \ c\_2Erealax\_2Ereal\_add \ (ap \ (ap \ c\_2Erealax\_2Ereal\_mul \\
& \quad (ap \ (c\_2Ebinary\_ieee\_2Efloat\_to\_real \ A\_27t \ A\_27w) \ V0a)) \ ( \\
& \quad ap \ (c\_2Ebinary\_ieee\_2Efloat\_to\_real \ A\_27t \ A\_27w) \ V1b))) \ ( \\
& \quad ap \ (c\_2Ebinary\_ieee\_2Efloat\_to\_real \ A\_27t \ A\_27w) \ V2c)))) \\
& \quad (ap \ (c\_2Ebinary\_ieee\_2Ethreshold \ A\_27t \ A\_27w) \ (c\_2Ebool\_2Ethe\_value \\
& \quad (\text{ty\_2Epair\_2Eprod } A\_27t \ A\_27w)))))) \Rightarrow ((p \ (ap \ (c\_2Ebinary\_ieee\_2Efloat\_is\_finite \\
& \quad A\_27t \ A\_27w) \ (ap \ (c\_2Epair\_2ESND \ \text{ty\_2Ebinary\_ieee\_2Eflags} \ ( \\
& \quad \text{ty\_2Ebinary\_ieee\_2Efloat } A\_27t \ A\_27w)) \ (ap \ (ap \ (ap \ (ap \ (c\_2Ebinary\_ieee\_2Efloat\_mul\_add \\
& \quad A\_27t \ A\_27w) \ c\_2Ebinary\_ieee\_2EroundTiesToEven) \ V0a) \ V1b) \ V2c)))) \wedge \\
& \quad ((ap \ (c\_2Ebinary\_ieee\_2Efloat\_to\_real \ A\_27t \ A\_27w) \ (ap \ (c\_2Epair\_2ESND \\
& \quad \text{ty\_2Ebinary\_ieee\_2Eflags} \ (\text{ty\_2Ebinary\_ieee\_2Efloat } A\_27t \\
& \quad A\_27w)) \ (ap \ (ap \ (ap \ (ap \ (c\_2Ebinary\_ieee\_2Efloat\_mul\_add \ A\_27t \\
& \quad A\_27w) \ c\_2Ebinary\_ieee\_2EroundTiesToEven) \ V0a) \ V1b) \ V2c))) = \\
& \quad (ap \ (ap \ c\_2Erealax\_2Ereal\_add \ (ap \ (ap \ c\_2Erealax\_2Ereal\_add \\
& \quad (ap \ (ap \ c\_2Erealax\_2Ereal\_mul \ (ap \ (c\_2Ebinary\_ieee\_2Efloat\_to\_real \\
& \quad A\_27t \ A\_27w) \ V0a)) \ (ap \ (c\_2Ebinary\_ieee\_2Efloat\_to\_real \ A\_27t \\
& \quad A\_27w) \ V1b))) \ (ap \ (c\_2Ebinary\_ieee\_2Efloat\_to\_real \ A\_27t \\
& \quad A\_27w) \ V2c))) \ (ap \ (ap \ (c\_2Elift\_ieee\_2Eerror \ A\_27t \ A\_27w) \ (c\_2Ebool\_2Ethe\_value \\
& \quad (\text{ty\_2Epair\_2Eprod } A\_27t \ A\_27w)))) \ (ap \ (ap \ c\_2Erealax\_2Ereal\_add \\
& \quad (ap \ (ap \ c\_2Erealax\_2Ereal\_mul \ (ap \ (c\_2Ebinary\_ieee\_2Efloat\_to\_real \\
& \quad A\_27t \ A\_27w) \ V0a)) \ (ap \ (c\_2Ebinary\_ieee\_2Efloat\_to\_real \ A\_27t \\
& \quad A\_27w) \ V1b))) \ (ap \ (c\_2Ebinary\_ieee\_2Efloat\_to\_real \ A\_27t \\
& \quad A\_27w) \ V2c))))))))) \\
& \hspace{15em} (79)
\end{aligned}$$

Assume the following.

$$(\forall V0t \in 2. ((\neg(\neg(p \ V0t))) \Leftrightarrow (p \ V0t))) \quad (80)$$

Assume the following.

$$(\forall V0A \in 2. ((p \ V0A) \Rightarrow ((\neg(p \ V0A)) \Rightarrow \text{False}))) \quad (81)$$

Assume the following.

$$\begin{aligned}
& (\forall V0A \in 2. (\forall V1B \in 2. (((\neg((p \ V0A) \vee (p \ V1B))) \Rightarrow \text{False}) \Leftrightarrow \\
& \quad ((p \ V0A) \Rightarrow \text{False}) \Rightarrow ((\neg(p \ V1B)) \Rightarrow \text{False})))) \quad (82)
\end{aligned}$$

Assume the following.

$$\begin{aligned}
& (\forall V0A \in 2. (\forall V1B \in 2. (((\neg((\neg(p \ V0A)) \vee (p \ V1B))) \Rightarrow \text{False}) \Leftrightarrow \\
& \quad ((p \ V0A) \Rightarrow ((\neg(p \ V1B)) \Rightarrow \text{False})))) \quad (83)
\end{aligned}$$

Assume the following.

$$(\forall V0A \in 2.((\neg(p V0A)) \Rightarrow False) \Rightarrow ((p V0A) \Rightarrow False) \Rightarrow False)) \quad (84)$$

Assume the following.

$$\begin{aligned} & (\forall V0p \in 2.(\forall V1q \in 2.(\forall V2r \in 2.(((p V0p) \Leftrightarrow ( \\ & (p V1q) \wedge (p V2r))) \Leftrightarrow (((p V0p) \vee (\neg(p V1q)) \vee (\neg(p V2r)))) \wedge (((p V1q) \vee \\ & (\neg(p V0p))) \wedge ((p V2r) \vee (\neg(p V0p)))))))))) \end{aligned} \quad (85)$$

Assume the following.

$$\begin{aligned} & (\forall V0p \in 2.(\forall V1q \in 2.(\forall V2r \in 2.(((p V0p) \Leftrightarrow ( \\ & (p V1q) \Rightarrow (p V2r))) \Leftrightarrow (((p V0p) \vee (p V1q)) \wedge (((p V0p) \vee (\neg(p V2r))) \wedge ( \\ & \neg(p V1q)) \vee ((p V2r) \vee (\neg(p V0p)))))))))) \end{aligned} \quad (86)$$

Assume the following.

$$(\forall V0p \in 2.(\forall V1q \in 2.((\neg((p V0p) \Rightarrow (p V1q))) \Rightarrow (p V0p)))) \quad (87)$$

Assume the following.

$$(\forall V0p \in 2.(\forall V1q \in 2.((\neg((p V0p) \Rightarrow (p V1q))) \Rightarrow (\neg(p V1q)))) \quad (88)$$

**Theorem 1**

$$\begin{aligned} & \forall A.27t.nonempty A.27t \Rightarrow \forall A.27w.nonempty A.27w \Rightarrow ( \\ & \forall V0a \in (ty\_2Ebinary\_ieee\_2Efloat A.27t A.27w).(\forall V1b \in \\ & (ty\_2Ebinary\_ieee\_2Efloat A.27t A.27w).(\forall V2c \in (ty\_2Ebinary\_ieee\_2Efloat \\ & A.27t A.27w).(((p (ap (c\_2Ebinary\_ieee\_2Efloat\_is\_finite \\ & A.27t A.27w) V0a)) \wedge ((p (ap (c\_2Ebinary\_ieee\_2Efloat\_is\_finite \\ & A.27t A.27w) V1b)) \wedge ((p (ap (c\_2Ebinary\_ieee\_2Efloat\_is\_finite \\ & A.27t A.27w) V2c)) \wedge (p (ap (ap c\_2Erealax\_2Ereal\_lt (ap c\_2Ereal\_2Eabs \\ & (ap (ap c\_2Erealax\_2Ereal\_add (ap (ap c\_2Erealax\_2Ereal\_mul \\ & (ap (c\_2Ebinary\_ieee\_2Efloat\_to\_real A.27t A.27w) V0a)) ( \\ & ap (c\_2Ebinary\_ieee\_2Efloat\_to\_real A.27t A.27w) V1b))) ( \\ & ap (c\_2Ebinary\_ieee\_2Efloat\_to\_real A.27t A.27w) V2c)))))) \\ & (ap (c\_2Ebinary\_ieee\_2Ethreshold A.27t A.27w) (c\_2Ebool\_2Ethe\_value \\ & (ty\_2Epair\_2Eprod A.27t A.27w)))))) \Rightarrow (p (ap (c\_2Ebinary\_ieee\_2Efloat\_is\_finite \\ & A.27t A.27w) (ap (c\_2Epair\_2ESND ty\_2Ebinary\_ieee\_2Eflags ( \\ & ty\_2Ebinary\_ieee\_2Efloat A.27t A.27w)) (ap (ap (ap (ap (c\_2Ebinary\_ieee\_2Efloat\_mul\_add \\ & A.27t A.27w) c\_2Ebinary\_ieee\_2ERoundTiesToEven) V0a) V1b) V2c)))))) \end{aligned}$$