

thm_2Elift_ieee_2Efloat__mul__sub__finite
(TMN93m15R4KdnC1XK3p4V6bWMJahVAJFUBQ)

October 26, 2020

Definition 1 We define $c_2Emin_2E_3D$ to be $\lambda A.\lambda x \in A.\lambda y \in A.inj_o (x = y)$ of type $\iota \Rightarrow \iota$.

Definition 2 We define c_2Ebool_2ET to be $(ap (ap (c_2Emin_2E_3D (2^2)) (\lambda V0x \in 2.V0x)) (\lambda V1x \in 2.V1x))$

Let $ty_2Erealax_2Ereal : \iota$ be given. Assume the following.

$$nonempty\ ty_2Erealax_2Ereal \tag{1}$$

Let $ty_2Epair_2Eprod : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0.nonempty\ A0 \Rightarrow \forall A1.nonempty\ A1 \Rightarrow nonempty\ (ty_2Epair_2Eprod\ A0\ A1) \tag{2}$$

Let $ty_2Ebool_2Eitself : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0.nonempty\ A0 \Rightarrow nonempty\ (ty_2Ebool_2Eitself\ A0) \tag{3}$$

Let $c_2Elift_ieee_2Eerror : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27t.nonempty\ A_27t \Rightarrow \forall A_27w.nonempty\ A_27w \Rightarrow c_2Elift_ieee_2Eerror\ A_27t\ A_27w \in ((ty_2Erealax_2Ereal^{ty_2Erealax_2Ereal})^{(ty_2Ebool_2Eitself\ (ty_2Epair_2Eprod\ A_27t\ A_27w))}) \tag{4}$$

Let $ty_2Ehreal_2Ehreal : \iota$ be given. Assume the following.

$$nonempty\ ty_2Ehreal_2Ehreal \tag{5}$$

Let $c_2Erealax_2Ereal_REP_CLASS : \iota$ be given. Assume the following.

$$c_2Erealax_2Ereal_REP_CLASS \in ((2^{(ty_2Epair_2Eprod\ ty_2Ehreal_2Ehreal\ ty_2Ehreal_2Ehreal)})^{ty_2Erealax_2Ereal}) \tag{6}$$

Definition 3 We define $c_2Emin_2E_40$ to be $\lambda A.\lambda P \in 2^A.if (\exists x \in A.p (ap\ P\ x))$ then (the $(\lambda x.x \in A \wedge p (ap\ P\ x))$) of type $\iota \Rightarrow \iota$.

Definition 4 We define $c_2Ebool_2E_21$ to be $\lambda A_27a : \iota.(\lambda V0P \in (2^{A_27a}).(ap (ap (c_2Emin_2E_3D (2^{A_27a}))$

Definition 5 We define $c_2Erealax_2Ereal_REP$ to be $\lambda V0a \in ty_2Erealax_2Ereal.(ap (c_2Emin_2E40 (ty_2Erealax_2Ereal_add : \iota$ be given. Assume the following.

$$c_2Erealax_2Ereal_add \in (((ty_2Epair_2Eprod ty_2Ehreal_2Ehreal ty_2Ehreal_2Ehreal)(ty_2Epair_2Eprod ty_2Ehreal_2Ehreal ty_2Ehreal_2Ehreal))^{(ty_2Epair_2Eprod ty_2Ehreal_2Ehreal ty_2Ehreal_2Ehreal)})^{(ty_2Epair_2Eprod ty_2Ehreal_2Ehreal ty_2Ehreal_2Ehreal)} \quad (7)$$

Let $c_2Erealax_2Ereal_eq : \iota$ be given. Assume the following.

$$c_2Erealax_2Ereal_eq \in ((2^{(ty_2Epair_2Eprod ty_2Ehreal_2Ehreal ty_2Ehreal_2Ehreal)})^{(ty_2Epair_2Eprod ty_2Ehreal_2Ehreal ty_2Ehreal_2Ehreal)})^{(ty_2Epair_2Eprod ty_2Ehreal_2Ehreal ty_2Ehreal_2Ehreal)} \quad (8)$$

Let $c_2Erealax_2Ereal_ABS_CLASS : \iota$ be given. Assume the following.

$$c_2Erealax_2Ereal_ABS_CLASS \in (ty_2Erealax_2Ereal)^{(2^{(ty_2Epair_2Eprod ty_2Ehreal_2Ehreal ty_2Ehreal_2Ehreal)})^{(ty_2Epair_2Eprod ty_2Ehreal_2Ehreal ty_2Ehreal_2Ehreal)}} \quad (9)$$

Definition 6 We define $c_2Erealax_2Ereal_ABS$ to be $\lambda V0r \in (ty_2Epair_2Eprod ty_2Ehreal_2Ehreal ty_2Ehreal_2Ehreal ty_2Ehreal_2Ehreal)$

Definition 7 We define $c_2Erealax_2Ereal_add$ to be $\lambda V0T1 \in ty_2Erealax_2Ereal.\lambda V1T2 \in ty_2Erealax_2Ereal$

Let $ty_2Ebinary_ieee_2Errounding : \iota$ be given. Assume the following.

$$nonempty\ ty_2Ebinary_ieee_2Errounding \quad (10)$$

Let $c_2Ebinary_ieee_2ErroundTiesToEven : \iota$ be given. Assume the following.

$$c_2Ebinary_ieee_2ErroundTiesToEven \in ty_2Ebinary_ieee_2Errounding \quad (11)$$

Let $ty_2Eone_2Eone : \iota$ be given. Assume the following.

$$nonempty\ ty_2Eone_2Eone \quad (12)$$

Let $ty_2Efc_2Ecart : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0.nonempty\ A0 \Rightarrow \forall A1.nonempty\ A1 \Rightarrow nonempty\ (ty_2Efc_2Ecart\ A0\ A1) \quad (13)$$

Let $ty_2Ebinary_ieee_2Efloat : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0.nonempty\ A0 \Rightarrow \forall A1.nonempty\ A1 \Rightarrow nonempty\ (ty_2Ebinary_ieee_2Efloat\ A0\ A1) \quad (14)$$

Let $c_2Ebinary_ieee_2Efloat_Sign : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27t.nonempty\ A_27t \Rightarrow \forall A_27w.nonempty\ A_27w \Rightarrow c_2Ebinary_ieee_2Efloat_Sign\ A_27t\ A_27w \in ((ty_2Efc_2Ecart\ 2\ ty_2Eone_2Eone)^{(ty_2Ebinary_ieee_2Efloat\ A_27t\ A_27w)}) \quad (15)$$

Let $ty_2Efc_2Efinite_image : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0.nonempty\ A0 \Rightarrow nonempty\ (ty_2Efc_2Efinite_image\ A0) \quad (16)$$

Let $c_2Ebool_2Ethe_value : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow c_2Ebool_2Ethe_value\ A_27a \in (ty_2Ebool_2Eitself\ A_27a) \quad (17)$$

Let $ty_2Enum_2Enum : \iota$ be given. Assume the following.

$$nonempty\ ty_2Enum_2Enum \quad (18)$$

Let $c_2Efcf_2Edimindex : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow c_2Efcf_2Edimindex\ A_27a \in (ty_2Enum_2Enum^{(ty_2Ebool_2Eitself\ A_27a)}) \quad (19)$$

Definition 8 We define c_2Ebool_2EF to be $(ap\ (c_2Ebool_2E_21\ 2)\ (\lambda V0t \in 2.V0t))$.

Definition 9 We define $c_2Emin_2E_3D_3D_3E$ to be $\lambda P \in 2.\lambda Q \in 2.inj_o\ (p\ P \Rightarrow p\ Q)$ of type ι .

Definition 10 We define $c_2Ebool_2E_7E$ to be $(\lambda V0t \in 2.(ap\ (ap\ c_2Emin_2E_3D_3D_3E\ V0t)\ c_2Ebool_2E_7E))$

Definition 11 We define $c_2Ebool_2E_2F_5C$ to be $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap\ (c_2Ebool_2E_21\ 2)\ (\lambda V2t \in 2.V2t))))$

Let $c_2Enum_2EREP_num : \iota$ be given. Assume the following.

$$c_2Enum_2EREP_num \in (\omega^{ty_2Enum_2Enum}) \quad (20)$$

Let $c_2Enum_2ESUC_REP : \iota$ be given. Assume the following.

$$c_2Enum_2ESUC_REP \in (\omega^{\omega}) \quad (21)$$

Let $c_2Enum_2EABS_num : \iota$ be given. Assume the following.

$$c_2Enum_2EABS_num \in (ty_2Enum_2Enum^{\omega}) \quad (22)$$

Definition 12 We define c_2Enum_2ESUC to be $\lambda V0m \in ty_2Enum_2Enum.(ap\ c_2Enum_2EABS_num\ m)$

Definition 13 We define $c_2Ebool_2E_3F$ to be $\lambda A_27a : \iota.(\lambda V0P \in (2^{A_27a}).(ap\ V0P\ (ap\ (c_2Emin_2E_40\ P))))$

Definition 14 We define $c_2Eprim_rec_2E_3C$ to be $\lambda V0m \in ty_2Enum_2Enum.\lambda V1n \in ty_2Enum_2Enum.(ap\ (c_2Emin_2E_40\ (A_27a^{ty_2Enum_2Enum}\ m)))$

Definition 15 We define $c_2Ebool_2E_3F_21$ to be $\lambda A_27a : \iota.(\lambda V0P \in (2^{A_27a}).(ap\ (ap\ c_2Ebool_2E_2F_5C\ P)))$

Definition 16 We define $c_2Efcf_2Efinite_index$ to be $\lambda A_27a : \iota.(ap\ (c_2Emin_2E_40\ (A_27a^{ty_2Enum_2Enum}\ m)))$

Let $c_2Efcf_2Edest_cart : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow c_2Efcf_2Edest_cart\ A_27a\ A_27b \in ((A_27a^{(ty_2Efcf_2Efinite_image\ A_27b)})^{(ty_2Efcf_2Ecart\ A_27a\ A_27b)}) \quad (23)$$

Definition 17 We define $c_2Efc_2Efc_index$ to be $\lambda A_27a : \iota.\lambda A_27b : \iota.\lambda V0x \in (ty_2Efc_2Ecart\ A_27a)$

Definition 18 We define c_2Efc_2EFCP to be $\lambda A_27a : \iota.\lambda A_27b : \iota.(\lambda V0g \in (A_27a^{ty_2Enum_2Enum}).(ap$

Definition 19 We define $c_2Ewords_2Eword_xor$ to be $\lambda A_27a : \iota.\lambda V0v \in (ty_2Efc_2Ecart\ 2\ A_27a).\lambda V1$

Let $c_2Enum_2EZERO_REP : \iota$ be given. Assume the following.

$$c_2Enum_2EZERO_REP \in \omega \tag{24}$$

Definition 20 We define c_2Enum_2E0 to be $(ap\ c_2Enum_2EABS_num\ c_2Enum_2EZERO_REP)$.

Definition 21 We define $c_2Earithmetic_2EZERO$ to be c_2Enum_2E0 .

Let $c_2Earithmetic_2E_2B : \iota$ be given. Assume the following.

$$c_2Earithmetic_2E_2B \in ((ty_2Enum_2Enum^{ty_2Enum_2Enum})^{ty_2Enum_2Enum}) \tag{25}$$

Definition 22 We define $c_2Earithmetic_2EBIT2$ to be $\lambda V0n \in ty_2Enum_2Enum.(ap\ (ap\ c_2Earithmetic$

Definition 23 We define $c_2Earithmetic_2ENUMERAL$ to be $\lambda V0x \in ty_2Enum_2Enum.V0x$.

Let $c_2Ereal_2Ereal_of_num : \iota$ be given. Assume the following.

$$c_2Ereal_2Ereal_of_num \in (ty_2Erealax_2Ereal^{ty_2Enum_2Enum}) \tag{26}$$

Let $c_2Ereal_2Epow : \iota$ be given. Assume the following.

$$c_2Ereal_2Epow \in ((ty_2Erealax_2Ereal^{ty_2Enum_2Enum})^{ty_2Erealax_2Ereal}) \tag{27}$$

Let $c_2Ebinary_ieee_2Efloat_Significand : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27t.nonempty\ A_27t \Rightarrow \forall A_27w.nonempty\ A_27w \Rightarrow c_2Ebinary_ieee_2Efloat_Significand\ A_27t\ A_27w \in ((ty_2Efc_2Ecart\ 2\ A_27t)^{(ty_2Ebinary_ieee_2Efloat\ A_27t\ A_27w)}) \tag{28}$$

Let $c_2Earithmetic_2EEXP : \iota$ be given. Assume the following.

$$c_2Earithmetic_2EEXP \in ((ty_2Enum_2Enum^{ty_2Enum_2Enum})^{ty_2Enum_2Enum}) \tag{29}$$

Definition 24 We define c_2Ebool_2ECOND to be $\lambda A_27a : \iota.(\lambda V0t \in 2.(\lambda V1t1 \in A_27a.(\lambda V2t2 \in A_27a.($

Definition 25 We define c_2Ebit_2ESBIT to be $\lambda V0b \in 2.\lambda V1n \in ty_2Enum_2Enum.(ap\ (ap\ (ap\ (c_2Eboo$

Let $c_2Esum_num_2ESUM : \iota$ be given. Assume the following.

$$c_2Esum_num_2ESUM \in ((ty_2Enum_2Enum^{(ty_2Enum_2Enum^{ty_2Enum_2Enum})})^{ty_2Enum_2Enum}) \tag{30}$$

Definition 26 We define c_Ewords_2Ew2n to be $\lambda A_27a : \iota.\lambda V0w \in (ty_2EfcP_2Ecart\ 2\ A_27a).(ap\ (ap\ c_Erealax_2Ereal_inv : \iota$ be given. Assume the following.

$$c_Erealax_2Ereal_inv \in ((ty_2Epair_2Eprod\ ty_2Ehreal_2Ehreal\ ty_2Ehreal_2Ehreal)^{(ty_2Epair_2Eprod\ ty_2Ehreal_2Ehreal\ ty_2Ehreal_2Ehreal)})_{(ty_2Epair_2Eprod\ ty_2Ehreal_2Ehreal)} \quad (31)$$

Definition 27 We define $c_Erealax_2Einv$ to be $\lambda V0T1 \in ty_2Erealax_2Ereal.(ap\ c_Erealax_2Ereal_ABS$ Let $c_Erealax_2Ereal_mul : \iota$ be given. Assume the following.

$$c_Erealax_2Ereal_mul \in (((ty_2Epair_2Eprod\ ty_2Ehreal_2Ehreal\ ty_2Ehreal_2Ehreal)^{(ty_2Epair_2Eprod\ ty_2Ehreal_2Ehreal\ ty_2Ehreal_2Ehreal)})_{(ty_2Epair_2Eprod\ ty_2Ehreal_2Ehreal)})_{(ty_2Epair_2Eprod\ ty_2Ehreal_2Ehreal)} \quad (32)$$

Definition 28 We define $c_Erealax_2Ereal_mul$ to be $\lambda V0T1 \in ty_2Erealax_2Ereal.\lambda V1T2 \in ty_2Erealax_2Ereal.$

Definition 29 We define $c_Ereal_2E_2F$ to be $\lambda V0x \in ty_2Erealax_2Ereal.\lambda V1y \in ty_2Erealax_2Ereal.$

Definition 30 We define $c_Earithmic_2EBIT1$ to be $\lambda V0n \in ty_2Eenum_2Eenum.(ap\ (ap\ c_Earithmic_2EBIT1$ Let $c_Ewords_2EINT_MAX : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow c_Ewords_2EINT_MAX\ A_27a \in (ty_2Eenum_2Eenum)^{(ty_2Ebool_2Eitself\ A_27a)} \quad (33)$$

Let $c_Ebinary_2Eieee_2Efloat_2EExponent : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27t.nonempty\ A_27t \Rightarrow \forall A_27w.nonempty\ A_27w \Rightarrow c_Ebinary_2Eieee_2Efloat_2EExponent\ A_27t\ A_27w \in ((ty_2EfcP_2Ecart\ 2\ A_27w)^{(ty_2Ebinary_2Eieee_2Efloat\ A_27t\ A_27w)})_{(ty_2Ebinary_2Eieee_2Efloat\ A_27t\ A_27w)} \quad (34)$$

Let $c_Erealax_2Ereal_neg : \iota$ be given. Assume the following.

$$c_Erealax_2Ereal_neg \in ((ty_2Epair_2Eprod\ ty_2Ehreal_2Ehreal\ ty_2Ehreal_2Ehreal)^{(ty_2Epair_2Eprod\ ty_2Ehreal_2Ehreal\ ty_2Ehreal_2Ehreal)})_{(ty_2Epair_2Eprod\ ty_2Ehreal_2Ehreal)} \quad (35)$$

Definition 31 We define $c_Erealax_2Ereal_neg$ to be $\lambda V0T1 \in ty_2Erealax_2Ereal.(ap\ c_Erealax_2Ereal_neg$

Let $c_Earithmic_2EDIV : \iota$ be given. Assume the following.

$$c_Earithmic_2EDIV \in ((ty_2Eenum_2Eenum)^{ty_2Eenum_2Eenum})_{ty_2Eenum_2Eenum} \quad (36)$$

Definition 32 We define $c_Ebit_2EDIV_2EXP$ to be $\lambda V0x \in ty_2Eenum_2Eenum.\lambda V1n \in ty_2Eenum_2Eenum.$

Let $c_Earithmic_2E_2D : \iota$ be given. Assume the following.

$$c_Earithmic_2E_2D \in ((ty_2Eenum_2Eenum)^{ty_2Eenum_2Eenum})_{ty_2Eenum_2Eenum} \quad (37)$$

Let $c_Earithmic_2EMOD : \iota$ be given. Assume the following.

$$c_Earithmic_2EMOD \in ((ty_2Eenum_2Eenum)^{ty_2Eenum_2Eenum})_{ty_2Eenum_2Eenum} \quad (38)$$

Definition 33 We define $c_Ebit_EMOD_EXP$ to be $\lambda V0x \in ty_Enum_Enum.\lambda V1n \in ty_Enum_Enum$

Definition 34 We define c_Ebit_EBITS to be $\lambda V0h \in ty_Enum_Enum.\lambda V1l \in ty_Enum_Enum.\lambda V$

Definition 35 We define c_Ebit_EBIT to be $\lambda V0b \in ty_Enum_Enum.\lambda V1n \in ty_Enum_Enum.(ap$

Definition 36 We define c_Ewords_En2w to be $\lambda A_27a : \iota.\lambda V0n \in ty_Enum_Enum.(ap (c_Efcp_EFC$

Definition 37 We define $c_Ebinary_ieee_Efloat_to_real$ to be $\lambda A_27t : \iota.\lambda A_27w : \iota.\lambda V0x \in (ty_Ebinar$

Let $ty_Ebinary_ieee_Efloat_value : \iota$ be given. Assume the following.

$$nonempty\ ty_Ebinary_ieee_Efloat_value \quad (39)$$

Let $c_Ebinary_ieee_EFloat : \iota$ be given. Assume the following.

$$c_Ebinary_ieee_EFloat \in (ty_Ebinary_ieee_Efloat_value^{ty_Erealax_Ereal}) \quad (40)$$

Let $c_Ebinary_ieee_ENaN : \iota$ be given. Assume the following.

$$c_Ebinary_ieee_ENaN \in ty_Ebinary_ieee_Efloat_value \quad (41)$$

Let $c_Ebinary_ieee_EInfinity : \iota$ be given. Assume the following.

$$c_Ebinary_ieee_EInfinity \in ty_Ebinary_ieee_Efloat_value \quad (42)$$

Let $c_Ewords_EUINT_MAX : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow c_Ewords_EUINT_MAX\ A_27a \in (ty_Enum_Enum^{(ty_Ebool_Eitself\ A_27a)}) \quad (43)$$

Definition 38 We define $c_Ewords_Eword_T$ to be $\lambda A_27a : \iota.(ap (c_Ewords_En2w\ A_27a) (ap (c_Ew$

Definition 39 We define $c_Ebinary_ieee_Efloat_value$ to be $\lambda A_27t : \iota.\lambda A_27w : \iota.\lambda V0x \in (ty_Ebinary_$

Let $c_Ebinary_ieee_Efloat_value_CASE : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow c_Ebinary_ieee_Efloat_value_CASE\ A_27a \in (((A_27a^{A_27a})^{A_27a})^{(A_27a^{ty_Erealax_Ereal})})^{ty_Ebinary_ieee_Efloat_value} \quad (44)$$

Definition 40 We define $c_Ebinary_ieee_Efloat_is_infinite$ to be $\lambda A_27t : \iota.\lambda A_27w : \iota.\lambda V0x \in (ty_Ebin$

Definition 41 We define $c_Ebool_E5C_2F$ to be $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap (c_Ebool_E21\ 2) (\lambda V2t \in$

Definition 42 We define $c_Ereal_Ereal_sub$ to be $\lambda V0x \in ty_Erealax_Ereal.\lambda V1y \in ty_Erealax_Ereal$

Let $c_2Ebinary_ieee_2EroundTowardNegative : \iota$ be given. Assume the following.

$$c_2Ebinary_ieee_2EroundTowardNegative \in ty_2Ebinary_ieee_2Erounding \quad (45)$$

Let $c_2Erealax_2Etreal_lt : \iota$ be given. Assume the following.

$$c_2Erealax_2Etreal_lt \in ((2^{(ty_2Epair_2Eprod\ ty_2Ehreal_2Ehreal\ ty_2Ehreal_2Ehreal)})^{(ty_2Epair_2Eprod\ ty_2Ehreal_2Ehreal)}) \quad (46)$$

Definition 43 We define $c_2Erealax_2Ereal_lt$ to be $\lambda V0T1 \in ty_2Erealax_2Ereal.\lambda V1T2 \in ty_2Erealax_2Ereal$.

Definition 44 We define $c_2Ereal_2Ereal_lte$ to be $\lambda V0x \in ty_2Erealax_2Ereal.\lambda V1y \in ty_2Erealax_2Ereal$.

Definition 45 We define c_2Ereal_2Eabs to be $\lambda V0x \in ty_2Erealax_2Ereal.(ap\ (ap\ (ap\ (c_2Ebool_2ECONJ))))$.

Let $c_2Ebinary_ieee_2Elargest : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27t.nonempty\ A_27t \Rightarrow \forall A_27w.nonempty\ A_27w \Rightarrow c_2Ebinary_ieee_2Elargest\ A_27t\ A_27w \in (ty_2Erealax_2Ereal^{(ty_2Ebool_2Eitself\ (ty_2Epair_2Eprod\ A_27t\ A_27w))}) \quad (47)$$

Definition 46 We define $c_2Ebinary_ieee_2Efloat_is_finite$ to be $\lambda A_27t : \iota.\lambda A_27w : \iota.\lambda V0x \in (ty_2Ebinary_ieee_2Efloat)$.

Let $c_2Epair_2EABS_prod : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow c_2Epair_2EABS_prod\ A_27a\ A_27b \in ((ty_2Epair_2Eprod\ A_27a\ A_27b)^{(2^{A_27b})^{A_27a}}) \quad (48)$$

Definition 47 We define $c_2Epair_2E_2C$ to be $\lambda A_27a : \iota.\lambda A_27b : \iota.\lambda V0x \in A_27a.\lambda V1y \in A_27b.(ap\ (c_2Epair_2EABS_prod))$.

Let $c_2Epred_set_2EGSPEC : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow c_2Epred_set_2EGSPEC\ A_27a\ A_27b \in ((2^{A_27a})^{(ty_2Epair_2Eprod\ A_27a\ 2)^{A_27b}}) \quad (49)$$

Definition 48 We define $c_2Ecombin_2EK$ to be $\lambda A_27a : \iota.\lambda A_27b : \iota.(\lambda V0x \in A_27a.(\lambda V1y \in A_27b.V0x))$.

Definition 49 We define c_2Ebool_2EIN to be $\lambda A_27a : \iota.(\lambda V0x \in A_27a.(\lambda V1f \in (2^{A_27a}).(ap\ V1f\ V0x)))$.

Definition 50 We define $c_2Ebinary_ieee_2Eis_closest$ to be $\lambda A_27a : \iota.\lambda A_27b : \iota.\lambda V0s \in (2^{(ty_2Ebinary_ieee_2Efloat)})$.

Definition 51 We define $c_2Ebinary_ieee_2Eclosest_such$ to be $\lambda A_27a : \iota.\lambda A_27b : \iota.\lambda V0p \in (2^{(ty_2Ebinary_ieee_2Efloat)})$.

Definition 52 We define $c_2Ebinary_ieee_2Eclosest$ to be $\lambda A_27a : \iota.\lambda A_27b : \iota.(ap\ (c_2Ebinary_ieee_2Eclosest_such))$.

Let $c_2Ebinary_ieee_2Efloat_top : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27t.nonempty\ A_27t \Rightarrow \forall A_27w.nonempty\ A_27w \Rightarrow c_2Ebinary_ieee_2Efloat_top\ A_27t\ A_27w \in ((ty_2Ebinary_ieee_2Efloat\ A_27t\ A_27w)^{(ty_2Ebool_2Eitself\ (ty_2Epair_2Eprod\ A_27t\ A_27w))}) \quad (50)$$

Definition 53 We define $c_Ereal_Ereal_gt$ to be $\lambda V0x \in ty_Erealax_Ereal.\lambda V1y \in ty_Erealax_Ereal$. Let $c_Ebinary_ieee_Efloat_bottom : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27t.nonempty\ A_27t \Rightarrow \forall A_27w.nonempty\ A_27w \Rightarrow c_Ebinary_ieee_Efloat_bottom\ A_27t\ A_27w \in ((ty_Ebinary_ieee_Efloat\ A_27t\ A_27w)^{(ty_Ebool_Eitself\ (ty_Epair_Eprod\ A_27t\ A_27w))}) \quad (51)$$

Definition 54 We define c_Ebool_ELET to be $\lambda A_27a : \iota.\lambda A_27b : \iota.(\lambda V0f \in (A_27b^{A_27a}).(\lambda V1x \in A_27b$. Let $c_Ebinary_ieee_Efloat_minus_infinity : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27t.nonempty\ A_27t \Rightarrow \forall A_27w.nonempty\ A_27w \Rightarrow c_Ebinary_ieee_Efloat_minus_infinity\ A_27t\ A_27w \in ((ty_Ebinary_ieee_Efloat\ A_27t\ A_27w)^{(ty_Ebool_Eitself\ (ty_Epair_Eprod\ A_27t\ A_27w))}) \quad (52)$$

Definition 55 We define $c_Ereal_Ereal_ge$ to be $\lambda V0x \in ty_Erealax_Ereal.\lambda V1y \in ty_Erealax_Ereal$. Let $c_Ebinary_ieee_Efloat_plus_infinity : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27t.nonempty\ A_27t \Rightarrow \forall A_27w.nonempty\ A_27w \Rightarrow c_Ebinary_ieee_Efloat_plus_infinity\ A_27t\ A_27w \in ((ty_Ebinary_ieee_Efloat\ A_27t\ A_27w)^{(ty_Ebool_Eitself\ (ty_Epair_Eprod\ A_27t\ A_27w))}) \quad (53)$$

Let $c_Ebinary_ieee_Ethreshold : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27t.nonempty\ A_27t \Rightarrow \forall A_27w.nonempty\ A_27w \Rightarrow c_Ebinary_ieee_Ethreshold\ A_27t\ A_27w \in (ty_Erealax_Ereal^{(ty_Ebool_Eitself\ (ty_Epair_Eprod\ A_27t\ A_27w))}) \quad (54)$$

Definition 56 We define $c_Ewords_Eword_lsb$ to be $\lambda A_27a : \iota.\lambda V0w \in (ty_Efcpcart\ 2\ A_27a).(ap$. Let $c_Ebinary_ieee_ERounding2num : \iota$ be given. Assume the following.

$$c_Ebinary_ieee_ERounding2num \in (ty_Eenum_enum^{ty_Ebinary_ieee_ERounding}) \quad (55)$$

Definition 57 We define $c_Ebinary_ieee_ERounding_CASE$ to be $\lambda A_27a : \iota.\lambda V0x \in ty_Ebinary_ieee_E$.

Definition 58 We define $c_Ebinary_ieee_ERound$ to be $\lambda A_27t : \iota.\lambda A_27w : \iota.\lambda V0mode \in ty_Ebinary_ie$. Let $c_Ebinary_ieee_Efloat_plus_zero : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27t.nonempty\ A_27t \Rightarrow \forall A_27w.nonempty\ A_27w \Rightarrow c_Ebinary_ieee_Efloat_plus_zero\ A_27t\ A_27w \in ((ty_Ebinary_ieee_Efloat\ A_27t\ A_27w)^{(ty_Ebool_Eitself\ (ty_Epair_Eprod\ A_27t\ A_27w))}) \quad (56)$$

Let $c_Ebinary_ieee_Efloat_minus_zero : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27t.nonempty\ A_27t \Rightarrow \forall A_27w.nonempty\ A_27w \Rightarrow c_Ebinary_ieee_Efloat_minus_zero\ A_27t\ A_27w \in ((ty_Ebinary_ieee_Efloat\ A_27t\ A_27w)^{(ty_Ebool_Eitself\ (ty_Epair_Eprod\ A_27t\ A_27w))}) \quad (57)$$

Definition 59 We define `c2Ebinary_ieee2Efloat_is_zero` to be $\lambda A_{27t} : \iota. \lambda A_{27w} : \iota. \lambda V0x \in (ty_2Ebinary_ieee_2Efloat_is_zero)$

Definition 60 We define `c2Ebinary_ieee2Efloat_round` to be $\lambda A_{27t} : \iota. \lambda A_{27w} : \iota. \lambda V0mode \in ty_2Ebinary_ieee_2Efloat_round$

Let `ty_2Ebinary_ieee_2Eflags` : ι be given. Assume the following.

$$nonempty\ ty_2Ebinary_ieee_2Eflags \quad (58)$$

Let `c_2Ebool_2EARB` : $\iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_{27a}. nonempty\ A_{27a} \Rightarrow c_2Ebool_2EARB\ A_{27a} \in A_{27a} \quad (59)$$

Let `c_2Ebinary_ieee_2Eflags_Underflow_AfterRounding_fupd` : ι be given. Assume the following.

$$c_2Ebinary_ieee_2Eflags_Underflow_AfterRounding_fupd \in ((ty_2Ebinary_ieee_2Eflags^{ty_2Ebinary_ieee_2Eflags})^{(2^2)}) \quad (60)$$

Let `c_2Ebinary_ieee_2Eflags_Underflow_BeforeRounding_fupd` : ι be given. Assume the following.

$$c_2Ebinary_ieee_2Eflags_Underflow_BeforeRounding_fupd \in ((ty_2Ebinary_ieee_2Eflags^{ty_2Ebinary_ieee_2Eflags})^{(2^2)}) \quad (61)$$

Let `c_2Ebinary_ieee_2Eflags_Precision_fupd` : ι be given. Assume the following.

$$c_2Ebinary_ieee_2Eflags_Precision_fupd \in ((ty_2Ebinary_ieee_2Eflags^{ty_2Ebinary_ieee_2Eflags})^{(2^2)}) \quad (62)$$

Let `c_2Ebinary_ieee_2Eflags_Overflow_fupd` : ι be given. Assume the following.

$$c_2Ebinary_ieee_2Eflags_Overflow_fupd \in ((ty_2Ebinary_ieee_2Eflags^{ty_2Ebinary_ieee_2Eflags})^{(2^2)}) \quad (63)$$

Let `c_2Ebinary_ieee_2Eflags_InvalidOp_fupd` : ι be given. Assume the following.

$$c_2Ebinary_ieee_2Eflags_InvalidOp_fupd \in ((ty_2Ebinary_ieee_2Eflags^{ty_2Ebinary_ieee_2Eflags})^{(2^2)}) \quad (64)$$

Let `c_2Ebinary_ieee_2Eflags_DivideByZero_fupd` : ι be given. Assume the following.

$$c_2Ebinary_ieee_2Eflags_DivideByZero_fupd \in ((ty_2Ebinary_ieee_2Eflags^{ty_2Ebinary_ieee_2Eflags})^{(2^2)}) \quad (65)$$

Definition 61 We define `c2Ebinary_ieee2Eclear_flags` to be $(ap\ (ap\ c_2Ebinary_ieee_2Eflags_DivideByZero_fupd))$

Let `c_2Ewords_2EINT_MIN` : $\iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_{27a}. nonempty\ A_{27a} \Rightarrow c_2Ewords_2EINT_MIN\ A_{27a} \in (ty_2Enum_2Enum^{(ty_2Ebool_2Eitself\ A_{27a})}) \quad (66)$$

Let $ty_2Esum_2Esum : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0.nonempty\ A0 \Rightarrow \forall A1.nonempty\ A1 \Rightarrow nonempty\ (ty_2Esum_2Esum\ A0\ A1) \quad (67)$$

Let $c_2Ewords_2Edimword : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow c_2Ewords_2Edimword\ A_27a \in (ty_2Enum_2Enum^{(ty_2Ebool_2Eitself\ A_27a)}) \quad (68)$$

Definition 62 We define $c_2Ewords_2Eword_2comp$ to be $\lambda A_27a : \iota.\lambda V0w \in (ty_2Efc_2Ecart\ 2\ A_27a).$

Definition 63 We define $c_2Ewords_2Eword_2msb$ to be $\lambda A_27a : \iota.\lambda V0w \in (ty_2Efc_2Ecart\ 2\ A_27a).$

Definition 64 We define $c_2Ewords_2Eenzcv$ to be $\lambda A_27a : \iota.\lambda V0a \in (ty_2Efc_2Ecart\ 2\ A_27a).\lambda V1b \in$

Let $c_2Epair_2ESND : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow c_2Epair_2ESND\ A_27a\ A_27b \in (A_27b^{(ty_2Epair_2Eprod\ A_27a\ A_27b)}) \quad (69)$$

Let $c_2Epair_2EFST : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow c_2Epair_2EFST\ A_27a\ A_27b \in (A_27a^{(ty_2Epair_2Eprod\ A_27a\ A_27b)}) \quad (70)$$

Definition 65 We define $c_2Epair_2EUNCURRY$ to be $\lambda A_27a : \iota.\lambda A_27b : \iota.\lambda A_27c : \iota.\lambda V0f \in ((A_27c^{A_27a})$

Definition 66 We define $c_2Ewords_2Eword_2ls$ to be $\lambda A_27a : \iota.\lambda V0a \in (ty_2Efc_2Ecart\ 2\ A_27a).\lambda V1b$

Definition 67 We define $c_2Ebinary_2ieee_2Efloat_2round_2with_2flags$ to be $\lambda A_27t : \iota.\lambda A_27w : \iota.\lambda V0mode$

Let $ty_2Ebinary_2ieee_2Efp_2op : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0.nonempty\ A0 \Rightarrow \forall A1.nonempty\ A1 \Rightarrow nonempty\ (ty_2Ebinary_2ieee_2Efp_2op\ A0\ A1) \quad (71)$$

Let $c_2Ebinary_2ieee_2EFP_2MulAdd : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$A_27t\ A_27w \in (((((ty_2Ebinary_2ieee_2Efp_2op\ A_27t\ A_27w)^{(ty_2Ebinary_2ieee_2Efloat\ A_27t\ A_27w)})^{(ty_2E$$

Definition 68 We define $c_2Ebinary_2ieee_2Efloat_2is_2nan$ to be $\lambda A_27t : \iota.\lambda A_27w : \iota.\lambda V0x \in (ty_2Ebinary_2ieee_2Efloat_2is_2nan$

Definition 69 We define $c_2Ebinary_2ieee_2Efloat_2is_2signalling$ to be $\lambda A_27t : \iota.\lambda A_27w : \iota.\lambda V0x \in (ty_2Ebinary_2ieee_2Efloat_2is_2signalling$

Definition 70 We define $c_2Ebinary_2ieee_2Efloat_2some_2qnan$ to be $\lambda A_27t : \iota.\lambda A_27w : \iota.\lambda V0fp_2op \in (ty_2Ebinary_2ieee_2Efloat_2some_2qnan$

Definition 71 We define `c2Ebinary_ieee2Einvalidop_flags` to be $(ap (ap c2Ebinary_ieee2Eflags_Inv$

Let `c2Ebinary_ieee2EFP_MulSub` : $\iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27t.nonempty A_27t \Rightarrow \forall A_27w.nonempty A_27w \Rightarrow A_27t A_27w \in (((((ty_2Ebinary_ieee2Efp_op A_27t A_27w)^{(ty_2Ebinary_ieee2Efloat A_27t A_27w)})^{(ty_2E$$
 (73)

Let `ty_2Elist_2Elist` : $\iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0.nonempty A0 \Rightarrow nonempty (ty_2Elist_2Elist A0) \quad (74)$$

Let `c2Elist_2ENIL` : $\iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty A_27a \Rightarrow c_2Elist_2ENIL A_27a \in (ty_2Elist_2Elist A_27a) \quad (75)$$

Let `c2Elist_2ECONS` : $\iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty A_27a \Rightarrow c_2Elist_2ECONS A_27a \in (((ty_2Elist_2Elist A_27a)^{(ty_2Elist_2Elist A_27a)})^{A_27a}) \quad (76)$$

Let `c2Elist_2EEXISTS` : $\iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty A_27a \Rightarrow c_2Elist_2EEXISTS A_27a \in ((2^{(ty_2Elist_2Elist A_27a)})^{(2^{A_27a})}) \quad (77)$$

Definition 72 We define `c2Ebinary_ieee2Echeck_for_signalling` to be $\lambda A_27a : \iota. \lambda A_27b : \iota. \lambda V0l \in (ty_2E$

Definition 73 We define `c2Ebinary_ieee2Efloat_mul_sub` to be $\lambda A_27t : \iota. \lambda A_27w : \iota. \lambda V0mode \in ty_2E$

Assume the following.

$$True \quad (78)$$

Assume the following.

$$(\forall V0t \in 2. (((True \Leftrightarrow (p V0t)) \Leftrightarrow (p V0t)) \wedge (((p V0t) \Leftrightarrow True) \Leftrightarrow (p V0t)) \wedge (((False \Leftrightarrow (p V0t)) \Leftrightarrow \neg(p V0t)) \wedge (((p V0t) \Leftrightarrow False) \Leftrightarrow \neg(p V0t)))))) \quad (79)$$

Assume the following.

$$\begin{aligned}
& \forall A.27t.nonempty\ A.27t \Rightarrow \forall A.27w.nonempty\ A.27w \Rightarrow (\\
& \quad \forall V0a \in (ty_2Ebinary_ieee_2Efloat\ A.27t\ A.27w). (\forall V1b \in \\
& \quad (ty_2Ebinary_ieee_2Efloat\ A.27t\ A.27w). (\forall V2c \in (ty_2Ebinary_ieee_2Efloat \\
& \quad A.27t\ A.27w). ((p\ (ap\ (c_2Ebinary_ieee_2Efloat_is_finite \\
& \quad A.27t\ A.27w)\ V0a)) \wedge ((p\ (ap\ (c_2Ebinary_ieee_2Efloat_is_finite \\
& \quad A.27t\ A.27w)\ V1b)) \wedge ((p\ (ap\ (c_2Ebinary_ieee_2Efloat_is_finite \\
& \quad A.27t\ A.27w)\ V2c)) \wedge (p\ (ap\ (ap\ c_2Erealax_2Ereal_lt\ (ap\ c_2Ereal_2Eabs \\
& \quad (ap\ (ap\ c_2Ereal_2Ereal_sub\ (ap\ (ap\ c_2Erealax_2Ereal_mul\ (\\
& \quad ap\ (c_2Ebinary_ieee_2Efloat_to_real\ A.27t\ A.27w)\ V0a))\ (ap \\
& \quad (c_2Ebinary_ieee_2Efloat_to_real\ A.27t\ A.27w)\ V1b)))\ (ap \\
& \quad (c_2Ebinary_ieee_2Efloat_to_real\ A.27t\ A.27w)\ V2c))))\ (ap \\
& \quad (c_2Ebinary_ieee_2Ethreshold\ A.27t\ A.27w)\ (c_2Ebool_2Ethe_value \\
& \quad (ty_2Epair_2Eprod\ A.27t\ A.27w)))))) \Rightarrow ((p\ (ap\ (c_2Ebinary_ieee_2Efloat_is_finite \\
& \quad A.27t\ A.27w)\ (ap\ (c_2Epair_2ESND\ ty_2Ebinary_ieee_2Eflags\ (\\
& \quad ty_2Ebinary_ieee_2Efloat\ A.27t\ A.27w))\ (ap\ (ap\ (ap\ (ap\ (c_2Ebinary_ieee_2Efloat_mul_sub \\
& \quad A.27t\ A.27w)\ c_2Ebinary_ieee_2ERoundTiesToEven)\ V0a)\ V1b)\ V2c)))) \wedge \\
& \quad ((ap\ (c_2Ebinary_ieee_2Efloat_to_real\ A.27t\ A.27w)\ (ap\ (c_2Epair_2ESND \\
& \quad ty_2Ebinary_ieee_2Eflags\ (ty_2Ebinary_ieee_2Efloat\ A.27t \\
& \quad A.27w))\ (ap\ (ap\ (ap\ (ap\ (c_2Ebinary_ieee_2Efloat_mul_sub\ A.27t \\
& \quad A.27w)\ c_2Ebinary_ieee_2ERoundTiesToEven)\ V0a)\ V1b)\ V2c)))) = \\
& \quad (ap\ (ap\ c_2Erealax_2Ereal_add\ (ap\ (ap\ c_2Ereal_2Ereal_sub\ (\\
& \quad ap\ (ap\ c_2Erealax_2Ereal_mul\ (ap\ (c_2Ebinary_ieee_2Efloat_to_real \\
& \quad A.27t\ A.27w)\ V0a))\ (ap\ (c_2Ebinary_ieee_2Efloat_to_real\ A.27t \\
& \quad A.27w)\ V1b)))\ (ap\ (c_2Ebinary_ieee_2Efloat_to_real\ A.27t \\
& \quad A.27w)\ V2c)))\ (ap\ (ap\ (c_2Elift_ieee_2Error\ A.27t\ A.27w)\ (c_2Ebool_2Ethe_value \\
& \quad (ty_2Epair_2Eprod\ A.27t\ A.27w))))\ (ap\ (ap\ c_2Ereal_2Ereal_sub \\
& \quad (ap\ (ap\ c_2Erealax_2Ereal_mul\ (ap\ (c_2Ebinary_ieee_2Efloat_to_real \\
& \quad A.27t\ A.27w)\ V0a))\ (ap\ (c_2Ebinary_ieee_2Efloat_to_real\ A.27t \\
& \quad A.27w)\ V1b)))\ (ap\ (c_2Ebinary_ieee_2Efloat_to_real\ A.27t \\
& \quad A.27w)\ V2c))))))))) \\
& \hspace{10em} (80)
\end{aligned}$$

Assume the following.

$$(\forall V0t \in 2. ((\neg(\neg(p\ V0t))) \Leftrightarrow (p\ V0t))) \quad (81)$$

Assume the following.

$$(\forall V0A \in 2. ((p\ V0A) \Rightarrow ((\neg(p\ V0A)) \Rightarrow False))) \quad (82)$$

Assume the following.

$$\begin{aligned}
& (\forall V0A \in 2. (\forall V1B \in 2. (((\neg((p\ V0A) \vee (p\ V1B))) \Rightarrow False) \Leftrightarrow \\
& \quad ((p\ V0A) \Rightarrow False) \Rightarrow ((\neg(p\ V1B)) \Rightarrow False)))) \quad (83)
\end{aligned}$$

Assume the following.

$$\begin{aligned}
& (\forall V0A \in 2. (\forall V1B \in 2. (((\neg(\neg(p\ V0A)) \vee (p\ V1B))) \Rightarrow False) \Leftrightarrow \\
& \quad ((p\ V0A) \Rightarrow ((\neg(p\ V1B)) \Rightarrow False)))) \quad (84)
\end{aligned}$$

Assume the following.

$$(\forall V0A \in 2.((\neg(p V0A)) \Rightarrow False) \Rightarrow ((p V0A) \Rightarrow False) \Rightarrow False)) \quad (85)$$

Assume the following.

$$\begin{aligned} & (\forall V0p \in 2.(\forall V1q \in 2.(\forall V2r \in 2.(((p V0p) \Leftrightarrow (\\ & (p V1q) \wedge (p V2r))) \Leftrightarrow (((p V0p) \vee (\neg(p V1q)) \vee (\neg(p V2r)))) \wedge (((p V1q) \vee \\ & (\neg(p V0p))) \wedge ((p V2r) \vee (\neg(p V0p)))))))))) \end{aligned} \quad (86)$$

Assume the following.

$$\begin{aligned} & (\forall V0p \in 2.(\forall V1q \in 2.(\forall V2r \in 2.(((p V0p) \Leftrightarrow (\\ & (p V1q) \Rightarrow (p V2r))) \Leftrightarrow (((p V0p) \vee (p V1q)) \wedge (((p V0p) \vee (\neg(p V2r))) \wedge (\\ & \neg(p V1q)) \vee ((p V2r) \vee (\neg(p V0p)))))))))) \end{aligned} \quad (87)$$

Assume the following.

$$(\forall V0p \in 2.(\forall V1q \in 2.((\neg((p V0p) \Rightarrow (p V1q))) \Rightarrow (p V0p)))) \quad (88)$$

Assume the following.

$$(\forall V0p \in 2.(\forall V1q \in 2.((\neg((p V0p) \Rightarrow (p V1q))) \Rightarrow (\neg(p V1q)))) \quad (89)$$

Theorem 1

$$\begin{aligned} & \forall A.27t.nonempty A.27t \Rightarrow \forall A.27w.nonempty A.27w \Rightarrow (\\ & \forall V0a \in (ty_2Ebinary_ieee_2Efloat A.27t A.27w).(\forall V1b \in \\ & (ty_2Ebinary_ieee_2Efloat A.27t A.27w).(\forall V2c \in (ty_2Ebinary_ieee_2Efloat \\ & A.27t A.27w).(((p (ap (c_2Ebinary_ieee_2Efloat_is_finite \\ & A.27t A.27w) V0a)) \wedge ((p (ap (c_2Ebinary_ieee_2Efloat_is_finite \\ & A.27t A.27w) V1b)) \wedge ((p (ap (c_2Ebinary_ieee_2Efloat_is_finite \\ & A.27t A.27w) V2c)) \wedge (p (ap (ap c_2Erealax_2Ereal_lt (ap c_2Ereal_2Eabs \\ & (ap (ap c_2Ereal_2Ereal_sub (ap (ap c_2Erealax_2Ereal_mul (\\ & ap (c_2Ebinary_ieee_2Efloat_to_real A.27t A.27w) V0a)) (ap \\ & (c_2Ebinary_ieee_2Efloat_to_real A.27t A.27w) V1b))) (ap \\ & (c_2Ebinary_ieee_2Efloat_to_real A.27t A.27w) V2c)))) (ap \\ & (c_2Ebinary_ieee_2Ethreshold A.27t A.27w) (c_2Ebool_2Ethe_value \\ & (ty_2Epair_2Eprod A.27t A.27w)))))) \Rightarrow (p (ap (c_2Ebinary_ieee_2Efloat_is_finite \\ & A.27t A.27w) (ap (c_2Epair_2ESND ty_2Ebinary_ieee_2Eflags (\\ & ty_2Ebinary_ieee_2Efloat A.27t A.27w)) (ap (ap (ap (ap (c_2Ebinary_ieee_2Efloat_mul_sub \\ & A.27t A.27w) c_2Ebinary_ieee_2EroundTiesToEven) V0a) V1b) V2c)))))) \end{aligned}$$