

thm_2Elift_2IEEE_2Efloat_2Eround_2Efinite
(TMasJD46b6jE8t2JWHUTrat6yLLfjwEVx4b)

October 26, 2020

Let $ty_2Ebinary_2IEEE_2ERounding : \iota$ be given. Assume the following.

$$nonempty\ ty_2Ebinary_2IEEE_2ERounding \tag{1}$$

Let $c_2Ebinary_2IEEE_2ERoundTowardZero : \iota$ be given. Assume the following.

$$c_2Ebinary_2IEEE_2ERoundTowardZero \in ty_2Ebinary_2IEEE_2ERounding \tag{2}$$

Let $c_2Ebinary_2IEEE_2ERoundTowardNegative : \iota$ be given. Assume the following.

$$c_2Ebinary_2IEEE_2ERoundTowardNegative \in ty_2Ebinary_2IEEE_2ERounding \tag{3}$$

Let $c_2Ebinary_2IEEE_2ERoundTowardPositive : \iota$ be given. Assume the following.

$$c_2Ebinary_2IEEE_2ERoundTowardPositive \in ty_2Ebinary_2IEEE_2ERounding \tag{4}$$

Let $c_2Ebinary_2IEEE_2ERoundTiesToEven : \iota$ be given. Assume the following.

$$c_2Ebinary_2IEEE_2ERoundTiesToEven \in ty_2Ebinary_2IEEE_2ERounding \tag{5}$$

Let $ty_2Ebinary_2IEEE_2Efloat : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0.nonempty\ A0 \Rightarrow \forall A1.nonempty\ A1 \Rightarrow nonempty\ (ty_2Ebinary_2IEEE_2Efloat\ A0\ A1) \tag{6}$$

Let $ty_2Epair_2Eprod : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0.nonempty\ A0 \Rightarrow \forall A1.nonempty\ A1 \Rightarrow nonempty\ (ty_2Epair_2Eprod\ A0\ A1) \tag{7}$$

Let $ty_2Ebool_2Eitself : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0.nonempty\ A0 \Rightarrow nonempty\ (ty_2Ebool_2Eitself\ A0) \tag{8}$$

Let $c_2Ebinary_ieee_2Efloat_top : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27t.nonempty\ A_27t \Rightarrow \forall A_27w.nonempty\ A_27w \Rightarrow c_2Ebinary_ieee_2Efloat_top\ A_27t\ A_27w \in ((ty_2Ebinary_ieee_2Efloat\ A_27t\ A_27w)^{(ty_2Ebool_2Eitself\ (ty_2Epair_2Eprod\ A_27t\ A_27w))}) \quad (9)$$

Let $ty_2Erealax_2Ereal : \iota$ be given. Assume the following.

$$nonempty\ ty_2Erealax_2Ereal \quad (10)$$

Let $c_2Ebinary_ieee_2Elargest : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27t.nonempty\ A_27t \Rightarrow \forall A_27w.nonempty\ A_27w \Rightarrow c_2Ebinary_ieee_2Elargest\ A_27t\ A_27w \in (ty_2Erealax_2Ereal^{(ty_2Ebool_2Eitself\ (ty_2Epair_2Eprod\ A_27t\ A_27w))}) \quad (11)$$

Let $c_2Ebool_2Ethe_value : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow c_2Ebool_2Ethe_value\ A_27a \in (ty_2Ebool_2Eitself\ A_27a) \quad (12)$$

Let $ty_2Enum_2Enum : \iota$ be given. Assume the following.

$$nonempty\ ty_2Enum_2Enum \quad (13)$$

Let $c_2Efcf_2Edimindex : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow c_2Efcf_2Edimindex\ A_27a \in (ty_2Enum_2Enum^{(ty_2Ebool_2Eitself\ A_27a)}) \quad (14)$$

Let $c_2Enum_2EZERO_REP : \iota$ be given. Assume the following.

$$c_2Enum_2EZERO_REP \in \omega \quad (15)$$

Let $c_2Enum_2EABS_num : \iota$ be given. Assume the following.

$$c_2Enum_2EABS_num \in (ty_2Enum_2Enum^{\omega}) \quad (16)$$

Definition 1 We define c_2Emin_2E3D to be $\lambda A.\lambda x \in A.\lambda y \in A.inj_o\ (x = y)$ of type $\iota \Rightarrow \iota$.

Definition 2 We define c_2Enum_2E0 to be $(ap\ c_2Enum_2EABS_num\ c_2Enum_2EZERO_REP)$.

Definition 3 We define $c_2Earithmetic_2EZERO$ to be c_2Enum_2E0 .

Let $c_2Enum_2EREP_num : \iota$ be given. Assume the following.

$$c_2Enum_2EREP_num \in (\omega^{ty_2Enum_2Enum}) \quad (17)$$

Let $c_2Enum_2ESUC_REP : \iota$ be given. Assume the following.

$$c_2Enum_2ESUC_REP \in (\omega^{\omega}) \quad (18)$$

Definition 4 We define $c_Ebool_2E_2T$ to be $(ap (ap (c_Emin_2E_3D (2^2)) (\lambda V0x \in 2.V0x)) (\lambda V1x \in 2.V1x))$

Definition 5 We define $c_Ebool_2E_21$ to be $\lambda A_27a : \iota. (\lambda V0P \in (2^{A_27a}). (ap (ap (c_Emin_2E_3D (2^{A_27a}))))$

Definition 6 We define c_Eenum_2ESUC to be $\lambda V0m \in ty_2Eenum_2Eenum. (ap c_Eenum_2EABS_num$

Let $c_2Earithmetic_2E_2B : \iota$ be given. Assume the following.

$$c_2Earithmetic_2E_2B \in ((ty_2Eenum_2Eenum^{ty_2Eenum_2Eenum})^{ty_2Eenum_2Eenum}) \quad (19)$$

Definition 7 We define $c_2Earithmetic_2EBIT2$ to be $\lambda V0n \in ty_2Eenum_2Eenum. (ap (ap c_2Earithmetic_2E_2B$

Definition 8 We define $c_2Earithmetic_2ENUMERAL$ to be $\lambda V0x \in ty_2Eenum_2Eenum.V0x$.

Let $c_2Ereal_2Ereal_of_num : \iota$ be given. Assume the following.

$$c_2Ereal_2Ereal_of_num \in (ty_2Erealax_2Ereal^{ty_2Eenum_2Eenum}) \quad (20)$$

Let $c_2Ereal_2Epow : \iota$ be given. Assume the following.

$$c_2Ereal_2Epow \in ((ty_2Erealax_2Ereal^{ty_2Eenum_2Eenum})^{ty_2Erealax_2Ereal}) \quad (21)$$

Let $ty_2EfcP_2Ecart : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0.nonempty A0 \Rightarrow \forall A1.nonempty A1 \Rightarrow nonempty (ty_2EfcP_2Ecart A0 A1) \quad (22)$$

Let $c_2Ebinary_ieee_2Efloat_Significand : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27t.nonempty A_27t \Rightarrow \forall A_27w.nonempty A_27w \Rightarrow c_2Ebinary_ieee_2Efloat_Significand A_27t A_27w \in ((ty_2EfcP_2Ecart 2 A_27t)^{(ty_2Ebinary_ieee_2Efloat A_27t A_27w)}) \quad (23)$$

Let $ty_2EfcP_2Efinite_image : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0.nonempty A0 \Rightarrow nonempty (ty_2EfcP_2Efinite_image A0) \quad (24)$$

Definition 9 We define c_Ebool_2EF to be $(ap (c_Ebool_2E_21 2) (\lambda V0t \in 2.V0t))$.

Definition 10 We define $c_Emin_2E_3D_3D_3E$ to be $\lambda P \in 2.\lambda Q \in 2.inj_o (p P \Rightarrow p Q)$ of type ι .

Definition 11 We define $c_Ebool_2E_7E$ to be $(\lambda V0t \in 2.(ap (ap c_Emin_2E_3D_3D_3E V0t) c_Ebool_2E_21))$

Definition 12 We define $c_Ebool_2E_2F_5C$ to be $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap (c_Ebool_2E_21 2) (\lambda V2t \in 2.V2t))))$

Definition 13 We define $c_Emin_2E_40$ to be $\lambda A.\lambda P \in 2^A.if (\exists x \in A.p (ap P x)) then (the (\lambda x.x \in A \wedge P x))$ of type $\iota \Rightarrow \iota$.

Definition 14 We define $c_Ebool_2E_3F$ to be $\lambda A_27a : \iota. (\lambda V0P \in (2^{A_27a}). (ap\ V0P\ (ap\ (c_Emin_2E_40$

Definition 15 We define $c_Eprim_rec_2E_3C$ to be $\lambda V0m \in ty_2Enum_2Enum. \lambda V1n \in ty_2Enum_2Enum$

Definition 16 We define $c_Ebool_2E_3F_21$ to be $\lambda A_27a : \iota. (\lambda V0P \in (2^{A_27a}). (ap\ (ap\ c_Ebool_2E_2F_5C$

Definition 17 We define $c_Efcp_2Efinite_index$ to be $\lambda A_27a : \iota. (ap\ (c_Emin_2E_40\ (A_27a^{ty_2Enum_2Enum}$

Let $c_Efcp_2Edest_cart : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\begin{aligned} & \forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow c_Efcp_2Edest_cart \\ & A_27a\ A_27b \in ((A_27a^{(ty_2Efcp_2Efinite_image\ A_27b)})^{(ty_2Efcp_2Ecart\ A_27a\ A_27b)}) \end{aligned} \quad (25)$$

Definition 18 We define $c_Efcp_2Efcp_index$ to be $\lambda A_27a : \iota. \lambda A_27b : \iota. \lambda V0x \in (ty_2Efcp_2Ecart\ A_27a$

Let $c_Earithmetic_2EEXP : \iota$ be given. Assume the following.

$$c_Earithmetic_2EEXP \in ((ty_2Enum_2Enum^{ty_2Enum_2Enum})^{ty_2Enum_2Enum}) \quad (26)$$

Definition 19 We define c_Ebool_2ECOND to be $\lambda A_27a : \iota. (\lambda V0t \in 2. (\lambda V1t1 \in A_27a. (\lambda V2t2 \in A_27a. ($

Definition 20 We define c_Ebit_2ESBIT to be $\lambda V0b \in 2. \lambda V1n \in ty_2Enum_2Enum. (ap\ (ap\ (ap\ (c_Ebo$

Let $c_Esum_num_2ESUM : \iota$ be given. Assume the following.

$$c_Esum_num_2ESUM \in ((ty_2Enum_2Enum^{(ty_2Enum_2Enum^{ty_2Enum_2Enum})})^{ty_2Enum_2Enum}) \quad (27)$$

Definition 21 We define c_Ewords_2Ew2n to be $\lambda A_27a : \iota. \lambda V0w \in (ty_2Efcp_2Ecart\ 2\ A_27a). (ap\ (ap\ c$

Let $ty_2Ehreal_2Ehreal : \iota$ be given. Assume the following.

$$nonempty\ ty_2Ehreal_2Ehreal \quad (28)$$

Let $c_Erealax_2Ereal_REP_CLASS : \iota$ be given. Assume the following.

$$c_Erealax_2Ereal_REP_CLASS \in ((2^{(ty_2Epair_2Eprod\ ty_2Ehreal_2Ehreal\ ty_2Ehreal_2Ehreal)})^{ty_2Erealax}) \quad (29)$$

Definition 22 We define $c_Erealax_2Ereal_REP$ to be $\lambda V0a \in ty_2Erealax_2Ereal. (ap\ (c_Emin_2E_40\ (t$

Let $c_Erealax_2Etrealm_inv : \iota$ be given. Assume the following.

$$\begin{aligned} & c_Erealax_2Etrealm_inv \in ((ty_2Epair_2Eprod\ ty_2Ehreal_2Ehreal \\ & ty_2Ehreal_2Ehreal)^{(ty_2Epair_2Eprod\ ty_2Ehreal_2Ehreal\ ty_2Ehreal_2Ehreal)}) \end{aligned} \quad (30)$$

Let $c_Erealax_2Etrealm_eq : \iota$ be given. Assume the following.

$$c_Erealax_2Etrealm_eq \in ((2^{(ty_2Epair_2Eprod\ ty_2Ehreal_2Ehreal\ ty_2Ehreal_2Ehreal)})^{(ty_2Epair_2Eprod\ ty_2Ehreal_2Ehreal)}) \quad (31)$$

Let $c_Erealax_2Ereal_ABS_CLASS : \iota$ be given. Assume the following.

$$c_Erealax_2Ereal_ABS_CLASS \in (ty_2Erealax_2Ereal)^{(2^{(ty_2Epair_2Eprod\ ty_2Ehreal_2Ehreal\ ty_2Ehreal_2Ehreal)})} \quad (32)$$

Definition 23 We define $c_2Erealax_2Ereal_ABS$ to be $\lambda V0r \in (ty_2Epair_2Eprod\ ty_2Ehreal_2Ehreal\ ty_2Ehreal_2Ehreal)$

Definition 24 We define $c_2Erealax_2Einv$ to be $\lambda V0T1 \in ty_2Erealax_2Ereal.(ap\ c_2Erealax_2Ereal_ABS)$

Let $c_2Erealax_2Etrealmul : \iota$ be given. Assume the following.

$$c_2Erealax_2Etrealmul \in (((ty_2Epair_2Eprod\ ty_2Ehreal_2Ehreal\ ty_2Ehreal_2Ehreal)(ty_2Epair_2Eprod\ ty_2Ehreal_2Ehreal\ ty_2Ehreal_2Ehreal)(ty_2Epair_2Eprod\ ty_2Ehreal_2Ehreal\ ty_2Ehreal_2Ehreal)))(ty_2Epair_2Eprod\ ty_2Ehreal_2Ehreal\ ty_2Ehreal_2Ehreal) \quad (33)$$

Definition 25 We define $c_2Erealax_2Ereal_mul$ to be $\lambda V0T1 \in ty_2Erealax_2Ereal.\lambda V1T2 \in ty_2Erealax_2Ereal.$

Definition 26 We define c_2Ereal_2E2F to be $\lambda V0x \in ty_2Erealax_2Ereal.\lambda V1y \in ty_2Erealax_2Ereal.$

Definition 27 We define $c_2Earithmic_2EBIT1$ to be $\lambda V0n \in ty_2Eenum_2Eenum.(ap\ (ap\ c_2Earithmic_2EBIT1))$

Let $c_2Erealax_2Etrealmul : \iota$ be given. Assume the following.

$$c_2Erealax_2Etrealmul \in (((ty_2Epair_2Eprod\ ty_2Ehreal_2Ehreal\ ty_2Ehreal_2Ehreal)(ty_2Epair_2Eprod\ ty_2Ehreal_2Ehreal\ ty_2Ehreal_2Ehreal)(ty_2Epair_2Eprod\ ty_2Ehreal_2Ehreal\ ty_2Ehreal_2Ehreal)))(ty_2Epair_2Eprod\ ty_2Ehreal_2Ehreal\ ty_2Ehreal_2Ehreal) \quad (34)$$

Definition 28 We define $c_2Erealax_2Ereal_add$ to be $\lambda V0T1 \in ty_2Erealax_2Ereal.\lambda V1T2 \in ty_2Erealax_2Ereal.$

Let $c_2Ewords_2EINT_MAX : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow c_2Ewords_2EINT_MAX\ A_27a \in (ty_2Eenum_2Eenum)^{(ty_2Ebool_2Eitself\ A_27a)} \quad (35)$$

Let $c_2Ebinary_2Eieee_2Efloat_2Eexponent : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27t.nonempty\ A_27t \Rightarrow \forall A_27w.nonempty\ A_27w \Rightarrow c_2Ebinary_2Eieee_2Efloat_2Eexponent\ A_27t\ A_27w \in ((ty_2Efc_2Ecart\ 2\ A_27w)^{(ty_2Ebinary_2Eieee_2Efloat\ A_27t\ A_27w)}) \quad (36)$$

Let $ty_2Eone_2Eone : \iota$ be given. Assume the following.

$$nonempty\ ty_2Eone_2Eone \quad (37)$$

Let $c_2Ebinary_2Eieee_2Efloat_2Esign : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27t.nonempty\ A_27t \Rightarrow \forall A_27w.nonempty\ A_27w \Rightarrow c_2Ebinary_2Eieee_2Efloat_2Esign\ A_27t\ A_27w \in ((ty_2Efc_2Ecart\ 2\ ty_2Eone_2Eone)^{(ty_2Ebinary_2Eieee_2Efloat\ A_27t\ A_27w)}) \quad (38)$$

Let $c_2Erealax_2Etrealmul : \iota$ be given. Assume the following.

$$c_2Erealax_2Etrealmul \in ((ty_2Epair_2Eprod\ ty_2Ehreal_2Ehreal\ ty_2Ehreal_2Ehreal)(ty_2Epair_2Eprod\ ty_2Ehreal_2Ehreal\ ty_2Ehreal_2Ehreal)(ty_2Epair_2Eprod\ ty_2Ehreal_2Ehreal\ ty_2Ehreal_2Ehreal)) \quad (39)$$

Definition 29 We define $c_2Erealax_2Ereal_neg$ to be $\lambda V0T1 \in ty_2Erealax_2Ereal.(ap\ c_2Erealax_2Ereal_neg)$

Let $c_2Earithmetic_2EDIV : \iota$ be given. Assume the following.

$$c_2Earithmetic_2EDIV \in ((ty_2Enum_2Enum^{ty_2Enum_2Enum})^{ty_2Enum_2Enum})^{ty_2Enum_2Enum} \quad (40)$$

Definition 30 We define $c_2Ebit_2EDIV_2EXP$ to be $\lambda V0x \in ty_2Enum_2Enum.\lambda V1n \in ty_2Enum_2Enum$

Let $c_2Earithmetic_2E_2D : \iota$ be given. Assume the following.

$$c_2Earithmetic_2E_2D \in ((ty_2Enum_2Enum^{ty_2Enum_2Enum})^{ty_2Enum_2Enum})^{ty_2Enum_2Enum} \quad (41)$$

Let $c_2Earithmetic_2EMOD : \iota$ be given. Assume the following.

$$c_2Earithmetic_2EMOD \in ((ty_2Enum_2Enum^{ty_2Enum_2Enum})^{ty_2Enum_2Enum})^{ty_2Enum_2Enum} \quad (42)$$

Definition 31 We define $c_2Ebit_2EMOD_2EXP$ to be $\lambda V0x \in ty_2Enum_2Enum.\lambda V1n \in ty_2Enum_2Enum$

Definition 32 We define c_2Ebit_2EBITS to be $\lambda V0h \in ty_2Enum_2Enum.\lambda V1l \in ty_2Enum_2Enum.\lambda V$

Definition 33 We define c_2Ebit_2EBIT to be $\lambda V0b \in ty_2Enum_2Enum.\lambda V1n \in ty_2Enum_2Enum.(ap$

Definition 34 We define c_2EfcP_2EFCP to be $\lambda A_27a : \iota.\lambda A_27b : \iota.(\lambda V0g \in (A_27a^{ty_2Enum_2Enum}).(ap$

Definition 35 We define $c_2Ewords_2En2w$ to be $\lambda A_27a : \iota.\lambda V0n \in ty_2Enum_2Enum.(ap (c_2EfcP_2EFCP$

Definition 36 We define $c_2Ebinary_2ieee_2Efloat_2to_2real$ to be $\lambda A_27t : \iota.\lambda A_27w : \iota.\lambda V0x \in (ty_2Ebinary$

Definition 37 We define $c_2Ecombin_2EK$ to be $\lambda A_27a : \iota.\lambda A_27b : \iota.(\lambda V0x \in A_27a.(\lambda V1y \in A_27b.V0x)$

Definition 38 We define $c_2Ereal_2Ereal_2sub$ to be $\lambda V0x \in ty_2Erealax_2Ereal.\lambda V1y \in ty_2Erealax_2Ereal$

Let $c_2Erealax_2Etreallt : \iota$ be given. Assume the following.

$$c_2Erealax_2Etreallt \in ((2^{(ty_2Epair_2Eprod ty_2Ehreal_2Ehreal ty_2Ehreal_2Ehreal)})^{(ty_2Epair_2Eprod ty_2Ehreal)})^{ty_2Ehreal} \quad (43)$$

Definition 39 We define $c_2Erealax_2Ereal_2lt$ to be $\lambda V0T1 \in ty_2Erealax_2Ereal.\lambda V1T2 \in ty_2Erealax_2Ereal$

Definition 40 We define $c_2Ereal_2Ereal_2lte$ to be $\lambda V0x \in ty_2Erealax_2Ereal.\lambda V1y \in ty_2Erealax_2Ereal$

Definition 41 We define c_2Ereal_2Eabs to be $\lambda V0x \in ty_2Erealax_2Ereal.(ap (ap (ap (c_2Ebool_2ECONJ$

Definition 42 We define c_2Ebool_2EIN to be $\lambda A_27a : \iota.(\lambda V0x \in A_27a.(\lambda V1f \in (2^{A_27a}).(ap V1f V0x))$

Definition 43 We define $c_2Ebinary_2ieee_2Eis_2closest$ to be $\lambda A_27a : \iota.\lambda A_27b : \iota.\lambda V0s \in (2^{(ty_2Ebinary_2iee$

Definition 44 We define $c_2Ebinary_2ieee_2Eclosest_2such$ to be $\lambda A_27a : \iota.\lambda A_27b : \iota.\lambda V0p \in (2^{(ty_2Ebinary$

Definition 45 We define $c_2Ebinary_2ieee_2Eclosest$ to be $\lambda A_27a : \iota.\lambda A_27b : \iota.(ap (c_2Ebinary_2iee_2Eclose$

Definition 46 We define $c_2Ereal_2Ereal_2gt$ to be $\lambda V0x \in ty_2Erealax_2Ereal.\lambda V1y \in ty_2Erealax_2Ereal$

Let $c_2Ebinary_ieee_2Efloat_bottom : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27t.nonempty\ A_27t \Rightarrow \forall A_27w.nonempty\ A_27w \Rightarrow c_2Ebinary_ieee_2Efloat_bottom\ A_27t\ A_27w \in ((ty_2Ebinary_ieee_2Efloat\ A_27t\ A_27w)^{(ty_2Ebool_2Eitself\ (ty_2Epair_2Eprod\ A_27t\ A_27w))}) \quad (44)$$

Let $c_2Ebinary_ieee_2Ethreshold : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27t.nonempty\ A_27t \Rightarrow \forall A_27w.nonempty\ A_27w \Rightarrow c_2Ebinary_ieee_2Ethreshold\ A_27t\ A_27w \in (ty_2Erealax_2Ereal^{(ty_2Ebool_2Eitself\ (ty_2Epair_2Eprod\ A_27t\ A_27w))}) \quad (45)$$

Definition 47 We define $c_2Ewords_2Eword_lsb$ to be $\lambda A_27a : \iota.\lambda V0w \in (ty_2Efcpr_2Ecart\ 2\ A_27a).(ap$

Let $c_2Ebinary_ieee_2Efloat_plus_infinity : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27t.nonempty\ A_27t \Rightarrow \forall A_27w.nonempty\ A_27w \Rightarrow c_2Ebinary_ieee_2Efloat_plus_infinity\ A_27t\ A_27w \in ((ty_2Ebinary_ieee_2Efloat\ A_27t\ A_27w)^{(ty_2Ebool_2Eitself\ (ty_2Epair_2Eprod\ A_27t\ A_27w))}) \quad (46)$$

Let $c_2Ebinary_ieee_2Efloat_minus_infinity : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27t.nonempty\ A_27t \Rightarrow \forall A_27w.nonempty\ A_27w \Rightarrow c_2Ebinary_ieee_2Efloat_minus_infinity\ A_27t\ A_27w \in ((ty_2Ebinary_ieee_2Efloat\ A_27t\ A_27w)^{(ty_2Ebool_2Eitself\ (ty_2Epair_2Eprod\ A_27t\ A_27w))}) \quad (47)$$

Let $c_2Ebinary_ieee_2ERounding2num : \iota$ be given. Assume the following.

$$c_2Ebinary_ieee_2ERounding2num \in (ty_2Enum_2Enum^{ty_2Ebinary_ieee_2ERounding}) \quad (48)$$

Definition 48 We define $c_2Ebinary_ieee_2ERounding_CASE$ to be $\lambda A_27a : \iota.\lambda V0x \in ty_2Ebinary_ieee_2$

Let $ty_2Ebinary_ieee_2Efloat_value : \iota$ be given. Assume the following.

$$nonempty\ ty_2Ebinary_ieee_2Efloat_value \quad (49)$$

Let $c_2Ebinary_ieee_2EFloat : \iota$ be given. Assume the following.

$$c_2Ebinary_ieee_2EFloat \in (ty_2Ebinary_ieee_2Efloat_value^{ty_2Erealax_2Ereal}) \quad (50)$$

Let $c_2Ebinary_ieee_2ENaN : \iota$ be given. Assume the following.

$$c_2Ebinary_ieee_2ENaN \in ty_2Ebinary_ieee_2Efloat_value \quad (51)$$

Let $c_2Ebinary_ieee_2EInfinity : \iota$ be given. Assume the following.

$$c_2Ebinary_ieee_2EInfinity \in ty_2Ebinary_ieee_2Efloat_value \quad (52)$$

Let $c_2Ewords_2EUINT_MAX : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow c_2Ewords_2EUINT_MAX\ A_27a \in (ty_2Enum_2Enum^{(ty_2Ebool_2Eitself\ A_27a)}) \quad (53)$$

Definition 49 We define $c_Ewords_Eword_T$ to be $\lambda A_27a : \iota.(ap (c_Ewords_Een2w A_27a) (ap (c_Ew$

Definition 50 We define $c_Ebinary_ieee_Efloat_value$ to be $\lambda A_27t : \iota.\lambda A_27w : \iota.\lambda V0x \in (ty_EBinary_i$

Let $c_EBinary_ieee_Efloat_value_CASE : \iota \Rightarrow \iota$ be given. Assume the following.

$$\begin{aligned} & \forall A_27a.nonempty A_27a \Rightarrow c_EBinary_ieee_Efloat_value_CASE \\ A_27a \in & (((A_27a^{A_27a})^{A_27a})^{(A_27a^{ty_Erealax_Ereal})})^{ty_EBinary_ieee_Efloat_value} \end{aligned} \quad (54)$$

Definition 51 We define $c_EBinary_ieee_Efloat_is_finite$ to be $\lambda A_27t : \iota.\lambda A_27w : \iota.\lambda V0x \in (ty_EBinary_i$

Let $c_Epair_EABS_prod : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\begin{aligned} & \forall A_27a.nonempty A_27a \Rightarrow \forall A_27b.nonempty A_27b \Rightarrow c_Epair_EABS_prod \\ A_27a A_27b \in & ((ty_Epair_Eprod A_27a A_27b)^{(2^{A_27b})^{A_27a}}) \end{aligned} \quad (55)$$

Definition 52 We define $c_Epair_E_2C$ to be $\lambda A_27a : \iota.\lambda A_27b : \iota.\lambda V0x \in A_27a.\lambda V1y \in A_27b.(ap (c_2$

Let $c_EPred_set_EGSPEC : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\begin{aligned} & \forall A_27a.nonempty A_27a \Rightarrow \forall A_27b.nonempty A_27b \Rightarrow c_EPred_set_EGSPEC \\ A_27a A_27b \in & ((2^{A_27a})^{(ty_Epair_Eprod A_27a 2)^{A_27b}}) \end{aligned} \quad (56)$$

Definition 53 We define c_Ebool_ELET to be $\lambda A_27a : \iota.\lambda A_27b : \iota.(\lambda V0f \in (A_27b^{A_27a}).(\lambda V1x \in A_27$

Definition 54 We define $c_Ereal_Ereal_ge$ to be $\lambda V0x \in ty_Erealax_Ereal.\lambda V1y \in ty_Erealax_Ere$

Definition 55 We define $c_EBinary_ieee_ERound$ to be $\lambda A_27t : \iota.\lambda A_27w : \iota.\lambda V0mode \in ty_EBinary_i$

Let $c_EBinary_ieee_Efloat_plus_zero : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\begin{aligned} & \forall A_27t.nonempty A_27t \Rightarrow \forall A_27w.nonempty A_27w \Rightarrow c_EBinary_ieee_Efloat_plus_zero \\ A_27t A_27w \in & ((ty_EBinary_ieee_Efloat A_27t A_27w)^{(ty_Ebool_Eitself (ty_Epair_Eprod A_27t A_27w))}) \end{aligned} \quad (57)$$

Let $c_EBinary_ieee_Efloat_minus_zero : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\begin{aligned} & \forall A_27t.nonempty A_27t \Rightarrow \forall A_27w.nonempty A_27w \Rightarrow c_EBinary_ieee_Efloat_minus_zero \\ A_27t A_27w \in & ((ty_EBinary_ieee_Efloat A_27t A_27w)^{(ty_Ebool_Eitself (ty_Epair_Eprod A_27t A_27w))}) \end{aligned} \quad (58)$$

Definition 56 We define $c_EBinary_ieee_Efloat_is_zero$ to be $\lambda A_27t : \iota.\lambda A_27w : \iota.\lambda V0x \in (ty_EBinary_i$

Definition 57 We define $c_EBinary_ieee_Efloat_round$ to be $\lambda A_27t : \iota.\lambda A_27w : \iota.\lambda V0mode \in ty_EBinary_i$

Definition 58 We define $c_Ebinary_ieee_Efloat_is_infinite$ to be $\lambda A_27t : \iota.\lambda A_27w : \iota.\lambda V0x \in (ty_EBinary_ieee_Efloat_is_infinite)$

Definition 59 We define $c_Ebinary_ieee_Efloat_is_subnormal$ to be $\lambda A_27t : \iota.\lambda A_27w : \iota.\lambda V0x \in (ty_EBinary_ieee_Efloat_is_subnormal)$

Definition 60 We define $c_Ebinary_ieee_Efloat_is_normal$ to be $\lambda A_27t : \iota.\lambda A_27w : \iota.\lambda V0x \in (ty_EBinary_ieee_Efloat_is_normal)$

Definition 61 We define $c_Ebinary_ieee_Efloat_is_nan$ to be $\lambda A_27t : \iota.\lambda A_27w : \iota.\lambda V0x \in (ty_EBinary_ieee_Efloat_is_nan)$

Definition 62 We define $c_Ebinary_ieee_Eis_integral$ to be $\lambda V0r \in ty_Erealx_Ereal.(ap (c_Ebool_2E_5C_2F) r)$

Definition 63 We define $c_Ebinary_ieee_Efloat_is_integral$ to be $\lambda A_27t : \iota.\lambda A_27w : \iota.\lambda V0x \in (ty_EBinary_ieee_Efloat_is_integral)$

Definition 64 We define $c_Ecombin_2ES$ to be $\lambda A_27a : \iota.\lambda A_27b : \iota.\lambda A_27c : \iota.(\lambda V0f \in ((A_27c^{A_27b})^{A_27a}))$

Definition 65 We define $c_Ecombin_2EI$ to be $\lambda A_27a : \iota.(ap (ap (c_Ecombin_2ES) A_27a) (A_27a^{A_27a}))$

Let $c_Earithmetic_2EEVEN : \iota$ be given. Assume the following.

$$c_Earithmetic_2EEVEN \in (2^{ty_2Enum_2Enum}) \quad (59)$$

Let $c_Earithmetic_2EODD : \iota$ be given. Assume the following.

$$c_Earithmetic_2EODD \in (2^{ty_2Enum_2Enum}) \quad (60)$$

Definition 66 We define $c_Earithmetic_2E_3E$ to be $\lambda V0m \in ty_2Enum_2Enum.\lambda V1n \in ty_2Enum_2Enum.$

Definition 67 We define $c_Ebool_2E_5C_2F$ to be $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap (c_Ebool_2E_21) t2)))$

Definition 68 We define $c_Earithmetic_2E_3E_3D$ to be $\lambda V0m \in ty_2Enum_2Enum.\lambda V1n \in ty_2Enum_2Enum.$

Definition 69 We define $c_Eprim_rec_2EPRE$ to be $\lambda V0m \in ty_2Enum_2Enum.(ap (ap (ap (c_Ebool_2E_5C_2F) m) n) p)$

Let $c_Earithmetic_2E_2A : \iota$ be given. Assume the following.

$$c_Earithmetic_2E_2A \in ((ty_2Enum_2Enum)^{ty_2Enum_2Enum})^{ty_2Enum_2Enum} \quad (61)$$

Definition 70 We define $c_Eenumer_2EiZ$ to be $\lambda V0x \in ty_2Enum_2Enum.V0x$.

Definition 71 We define $c_Earithmetic_2E_3C_3D$ to be $\lambda V0m \in ty_2Enum_2Enum.\lambda V1n \in ty_2Enum_2Enum.$

Assume the following.

$$(\forall V0n \in ty_2Enum_2Enum.(p (ap (ap c_Earithmetic_2E_3C_3D) V0n) V1n))) \quad (62)$$

Assume the following.

$$(\forall V0m \in ty_2Enum_2Enum.(\forall V1n \in ty_2Enum_2Enum.(\neg(p (ap (ap c_Earithmetic_2E_3C_3D) V0m) V1n)))) \Leftrightarrow (p (ap (ap c_Eprim_rec_2E_3C_3D) V1n) V0m)))) \quad (63)$$

Assume the following.

$$\begin{aligned}
& (\forall V0m \in ty_2Enum_2Enum. (\forall V1n \in ty_2Enum_2Enum. (\\
& ((ap (ap c_2Earithmetic_2E_2B V0m) V1n) = c_2Enum_2E0) \Leftrightarrow ((V0m = \\
& c_2Enum_2E0) \wedge (V1n = c_2Enum_2E0))))))
\end{aligned} \tag{64}$$

Assume the following.

$$\begin{aligned}
& ((\forall V0n \in ty_2Enum_2Enum. ((p (ap (ap c_2Earithmetic_2E_3C_3D \\
& V0n) c_2Enum_2E0)) \Leftrightarrow (V0n = c_2Enum_2E0))) \wedge (\forall V1m \in ty_2Enum_2Enum. \\
& (\forall V2n \in ty_2Enum_2Enum. ((p (ap (ap c_2Earithmetic_2E_3C_3D \\
& V1m) (ap c_2Enum_2ESUC V2n)) \Leftrightarrow ((V1m = (ap c_2Enum_2ESUC V2n)) \vee \\
& (p (ap (ap c_2Earithmetic_2E_3C_3D V1m) V2n))))))))))
\end{aligned} \tag{65}$$

Assume the following.

$$\begin{aligned}
& \forall A_27a.nonempty A_27a \Rightarrow ((\forall V0v0 \in A_27a. (\forall V1v1 \in \\
& A_27a. (\forall V2v2 \in A_27a. (\forall V3v3 \in A_27a. ((ap (ap (ap (\\
& ap (ap (c_2Ebinary_ieee_2Erunding_CASE A_27a) c_2Ebinary_ieee_2ErOUNDTiesToEven) \\
& V0v0) V1v1) V2v2) V3v3) = V0v0)))))) \wedge ((\forall V4v0 \in A_27a. (\forall V5v1 \in \\
& A_27a. (\forall V6v2 \in A_27a. (\forall V7v3 \in A_27a. ((ap (ap (ap (\\
& ap (ap (c_2Ebinary_ieee_2Erunding_CASE A_27a) c_2Ebinary_ieee_2ErOUNDTowardPositive) \\
& V4v0) V5v1) V6v2) V7v3) = V5v1)))))) \wedge ((\forall V8v0 \in A_27a. (\forall V9v1 \in \\
& A_27a. (\forall V10v2 \in A_27a. (\forall V11v3 \in A_27a. ((ap (ap (ap (\\
& (ap (ap (c_2Ebinary_ieee_2Erunding_CASE A_27a) c_2Ebinary_ieee_2ErOUNDTowardNegative) \\
& V8v0) V9v1) V10v2) V11v3) = V10v2)))))) \wedge (\forall V12v0 \in A_27a. (\\
& \forall V13v1 \in A_27a. (\forall V14v2 \in A_27a. (\forall V15v3 \in A_27a. (\\
& ((ap (ap (ap (ap (ap (c_2Ebinary_ieee_2Erunding_CASE A_27a) \\
& c_2Ebinary_ieee_2ErOUNDTowardZero) V12v0) V13v1) V14v2) V15v3) = \\
& V15v3))))))))))
\end{aligned} \tag{66}$$

Assume the following.

$$\begin{aligned}
& \forall A.27t.nonempty A.27t \Rightarrow \forall A.27w.nonempty A.27w \Rightarrow (\\
& \quad (p (ap (c.2Ebinary_ieee.2Efloat_is_zero A.27t A.27w) (ap (\\
& \quad \quad c.2Ebinary_ieee.2Efloat_plus_zero A.27t A.27w) (c.2Ebool.2Ethe_value \\
& \quad \quad (ty.2Epair.2Eprod A.27t A.27w)))))) \wedge ((p (ap (c.2Ebinary_ieee.2Efloat_is_zero \\
& \quad \quad A.27t A.27w) (ap (c.2Ebinary_ieee.2Efloat_minus_zero A.27t \\
& \quad \quad A.27w) (c.2Ebool.2Ethe_value (ty.2Epair.2Eprod A.27t A.27w)))))) \wedge \\
& \quad ((p (ap (c.2Ebinary_ieee.2Efloat_is_finite A.27t A.27w) (\\
& \quad \quad ap (c.2Ebinary_ieee.2Efloat_plus_zero A.27t A.27w) (c.2Ebool.2Ethe_value \\
& \quad \quad (ty.2Epair.2Eprod A.27t A.27w)))))) \wedge ((p (ap (c.2Ebinary_ieee.2Efloat_is_finite \\
& \quad \quad A.27t A.27w) (ap (c.2Ebinary_ieee.2Efloat_minus_zero A.27t \\
& \quad \quad A.27w) (c.2Ebool.2Ethe_value (ty.2Epair.2Eprod A.27t A.27w)))))) \wedge \\
& \quad ((p (ap (c.2Ebinary_ieee.2Efloat_is_integral A.27t A.27w) (\\
& \quad \quad ap (c.2Ebinary_ieee.2Efloat_plus_zero A.27t A.27w) (c.2Ebool.2Ethe_value \\
& \quad \quad (ty.2Epair.2Eprod A.27t A.27w)))))) \wedge ((p (ap (c.2Ebinary_ieee.2Efloat_is_integral \\
& \quad \quad A.27t A.27w) (ap (c.2Ebinary_ieee.2Efloat_minus_zero A.27t \\
& \quad \quad A.27w) (c.2Ebool.2Ethe_value (ty.2Epair.2Eprod A.27t A.27w)))))) \wedge \\
& \quad ((\neg(p (ap (c.2Ebinary_ieee.2Efloat_is_nan A.27t A.27w) (ap \\
& \quad \quad (c.2Ebinary_ieee.2Efloat_plus_zero A.27t A.27w) (c.2Ebool.2Ethe_value \\
& \quad \quad (ty.2Epair.2Eprod A.27t A.27w)))))) \wedge ((\neg(p (ap (c.2Ebinary_ieee.2Efloat_is_nan \\
& \quad \quad A.27t A.27w) (ap (c.2Ebinary_ieee.2Efloat_minus_zero A.27t \\
& \quad \quad A.27w) (c.2Ebool.2Ethe_value (ty.2Epair.2Eprod A.27t A.27w)))))) \wedge \\
& \quad ((\neg(p (ap (c.2Ebinary_ieee.2Efloat_is_normal A.27t A.27w) (\\
& \quad \quad ap (c.2Ebinary_ieee.2Efloat_plus_zero A.27t A.27w) (c.2Ebool.2Ethe_value \\
& \quad \quad (ty.2Epair.2Eprod A.27t A.27w)))))) \wedge ((\neg(p (ap (c.2Ebinary_ieee.2Efloat_is_normal \\
& \quad \quad A.27t A.27w) (ap (c.2Ebinary_ieee.2Efloat_minus_zero A.27t \\
& \quad \quad A.27w) (c.2Ebool.2Ethe_value (ty.2Epair.2Eprod A.27t A.27w)))))) \wedge \\
& \quad ((\neg(p (ap (c.2Ebinary_ieee.2Efloat_is_subnormal A.27t A.27w) (\\
& \quad \quad ap (c.2Ebinary_ieee.2Efloat_plus_zero A.27t A.27w) (c.2Ebool.2Ethe_value \\
& \quad \quad (ty.2Epair.2Eprod A.27t A.27w)))))) \wedge ((\neg(p (ap (c.2Ebinary_ieee.2Efloat_is_subnormal \\
& \quad \quad A.27t A.27w) (ap (c.2Ebinary_ieee.2Efloat_minus_zero A.27t \\
& \quad \quad A.27w) (c.2Ebool.2Ethe_value (ty.2Epair.2Eprod A.27t A.27w)))))) \wedge \\
& \quad ((\neg(p (ap (c.2Ebinary_ieee.2Efloat_is_infinite A.27t A.27w) (\\
& \quad \quad ap (c.2Ebinary_ieee.2Efloat_plus_zero A.27t A.27w) (c.2Ebool.2Ethe_value \\
& \quad \quad (ty.2Epair.2Eprod A.27t A.27w)))))) \wedge (\neg(p (ap (c.2Ebinary_ieee.2Efloat_is_infinite \\
& \quad \quad A.27t A.27w) (ap (c.2Ebinary_ieee.2Efloat_minus_zero A.27t \\
& \quad \quad A.27w) (c.2Ebool.2Ethe_value (ty.2Epair.2Eprod A.27t A.27w)))))))))
\end{aligned}$$

(67)

Assume the following.

$$True \tag{68}$$

Assume the following.

$$(\forall V0t1 \in 2. (\forall V1t2 \in 2. ((p V0t1) \Rightarrow (p V1t2)) \Rightarrow ((p V1t2) \Rightarrow (p V0t1)) \Rightarrow ((p V0t1) \Leftrightarrow (p V1t2)))) \tag{69}$$

Assume the following.

$$(\forall V0t \in 2. (False \Rightarrow (p V0t))) \quad (70)$$

Assume the following.

$$(\forall V0t \in 2. ((p V0t) \vee (\neg(p V0t)))) \quad (71)$$

Assume the following.

$$\begin{aligned} \forall A_27a.nonempty \ A_27a \Rightarrow \forall A_27b.nonempty \ A_27b \Rightarrow (\\ \forall V0f \in (A_27b^{A_27a}). (\forall V1x \in A_27a. ((ap (ap (c_2Ebool_2ELET \\ A_27a \ A_27b) \ V0f) \ V1x) = (ap \ V0f \ V1x)))) \end{aligned} \quad (72)$$

Assume the following.

$$\begin{aligned} (\forall V0t \in 2. (((True \wedge (p V0t)) \Leftrightarrow (p V0t)) \wedge (((p V0t) \wedge True) \Leftrightarrow \\ (p V0t)) \wedge (((False \wedge (p V0t)) \Leftrightarrow False) \wedge (((p V0t) \wedge False) \Leftrightarrow False) \wedge \\ (((p V0t) \wedge (p V0t)) \Leftrightarrow (p V0t)))))) \end{aligned} \quad (73)$$

Assume the following.

$$\begin{aligned} (\forall V0t \in 2. (((True \vee (p V0t)) \Leftrightarrow True) \wedge (((p V0t) \vee True) \Leftrightarrow True) \wedge \\ (((False \vee (p V0t)) \Leftrightarrow (p V0t)) \wedge (((p V0t) \vee False) \Leftrightarrow (p V0t)) \wedge (((p V0t) \vee \\ (p V0t)) \Leftrightarrow (p V0t)))))) \end{aligned} \quad (74)$$

Assume the following.

$$\begin{aligned} (\forall V0t \in 2. (((True \Rightarrow (p V0t)) \Leftrightarrow (p V0t)) \wedge (((p V0t) \Rightarrow True) \Leftrightarrow \\ True) \wedge (((False \Rightarrow (p V0t)) \Leftrightarrow True) \wedge (((p V0t) \Rightarrow (p V0t)) \Leftrightarrow True) \wedge ((\\ (p V0t) \Rightarrow False) \Leftrightarrow (\neg(p V0t)))))) \end{aligned} \quad (75)$$

Assume the following.

$$\begin{aligned} ((\forall V0t \in 2. ((\neg(\neg(p V0t))) \Leftrightarrow (p V0t)) \wedge (((\neg True) \Leftrightarrow False) \wedge \\ ((\neg False) \Leftrightarrow True))) \end{aligned} \quad (76)$$

Assume the following.

$$\forall A_27a.nonempty \ A_27a \Rightarrow (\forall V0x \in A_27a. ((V0x = V0x) \Leftrightarrow True)) \quad (77)$$

Assume the following.

$$\forall A_27a.nonempty \ A_27a \Rightarrow (\forall V0x \in A_27a. (\forall V1y \in A_27a. ((V0x = V1y) \Leftrightarrow (V1y = V0x)))) \quad (78)$$

Assume the following.

$$\begin{aligned} (\forall V0t \in 2. (((True \Leftrightarrow (p V0t)) \Leftrightarrow (p V0t)) \wedge (((p V0t) \Leftrightarrow True) \Leftrightarrow \\ (p V0t)) \wedge (((False \Leftrightarrow (p V0t)) \Leftrightarrow (\neg(p V0t))) \wedge (((p V0t) \Leftrightarrow False) \Leftrightarrow (\neg(\\ p V0t)))))) \end{aligned} \quad (79)$$

Assume the following.

$$\begin{aligned} & \forall A_27a.nonempty\ A_27a \Rightarrow (\forall V0t1 \in A_27a. (\forall V1t2 \in \\ & A_27a. ((ap\ (ap\ (ap\ (c_2Ebool_2ECOND\ A_27a)\ c_2Ebool_2ET)\ V0t1) \\ & V1t2) = V0t1) \wedge ((ap\ (ap\ (ap\ (c_2Ebool_2ECOND\ A_27a)\ c_2Ebool_2EF) \\ & V0t1)\ V1t2) = V1t2)))) \end{aligned} \quad (80)$$

Assume the following.

$$\begin{aligned} & (\forall V0A \in 2. (\forall V1B \in 2. (\forall V2C \in 2. (((p\ V0A) \vee (\\ & (p\ V1B) \vee (p\ V2C))) \Leftrightarrow (((p\ V0A) \vee (p\ V1B)) \vee (p\ V2C)))))) \end{aligned} \quad (81)$$

Assume the following.

$$\begin{aligned} & (\forall V0A \in 2. (\forall V1B \in 2. (((\neg((p\ V0A) \wedge (p\ V1B))) \Leftrightarrow ((\neg(\\ & p\ V0A)) \vee (\neg(p\ V1B)))) \wedge ((\neg((p\ V0A) \vee (p\ V1B))) \Leftrightarrow ((\neg(p\ V0A)) \wedge (\neg(p\ V1B)))))) \end{aligned} \quad (82)$$

Assume the following.

$$\begin{aligned} & (\forall V0t1 \in 2. (\forall V1t2 \in 2. (\forall V2t3 \in 2. (((p\ V0t1) \Rightarrow \\ & ((p\ V1t2) \Rightarrow (p\ V2t3))) \Leftrightarrow (((p\ V0t1) \wedge (p\ V1t2)) \Rightarrow (p\ V2t3)))))) \end{aligned} \quad (83)$$

Assume the following.

$$\begin{aligned} & (\forall V0x \in 2. (\forall V1x_27 \in 2. (\forall V2y \in 2. (\forall V3y_27 \in \\ & 2. (((p\ V0x) \Leftrightarrow (p\ V1x_27)) \wedge ((p\ V1x_27) \Rightarrow ((p\ V2y) \Leftrightarrow (p\ V3y_27)))) \Rightarrow \\ & (((p\ V0x) \Rightarrow (p\ V2y)) \Leftrightarrow ((p\ V1x_27) \Rightarrow (p\ V3y_27)))))) \end{aligned} \quad (84)$$

Assume the following.

$$\begin{aligned} & \forall A_27a.nonempty\ A_27a \Rightarrow (\forall V0P \in 2. (\forall V1Q \in 2. \\ & (\forall V2x \in A_27a. (\forall V3x_27 \in A_27a. (\forall V4y \in A_27a. \\ & (\forall V5y_27 \in A_27a. (((p\ V0P) \Leftrightarrow (p\ V1Q)) \wedge ((p\ V1Q) \Rightarrow (V2x = V3x_27)) \wedge \\ & ((\neg(p\ V1Q)) \Rightarrow (V4y = V5y_27)))) \Rightarrow ((ap\ (ap\ (ap\ (c_2Ebool_2ECOND\ A_27a) \\ & V0P)\ V2x)\ V4y) = (ap\ (ap\ (ap\ (c_2Ebool_2ECOND\ A_27a)\ V1Q)\ V3x_27) \\ & V5y_27)))))) \end{aligned} \quad (85)$$

Assume the following.

$$\begin{aligned} & \forall A_27a.nonempty\ A_27a \Rightarrow ((\forall V0t1 \in A_27a. (\forall V1t2 \in \\ & A_27a. ((ap\ (ap\ (ap\ (c_2Ebool_2ECOND\ A_27a)\ c_2Ebool_2ET)\ V0t1) \\ & V1t2) = V0t1)) \wedge (\forall V2t1 \in A_27a. (\forall V3t2 \in A_27a. ((ap \\ & (ap\ (ap\ (c_2Ebool_2ECOND\ A_27a)\ c_2Ebool_2EF)\ V2t1)\ V3t2) = V3t2)))) \end{aligned} \quad (86)$$

Assume the following.

$$\begin{aligned} & \forall A_27a.nonempty\ A_27a \Rightarrow (\forall V0x \in A_27a. ((ap\ (c_2Ecombin_2EI \\ & A_27a)\ V0x) = V0x)) \end{aligned} \quad (87)$$

Assume the following.

$$\begin{aligned}
& \forall A_{27a}. \text{nonempty } A_{27a} \Rightarrow \forall A_{27b}. \text{nonempty } A_{27b} \Rightarrow (\\
& \quad \forall V0p \in (2^{(ty_2Ebinary_ieee_2Efloat } A_{27a} A_{27b})) . (\forall V1x \in \\
& \quad \quad ty_2Erealax_2Ereal . (p (ap (c_2Ebinary_ieee_2Efloat_is_finite \\
& \quad \quad \quad A_{27a} A_{27b}) (ap (ap (ap (c_2Ebinary_ieee_2Eclosest_such } A_{27a} \\
& \quad \quad \quad A_{27b}) V0p) (ap (c_2Epred_set_2EGSPEC (ty_2Ebinary_ieee_2Efloat \\
& \quad \quad \quad A_{27a} A_{27b}) (ty_2Ebinary_ieee_2Efloat } A_{27a} A_{27b})) (\lambda V2a \in \\
& \quad \quad \quad (ty_2Ebinary_ieee_2Efloat } A_{27a} A_{27b}) . (ap (ap (c_2Epair_2E_2C \\
& \quad \quad \quad (ty_2Ebinary_ieee_2Efloat } A_{27a} A_{27b}) 2) V2a) (ap (c_2Ebinary_ieee_2Efloat_is_finite \\
& \quad \quad \quad A_{27a} A_{27b}) V2a)))))) V1x))))))
\end{aligned} \tag{88}$$

Assume the following.

$$\begin{aligned}
& ((\forall V0n \in ty_2Enum_2Enum.((ap (ap c_2Earithmetic_2E_2B \\
& \quad c_2Enum_2E0) V0n) = V0n)) \wedge ((\forall V1n \in ty_2Enum_2Enum.((ap \\
& \quad (ap c_2Earithmetic_2E_2B V1n) c_2Enum_2E0) = V1n)) \wedge ((\forall V2n \in \\
& \quad ty_2Enum_2Enum.(\forall V3m \in ty_2Enum_2Enum.((ap (ap c_2Earithmetic_2E_2B \\
& \quad (ap c_2Earithmetic_2ENUMERAL V2n)) (ap c_2Earithmetic_2ENUMERAL \\
& \quad V3m)) = (ap c_2Earithmetic_2ENUMERAL (ap c_2Enumeral_2EiZ (ap \\
& \quad (ap c_2Earithmetic_2E_2B V2n) V3m)))))) \wedge ((\forall V4n \in ty_2Enum_2Enum. \\
& \quad ((ap (ap c_2Earithmetic_2E_2A c_2Enum_2E0) V4n) = c_2Enum_2E0)) \wedge \\
& \quad ((\forall V5n \in ty_2Enum_2Enum.((ap (ap c_2Earithmetic_2E_2A \\
& \quad V5n) c_2Enum_2E0) = c_2Enum_2E0)) \wedge ((\forall V6n \in ty_2Enum_2Enum. \\
& \quad (\forall V7m \in ty_2Enum_2Enum.((ap (ap c_2Earithmetic_2E_2A (\\
& \quad ap c_2Earithmetic_2ENUMERAL V6n)) (ap c_2Earithmetic_2ENUMERAL \\
& \quad V7m)) = (ap c_2Earithmetic_2ENUMERAL (ap (ap c_2Earithmetic_2E_2A \\
& \quad V6n) V7m)))))) \wedge ((\forall V8n \in ty_2Enum_2Enum.((ap (ap c_2Earithmetic_2E_2D \\
& \quad c_2Enum_2E0) V8n) = c_2Enum_2E0)) \wedge ((\forall V9n \in ty_2Enum_2Enum. \\
& \quad ((ap (ap c_2Earithmetic_2E_2D V9n) c_2Enum_2E0) = V9n)) \wedge ((\forall V10n \in \\
& \quad ty_2Enum_2Enum.(\forall V11m \in ty_2Enum_2Enum.((ap (ap c_2Earithmetic_2E_2D \\
& \quad (ap c_2Earithmetic_2ENUMERAL V10n)) (ap c_2Earithmetic_2ENUMERAL \\
& \quad V11m)) = (ap c_2Earithmetic_2ENUMERAL (ap (ap c_2Earithmetic_2E_2D \\
& \quad V10n) V11m)))))) \wedge ((\forall V12n \in ty_2Enum_2Enum.((ap (ap c_2Earithmetic_2EEXP \\
& \quad c_2Enum_2E0) (ap c_2Earithmetic_2ENUMERAL (ap c_2Earithmetic_2EBIT1 \\
& \quad V12n))) = c_2Enum_2E0)) \wedge ((\forall V13n \in ty_2Enum_2Enum.((ap \\
& \quad (ap c_2Earithmetic_2EEXP c_2Enum_2E0) (ap c_2Earithmetic_2ENUMERAL \\
& \quad (ap c_2Earithmetic_2EBIT2 V13n))) = c_2Enum_2E0)) \wedge ((\forall V14n \in \\
& \quad ty_2Enum_2Enum.((ap (ap c_2Earithmetic_2EEXP V14n) c_2Enum_2E0) = \\
& \quad (ap c_2Earithmetic_2ENUMERAL (ap c_2Earithmetic_2EBIT1 c_2Earithmetic_2EZERO)))))) \wedge \\
& \quad ((\forall V15n \in ty_2Enum_2Enum.(\forall V16m \in ty_2Enum_2Enum. \\
& \quad ((ap (ap c_2Earithmetic_2EEXP (ap c_2Earithmetic_2ENUMERAL V15n)) \\
& \quad (ap c_2Earithmetic_2ENUMERAL V16m)) = (ap c_2Earithmetic_2ENUMERAL \\
& \quad (ap (ap c_2Earithmetic_2EEXP V15n) V16m)))))) \wedge ((ap c_2Enum_2ESUC \\
& \quad c_2Enum_2E0) = (ap c_2Earithmetic_2ENUMERAL (ap c_2Earithmetic_2EBIT1 \\
& \quad c_2Earithmetic_2EZERO))) \wedge ((\forall V17n \in ty_2Enum_2Enum. (\\
& \quad (ap c_2Enum_2ESUC (ap c_2Earithmetic_2ENUMERAL V17n)) = (ap c_2Earithmetic_2ENUMERAL \\
& \quad (ap c_2Enum_2ESUC V17n)))) \wedge ((ap c_2Eprim_rec_2EPRE c_2Enum_2E0) = \\
& \quad c_2Enum_2E0) \wedge ((\forall V18n \in ty_2Enum_2Enum.((ap c_2Eprim_rec_2EPRE \\
& \quad (ap c_2Earithmetic_2ENUMERAL V18n)) = (ap c_2Earithmetic_2ENUMERAL \\
& \quad (ap c_2Eprim_rec_2EPRE V18n)))) \wedge ((\forall V19n \in ty_2Enum_2Enum. \\
& \quad (((ap c_2Earithmetic_2ENUMERAL V19n) = c_2Enum_2E0) \Leftrightarrow (V19n = c_2Earithmetic_2EZERO))) \wedge \\
& \quad ((\forall V20n \in ty_2Enum_2Enum.((c_2Enum_2E0 = (ap c_2Earithmetic_2ENUMERAL \\
& \quad V20n)) \Leftrightarrow (V20n = c_2Earithmetic_2EZERO))) \wedge ((\forall V21n \in ty_2Enum_2Enum. \\
& \quad (\forall V22m \in ty_2Enum_2Enum.(((ap c_2Earithmetic_2ENUMERAL \\
& \quad V21n) = (ap c_2Earithmetic_2ENUMERAL V22m)) \Leftrightarrow (V21n = V22m)))) \wedge \\
& \quad ((\forall V23n \in ty_2Enum_2Enum.((p (ap (ap c_2Eprim_rec_2E_3C \\
& \quad V23n) c_2Enum_2E0)) \Leftrightarrow False)) \wedge ((\forall V24n \in ty_2Enum_2Enum. \\
& \quad ((p (ap (ap c_2Eprim_rec_2E_3C c_2Enum_2E0) (ap c_2Earithmetic_2ENUMERAL \\
& \quad V24n))) \Leftrightarrow (p (ap (ap c_2Eprim_rec_2E_3C c_2Earithmetic_2EZERO) \\
& \quad V24n)))) \wedge ((\forall V25n \in ty_2Enum_2Enum.(\forall V26m \in ty_2Enum_2Enum. \\
& \quad ((p (ap (ap c_2Eprim_rec_2E_3C (ap c_2Earithmetic_2ENUMERAL \\
& \quad V25n)) (ap c_2Earithmetic_2ENUMERAL V26m))) \Leftrightarrow (p (ap (ap c_2Eprim_rec_2E_3C \\
& \quad V25n) V26m)))))) \wedge ((\forall V27n \in ty_2Enum_2Enum.((p (ap (ap c_2Earithmetic_2E_3E \\
& \quad c_2Enum_2E0) V27n)) \Leftrightarrow False)) \wedge ((\forall V28n \in ty_2Enum_2Enum. \\
& \quad ((p (ap (ap c_2Earithmetic_2E_3E (ap c_2Earithmetic_2ENUMERAL \\
& \quad V28n)) c_2Enum_2E0)) \Leftrightarrow (p (ap (ap c_2Eprim_rec_2E_3C c_2Earithmetic_2EZERO) \\
& \quad V28n)))) \wedge ((\forall V29n \in ty_2Enum_2Enum.(\forall V30m \in ty_2Enum_2Enum. \\
& \quad ((p (ap (ap c_2Earithmetic_2E_3E (ap c_2Earithmetic_2ENUMERAL \\
& \quad V29n)) (ap c_2Earithmetic_2ENUMERAL V30m))) \Leftrightarrow (p (ap (ap c_2Eprim_rec_2E_3C \\
& \quad V30m) V29n)))))) \wedge ((\forall V31n \in ty_2Enum_2Enum.((p (ap (ap c_2Earithmetic_2E_3C_3D \\
& \quad c_2Enum_2E0) V31n)) \Leftrightarrow True)) \wedge ((\forall V32n \in ty_2Enum_2Enum. \\
& \quad ((p (ap (ap c_2Earithmetic_2E_3C_3D (ap c_2Earithmetic_2ENUMERAL
\end{aligned}$$

Assume the following.

$$\forall A_27a.\text{nonempty } A_27a \Rightarrow (\forall V0P \in (2^{A_27a}).((\text{ap } (c_2Epred_set_2EGSPEC \\ A_27a \ A_27a) (\lambda V1x \in A_27a.(\text{ap } (\text{ap } (c_2Epair_2E_2C \ A_27a \ 2) \\ V1x) (\text{ap } V0P \ V1x)))) = V0P))) \quad (90)$$

Assume the following.

$$(\forall V0x \in ty_2Erealax_2Ereal.(\forall V1y \in ty_2Erealax_2Ereal. \\ ((\text{ap } (\text{ap } c_2Erealax_2Ereal_add \ V0x) \ V1y) = (\text{ap } (\text{ap } c_2Erealax_2Ereal_add \\ V1y) \ V0x)))) \quad (91)$$

Assume the following.

$$(\forall V0x \in ty_2Erealax_2Ereal.(\forall V1y \in ty_2Erealax_2Ereal. \\ (\forall V2z \in ty_2Erealax_2Ereal.((\text{ap } (\text{ap } c_2Erealax_2Ereal_add \\ V0x) (\text{ap } (\text{ap } c_2Erealax_2Ereal_add \ V1y) \ V2z)) = (\text{ap } (\text{ap } c_2Erealax_2Ereal_add \\ (\text{ap } (\text{ap } c_2Erealax_2Ereal_add \ V0x) \ V1y)) \ V2z)))))) \quad (92)$$

Assume the following.

$$(\forall V0x \in ty_2Erealax_2Ereal.((\text{ap } (\text{ap } c_2Erealax_2Ereal_add \\ (\text{ap } c_2Ereal_2Ereal_of_num \ c_2Enum_2E0)) \ V0x) = V0x)) \quad (93)$$

Assume the following.

$$(\forall V0x \in ty_2Erealax_2Ereal.((\text{ap } (\text{ap } c_2Erealax_2Ereal_add \\ (\text{ap } c_2Erealax_2Ereal_neg \ V0x)) \ V0x) = (\text{ap } c_2Ereal_2Ereal_of_num \\ c_2Enum_2E0))) \quad (94)$$

Assume the following.

$$(\forall V0x \in ty_2Erealax_2Ereal.(\forall V1y \in ty_2Erealax_2Ereal. \\ (\forall V2z \in ty_2Erealax_2Ereal.(((p (\text{ap } (\text{ap } c_2Erealax_2Ereal_lt \\ V0x) \ V1y)) \wedge (p (\text{ap } (\text{ap } c_2Erealax_2Ereal_lt \ V1y) \ V2z)))) \Rightarrow (p (\text{ap } \\ (\text{ap } c_2Erealax_2Ereal_lt \ V0x) \ V2z)))))) \quad (95)$$

Assume the following.

$$(\forall V0x \in ty_2Erealax_2Ereal.((\text{ap } (\text{ap } c_2Erealax_2Ereal_mul \\ (\text{ap } c_2Ereal_2Ereal_of_num \ (\text{ap } c_2Earithmetic_2ENUMERAL \ (\\ \text{ap } c_2Earithmetic_2EBIT1 \ c_2Earithmetic_2EZERO)))) \ V0x) = V0x)) \quad (96)$$

Assume the following.

$$(\forall V0x \in ty_2Erealax_2Ereal.((\text{ap } (\text{ap } c_2Erealax_2Ereal_add \\ V0x) (\text{ap } c_2Ereal_2Ereal_of_num \ c_2Enum_2E0)) = V0x)) \quad (97)$$

Assume the following.

$$(\forall V0x \in ty_2Erealax_2Ereal.((ap (ap c_2Erealax_2Ereal_add V0x) (ap c_2Erealax_2Ereal_neg V0x)) = (ap c_2Ereal_2Ereal_of_num c_2Enum_2E0)))) \quad (98)$$

Assume the following.

$$(\forall V0x \in ty_2Erealax_2Ereal.((ap (ap c_2Erealax_2Ereal_mul (ap c_2Ereal_2Ereal_of_num c_2Enum_2E0)) V0x) = (ap c_2Ereal_2Ereal_of_num c_2Enum_2E0)))) \quad (99)$$

Assume the following.

$$(\forall V0x \in ty_2Erealax_2Ereal.(\forall V1y \in ty_2Erealax_2Ereal.(\forall V2z \in ty_2Erealax_2Ereal.((p (ap (ap c_2Erealax_2Ereal_lt (ap (ap c_2Erealax_2Ereal_add V0x) V1y)) (ap (ap c_2Erealax_2Ereal_add V0x) V2z)))) \Leftrightarrow (p (ap (ap c_2Erealax_2Ereal_lt V1y) V2z)))))) \quad (100)$$

Assume the following.

$$(\forall V0x \in ty_2Erealax_2Ereal.(\forall V1y \in ty_2Erealax_2Ereal.((p (ap (ap c_2Ereal_2Ereal_lte V0x) V1y)) \vee (p (ap (ap c_2Ereal_2Ereal_lte V1y) V0x)))))) \quad (101)$$

Assume the following.

$$(\forall V0x \in ty_2Erealax_2Ereal.(\forall V1y \in ty_2Erealax_2Ereal.(\forall V2z \in ty_2Erealax_2Ereal.(((p (ap (ap c_2Erealax_2Ereal_lt V0x) V1y)) \wedge (p (ap (ap c_2Ereal_2Ereal_lte V1y) V2z)))) \Rightarrow (p (ap (ap c_2Erealax_2Ereal_lt V0x) V2z)))))) \quad (102)$$

Assume the following.

$$(\forall V0x \in ty_2Erealax_2Ereal.(\forall V1y \in ty_2Erealax_2Ereal.(\forall V2z \in ty_2Erealax_2Ereal.(((p (ap (ap c_2Ereal_2Ereal_lte V0x) V1y)) \wedge (p (ap (ap c_2Erealax_2Ereal_lt V1y) V2z)))) \Rightarrow (p (ap (ap c_2Erealax_2Ereal_lt V0x) V2z)))))) \quad (103)$$

Assume the following.

$$(\forall V0x \in ty_2Erealax_2Ereal.(\forall V1y \in ty_2Erealax_2Ereal.(\forall V2z \in ty_2Erealax_2Ereal.(((p (ap (ap c_2Ereal_2Ereal_lte V0x) V1y)) \wedge (p (ap (ap c_2Ereal_2Ereal_lte V1y) V2z)))) \Rightarrow (p (ap (ap c_2Ereal_2Ereal_lte V0x) V2z)))))) \quad (104)$$

Assume the following.

$$(\forall V0x \in ty_2Erealax_2Ereal.(\forall V1y \in ty_2Erealax_2Ereal.(((p (ap (ap c_2Ereal_2Ereal_lte V0x) V1y)) \wedge (p (ap (ap c_2Ereal_2Ereal_lte V1y) V0x)))) \Leftrightarrow (V0x = V1y)))) \quad (105)$$

Assume the following.

$$\begin{aligned}
& (\forall V0m \in ty_2Enum_2Enum. (\forall V1n \in ty_2Enum_2Enum. (\\
& \quad (ap (ap c_2Erealax_2Ereal_add (ap c_2Ereal_2Ereal_of_num \\
& \quad V0m)) (ap c_2Ereal_2Ereal_of_num V1n)) = (ap c_2Ereal_2Ereal_of_num \\
& \quad \quad (ap (ap c_2Earithmetic_2E_2B V0m) V1n))))))
\end{aligned} \tag{106}$$

Assume the following.

$$\begin{aligned}
& (\forall V0x \in ty_2Erealax_2Ereal. (\forall V1y \in ty_2Erealax_2Ereal. \\
& \quad ((ap (ap c_2Erealax_2Ereal_mul (ap c_2Erealax_2Ereal_neg V0x)) \\
& \quad V1y) = (ap c_2Erealax_2Ereal_neg (ap (ap c_2Erealax_2Ereal_mul \\
& \quad \quad V0x) V1y))))))
\end{aligned} \tag{107}$$

Assume the following.

$$\begin{aligned}
& (\forall V0y \in ty_2Erealax_2Ereal. (\forall V1x \in ty_2Erealax_2Ereal. \\
& \quad ((p (ap (ap c_2Erealax_2Ereal_lt V1x) V0y)) \Leftrightarrow (\neg (p (ap (ap c_2Ereal_2Ereal_lte \\
& \quad \quad V0y) V1x))))))
\end{aligned} \tag{108}$$

Assume the following.

$$\begin{aligned}
& (\forall V0x \in ty_2Erealax_2Ereal. (\forall V1y \in ty_2Erealax_2Ereal. \\
& \quad (\forall V2z \in ty_2Erealax_2Ereal. ((p (ap (ap c_2Ereal_2Ereal_lte \\
& \quad V1y) V2z)) \Rightarrow (p (ap (ap c_2Ereal_2Ereal_lte (ap (ap c_2Erealax_2Ereal_add \\
& \quad \quad V0x) V1y)) (ap (ap c_2Erealax_2Ereal_add V0x) V2z))))))
\end{aligned} \tag{109}$$

Assume the following.

$$\begin{aligned}
& (\forall V0x \in ty_2Erealax_2Ereal. (\forall V1y \in ty_2Erealax_2Ereal. \\
& \quad ((p (ap (ap c_2Ereal_2Ereal_lte (ap c_2Erealax_2Ereal_neg V0x)) \\
& \quad V1y)) \Leftrightarrow (p (ap (ap c_2Ereal_2Ereal_lte (ap c_2Ereal_2Ereal_of_num \\
& \quad \quad c_2Enum_2E0)) (ap (ap c_2Erealax_2Ereal_add V0x) V1y))))))
\end{aligned} \tag{110}$$

Assume the following.

$$\begin{aligned}
& (\forall V0x \in ty_2Erealax_2Ereal. (\forall V1y \in ty_2Erealax_2Ereal. \\
& \quad ((p (ap (ap c_2Ereal_2Ereal_lte (ap c_2Erealax_2Ereal_neg V0x)) \\
& \quad (ap c_2Erealax_2Ereal_neg V1y))) \Leftrightarrow (p (ap (ap c_2Ereal_2Ereal_lte \\
& \quad \quad V1y) V0x))))))
\end{aligned} \tag{111}$$

Assume the following.

$$\begin{aligned}
& (\forall V0x \in ty_2Erealax_2Ereal. ((ap c_2Erealax_2Ereal_neg \\
& \quad (ap c_2Erealax_2Ereal_neg V0x)) = V0x))
\end{aligned} \tag{112}$$

Assume the following.

$$\begin{aligned}
& (\forall V0x \in ty_2Erealax_2Ereal. (\forall V1y \in ty_2Erealax_2Ereal. \\
& ((p (ap (ap c_2Ereal_2Ereal_lte V0x) (ap c_2Erealax_2Ereal_neg \\
& V1y))) \Leftrightarrow (p (ap (ap c_2Ereal_2Ereal_lte (ap (ap c_2Erealax_2Ereal_add \\
& V0x) V1y)) (ap c_2Ereal_2Ereal_of_num c_2Enum_2E0))))))
\end{aligned} \tag{113}$$

Assume the following.

$$\begin{aligned}
& (\forall V0x \in ty_2Erealax_2Ereal. (\forall V1y \in ty_2Erealax_2Ereal. \\
& (\forall V2z \in ty_2Erealax_2Ereal. ((ap (ap c_2Erealax_2Ereal_mul \\
& (ap (ap c_2Erealax_2Ereal_add V0x) V1y)) V2z) = (ap (ap c_2Erealax_2Ereal_add \\
& (ap (ap c_2Erealax_2Ereal_mul V0x) V2z)) (ap (ap c_2Erealax_2Ereal_mul \\
& V1y) V2z))))))
\end{aligned} \tag{114}$$

Assume the following.

$$\begin{aligned}
& (\forall V0m \in ty_2Enum_2Enum. (\forall V1n \in ty_2Enum_2Enum. (\\
& (p (ap (ap c_2Ereal_2Ereal_lte (ap c_2Ereal_2Ereal_of_num \\
& V0m)) (ap c_2Ereal_2Ereal_of_num V1n))) \Leftrightarrow (p (ap (ap c_2Earithmic_2E_3C_3D \\
& V0m) V1n))))
\end{aligned} \tag{115}$$

Assume the following.

$$(\forall V0t \in 2. ((\neg(\neg(p V0t))) \Leftrightarrow (p V0t))) \tag{116}$$

Assume the following.

$$(\forall V0A \in 2. ((p V0A) \Rightarrow ((\neg(p V0A)) \Rightarrow False))) \tag{117}$$

Assume the following.

$$\begin{aligned}
& (\forall V0A \in 2. (\forall V1B \in 2. (((\neg((\neg(p V0A) \vee (p V1B))) \Rightarrow False) \Leftrightarrow \\
& (((p V0A) \Rightarrow False) \Rightarrow ((\neg(p V1B)) \Rightarrow False))))))
\end{aligned} \tag{118}$$

Assume the following.

$$\begin{aligned}
& (\forall V0A \in 2. (\forall V1B \in 2. (((\neg((\neg(\neg(p V0A)) \vee (p V1B))) \Rightarrow False) \Leftrightarrow \\
& ((p V0A) \Rightarrow ((\neg(p V1B)) \Rightarrow False))))))
\end{aligned} \tag{119}$$

Assume the following.

$$(\forall V0A \in 2. (((\neg(p V0A)) \Rightarrow False) \Rightarrow ((p V0A) \Rightarrow False) \Rightarrow False)) \tag{120}$$

Assume the following.

$$\begin{aligned}
& (\forall V0p \in 2. (\forall V1q \in 2. (\forall V2r \in 2. (((p V0p) \Leftrightarrow (\\
& (p V1q) \Leftrightarrow (p V2r))) \Leftrightarrow (((p V0p) \vee ((p V1q) \vee (p V2r))) \wedge (((p V0p) \vee ((\neg \\
& p V2r)) \vee (\neg(p V1q)))) \wedge (((p V1q) \vee ((\neg(p V2r)) \vee (\neg(p V0p)))) \wedge ((p V2r) \vee \\
& ((\neg(p V1q)) \vee (\neg(p V0p))))))))))
\end{aligned} \tag{121}$$

Assume the following.

$$\begin{aligned}
& (\forall V0p \in 2. (\forall V1q \in 2. (\forall V2r \in 2. (((p V0p) \Leftrightarrow (\\
& (p V1q) \wedge (p V2r))) \Leftrightarrow (((p V0p) \vee (\neg(p V1q)) \vee (\neg(p V2r)))) \wedge (((p V1q) \vee \\
& (\neg(p V0p))) \wedge ((p V2r) \vee (\neg(p V0p))))))))))
\end{aligned} \tag{122}$$

Assume the following.

$$\begin{aligned}
& (\forall V0p \in 2. (\forall V1q \in 2. (\forall V2r \in 2. (((p V0p) \Leftrightarrow (\\
& (p V1q) \vee (p V2r))) \Leftrightarrow (((p V0p) \vee (\neg(p V1q))) \wedge ((p V0p) \vee (\neg(p V2r)))) \wedge \\
& ((p V1q) \vee ((p V2r) \vee (\neg(p V0p))))))))))
\end{aligned} \tag{123}$$

Assume the following.

$$\begin{aligned}
& (\forall V0p \in 2. (\forall V1q \in 2. (\forall V2r \in 2. (((p V0p) \Leftrightarrow (\\
& (p V1q) \Rightarrow (p V2r))) \Leftrightarrow (((p V0p) \vee (p V1q)) \wedge (((p V0p) \vee (\neg(p V2r))) \wedge (\\
& \neg(p V1q)) \vee ((p V2r) \vee (\neg(p V0p))))))))))
\end{aligned} \tag{124}$$

Assume the following.

$$\begin{aligned}
& (\forall V0p \in 2. (\forall V1q \in 2. (((p V0p) \Leftrightarrow (\neg(p V1q))) \Leftrightarrow (((p V0p) \vee \\
& (p V1q)) \wedge ((\neg(p V1q)) \vee (\neg(p V0p))))))
\end{aligned} \tag{125}$$

Theorem 1

$$\begin{aligned}
& \forall A_27t. \text{nonempty } A_27t \Rightarrow \forall A_27w. \text{nonempty } A_27w \Rightarrow (\\
& \forall V0b \in 2. (\forall V1x \in \text{ty_2Erealax_2Ereal}. ((p \text{ (ap (ap c_2Erealax_2Ereal_lt} \\
& \text{(ap c_2Ereal_2Eabs } V1x)) \text{ (ap (c_2Ebinary_ieee_2Ethreshold } A_27t} \\
& A_27w) \text{ (c_2Ebool_2Ethe_value (ty_2Epair_2Eprod } A_27t A_27w)))))) \Rightarrow \\
& (p \text{ (ap (c_2Ebinary_ieee_2Efloat_is_finite } A_27t A_27w) \text{ (ap} \\
& \text{(ap (ap (c_2Ebinary_ieee_2Efloat_round } A_27t A_27w) c_2Ebinary_ieee_2EroundTiesToEven) \\
& V0b) V1x))))))
\end{aligned}$$