

thm_2Elim_2ECONT__BOUNDED (TMRp154Ty1sK4ZdfcvFzAGJZDFGU7VB7WWr)

October 26, 2020

Definition 1 We define `c_2Emin_2E_3D` to be $\lambda A. \lambda x \in A. \lambda y \in A. \text{inj_o } (x = y)$ of type $\iota \Rightarrow \iota$.

Definition 2 We define `c_2Ebool_2ET` to be $(\text{ap } (\text{ap } (\text{c_2Emin_2E_3D } (2^2))) (\lambda V 0x \in 2.V 0x)) (\lambda V 1x \in 2.V 1x)$

Definition 3 We define `c_2Ebool_2E_21` to be $\lambda A. 27a : \iota. (\lambda V 0P \in (2^{A-27a}). (\text{ap } (\text{ap } (\text{c_2Emin_2E_3D } (2^{A-27a}))))$

Definition 4 We define `c_2Ebool_2EF` to be $(\text{ap } (\text{c_2Ebool_2E_21 } 2)) (\lambda V 0t \in 2.V 0t)$.

Let `ty_2Ehreal_2Ehreal` : ι be given. Assume the following.

$$\text{nonempty } \text{ty_2Ehreal_2Ehreal} \tag{1}$$

Let `ty_2Epair_2Eprod` : $\iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A 0. \text{nonempty } A 0 \Rightarrow \forall A 1. \text{nonempty } A 1 \Rightarrow \text{nonempty } (\text{ty_2Epair_2Eprod } A 0 A 1) \tag{2}$$

Let `ty_2Erealax_2Ereal` : ι be given. Assume the following.

$$\text{nonempty } \text{ty_2Erealax_2Ereal} \tag{3}$$

Let `c_2Erealax_2Ereal__REP__CLASS` : ι be given. Assume the following.

$$\text{c_2Erealax_2Ereal_REP_CLASS} \in ((\text{ty_2Epair_2Eprod } \text{ty_2Ehreal_2Ehreal } \text{ty_2Ehreal_2Ehreal}) \text{ty_2Erealax_2Ereal}) \tag{4}$$

Definition 5 We define `c_2Emin_2E_40` to be $\lambda A. \lambda P \in 2^A. \text{if } (\exists x \in A. p (\text{ap } P x)) \text{ then } (\text{the } (\lambda x. x \in A \wedge p (\text{ap } P x)))$ of type $\iota \Rightarrow \iota$.

Definition 6 We define `c_2Erealax_2Ereal__REP` to be $\lambda V 0a \in \text{ty_2Erealax_2Ereal}. (\text{ap } (\text{c_2Emin_2E_40 } (\text{ty_2Erealax_2Ereal } a)))$

Let `c_2Erealax_2Etreal__neg` : ι be given. Assume the following.

$$\text{c_2Erealax_2Etreal_neg} \in ((\text{ty_2Epair_2Eprod } \text{ty_2Ehreal_2Ehreal } \text{ty_2Ehreal_2Ehreal}) \text{ty_2Epair_2Eprod } \text{ty_2Ehreal_2Ehreal } \text{ty_2Ehreal_2Ehreal}) \tag{5}$$

Let $c_2Erealx_2Etrealm_eq : \iota$ be given. Assume the following.

$$c_2Erealx_2Etrealm_eq \in ((2^{(ty_2Epair_2Eprod\ ty_2Ehreal_2Ehreal\ ty_2Ehreal_2Ehreal)})^{(ty_2Epair_2Eprod\ ty_2Ehreal_2Ehreal)}) \quad (6)$$

Let $c_2Erealx_2Ereal_ABS_CLASS : \iota$ be given. Assume the following.

$$c_2Erealx_2Ereal_ABS_CLASS \in (ty_2Erealx_2Ereal)^{(2^{(ty_2Epair_2Eprod\ ty_2Ehreal_2Ehreal\ ty_2Ehreal_2Ehreal)})} \quad (7)$$

Definition 7 We define $c_2Erealx_2Ereal_ABS$ to be $\lambda V0r \in (ty_2Epair_2Eprod\ ty_2Ehreal_2Ehreal\ ty_2Ehreal_2Ehreal)$

Definition 8 We define $c_2Erealx_2Ereal_neg$ to be $\lambda V0T1 \in ty_2Erealx_2Ereal.(ap\ c_2Erealx_2Ereal_ABS)$

Let $c_2Erealx_2Etrealm_add : \iota$ be given. Assume the following.

$$c_2Erealx_2Etrealm_add \in (((ty_2Epair_2Eprod\ ty_2Ehreal_2Ehreal\ ty_2Ehreal_2Ehreal)^{(ty_2Epair_2Eprod\ ty_2Ehreal_2Ehreal\ ty_2Ehreal_2Ehreal)})^{(ty_2Epair_2Eprod\ ty_2Ehreal_2Ehreal\ ty_2Ehreal_2Ehreal)}) \quad (8)$$

Definition 9 We define $c_2Erealx_2Ereal_add$ to be $\lambda V0T1 \in ty_2Erealx_2Ereal.\lambda V1T2 \in ty_2Erealx_2Ereal$

Definition 10 We define $c_2Ereal_2Ereal_sub$ to be $\lambda V0x \in ty_2Erealx_2Ereal.\lambda V1y \in ty_2Erealx_2Ereal$

Let $c_2Enum_2EZERO_REP : \iota$ be given. Assume the following.

$$c_2Enum_2EZERO_REP \in \omega \quad (9)$$

Let $ty_2Enum_2Enum : \iota$ be given. Assume the following.

$$nonempty\ ty_2Enum_2Enum \quad (10)$$

Let $c_2Enum_2EABS_num : \iota$ be given. Assume the following.

$$c_2Enum_2EABS_num \in (ty_2Enum_2Enum)^{\omega} \quad (11)$$

Definition 11 We define c_2Enum_2E0 to be $(ap\ c_2Enum_2EABS_num\ c_2Enum_2EZERO_REP)$.

Let $c_2Ereal_2Ereal_of_num : \iota$ be given. Assume the following.

$$c_2Ereal_2Ereal_of_num \in (ty_2Erealx_2Ereal)^{ty_2Enum_2Enum} \quad (12)$$

Let $c_2Erealx_2Etrealm_lt : \iota$ be given. Assume the following.

$$c_2Erealx_2Etrealm_lt \in ((2^{(ty_2Epair_2Eprod\ ty_2Ehreal_2Ehreal\ ty_2Ehreal_2Ehreal)})^{(ty_2Epair_2Eprod\ ty_2Ehreal_2Ehreal)}) \quad (13)$$

Definition 12 We define $c_2Erealx_2Ereal_lt$ to be $\lambda V0T1 \in ty_2Erealx_2Ereal.\lambda V1T2 \in ty_2Erealx_2Ereal$

Definition 13 We define $c_2Emin_2E_3D_3D_3E$ to be $\lambda P \in 2.\lambda Q \in 2.inj_o\ (p\ P \Rightarrow p\ Q)$ of type ι .

Definition 14 We define $c_Ebool_2E_7E$ to be $(\lambda V0t \in 2.(ap (ap c_Emin_2E_3D_3D_3E V0t) c_Ebool_2E_7E))$

Definition 15 We define $c_Ereal_2Ereal_lte$ to be $\lambda V0x \in ty_2Erealax_2Ereal.\lambda V1y \in ty_2Erealax_2Ereal.$

Definition 16 We define $c_Ebool_2E_2F_5C$ to be $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap (c_Ebool_2E_21) 2) (\lambda V2t \in 2.))$

Definition 17 We define c_Ebool_2ECOND to be $\lambda A_27a : \iota.(\lambda V0t \in 2.(\lambda V1t1 \in A_27a.(\lambda V2t2 \in A_27a.))$

Definition 18 We define c_Ereal_2Eabs to be $\lambda V0x \in ty_2Erealax_2Ereal.(ap (ap (ap (c_Ebool_2ECOND$

Let $c_Epair_2ESND : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\begin{aligned} \forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow c_Epair_2ESND \\ A_27a\ A_27b \in (A_27b^{(ty_2Epair_2Eprod\ A_27a\ A_27b)}) \end{aligned} \quad (14)$$

Let $c_Epair_2EFST : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\begin{aligned} \forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow c_Epair_2EFST \\ A_27a\ A_27b \in (A_27a^{(ty_2Epair_2Eprod\ A_27a\ A_27b)}) \end{aligned} \quad (15)$$

Definition 19 We define $c_Epair_2EUNCURRY$ to be $\lambda A_27a : \iota.\lambda A_27b : \iota.\lambda A_27c : \iota.\lambda V0f \in ((A_27c^{A_27a})$

Let $ty_2Emetric_2Emetric : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0.nonempty\ A0 \Rightarrow nonempty\ (ty_2Emetric_2Emetric\ A0) \quad (16)$$

Let $c_2Emetric_2Emetric : \iota \Rightarrow \iota$ be given. Assume the following.

$$\begin{aligned} \forall A_27a.nonempty\ A_27a \Rightarrow c_2Emetric_2Emetric\ A_27a \in ((ty_2Emetric_2Emetric \\ A_27a)^{(ty_2Erealax_2Ereal^{(ty_2Epair_2Eprod\ A_27a\ A_27a)})}) \end{aligned} \quad (17)$$

Definition 20 We define $c_2Emetric_2Emr1$ to be $(ap (c_2Emetric_2Emetric\ ty_2Erealax_2Ereal) (ap (c_2Emetric_2Emr1$

Let $c_Epair_2EABS_prod : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\begin{aligned} \forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow c_Epair_2EABS_prod \\ A_27a\ A_27b \in ((ty_2Epair_2Eprod\ A_27a\ A_27b)^{(2^{A_27b})^{A_27a}}) \end{aligned} \quad (18)$$

Definition 21 We define $c_Epair_2E_2C$ to be $\lambda A_27a : \iota.\lambda A_27b : \iota.\lambda V0x \in A_27a.\lambda V1y \in A_27b.(ap (c_2Emetric_2Emr1$

Let $c_2Enets_2Etendsto : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow c_2Enets_2Etendsto\ A_27a \in (((2^{A_27a})^{A_27a})^{(ty_2Epair_2Eprod\ (ty_2Emetric_2Emr1\ A_27a\ A_27a))}) \quad (19)$$

Let $c_2Emetric_2Edist : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow c_2Emetric_2Edist\ A_27a \in ((ty_2Erealax_2Ereal^{(ty_2Epair_2Eprod\ A_27a\ A_27a)})^{(ty_2Emetric_2Edist\ A_27a)}) \quad (20)$$

Definition 22 We define $c_Ebool_E_3F$ to be $\lambda A_27a : \iota. (\lambda V0P \in (2^{A-27a}). (ap\ V0P\ (ap\ (c_Emin_E_40\ 0)\ P)))$.
Let $ty_2Etopology_2Etopology : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0. nonempty\ A0 \Rightarrow nonempty\ (ty_2Etopology_2Etopology\ A0) \quad (21)$$

Let $c_2Etopology_2Etopology : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a. nonempty\ A_27a \Rightarrow c_2Etopology_2Etopology\ A_27a \in ((ty_2Etopology_2Etopology\ A_27a)^{(2^{(2^A-27a)})}) \quad (22)$$

Definition 23 We define $c_Emetric_Emetop$ to be $\lambda A_27a : \iota. \lambda V0m \in (ty_Emetric_Emetric\ A_27a). (ap\ (c_Emetric_Emetric\ A_27a)\ m)$.

Let $c_2Enets_2Etends : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a. nonempty\ A_27a \Rightarrow \forall A_27b. nonempty\ A_27b \Rightarrow c_2Enets_2Etends\ A_27a\ A_27b \in (((2^{(ty_2Epair_2Eprod\ (ty_2Etopology_2Etopology\ A_27a)\ ((2^{A-27b})^{A-27b})))\ A_27a)\ (A_27a^{A-27b})) \quad (23)$$

Definition 24 We define $c_Elim_2Etends_real_real$ to be $\lambda V0f \in (ty_2Erealax_2Ereal^{ty_2Erealax_2Ereal}).$

Definition 25 We define $c_Elim_2Econtl$ to be $\lambda V0f \in (ty_2Erealax_2Ereal^{ty_2Erealax_2Ereal}). \lambda V1x \in ty_2Erealax_2Ereal.$

Definition 26 We define $c_Ebool_E_5C_2F$ to be $(\lambda V0t1 \in 2. (\lambda V1t2 \in 2. (ap\ (c_Ebool_E_21\ 2)\ t1\ t2)))$.

Definition 27 We define $c_Earithmetic_EZERO$ to be c_Enum_2E0 .

Let $c_2Enum_2EREP_num : \iota$ be given. Assume the following.

$$c_2Enum_2EREP_num \in (\omega^{ty_2Enum_2Enum}) \quad (24)$$

Let $c_2Enum_2ESUC_REP : \iota$ be given. Assume the following.

$$c_2Enum_2ESUC_REP \in (\omega^{\omega}) \quad (25)$$

Definition 28 We define c_Enum_2ESUC to be $\lambda V0m \in ty_2Enum_2Enum. (ap\ c_2Enum_2EABS_num\ m)$.

Let $c_2Earithmetic_E_2B : \iota$ be given. Assume the following.

$$c_2Earithmetic_E_2B \in ((ty_2Enum_2Enum^{ty_2Enum_2Enum})^{ty_2Enum_2Enum}) \quad (26)$$

Definition 29 We define $c_Earithmetic_EBIT1$ to be $\lambda V0n \in ty_2Enum_2Enum. (ap\ (ap\ c_2Earithmetic_E_2B\ n))$.

Definition 30 We define $c_Earithmetic_ENUMERAL$ to be $\lambda V0x \in ty_2Enum_2Enum. V0x$.

Assume the following.

$$True \quad (27)$$

Assume the following.

$$(\forall V0t1 \in 2. (\forall V1t2 \in 2. (((p\ V0t1) \Rightarrow (p\ V1t2)) \Rightarrow (((p\ V1t2) \Rightarrow (p\ V0t1)) \Rightarrow ((p\ V0t1) \Leftrightarrow (p\ V1t2)))))) \quad (28)$$

Assume the following.

$$(\forall V0t \in 2. (False \Rightarrow (p V0t))) \quad (29)$$

Assume the following.

$$(\forall V0t \in 2. ((p V0t) \vee (\neg(p V0t)))) \quad (30)$$

Assume the following.

$$\forall A_27a.nonempty \ A_27a \Rightarrow (\forall V0t \in 2. ((\forall V1x \in A_27a. (p V0t)) \Leftrightarrow (p V0t))) \quad (31)$$

Assume the following.

$$\begin{aligned} & (\forall V0t \in 2. (((True \wedge (p V0t)) \Leftrightarrow (p V0t)) \wedge (((p V0t) \wedge True) \Leftrightarrow \\ & (p V0t)) \wedge (((False \wedge (p V0t)) \Leftrightarrow False) \wedge (((p V0t) \wedge False) \Leftrightarrow False) \wedge \\ & (((p V0t) \wedge (p V0t)) \Leftrightarrow (p V0t)))))) \end{aligned} \quad (32)$$

Assume the following.

$$\begin{aligned} & (\forall V0t \in 2. (((True \Rightarrow (p V0t)) \Leftrightarrow (p V0t)) \wedge (((p V0t) \Rightarrow True) \Leftrightarrow \\ & True) \wedge (((False \Rightarrow (p V0t)) \Leftrightarrow True) \wedge (((p V0t) \Rightarrow (p V0t)) \Leftrightarrow True) \wedge ((\\ & (p V0t) \Rightarrow False) \Leftrightarrow (\neg(p V0t)))))) \end{aligned} \quad (33)$$

Assume the following.

$$\begin{aligned} & ((\forall V0t \in 2. ((\neg(\neg(p V0t))) \Leftrightarrow (p V0t))) \wedge (((\neg True) \Leftrightarrow False) \wedge \\ & ((\neg False) \Leftrightarrow True))) \end{aligned} \quad (34)$$

Assume the following.

$$\forall A_27a.nonempty \ A_27a \Rightarrow (\forall V0x \in A_27a. (\forall V1y \in A_27a. ((V0x = V1y) \Leftrightarrow (V1y = V0x)))) \quad (35)$$

Assume the following.

$$\begin{aligned} & (\forall V0t \in 2. (((True \Leftrightarrow (p V0t)) \Leftrightarrow (p V0t)) \wedge (((p V0t) \Leftrightarrow True) \Leftrightarrow \\ & (p V0t)) \wedge (((False \Leftrightarrow (p V0t)) \Leftrightarrow (\neg(p V0t))) \wedge (((p V0t) \Leftrightarrow False) \Leftrightarrow (\neg(\\ & p V0t)))))) \end{aligned} \quad (36)$$

Assume the following.

$$\begin{aligned} & \forall A_27a.nonempty \ A_27a \Rightarrow (\forall V0t1 \in A_27a. (\forall V1t2 \in \\ & A_27a. (((ap (ap (ap (c_2Ebool_2ECOND A_27a) c_2Ebool_2ET) V0t1) \\ & V1t2) = V0t1) \wedge ((ap (ap (ap (c_2Ebool_2ECOND A_27a) c_2Ebool_2EF) \\ & V0t1) V1t2) = V1t2)))) \end{aligned} \quad (37)$$

Assume the following.

$$\begin{aligned}
& (\forall V0f \in (ty_2Erealax_2Ereal^{ty_2Erealax_2Ereal}).(\forall V1y0 \in \\
& \quad ty_2Erealax_2Ereal.(\forall V2x0 \in ty_2Erealax_2Ereal.((p (\\
& \quad \quad ap (ap (ap c_2Elim_2Etends_real_real V0f) V1y0) V2x0)) \Leftrightarrow (\forall V3e \in \\
& ty_2Erealax_2Ereal.((p (ap (ap c_2Erealax_2Ereal_lt (ap c_2Ereal_2Ereal_of_num \\
& \quad \quad c_2Enum_2E0)) V3e)) \Rightarrow (\exists V4d \in ty_2Erealax_2Ereal.((p (ap \\
& (ap c_2Erealax_2Ereal_lt (ap c_2Ereal_2Ereal_of_num c_2Enum_2E0)) \\
& \quad V4d)) \wedge (\forall V5x \in ty_2Erealax_2Ereal.(((p (ap (ap c_2Erealax_2Ereal_lt \\
& \quad (ap c_2Ereal_2Ereal_of_num c_2Enum_2E0)) (ap c_2Ereal_2Eabs \\
& (ap (ap c_2Ereal_2Ereal_sub V5x) V2x0)))) \wedge (p (ap (ap c_2Erealax_2Ereal_lt \\
& \quad (ap c_2Ereal_2Eabs (ap (ap c_2Ereal_2Ereal_sub V5x) V2x0))) V4d))) \Rightarrow \\
& (p (ap (ap c_2Erealax_2Ereal_lt (ap c_2Ereal_2Eabs (ap (ap c_2Ereal_2Ereal_sub \\
& \quad (ap V0f V5x)) V1y0))) V3e)))))))))
\end{aligned} \tag{38}$$

Assume the following.

$$\begin{aligned}
& \forall A_27a.nonempty A_27a \Rightarrow \forall A_27b.nonempty A_27b \Rightarrow \forall A_27c. \\
& \quad nonempty A_27c \Rightarrow (\forall V0f \in ((A_27c^{A_27b})^{A_27a}).(\forall V1x \in \\
& \quad A_27a.(\forall V2y \in A_27b.((ap (ap (c_2Epair_2EUNCURRY A_27a \\
& A_27b A_27c) V0f) (ap (ap (c_2Epair_2E_2C A_27a A_27b) V1x) V2y))) = \\
& \quad (ap (ap V0f V1x) V2y))))))
\end{aligned} \tag{39}$$

Assume the following.

$$\begin{aligned}
& (\forall V0x \in ty_2Erealax_2Ereal.(\forall V1y \in ty_2Erealax_2Ereal. \\
& ((ap (ap c_2Erealax_2Ereal_add V0x) V1y) = (ap (ap c_2Erealax_2Ereal_add \\
& \quad V1y) V0x))))
\end{aligned} \tag{40}$$

Assume the following.

$$\begin{aligned}
& (\forall V0x \in ty_2Erealax_2Ereal.(\forall V1y \in ty_2Erealax_2Ereal. \\
& ((p (ap (ap c_2Ereal_2Ereal_lte V0x) V1y)) \vee (p (ap (ap c_2Ereal_2Ereal_lte \\
& \quad V1y) V0x))))))
\end{aligned} \tag{41}$$

Assume the following.

$$\begin{aligned}
& (\forall V0x \in ty_2Erealax_2Ereal.(p (ap (ap c_2Ereal_2Ereal_lte \\
& \quad V0x) V0x)))
\end{aligned} \tag{42}$$

Assume the following.

$$\begin{aligned}
& (\forall V0x \in ty_2Erealax_2Ereal.(\forall V1y \in ty_2Erealax_2Ereal. \\
& ((p (ap (ap c_2Erealax_2Ereal_lt V0x) V1y)) \Rightarrow (p (ap (ap c_2Ereal_2Ereal_lte \\
& \quad V0x) V1y))))))
\end{aligned} \tag{43}$$

Assume the following.

$$\begin{aligned}
& (\forall V0x \in ty_2Erealax_2Ereal. (\forall V1y \in ty_2Erealax_2Ereal. \\
& (\forall V2z \in ty_2Erealax_2Ereal. (((p (ap (ap (ap c_2Ereal_2Ereal_lte \\
& V0x) V1y)) \wedge (p (ap (ap (ap c_2Erealax_2Ereal_lt V1y) V2z))) \Rightarrow (p (ap (\\
& (ap c_2Erealax_2Ereal_lt V0x) V2z)))))))
\end{aligned} \tag{44}$$

Assume the following.

$$\begin{aligned}
& (\forall V0x \in ty_2Erealax_2Ereal. (\forall V1y \in ty_2Erealax_2Ereal. \\
& (\forall V2z \in ty_2Erealax_2Ereal. (((p (ap (ap (ap c_2Ereal_2Ereal_lte \\
& V0x) V1y)) \wedge (p (ap (ap (ap c_2Ereal_2Ereal_lte V1y) V2z))) \Rightarrow (p (ap (\\
& (ap c_2Ereal_2Ereal_lte V0x) V2z)))))))
\end{aligned} \tag{45}$$

Assume the following.

$$\begin{aligned}
& (p (ap (ap (ap c_2Erealax_2Ereal_lt (ap c_2Ereal_2Ereal_of_num \\
& c_2Enum_2E0)) (ap c_2Ereal_2Ereal_of_num (ap c_2Earithmic_2ENUMERAL \\
& (ap c_2Earithmic_2EBIT1 c_2Earithmic_2EZERO))))))
\end{aligned} \tag{46}$$

Assume the following.

$$\begin{aligned}
& (\forall V0x \in ty_2Erealax_2Ereal. (\forall V1y \in ty_2Erealax_2Ereal. \\
& (\forall V2z \in ty_2Erealax_2Ereal. ((p (ap (ap (ap c_2Ereal_2Ereal_lte \\
& (ap (ap c_2Erealax_2Ereal_add V0x) V1y)) (ap (ap c_2Erealax_2Ereal_add \\
& V0x) V2z))) \Leftrightarrow (p (ap (ap c_2Ereal_2Ereal_lte V1y) V2z))))))
\end{aligned} \tag{47}$$

Assume the following.

$$\begin{aligned}
& (\forall V0x \in ty_2Erealax_2Ereal. (\forall V1y \in ty_2Erealax_2Ereal. \\
& (\forall V2z \in ty_2Erealax_2Ereal. ((p (ap (ap (ap c_2Ereal_2Ereal_lte \\
& (ap (ap c_2Erealax_2Ereal_add V0x) V2z)) (ap (ap c_2Erealax_2Ereal_add \\
& V1y) V2z))) \Leftrightarrow (p (ap (ap c_2Ereal_2Ereal_lte V0x) V1y))))))
\end{aligned} \tag{48}$$

Assume the following.

$$\begin{aligned}
& (\forall V0x \in ty_2Erealax_2Ereal. (\forall V1y \in ty_2Erealax_2Ereal. \\
& ((ap (ap c_2Erealax_2Ereal_add (ap (ap c_2Ereal_2Ereal_sub \\
& V0x) V1y)) V1y) = V0x)))
\end{aligned} \tag{49}$$

Assume the following.

$$\begin{aligned}
& (\forall V0x \in ty_2Erealax_2Ereal. ((ap (ap c_2Ereal_2Ereal_sub \\
& V0x) V0x) = (ap c_2Ereal_2Ereal_of_num c_2Enum_2E0)))
\end{aligned} \tag{50}$$

Assume the following.

$$\begin{aligned}
& (\forall V0x \in ty_2Erealax_2Ereal. (\forall V1y \in ty_2Erealax_2Ereal. \\
& (((ap (ap c_2Ereal_2Ereal_sub V0x) V1y) = (ap c_2Ereal_2Ereal_of_num \\
& c_2Enum_2E0)) \Leftrightarrow (V0x = V1y))))
\end{aligned} \tag{51}$$

Assume the following.

$$(\forall V0x \in ty_2Erealax_2Ereal. (\forall V1y \in ty_2Erealax_2Ereal. ((ap\ c_2Erealax_2Ereal_neg (ap (ap\ c_2Ereal_2Ereal_sub\ V0x)\ V1y)) = (ap (ap\ c_2Ereal_2Ereal_sub\ V1y)\ V0x)))) \quad (52)$$

Assume the following.

$$(\forall V0x \in ty_2Erealax_2Ereal. (\forall V1y \in ty_2Erealax_2Ereal. ((p (ap (ap\ c_2Ereal_2Ereal_lte (ap\ c_2Ereal_2Ereal_of_num\ c_2Enum_2E0)) (ap (ap\ c_2Ereal_2Ereal_sub\ V0x)\ V1y))) \Leftrightarrow (p (ap (ap\ c_2Ereal_2Ereal_lte\ V1y)\ V0x)))))) \quad (53)$$

Assume the following.

$$(\forall V0x \in ty_2Erealax_2Ereal. (\forall V1y \in ty_2Erealax_2Ereal. ((p (ap (ap\ c_2Ereal_2Ereal_lte (ap\ c_2Erealax_2Ereal_neg\ V0x)) (ap\ c_2Erealax_2Ereal_neg\ V1y))) \Leftrightarrow (p (ap (ap\ c_2Ereal_2Ereal_lte\ V1y)\ V0x)))))) \quad (54)$$

Assume the following.

$$(\forall V0x \in ty_2Erealax_2Ereal. ((ap (ap\ c_2Ereal_2Ereal_sub\ V0x) (ap\ c_2Ereal_2Ereal_of_num\ c_2Enum_2E0)) = V0x)) \quad (55)$$

Assume the following.

$$((ap\ c_2Ereal_2Eabs (ap\ c_2Ereal_2Ereal_of_num\ c_2Enum_2E0)) = (ap\ c_2Ereal_2Ereal_of_num\ c_2Enum_2E0)) \quad (56)$$

Assume the following.

$$(p (ap (ap (ap\ c_2Ereal_2Ereal_lte (ap\ c_2Ereal_2Eabs (ap (ap\ c_2Erealax_2Ereal_add\ V0x)\ V1y))) (ap (ap\ c_2Erealax_2Ereal_add (ap\ c_2Ereal_2Eabs\ V0x)) (ap\ c_2Ereal_2Eabs\ V1y)))))) \quad (57)$$

Assume the following.

$$(\forall V0x \in ty_2Erealax_2Ereal. ((\neg (V0x = (ap\ c_2Ereal_2Ereal_of_num\ c_2Enum_2E0))) \Leftrightarrow (p (ap (ap\ c_2Erealax_2Ereal_lt (ap\ c_2Ereal_2Ereal_of_num\ c_2Enum_2E0)) (ap\ c_2Ereal_2Eabs\ V0x)))))) \quad (58)$$

Assume the following.

$$(\forall V0x \in ty_2Erealax_2Ereal. (p (ap (ap\ c_2Ereal_2Ereal_lte\ V0x) (ap\ c_2Ereal_2Eabs\ V0x)))) \quad (59)$$

Assume the following.

$$\begin{aligned}
& (\forall V0P \in (2^{(ty_2Epair_2Eprod\ ty_2Erealax_2Ereal\ ty_2Erealax_2Ereal)}), \\
& \quad ((\forall V1a \in ty_2Erealax_2Ereal. (\forall V2b \in ty_2Erealax_2Ereal. \\
& \quad (\forall V3c \in ty_2Erealax_2Ereal. (((p (ap (ap (c_2Ereal_2Ereal_lte \\
& \quad V1a) V2b)) \wedge ((p (ap (ap (c_2Ereal_2Ereal_lte V2b) V3c)) \wedge ((p (ap \\
& \quad V0P (ap (ap (c_2Epair_2E_2C\ ty_2Erealax_2Ereal\ ty_2Erealax_2Ereal) \\
& \quad V1a) V2b))) \wedge (p (ap V0P (ap (ap (c_2Epair_2E_2C\ ty_2Erealax_2Ereal \\
& \quad ty_2Erealax_2Ereal) V2b) V3c)))))) \Rightarrow (p (ap V0P (ap (ap (c_2Epair_2E_2C \\
& \quad ty_2Erealax_2Ereal\ ty_2Erealax_2Ereal) V1a) V3c)))))) \wedge (\forall V4x \in \\
& \quad ty_2Erealax_2Ereal. (\exists V5d \in ty_2Erealax_2Ereal. ((p (ap \\
& \quad (ap (c_2Erealax_2Ereal_lte (ap (c_2Ereal_2Ereal_of_num\ c_2Enum_2E0)) \\
& \quad V5d)) \wedge (\forall V6a \in ty_2Erealax_2Ereal. (\forall V7b \in ty_2Erealax_2Ereal. \\
& \quad (((p (ap (ap (c_2Ereal_2Ereal_lte V6a) V4x)) \wedge ((p (ap (ap (c_2Ereal_2Ereal_lte \\
& \quad V4x) V7b)) \wedge (p (ap (ap (c_2Erealax_2Ereal_lte (ap (ap (c_2Ereal_2Ereal_sub \\
& \quad V7b) V6a)) V5d)))) \Rightarrow (p (ap V0P (ap (ap (c_2Epair_2E_2C\ ty_2Erealax_2Ereal \\
& \quad ty_2Erealax_2Ereal) V6a) V7b)))))))))) \Rightarrow (\forall V8a \in ty_2Erealax_2Ereal. \\
& \quad (\forall V9b \in ty_2Erealax_2Ereal. ((p (ap (ap (c_2Ereal_2Ereal_lte \\
& \quad V8a) V9b)) \Rightarrow (p (ap V0P (ap (ap (c_2Epair_2E_2C\ ty_2Erealax_2Ereal \\
& \quad ty_2Erealax_2Ereal) V8a) V9b))))))))))
\end{aligned} \tag{60}$$

Theorem 1

$$\begin{aligned}
& (\forall V0f \in (ty_2Erealax_2Ereal^{ty_2Erealax_2Ereal}). (\forall V1a \in \\
& \quad ty_2Erealax_2Ereal. (\forall V2b \in ty_2Erealax_2Ereal. (((p (\\
& \quad ap (ap (c_2Ereal_2Ereal_lte V1a) V2b)) \wedge (\forall V3x \in ty_2Erealax_2Ereal. \\
& \quad (((p (ap (ap (c_2Ereal_2Ereal_lte V1a) V3x)) \wedge (p (ap (ap (c_2Ereal_2Ereal_lte \\
& \quad V3x) V2b)))) \Rightarrow (p (ap (ap (c_2Elim_2Econtl\ V0f) V3x)))))) \Rightarrow (\exists V4M \in \\
& \quad ty_2Erealax_2Ereal. (\forall V5x \in ty_2Erealax_2Ereal. (((p (\\
& \quad ap (ap (c_2Ereal_2Ereal_lte V1a) V5x)) \wedge (p (ap (ap (c_2Ereal_2Ereal_lte \\
& \quad V5x) V2b)))) \Rightarrow (p (ap (ap (c_2Ereal_2Ereal_lte (ap V0f V5x)) V4M))))))))))
\end{aligned}$$