

thm_2Elim_2EDIFF_LMIN (TM- FEpB7vLgdyejup62PkwFPG6pEmsgYMAdz)

October 26, 2020

Definition 1 We define `c_2Emin_2E_3D` to be $\lambda A. \lambda x \in A. \lambda y \in A. inj_o (x = y)$ of type $\iota \Rightarrow \iota$.

Definition 2 We define `c_2Ebool_2ET` to be $(ap (ap (c_2Emin_2E_3D (2^2)) (\lambda V 0x \in 2.V 0x)) (\lambda V 1x \in 2.V 1x))$

Definition 3 We define `c_2Ebool_2E_21` to be $\lambda A. 27a : \iota. (\lambda V 0P \in (2^{A-27a}). (ap (ap (c_2Emin_2E_3D (2^{A-27a}))$

Definition 4 We define `c_2Ebool_2EF` to be $(ap (c_2Ebool_2E_21 2) (\lambda V 0t \in 2.V 0t))$.

Definition 5 We define `c_2Emin_2E_3D_3D_3E` to be $\lambda P \in 2. \lambda Q \in 2. inj_o (p P \Rightarrow p Q)$ of type ι .

Definition 6 We define `c_2Ebool_2E_7E` to be $(\lambda V 0t \in 2. (ap (ap c_2Emin_2E_3D_3D_3E V 0t) c_2Ebool_2EF$

Let `ty_2Ehreal_2Ehreal` : ι be given. Assume the following.

$$nonempty\ ty_2Ehreal_2Ehreal \tag{1}$$

Let `ty_2Epair_2Eprod` : $\iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0. nonempty\ A0 \Rightarrow \forall A1. nonempty\ A1 \Rightarrow nonempty\ (ty_2Epair_2Eprod\ A0\ A1) \tag{2}$$

Let `ty_2Erealax_2Ereal` : ι be given. Assume the following.

$$nonempty\ ty_2Erealax_2Ereal \tag{3}$$

Let `c_2Erealax_2Ereal_REP_CLASS` : ι be given. Assume the following.

$$c_2Erealax_2Ereal_REP_CLASS \in ((2^{(ty_2Epair_2Eprod\ ty_2Ehreal_2Ehreal\ ty_2Ehreal_2Ehreal)})\ ty_2Erealax_2Ereal) \tag{4}$$

Definition 7 We define `c_2Emin_2E_40` to be $\lambda A. \lambda P \in 2^A. \mathbf{if} (\exists x \in A. p (ap P x)) \mathbf{then} (the (\lambda x. x \in A \wedge p (ap P x)))$ of type $\iota \Rightarrow \iota$.

Definition 8 We define `c_2Erealax_2Ereal_REP` to be $\lambda V 0a \in ty_2Erealax_2Ereal. (ap (c_2Emin_2E_40 (ty$

Let $c_2Erealax_2Etreal_neg : \iota$ be given. Assume the following.

$$c_2Erealax_2Etreal_neg \in ((ty_2Epair_2Eprod\ ty_2Ehreal_2Ehreal\ ty_2Ehreal_2Ehreal)(ty_2Epair_2Eprod\ ty_2Ehreal_2Ehreal\ ty_2Ehreal_2Ehreal)) \quad (5)$$

Let $c_2Erealax_2Etreal_eq : \iota$ be given. Assume the following.

$$c_2Erealax_2Etreal_eq \in ((2^{(ty_2Epair_2Eprod\ ty_2Ehreal_2Ehreal\ ty_2Ehreal_2Ehreal)})(ty_2Epair_2Eprod\ ty_2Ehreal_2Ehreal)) \quad (6)$$

Let $c_2Erealax_2Ereal_ABS_CLASS : \iota$ be given. Assume the following.

$$c_2Erealax_2Ereal_ABS_CLASS \in (ty_2Erealax_2Ereal)^{(2^{(ty_2Epair_2Eprod\ ty_2Ehreal_2Ehreal\ ty_2Ehreal_2Ehreal)}} \quad (7)$$

Definition 9 We define $c_2Erealax_2Ereal_ABS$ to be $\lambda V0r \in (ty_2Epair_2Eprod\ ty_2Ehreal_2Ehreal\ ty_2Ehreal_2Ehreal)$

Definition 10 We define $c_2Erealax_2Ereal_neg$ to be $\lambda V0T1 \in ty_2Erealax_2Ereal.(ap\ c_2Erealax_2Ereal)$

Let $c_2Erealax_2Etreal_add : \iota$ be given. Assume the following.

$$c_2Erealax_2Etreal_add \in (((ty_2Epair_2Eprod\ ty_2Ehreal_2Ehreal\ ty_2Ehreal_2Ehreal)(ty_2Epair_2Eprod\ ty_2Ehreal_2Ehreal\ ty_2Ehreal_2Ehreal))^{(ty_2Epair_2Eprod\ ty_2Ehreal_2Ehreal\ ty_2Ehreal_2Ehreal)}) \quad (8)$$

Definition 11 We define $c_2Erealax_2Ereal_add$ to be $\lambda V0T1 \in ty_2Erealax_2Ereal.\lambda V1T2 \in ty_2Erealax_2Ereal$

Definition 12 We define $c_2Ereal_2Ereal_sub$ to be $\lambda V0x \in ty_2Erealax_2Ereal.\lambda V1y \in ty_2Erealax_2Ereal$

Let $c_2Enum_2EZERO_REP : \iota$ be given. Assume the following.

$$c_2Enum_2EZERO_REP \in \omega \quad (9)$$

Let $ty_2Enum_2Enum : \iota$ be given. Assume the following.

$$nonempty\ ty_2Enum_2Enum \quad (10)$$

Let $c_2Enum_2EABS_num : \iota$ be given. Assume the following.

$$c_2Enum_2EABS_num \in (ty_2Enum_2Enum)^{\omega} \quad (11)$$

Definition 13 We define c_2Enum_2E0 to be $(ap\ c_2Enum_2EABS_num\ c_2Enum_2EZERO_REP)$.

Let $c_2Ereal_2Ereal_of_num : \iota$ be given. Assume the following.

$$c_2Ereal_2Ereal_of_num \in (ty_2Erealax_2Ereal)^{ty_2Enum_2Enum} \quad (12)$$

Let $c_2Erealax_2Etreal_lt : \iota$ be given. Assume the following.

$$c_2Erealax_2Etreal_lt \in ((2^{(ty_2Epair_2Eprod\ ty_2Ehreal_2Ehreal\ ty_2Ehreal_2Ehreal)})(ty_2Epair_2Eprod\ ty_2Ehreal_2Ehreal)) \quad (13)$$

Definition 14 We define $c_2Erealax_2Ereal_lt$ to be $\lambda V0T1 \in ty_2Erealax_2Ereal.\lambda V1T2 \in ty_2Erealax_2Ereal.$

Definition 15 We define $c_2Ereal_2Ereal_lte$ to be $\lambda V0x \in ty_2Erealax_2Ereal.\lambda V1y \in ty_2Erealax_2Ereal.$

Definition 16 We define $c_2Ebool_2E_2F_5C$ to be $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap (c_2Ebool_2E_21) 2) (\lambda V2t \in 2.))$

Definition 17 We define c_2Ebool_2ECOND to be $\lambda A_27a : \iota.(\lambda V0t \in 2.(\lambda V1t1 \in A_27a.(\lambda V2t2 \in A_27a.))$

Definition 18 We define c_2Ereal_2Eabs to be $\lambda V0x \in ty_2Erealax_2Ereal.(ap (ap (ap (c_2Ebool_2ECOND)$

Definition 19 We define $c_2Ebool_2E_3F$ to be $\lambda A_27a : \iota.(\lambda V0P \in (2^{A_27a}).(ap V0P (ap (c_2Emin_2E_40)$

Let $c_2Erealax_2Etrealm_inv : \iota$ be given. Assume the following.

$$\begin{aligned} c_2Erealax_2Etrealm_inv \in & ((ty_2Epair_2Eprod ty_2Ehreal_2Ehreal \\ & ty_2Ehreal_2Ehreal)^{(ty_2Epair_2Eprod ty_2Ehreal_2Ehreal ty_2Ehreal_2Ehreal)}) \end{aligned} \quad (14)$$

Definition 20 We define $c_2Erealax_2Einv$ to be $\lambda V0T1 \in ty_2Erealax_2Ereal.(ap c_2Erealax_2Ereal_ABS$

Let $c_2Erealax_2Etrealm_mul : \iota$ be given. Assume the following.

$$\begin{aligned} c_2Erealax_2Etrealm_mul \in & (((ty_2Epair_2Eprod ty_2Ehreal_2Ehreal \\ & ty_2Ehreal_2Ehreal)^{(ty_2Epair_2Eprod ty_2Ehreal_2Ehreal ty_2Ehreal_2Ehreal)})^{(ty_2Epair_2Eprod ty_2Ehreal_2Ehreal)}) \end{aligned} \quad (15)$$

Definition 21 We define $c_2Erealax_2Ereal_mul$ to be $\lambda V0T1 \in ty_2Erealax_2Ereal.\lambda V1T2 \in ty_2Erealax_2Ereal.$

Definition 22 We define $c_2Ereal_2E_2F$ to be $\lambda V0x \in ty_2Erealax_2Ereal.\lambda V1y \in ty_2Erealax_2Ereal.$

Let $c_2Epair_2ESND : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\begin{aligned} \forall A_27a.nonempty A_27a \Rightarrow \forall A_27b.nonempty A_27b \Rightarrow c_2Epair_2ESND \\ A_27a A_27b \in (A_27b)^{(ty_2Epair_2Eprod A_27a A_27b)} \end{aligned} \quad (16)$$

Let $c_2Epair_2EFST : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\begin{aligned} \forall A_27a.nonempty A_27a \Rightarrow \forall A_27b.nonempty A_27b \Rightarrow c_2Epair_2EFST \\ A_27a A_27b \in (A_27a)^{(ty_2Epair_2Eprod A_27a A_27b)} \end{aligned} \quad (17)$$

Definition 23 We define $c_2Epair_2EUNCURRY$ to be $\lambda A_27a : \iota.\lambda A_27b : \iota.\lambda A_27c : \iota.\lambda V0f \in ((A_27c)^{A_27a})$

Let $ty_2Emetric_2Emetric : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0.nonempty A0 \Rightarrow nonempty (ty_2Emetric_2Emetric A0) \quad (18)$$

Let $c_2Emetric_2Emetric : \iota \Rightarrow \iota$ be given. Assume the following.

$$\begin{aligned} \forall A_27a.nonempty A_27a \Rightarrow c_2Emetric_2Emetric A_27a \in & ((ty_2Emetric_2Emetric \\ & A_27a)^{(ty_2Erealax_2Ereal)^{(ty_2Epair_2Eprod A_27a A_27a)}})) \end{aligned} \quad (19)$$

Definition 24 We define $c_2Emetric_2Emr1$ to be $(ap (c_2Emetric_2Emetric ty_2Erealx_2Ereal) (ap (c_2Epair_2EABS_prod : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty A_27a \Rightarrow \forall A_27b.nonempty A_27b \Rightarrow c_2Epair_2EABS_prod A_27a A_27b \in ((ty_2Epair_2Eprod A_27a A_27b)^{(2^{A_27b})^{A_27a}}) \quad (20)$$

Definition 25 We define $c_2Epair_2E_2C$ to be $\lambda A_27a : \iota. \lambda A_27b : \iota. \lambda V0x \in A_27a. \lambda V1y \in A_27b. (ap (c_2Enets_2Etendsto : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty A_27a \Rightarrow c_2Enets_2Etendsto A_27a \in (((2^{A_27a})^{A_27a})^{(ty_2Epair_2Eprod (ty_2Emetric_2Emr1 A_27a A_27b))}) \quad (21)$$

Let $c_2Emetric_2Edist : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty A_27a \Rightarrow c_2Emetric_2Edist A_27a \in ((ty_2Erealx_2Ereal^{(ty_2Epair_2Eprod A_27a A_27b)})^{(c_2Emetric_2Edist A_27a)}) \quad (22)$$

Let $ty_2Etopology_2Etopology : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0.nonempty A0 \Rightarrow nonempty (ty_2Etopology_2Etopology A0) \quad (23)$$

Let $c_2Etopology_2Etopology : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty A_27a \Rightarrow c_2Etopology_2Etopology A_27a \in ((ty_2Etopology_2Etopology A_27a)^{(2^{(2^{A_27a})})}) \quad (24)$$

Definition 26 We define $c_2Emetric_2Emtop$ to be $\lambda A_27a : \iota. \lambda V0m \in (ty_2Emetric_2Emetric A_27a). (ap (c_2Enets_2Etends : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty A_27a \Rightarrow \forall A_27b.nonempty A_27b \Rightarrow c_2Enets_2Etends A_27a A_27b \in (((2^{(ty_2Epair_2Eprod (ty_2Etopology_2Etopology A_27a) ((2^{A_27b})^{A_27b}))})^{A_27a})^{(A_27a^{A_27b})}) \quad (25)$$

Definition 27 We define $c_2Elim_2Etends_real_real$ to be $\lambda V0f \in (ty_2Erealx_2Ereal^{ty_2Erealx_2Ereal}).$

Definition 28 We define $c_2Elim_2Ediff1$ to be $\lambda V0f \in (ty_2Erealx_2Ereal^{ty_2Erealx_2Ereal}). \lambda V1l \in ty_2Erealx_2Ereal.$

Assume the following.

$$True \quad (26)$$

Assume the following.

$$\begin{aligned} & (\forall V0t \in 2. (((True \wedge (p V0t)) \Leftrightarrow (p V0t)) \wedge (((p V0t) \wedge True) \Leftrightarrow \\ & (p V0t)) \wedge (((False \wedge (p V0t)) \Leftrightarrow False) \wedge (((p V0t) \wedge False) \Leftrightarrow False) \wedge \\ & (((p V0t) \wedge (p V0t)) \Leftrightarrow (p V0t)))))) \end{aligned} \quad (27)$$

Assume the following.

$$\begin{aligned} & (\forall V0t \in 2. (((True \Leftrightarrow (p V0t)) \Leftrightarrow (p V0t)) \wedge (((p V0t) \Leftrightarrow True) \Leftrightarrow \\ & (p V0t)) \wedge (((False \Leftrightarrow (p V0t)) \Leftrightarrow \neg(p V0t)) \wedge (((p V0t) \Leftrightarrow False) \Leftrightarrow \neg \\ & (p V0t)))))) \end{aligned} \quad (28)$$

Assume the following.

$$\begin{aligned}
& (\forall V0f \in (ty_2Erealax_2Ereal^{ty_2Erealax_2Ereal}).(\forall V1l \in \\
& ty_2Erealax_2Ereal.(\forall V2x \in ty_2Erealax_2Ereal.((p (ap \\
& (ap (ap c_2Elim_2Ediffl V0f) V1l) V2x)) \Rightarrow (p (ap (ap (ap c_2Elim_2Ediffl \\
& (\lambda V3x \in ty_2Erealax_2Ereal.(ap c_2Erealax_2Ereal_neg (ap \\
& V0f V3x)))) (ap c_2Erealax_2Ereal_neg V1l)) V2x))))))
\end{aligned} \tag{29}$$

Assume the following.

$$\begin{aligned}
& (\forall V0f \in (ty_2Erealax_2Ereal^{ty_2Erealax_2Ereal}).(\forall V1x \in \\
& ty_2Erealax_2Ereal.(\forall V2l \in ty_2Erealax_2Ereal.(((p (\\
& ap (ap (ap c_2Elim_2Ediffl V0f) V2l) V1x)) \wedge (\exists V3d \in ty_2Erealax_2Ereal. \\
& ((p (ap (ap c_2Erealax_2Ereal_lt (ap c_2Ereal_2Ereal_of_num \\
& c_2Enum_2E0)) V3d)) \wedge (\forall V4y \in ty_2Erealax_2Ereal.((p (ap \\
& (ap c_2Erealax_2Ereal_lt (ap c_2Ereal_2Eabs (ap (ap c_2Ereal_2Ereal_sub \\
& V1x) V4y))) V3d)) \Rightarrow (p (ap (ap c_2Ereal_2Ereal_lte (ap V0f V4y)) \\
& (ap V0f V1x)))))))))) \Rightarrow (V2l = (ap c_2Ereal_2Ereal_of_num c_2Enum_2E0))))))
\end{aligned} \tag{30}$$

Assume the following.

$$\begin{aligned}
& (\forall V0x \in ty_2Erealax_2Ereal.(((ap c_2Erealax_2Ereal_neg \\
& V0x) = (ap c_2Ereal_2Ereal_of_num c_2Enum_2E0)) \Leftrightarrow (V0x = (ap c_2Ereal_2Ereal_of_num \\
& c_2Enum_2E0))))
\end{aligned} \tag{31}$$

Assume the following.

$$\begin{aligned}
& (\forall V0x \in ty_2Erealax_2Ereal.(\forall V1y \in ty_2Erealax_2Ereal. \\
& ((p (ap (ap c_2Ereal_2Ereal_lte (ap c_2Erealax_2Ereal_neg V0x)) \\
& (ap c_2Erealax_2Ereal_neg V1y))) \Leftrightarrow (p (ap (ap c_2Ereal_2Ereal_lte \\
& V1y) V0x))))))
\end{aligned} \tag{32}$$

Theorem 1

$$\begin{aligned}
& (\forall V0f \in (ty_2Erealax_2Ereal^{ty_2Erealax_2Ereal}).(\forall V1x \in \\
& ty_2Erealax_2Ereal.(\forall V2l \in ty_2Erealax_2Ereal.(((p (\\
& ap (ap (ap c_2Elim_2Ediffl V0f) V2l) V1x)) \wedge (\exists V3d \in ty_2Erealax_2Ereal. \\
& ((p (ap (ap c_2Erealax_2Ereal_lt (ap c_2Ereal_2Ereal_of_num \\
& c_2Enum_2E0)) V3d)) \wedge (\forall V4y \in ty_2Erealax_2Ereal.((p (ap \\
& (ap c_2Erealax_2Ereal_lt (ap c_2Ereal_2Eabs (ap (ap c_2Ereal_2Ereal_sub \\
& V1x) V4y))) V3d)) \Rightarrow (p (ap (ap c_2Ereal_2Ereal_lte (ap V0f V1x)) \\
& (ap V0f V4y)))))))))) \Rightarrow (V2l = (ap c_2Ereal_2Ereal_of_num c_2Enum_2E0))))))
\end{aligned}$$