

# thm\_2Elim\_2EIVT (TMGqQBDasCHnNUzZi- jVDE7BkY89tzGmofX9)

October 26, 2020

**Definition 1** We define  $c\_2Emin\_2E\_3D$  to be  $\lambda A.\lambda x \in A.\lambda y \in A.inj\_o (x = y)$  of type  $\iota \Rightarrow \iota$ .

**Definition 2** We define  $c\_2Ebool\_2ET$  to be  $(ap (ap (c\_2Emin\_2E\_3D (2^2)) (\lambda V0x \in 2.V0x)) (\lambda V1x \in 2.V1x))$

**Definition 3** We define  $c\_2Ebool\_2E\_21$  to be  $\lambda A.\lambda 27a : \iota.(\lambda V0P \in (2^{A-27a}).(ap (ap (c\_2Emin\_2E\_3D (2^{A-27a}))$

**Definition 4** We define  $c\_2Ebool\_2EF$  to be  $(ap (c\_2Ebool\_2E\_21 2) (\lambda V0t \in 2.V0t))$ .

Let  $ty\_2Ehreal\_2Ehreal : \iota$  be given. Assume the following.

$$nonempty\ ty\_2Ehreal\_2Ehreal \tag{1}$$

Let  $ty\_2Epair\_2Eprod : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A0.nonempty\ A0 \Rightarrow \forall A1.nonempty\ A1 \Rightarrow nonempty\ (ty\_2Epair\_2Eprod\ A0\ A1) \tag{2}$$

Let  $ty\_2Erealax\_2Ereal : \iota$  be given. Assume the following.

$$nonempty\ ty\_2Erealax\_2Ereal \tag{3}$$

Let  $c\_2Erealax\_2Ereal\_REP\_CLASS : \iota$  be given. Assume the following.

$$c\_2Erealax\_2Ereal\_REP\_CLASS \in ((ty\_2Epair\_2Eprod\ ty\_2Ehreal\_2Ehreal\ ty\_2Ehreal\_2Ehreal)\ ty\_2Erealax\_2Ereal) \tag{4}$$

**Definition 5** We define  $c\_2Emin\_2E\_40$  to be  $\lambda A.\lambda P \in 2^A.if (\exists x \in A.p (ap\ P\ x))$  **then** (the  $(\lambda x.x \in A \wedge p)$  of type  $\iota \Rightarrow \iota$ ).

**Definition 6** We define  $c\_2Erealax\_2Ereal\_REP$  to be  $\lambda V0a \in ty\_2Erealax\_2Ereal.(ap (c\_2Emin\_2E\_40 (ty$

Let  $c\_2Erealax\_2Etrealm\_neg : \iota$  be given. Assume the following.

$$c\_2Erealax\_2Etrealm\_neg \in ((ty\_2Epair\_2Eprod\ ty\_2Ehreal\_2Ehreal\ ty\_2Ehreal\_2Ehreal)\ ty\_2Epair\_2Eprod\ ty\_2Ehreal\_2Ehreal\ ty\_2Ehreal\_2Ehreal) \tag{5}$$

Let  $c\_2Erealx\_2Etreall\_eq : \iota$  be given. Assume the following.

$$c\_2Erealx\_2Etreall\_eq \in ((2^{(ty\_2Epair\_2Eprod\ ty\_2Ehreal\_2Ehreal\ ty\_2Ehreal\_2Ehreal)})^{(ty\_2Epair\_2Eprod\ ty\_2Ehreal\_2Ehreal)}) \quad (6)$$

Let  $c\_2Erealx\_2Ereal\_ABS\_CLASS : \iota$  be given. Assume the following.

$$c\_2Erealx\_2Ereal\_ABS\_CLASS \in (ty\_2Erealx\_2Ereal)^{(2^{(ty\_2Epair\_2Eprod\ ty\_2Ehreal\_2Ehreal\ ty\_2Ehreal\_2Ehreal)})} \quad (7)$$

**Definition 7** We define  $c\_2Erealx\_2Ereal\_ABS$  to be  $\lambda V0r \in (ty\_2Epair\_2Eprod\ ty\_2Ehreal\_2Ehreal\ ty\_2Ehreal\_2Ehreal)$

**Definition 8** We define  $c\_2Erealx\_2Ereal\_neg$  to be  $\lambda V0T1 \in ty\_2Erealx\_2Ereal.(ap\ c\_2Erealx\_2Ereal\_ABS)$

Let  $c\_2Erealx\_2Etreall\_add : \iota$  be given. Assume the following.

$$c\_2Erealx\_2Etreall\_add \in (((ty\_2Epair\_2Eprod\ ty\_2Ehreal\_2Ehreal\ ty\_2Ehreal\_2Ehreal)^{(ty\_2Epair\_2Eprod\ ty\_2Ehreal\_2Ehreal\ ty\_2Ehreal\_2Ehreal)})^{(ty\_2Epair\_2Eprod\ ty\_2Ehreal\_2Ehreal\ ty\_2Ehreal\_2Ehreal)}) \quad (8)$$

**Definition 9** We define  $c\_2Erealx\_2Ereal\_add$  to be  $\lambda V0T1 \in ty\_2Erealx\_2Ereal.\lambda V1T2 \in ty\_2Erealx\_2Ereal$

**Definition 10** We define  $c\_2Ereal\_2Ereal\_sub$  to be  $\lambda V0x \in ty\_2Erealx\_2Ereal.\lambda V1y \in ty\_2Erealx\_2Ereal$

Let  $c\_2Enum\_2EZERO\_REP : \iota$  be given. Assume the following.

$$c\_2Enum\_2EZERO\_REP \in \omega \quad (9)$$

Let  $ty\_2Enum\_2Enum : \iota$  be given. Assume the following.

$$nonempty\ ty\_2Enum\_2Enum \quad (10)$$

Let  $c\_2Enum\_2EABS\_num : \iota$  be given. Assume the following.

$$c\_2Enum\_2EABS\_num \in (ty\_2Enum\_2Enum)^{\omega} \quad (11)$$

**Definition 11** We define  $c\_2Enum\_2E0$  to be  $(ap\ c\_2Enum\_2EABS\_num\ c\_2Enum\_2EZERO\_REP)$ .

Let  $c\_2Ereal\_2Ereal\_of\_num : \iota$  be given. Assume the following.

$$c\_2Ereal\_2Ereal\_of\_num \in (ty\_2Erealx\_2Ereal)^{ty\_2Enum\_2Enum} \quad (12)$$

Let  $c\_2Erealx\_2Etreall\_lt : \iota$  be given. Assume the following.

$$c\_2Erealx\_2Etreall\_lt \in ((2^{(ty\_2Epair\_2Eprod\ ty\_2Ehreal\_2Ehreal\ ty\_2Ehreal\_2Ehreal)})^{(ty\_2Epair\_2Eprod\ ty\_2Ehreal\_2Ehreal)}) \quad (13)$$

**Definition 12** We define  $c\_2Erealx\_2Ereal\_lt$  to be  $\lambda V0T1 \in ty\_2Erealx\_2Ereal.\lambda V1T2 \in ty\_2Erealx\_2Ereal$

**Definition 13** We define  $c\_2Emin\_2E\_3D\_3D\_3E$  to be  $\lambda P \in 2.\lambda Q \in 2.inj\_o\ (p\ P \Rightarrow p\ Q)$  of type  $\iota$ .

**Definition 14** We define  $c\_Ebool\_E7E$  to be  $(\lambda V0t \in 2.(ap (ap c\_Emin\_E3D\_3D\_3E V0t) c\_Ebool\_E7E$

**Definition 15** We define  $c\_Ereal\_Ereal\_lte$  to be  $\lambda V0x \in ty\_Erealax\_Ereal.\lambda V1y \in ty\_Erealax\_Ereal$

**Definition 16** We define  $c\_Ebool\_E2F\_5C$  to be  $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap (c\_Ebool\_E21 2) (\lambda V2t \in$

**Definition 17** We define  $c\_Ebool\_ECOND$  to be  $\lambda A\_27a : \iota.(\lambda V0t \in 2.(\lambda V1t1 \in A\_27a.(\lambda V2t2 \in A\_27a.($

**Definition 18** We define  $c\_Ereal\_Eabs$  to be  $\lambda V0x \in ty\_Erealax\_Ereal.(ap (ap (ap (c\_Ebool\_ECOND$

Let  $c\_Epair\_EESND : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\begin{aligned} \forall A\_27a.nonempty A\_27a \Rightarrow \forall A\_27b.nonempty A\_27b \Rightarrow c\_Epair\_EESND \\ A\_27a A\_27b \in (A\_27b^{(ty\_Epair\_Eprod A\_27a A\_27b)}) \end{aligned} \quad (14)$$

Let  $c\_Epair\_EFAST : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\begin{aligned} \forall A\_27a.nonempty A\_27a \Rightarrow \forall A\_27b.nonempty A\_27b \Rightarrow c\_Epair\_EFAST \\ A\_27a A\_27b \in (A\_27a^{(ty\_Epair\_Eprod A\_27a A\_27b)}) \end{aligned} \quad (15)$$

**Definition 19** We define  $c\_Epair\_EUNCURRY$  to be  $\lambda A\_27a : \iota.\lambda A\_27b : \iota.\lambda A\_27c : \iota.\lambda V0f \in ((A\_27c^{A\_27a}$

Let  $ty\_EMetric\_EMetric : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A0.nonempty A0 \Rightarrow nonempty (ty\_EMetric\_EMetric A0) \quad (16)$$

Let  $c\_EMetric\_EMetric : \iota \Rightarrow \iota$  be given. Assume the following.

$$\begin{aligned} \forall A\_27a.nonempty A\_27a \Rightarrow c\_EMetric\_EMetric A\_27a \in ((ty\_EMetric\_EMetric \\ A\_27a)^{(ty\_Erealax\_Ereal^{(ty\_Epair\_Eprod A\_27a A\_27a)})}) \end{aligned} \quad (17)$$

**Definition 20** We define  $c\_EMetric\_Emr1$  to be  $(ap (c\_EMetric\_EMetric ty\_Erealax\_Ereal) (ap (c$

Let  $c\_Epair\_EEABS\_prod : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\begin{aligned} \forall A\_27a.nonempty A\_27a \Rightarrow \forall A\_27b.nonempty A\_27b \Rightarrow c\_Epair\_EEABS\_prod \\ A\_27a A\_27b \in ((ty\_Epair\_Eprod A\_27a A\_27b)^{(2^{A\_27b})^{A\_27a}}) \end{aligned} \quad (18)$$

**Definition 21** We define  $c\_Epair\_E2C$  to be  $\lambda A\_27a : \iota.\lambda A\_27b : \iota.\lambda V0x \in A\_27a.\lambda V1y \in A\_27b.(ap (c$

Let  $c\_ENets\_EExtendsto : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.nonempty A\_27a \Rightarrow c\_ENets\_EExtendsto A\_27a \in (((2^{A\_27a})^{A\_27a})^{(ty\_Epair\_Eprod (ty\_EMetric\_EMetric$$

(19)

Let  $c\_EMetric\_EEdist : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.nonempty A\_27a \Rightarrow c\_EMetric\_EEdist A\_27a \in ((ty\_Erealax\_Ereal^{(ty\_Epair\_Eprod A\_27a A\_27a)})$$

(20)

**Definition 22** We define  $c\_Ebool\_E\_3F$  to be  $\lambda A\_27a : \iota. (\lambda V0P \in (2^{A-27a}). (ap V0P (ap (c\_Emin\_E\_40$   
Let  $ty\_2Etopology\_2Etopology : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A0. nonempty A0 \Rightarrow nonempty (ty\_2Etopology\_2Etopology A0) \quad (21)$$

Let  $c\_2Etopology\_2Etopology : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a. nonempty A\_27a \Rightarrow c\_2Etopology\_2Etopology A\_27a \in ((ty\_2Etopology\_2Etopology A\_27a)^{(2^{(2^A-27a)})}) \quad (22)$$

**Definition 23** We define  $c\_Emetric\_E\_mtop$  to be  $\lambda A\_27a : \iota. \lambda V0m \in (ty\_Emetric\_Emetric A\_27a). (ap$

Let  $c\_2Enets\_2Etends : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a. nonempty A\_27a \Rightarrow \forall A\_27b. nonempty A\_27b \Rightarrow c\_2Enets\_2Etends A\_27a A\_27b \in (((2^{(ty\_2Epair\_2Eprod (ty\_2Etopology\_2Etopology A\_27a) ((2^{A-27b})^{A-27b})))_{A\_27a})_{(A\_27a^{A-27b})}) \quad (23)$$

**Definition 24** We define  $c\_Elim\_2Etends\_real\_real$  to be  $\lambda V0f \in (ty\_2Erealax\_2Ereal^{ty\_2Erealax\_2Ereal}).$

**Definition 25** We define  $c\_Elim\_2Econtl$  to be  $\lambda V0f \in (ty\_2Erealax\_2Ereal^{ty\_2Erealax\_2Ereal}). \lambda V1x \in ty$

**Definition 26** We define  $c\_Ebool\_E\_5C\_2F$  to be  $(\lambda V0t1 \in 2. (\lambda V1t2 \in 2. (ap (c\_Ebool\_E\_21 2) (\lambda V2t \in$

**Definition 27** We define  $c\_Earithmetic\_E\_ZERO$  to be  $c\_2Enum\_2E0$ .

Let  $c\_2Enum\_2EREP\_num : \iota$  be given. Assume the following.

$$c\_2Enum\_2EREP\_num \in (\omega^{ty\_2Enum\_2Enum}) \quad (24)$$

Let  $c\_2Enum\_2ESUC\_REP : \iota$  be given. Assume the following.

$$c\_2Enum\_2ESUC\_REP \in (\omega^{\omega}) \quad (25)$$

**Definition 28** We define  $c\_2Enum\_2ESUC$  to be  $\lambda V0m \in ty\_2Enum\_2Enum. (ap c\_2Enum\_2EABS\_num$

Let  $c\_2Earithmetic\_E\_2B : \iota$  be given. Assume the following.

$$c\_2Earithmetic\_E\_2B \in ((ty\_2Enum\_2Enum^{ty\_2Enum\_2Enum})_{ty\_2Enum\_2Enum}) \quad (26)$$

**Definition 29** We define  $c\_2Earithmetic\_E\_BIT1$  to be  $\lambda V0n \in ty\_2Enum\_2Enum. (ap (ap c\_2Earithmetic$

**Definition 30** We define  $c\_2Earithmetic\_E\_ENUMERAL$  to be  $\lambda V0x \in ty\_2Enum\_2Enum. V0x$ .

Assume the following.

$$True \quad (27)$$

Assume the following.

$$(\forall V0t1 \in 2. (\forall V1t2 \in 2. (((p V0t1) \Rightarrow (p V1t2)) \Rightarrow (((p V1t2) \Rightarrow (p V0t1)) \Rightarrow ((p V0t1) \Leftrightarrow (p V1t2)))))) \quad (28)$$

Assume the following.

$$(\forall V0t \in 2. (False \Rightarrow (p V0t))) \quad (29)$$

Assume the following.

$$(\forall V0t \in 2. ((p V0t) \vee (\neg(p V0t)))) \quad (30)$$

Assume the following.

$$\forall A\_27a.nonempty \ A\_27a \Rightarrow (\forall V0t \in 2. ((\forall V1x \in A\_27a. (p V0t)) \Leftrightarrow (p V0t))) \quad (31)$$

Assume the following.

$$\begin{aligned} & (\forall V0t \in 2. (((True \wedge (p V0t)) \Leftrightarrow (p V0t)) \wedge (((p V0t) \wedge True) \Leftrightarrow \\ & (p V0t)) \wedge (((False \wedge (p V0t)) \Leftrightarrow False) \wedge (((p V0t) \wedge False) \Leftrightarrow False) \wedge \\ & (((p V0t) \wedge (p V0t)) \Leftrightarrow (p V0t)))))) \end{aligned} \quad (32)$$

Assume the following.

$$\begin{aligned} & (\forall V0t \in 2. (((True \vee (p V0t)) \Leftrightarrow True) \wedge (((p V0t) \vee True) \Leftrightarrow True) \wedge \\ & (((False \vee (p V0t)) \Leftrightarrow (p V0t)) \wedge (((p V0t) \vee False) \Leftrightarrow (p V0t)) \wedge ((p V0t) \vee \\ & (p V0t)) \Leftrightarrow (p V0t)))))) \end{aligned} \quad (33)$$

Assume the following.

$$\begin{aligned} & (\forall V0t \in 2. (((True \Rightarrow (p V0t)) \Leftrightarrow (p V0t)) \wedge (((p V0t) \Rightarrow True) \Leftrightarrow \\ & True) \wedge (((False \Rightarrow (p V0t)) \Leftrightarrow True) \wedge (((p V0t) \Rightarrow (p V0t)) \Leftrightarrow True) \wedge (( \\ & (p V0t) \Rightarrow False) \Leftrightarrow (\neg(p V0t))))) \end{aligned} \quad (34)$$

Assume the following.

$$\begin{aligned} & ((\forall V0t \in 2. ((\neg(\neg(p V0t))) \Leftrightarrow (p V0t)) \wedge (((\neg True) \Leftrightarrow False) \wedge \\ & ((\neg False) \Leftrightarrow True))) \end{aligned} \quad (35)$$

Assume the following.

$$\forall A\_27a.nonempty \ A\_27a \Rightarrow (\forall V0x \in A\_27a. (\forall V1y \in A\_27a. ((V0x = V1y) \Leftrightarrow (V1y = V0x)))) \quad (36)$$

Assume the following.

$$\begin{aligned} & (\forall V0t \in 2. (((True \Leftrightarrow (p V0t)) \Leftrightarrow (p V0t)) \wedge (((p V0t) \Leftrightarrow True) \Leftrightarrow \\ & (p V0t)) \wedge (((False \Leftrightarrow (p V0t)) \Leftrightarrow (\neg(p V0t))) \wedge (((p V0t) \Leftrightarrow False) \Leftrightarrow (\neg( \\ & p V0t))))) \end{aligned} \quad (37)$$

Assume the following.

$$\begin{aligned} & \forall A\_27a.nonempty \ A\_27a \Rightarrow (\forall V0t1 \in A\_27a. (\forall V1t2 \in \\ & A\_27a. (((ap (ap (ap (c\_2Ebool\_2ECOND A\_27a) c\_2Ebool\_2ET) V0t1) \\ & V1t2) = V0t1) \wedge ((ap (ap (ap (c\_2Ebool\_2ECOND A\_27a) c\_2Ebool\_2EF) \\ & V0t1) V1t2) = V1t2)))) \end{aligned} \quad (38)$$

Assume the following.

$$(\forall V0A \in 2.(\forall V1B \in 2.((\neg((p V0A) \Rightarrow (p V1B))) \Leftrightarrow ((p V0A) \wedge (\neg(p V1B)))))) \quad (39)$$

Assume the following.

$$(\forall V0A \in 2.(\forall V1B \in 2.(((\neg((p V0A) \wedge (p V1B))) \Leftrightarrow ((\neg(p V0A) \vee (\neg(p V1B)))))) \wedge ((\neg((p V0A) \vee (p V1B))) \Leftrightarrow ((\neg(p V0A) \wedge (\neg(p V1B))))))) \quad (40)$$

Assume the following.

$$\begin{aligned} & (\forall V0f \in (ty\_2Erealax\_2Ereal^{ty\_2Erealax\_2Ereal}).(\forall V1y0 \in \\ & \quad ty\_2Erealax\_2Ereal.(\forall V2x0 \in ty\_2Erealax\_2Ereal.((p ( \\ & \quad \quad ap (ap (ap c\_2Elim\_2Etends\_real\_real V0f) V1y0) V2x0)) \Leftrightarrow (\forall V3e \in \\ & \quad ty\_2Erealax\_2Ereal.((p (ap (ap c\_2Erealax\_2Ereal\_lt (ap c\_2Ereal\_2Ereal\_of\_num \\ & \quad \quad c\_2Enum\_2E0)) V3e)) \Rightarrow (\exists V4d \in ty\_2Erealax\_2Ereal.((p (ap \\ & \quad (ap c\_2Erealax\_2Ereal\_lt (ap c\_2Ereal\_2Ereal\_of\_num c\_2Enum\_2E0)) \\ & \quad \quad V4d)) \wedge (\forall V5x \in ty\_2Erealax\_2Ereal.(((p (ap (ap c\_2Erealax\_2Ereal\_lt \\ & \quad (ap c\_2Ereal\_2Ereal\_of\_num c\_2Enum\_2E0)) (ap c\_2Ereal\_2Eabs \\ & \quad (ap (ap c\_2Ereal\_2Ereal\_sub V5x) V2x0)))) \wedge (p (ap (ap c\_2Erealax\_2Ereal\_lt \\ & \quad (ap c\_2Ereal\_2Eabs (ap (ap c\_2Ereal\_2Ereal\_sub V5x) V2x0))) V4d))) \Rightarrow \\ & \quad (p (ap (ap c\_2Erealax\_2Ereal\_lt (ap c\_2Ereal\_2Eabs (ap (ap c\_2Ereal\_2Ereal\_sub \\ & \quad \quad (ap V0f V5x)) V1y0))) V3e)))))))))) \quad (41) \end{aligned}$$

Assume the following.

$$\begin{aligned} & \forall A.27a.nonempty A.27a \Rightarrow \forall A.27b.nonempty A.27b \Rightarrow \forall A.27c. \\ & \quad nonempty A.27c \Rightarrow (\forall V0f \in ((A.27c^{A.27b})^{A.27a}).(\forall V1x \in \\ & \quad A.27a.(\forall V2y \in A.27b.((ap (ap (c\_2Epair\_2EUNCURRY A.27a \\ & \quad A.27b A.27c) V0f) (ap (ap (c\_2Epair\_2E\_2C A.27a A.27b) V1x) V2y)) = \\ & \quad \quad (ap (ap V0f V1x) V2y)))))) \quad (42) \end{aligned}$$

Assume the following.

$$\begin{aligned} & (\forall V0x \in ty\_2Erealax\_2Ereal.(\forall V1y \in ty\_2Erealax\_2Ereal. \\ & \quad ((ap (ap c\_2Erealax\_2Ereal\_add V0x) V1y) = (ap (ap c\_2Erealax\_2Ereal\_add \\ & \quad \quad V1y) V0x)))) \quad (43) \end{aligned}$$

Assume the following.

$$\begin{aligned} & (\forall V0x \in ty\_2Erealax\_2Ereal.(\forall V1y \in ty\_2Erealax\_2Ereal. \\ & \quad ((V0x = V1y) \vee ((p (ap (ap c\_2Erealax\_2Ereal\_lt V0x) V1y)) \vee (p (ap \\ & \quad \quad (ap c\_2Erealax\_2Ereal\_lt V1y) V0x)))))) \quad (44) \end{aligned}$$

Assume the following.

$$\begin{aligned} & (\forall V0x \in ty\_2Erealax\_2Ereal.(\forall V1y \in ty\_2Erealax\_2Ereal. \\ & \quad ((\neg(p (ap (ap c\_2Erealax\_2Ereal\_lt V0x) V1y))) \Leftrightarrow (p (ap (ap c\_2Ereal\_2Ereal\_lte \\ & \quad \quad V1y) V0x)))) \quad (45) \end{aligned}$$

Assume the following.

$$(\forall V0x \in ty\_2Erealax\_2Ereal. (\forall V1y \in ty\_2Erealax\_2Ereal. ((\neg(p (ap (ap c\_2Ereal\_2Ereal\_lte V0x) V1y))) \Leftrightarrow (p (ap (ap c\_2Erealax\_2Ereal\_lt V1y) V0x)))))) \quad (46)$$

Assume the following.

$$(\forall V0x \in ty\_2Erealax\_2Ereal. (\forall V1y \in ty\_2Erealax\_2Ereal. ((p (ap (ap c\_2Ereal\_2Ereal\_lte V0x) V1y)) \vee (p (ap (ap c\_2Ereal\_2Ereal\_lte V1y) V0x)))))) \quad (47)$$

Assume the following.

$$(\forall V0x \in ty\_2Erealax\_2Ereal. (p (ap (ap c\_2Ereal\_2Ereal\_lte V0x) V0x))) \quad (48)$$

Assume the following.

$$(\forall V0x \in ty\_2Erealax\_2Ereal. (\forall V1y \in ty\_2Erealax\_2Ereal. ((p (ap (ap c\_2Erealax\_2Ereal\_lt V0x) V1y)) \Leftrightarrow ((p (ap (ap c\_2Ereal\_2Ereal\_lte V0x) V1y)) \wedge (\neg(V0x = V1y)))))) \quad (49)$$

Assume the following.

$$(\forall V0x \in ty\_2Erealax\_2Ereal. (\forall V1y \in ty\_2Erealax\_2Ereal. ((p (ap (ap c\_2Erealax\_2Ereal\_lt V0x) V1y)) \Rightarrow (p (ap (ap c\_2Ereal\_2Ereal\_lte V0x) V1y)))))) \quad (50)$$

Assume the following.

$$(\forall V0x \in ty\_2Erealax\_2Ereal. (\forall V1y \in ty\_2Erealax\_2Ereal. (\forall V2z \in ty\_2Erealax\_2Ereal. (((p (ap (ap c\_2Ereal\_2Ereal\_lte V0x) V1y)) \wedge (p (ap (ap c\_2Erealax\_2Ereal\_lt V1y) V2z))) \Rightarrow (p (ap (ap c\_2Erealax\_2Ereal\_lt V0x) V2z)))))) \quad (51)$$

Assume the following.

$$(\forall V0x \in ty\_2Erealax\_2Ereal. (\forall V1y \in ty\_2Erealax\_2Ereal. (\forall V2z \in ty\_2Erealax\_2Ereal. (((p (ap (ap c\_2Ereal\_2Ereal\_lte V0x) V1y)) \wedge (p (ap (ap c\_2Ereal\_2Ereal\_lte V1y) V2z))) \Rightarrow (p (ap (ap c\_2Ereal\_2Ereal\_lte V0x) V2z)))))) \quad (52)$$

Assume the following.

$$(p (ap (ap c\_2Erealax\_2Ereal\_lt (ap c\_2Ereal\_2Ereal\_of\_num c\_2Enum\_2E0)) (ap c\_2Ereal\_2Ereal\_of\_num (ap c\_2Earithmic\_2ENUMERAL (ap c\_2Earithmic\_2EBIT1 c\_2Earithmic\_2EZERO)))))) \quad (53)$$

Assume the following.

$$\begin{aligned}
& (\forall V0x \in ty\_2Erealax\_2Ereal. (\forall V1y \in ty\_2Erealax\_2Ereal. \\
& (\forall V2z \in ty\_2Erealax\_2Ereal. ((p (ap (ap c\_2Ereal\_2Ereal\_lte \\
& (ap (ap c\_2Erealax\_2Ereal\_add V0x) V1y)) (ap (ap c\_2Erealax\_2Ereal\_add \\
& V0x) V2z))) \Leftrightarrow (p (ap (ap c\_2Ereal\_2Ereal\_lte V1y) V2z))))))
\end{aligned} \tag{54}$$

Assume the following.

$$\begin{aligned}
& (\forall V0x \in ty\_2Erealax\_2Ereal. (\forall V1y \in ty\_2Erealax\_2Ereal. \\
& (\forall V2z \in ty\_2Erealax\_2Ereal. ((p (ap (ap c\_2Ereal\_2Ereal\_lte \\
& (ap (ap c\_2Erealax\_2Ereal\_add V0x) V2z)) (ap (ap c\_2Erealax\_2Ereal\_add \\
& V1y) V2z))) \Leftrightarrow (p (ap (ap c\_2Ereal\_2Ereal\_lte V0x) V1y))))))
\end{aligned} \tag{55}$$

Assume the following.

$$\begin{aligned}
& (\forall V0x \in ty\_2Erealax\_2Ereal. (\forall V1y \in ty\_2Erealax\_2Ereal. \\
& ((ap (ap c\_2Erealax\_2Ereal\_add (ap (ap c\_2Ereal\_2Ereal\_sub \\
& V0x) V1y)) V1y) = V0x)))
\end{aligned} \tag{56}$$

Assume the following.

$$\begin{aligned}
& (\forall V0x \in ty\_2Erealax\_2Ereal. (\forall V1y \in ty\_2Erealax\_2Ereal. \\
& (((ap (ap c\_2Ereal\_2Ereal\_sub V0x) V1y) = (ap c\_2Ereal\_2Ereal\_of\_num \\
& c\_2Enum\_2E0)) \Leftrightarrow (V0x = V1y))))
\end{aligned} \tag{57}$$

Assume the following.

$$\begin{aligned}
& (\forall V0x \in ty\_2Erealax\_2Ereal. (\forall V1y \in ty\_2Erealax\_2Ereal. \\
& ((p (ap (ap c\_2Erealax\_2Ereal\_lt (ap c\_2Ereal\_2Ereal\_of\_num \\
& c\_2Enum\_2E0)) (ap (ap c\_2Ereal\_2Ereal\_sub V0x) V1y))) \Leftrightarrow (p (ap \\
& (ap c\_2Erealax\_2Ereal\_lt V1y) V0x))))))
\end{aligned} \tag{58}$$

Assume the following.

$$\begin{aligned}
& (\forall V0x \in ty\_2Erealax\_2Ereal. (\forall V1y \in ty\_2Erealax\_2Ereal. \\
& ((p (ap (ap c\_2Ereal\_2Ereal\_lte (ap c\_2Ereal\_2Ereal\_of\_num \\
& c\_2Enum\_2E0)) (ap (ap c\_2Ereal\_2Ereal\_sub V0x) V1y))) \Leftrightarrow (p (ap \\
& (ap c\_2Ereal\_2Ereal\_lte V1y) V0x))))))
\end{aligned} \tag{59}$$

Assume the following.

$$\begin{aligned}
& (\forall V0x \in ty\_2Erealax\_2Ereal. (\forall V1y \in ty\_2Erealax\_2Ereal. \\
& ((p (ap (ap c\_2Ereal\_2Ereal\_lte (ap c\_2Erealax\_2Ereal\_neg V0x)) \\
& (ap c\_2Erealax\_2Ereal\_neg V1y))) \Leftrightarrow (p (ap (ap c\_2Ereal\_2Ereal\_lte \\
& V1y) V0x))))))
\end{aligned} \tag{60}$$

Assume the following.

$$\begin{aligned}
& (\forall V0x \in ty\_2Erealax\_2Ereal. ((ap (ap c\_2Ereal\_2Ereal\_sub \\
& V0x) (ap c\_2Ereal\_2Ereal\_of\_num c\_2Enum\_2E0)) = V0x))
\end{aligned} \tag{61}$$



Assume the following.

$$\begin{aligned}
& (\forall V0x \in ty\_2Erealax\_2Ereal. (\forall V1y \in ty\_2Erealax\_2Ereal. \\
& ((ap\ c\_2Ereal\_2Eabs\ (ap\ (ap\ c\_2Ereal\_2Ereal\_sub\ V0x)\ V1y)) = ( \\
& ap\ c\_2Ereal\_2Eabs\ (ap\ (ap\ c\_2Ereal\_2Ereal\_sub\ V1y)\ V0x))))))
\end{aligned} \tag{62}$$

Assume the following.

$$\begin{aligned}
& (\forall V0x \in ty\_2Erealax\_2Ereal. ((\neg(V0x = (ap\ c\_2Ereal\_2Ereal\_of\_num \\
& c\_2Enum\_2E0))) \Leftrightarrow (p\ (ap\ (ap\ c\_2Erealax\_2Ereal\_lt\ (ap\ c\_2Ereal\_2Ereal\_of\_num \\
& c\_2Enum\_2E0))\ (ap\ c\_2Ereal\_2Eabs\ V0x))))))
\end{aligned} \tag{63}$$

Assume the following.

$$\begin{aligned}
& (\forall V0P \in (2^{(ty\_2Epair\_2Eprod\ ty\_2Erealax\_2Ereal\ ty\_2Erealax\_2Ereal)}). \\
& (((\forall V1a \in ty\_2Erealax\_2Ereal. (\forall V2b \in ty\_2Erealax\_2Ereal. \\
& (\forall V3c \in ty\_2Erealax\_2Ereal. (((p\ (ap\ (ap\ c\_2Ereal\_2Ereal\_lte \\
& V1a)\ V2b)) \wedge (p\ (ap\ (ap\ c\_2Ereal\_2Ereal\_lte\ V2b)\ V3c)) \wedge (p\ (ap \\
& V0P\ (ap\ (ap\ c\_2Epair\_2E\_2C\ ty\_2Erealax\_2Ereal\ ty\_2Erealax\_2Ereal) \\
& V1a)\ V2b))) \wedge (p\ (ap\ V0P\ (ap\ (ap\ c\_2Epair\_2E\_2C\ ty\_2Erealax\_2Ereal \\
& ty\_2Erealax\_2Ereal)\ V2b)\ V3c)))))) \Rightarrow (p\ (ap\ V0P\ (ap\ (ap\ c\_2Epair\_2E\_2C \\
& ty\_2Erealax\_2Ereal\ ty\_2Erealax\_2Ereal)\ V1a)\ V3c)))))) \wedge (\forall V4x \in \\
& ty\_2Erealax\_2Ereal. (\exists V5d \in ty\_2Erealax\_2Ereal. ((p\ (ap \\
& (ap\ c\_2Erealax\_2Ereal\_lt\ (ap\ c\_2Ereal\_2Ereal\_of\_num\ c\_2Enum\_2E0)) \\
& V5d)) \wedge (\forall V6a \in ty\_2Erealax\_2Ereal. (\forall V7b \in ty\_2Erealax\_2Ereal. \\
& (((p\ (ap\ (ap\ c\_2Ereal\_2Ereal\_lte\ V6a)\ V4x)) \wedge (p\ (ap\ (ap\ c\_2Ereal\_2Ereal\_lte \\
& V4x)\ V7b)) \wedge (p\ (ap\ (ap\ c\_2Erealax\_2Ereal\_lt\ (ap\ (ap\ c\_2Ereal\_2Ereal\_sub \\
& V7b)\ V6a))\ V5d)))))) \Rightarrow (p\ (ap\ V0P\ (ap\ (ap\ c\_2Epair\_2E\_2C\ ty\_2Erealax\_2Ereal \\
& ty\_2Erealax\_2Ereal)\ V6a)\ V7b)))))) \Rightarrow (\forall V8a \in ty\_2Erealax\_2Ereal. \\
& (\forall V9b \in ty\_2Erealax\_2Ereal. ((p\ (ap\ (ap\ c\_2Ereal\_2Ereal\_lte \\
& V8a)\ V9b)) \Rightarrow (p\ (ap\ V0P\ (ap\ (ap\ c\_2Epair\_2E\_2C\ ty\_2Erealax\_2Ereal \\
& ty\_2Erealax\_2Ereal)\ V8a)\ V9b))))))
\end{aligned} \tag{64}$$

### Theorem 1

$$\begin{aligned}
& (\forall V0f \in (ty\_2Erealax\_2Ereal^{ty\_2Erealax\_2Ereal}). (\forall V1a \in \\
& ty\_2Erealax\_2Ereal. (\forall V2b \in ty\_2Erealax\_2Ereal. (\forall V3y \in \\
& ty\_2Erealax\_2Ereal. (((p\ (ap\ (ap\ c\_2Ereal\_2Ereal\_lte\ V1a)\ V2b)) \wedge \\
& (((p\ (ap\ (ap\ c\_2Ereal\_2Ereal\_lte\ (ap\ V0f\ V1a))\ V3y)) \wedge (p\ (ap\ (ap \\
& c\_2Ereal\_2Ereal\_lte\ V3y)\ (ap\ V0f\ V2b)))) \wedge (\forall V4x \in ty\_2Erealax\_2Ereal. \\
& (((p\ (ap\ (ap\ c\_2Ereal\_2Ereal\_lte\ V1a)\ V4x)) \wedge (p\ (ap\ (ap\ c\_2Ereal\_2Ereal\_lte \\
& V4x)\ V2b))) \Rightarrow (p\ (ap\ (ap\ c\_2Elim\_2Econtl\ V0f)\ V4x)))))) \Rightarrow (\exists V5x \in \\
& ty\_2Erealax\_2Ereal. ((p\ (ap\ (ap\ c\_2Ereal\_2Ereal\_lte\ V1a)\ V5x)) \wedge \\
& ((p\ (ap\ (ap\ c\_2Ereal\_2Ereal\_lte\ V5x)\ V2b)) \wedge ((ap\ V0f\ V5x) = V3y))))))
\end{aligned}$$