

thm_2Elist_2EALL_DISTINCT_FILTER_EL_IMP
(TMaJCK-
RXr9YztkgVkaK1pFWZAFK5sozBXyo)

October 26, 2020

Definition 1 We define $c_2Emin_2E_3D$ to be $\lambda A.\lambda x \in A.\lambda y \in A.inj_o (x = y)$ of type $\iota \Rightarrow \iota$.

Definition 2 We define $c_2Ecombin_2EK$ to be $\lambda A.\lambda A_27a : \iota.\lambda A_27b : \iota.(\lambda V0x \in A_27a.(\lambda V1y \in A_27b.V0x))$

Definition 3 We define $c_2Ecombin_2ES$ to be $\lambda A.\lambda A_27a : \iota.\lambda A_27b : \iota.\lambda A_27c : \iota.(\lambda V0f \in ((A_27c^{A_27b})^{A_27a}))$

Definition 4 We define $c_2Ecombin_2EI$ to be $\lambda A.\lambda A_27a : \iota.(ap (ap (c_2Ecombin_2ES A_27a (A_27a^{A_27a})) A_27a))$

Definition 5 We define c_2Ebool_2ET to be $(ap (ap (c_2Emin_2E_3D (2^2)) (\lambda V0x \in 2.V0x)) (\lambda V1x \in 2.V1x))$

Definition 6 We define $c_2Ebool_2E_21$ to be $\lambda A.\lambda A_27a : \iota.(\lambda V0P \in (2^{A_27a}).(ap (ap (c_2Emin_2E_3D (2^{A_27a}))))$

Definition 7 We define c_2Ebool_2EF to be $(ap (c_2Ebool_2E_21 2) (\lambda V0t \in 2.V0t))$.

Definition 8 We define $c_2Emin_2E_3D_3D_3E$ to be $\lambda P \in 2.\lambda Q \in 2.inj_o (p \Rightarrow q)$ of type ι .

Definition 9 We define $c_2Ebool_2E_2F_5C$ to be $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap (c_2Ebool_2E_21 2) (\lambda V2t \in 2.V2t))))$

Definition 10 We define $c_2Emin_2E_40$ to be $\lambda A.\lambda P \in 2^A.if (\exists x \in A.p (ap P x))$ then (the $(\lambda x.x \in A \wedge P x)$) of type $\iota \Rightarrow \iota$.

Definition 11 We define c_2Ebool_2ECOND to be $\lambda A.\lambda A_27a : \iota.(\lambda V0t \in 2.(\lambda V1t1 \in A_27a.(\lambda V2t2 \in A_27a.(ap (c_2Emin_2E_40 A_27a (V1t1 V2t2))))))$

Let $ty_2Elist_2Elist : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0.nonempty A0 \Rightarrow nonempty (ty_2Elist_2Elist A0) \tag{1}$$

Let $c_2Elist_2EFILTER : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty A_27a \Rightarrow c_2Elist_2EFILTER A_27a \in (((ty_2Elist_2Elist A_27a)^{(ty_2Elist_2Elist A_27a)})^{(2^{A_27a})}) \tag{2}$$

Let $c_2Elist_2EHD : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow c_2Elist_2EHD\ A_27a \in (A_27a^{(ty_2Elist_2Elist\ A_27a)}) \quad (3)$$

Let $ty_2Enum_2Enum : \iota$ be given. Assume the following.

$$nonempty\ ty_2Enum_2Enum \quad (4)$$

Let $c_2Elist_2EEL : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow c_2Elist_2EEL\ A_27a \in ((A_27a^{(ty_2Elist_2Elist\ A_27a)})^{ty_2Enum_2Enum}) \quad (5)$$

Let $c_2Elist_2ELENGTH : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow c_2Elist_2ELENGTH\ A_27a \in (ty_2Enum_2Enum^{(ty_2Elist_2Elist\ A_27a)}) \quad (6)$$

Definition 12 We define $c_2Ebool_2E_3F$ to be $\lambda A_27a : \iota. (\lambda V0P \in (2^{A_27a}). (ap\ V0P\ (ap\ (c_2Emin_2E_40$

Let $c_2Elist_2ELIST_2TO_2SET : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow c_2Elist_2ELIST_2TO_2SET\ A_27a \in ((2^{A_27a})^{(ty_2Elist_2Elist\ A_27a)}) \quad (7)$$

Definition 13 We define c_2Ebool_2EIN to be $\lambda A_27a : \iota. (\lambda V0x \in A_27a. (\lambda V1f \in (2^{A_27a}). (ap\ V1f\ V0x))$

Let $c_2Elist_2ECONS : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow c_2Elist_2ECONS\ A_27a \in (((ty_2Elist_2Elist\ A_27a)^{(ty_2Elist_2Elist\ A_27a)})^{A_27a}) \quad (8)$$

Let $c_2Elist_2ENIL : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow c_2Elist_2ENIL\ A_27a \in (ty_2Elist_2Elist\ A_27a) \quad (9)$$

Let $c_2Elist_2EALL_2DISTINCT : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow c_2Elist_2EALL_2DISTINCT\ A_27a \in (2^{(ty_2Elist_2Elist\ A_27a)}) \quad (10)$$

Let $c_2Enum_2EREP_2num : \iota$ be given. Assume the following.

$$c_2Enum_2EREP_2num \in (\omega^{ty_2Enum_2Enum}) \quad (11)$$

Let $c_2Enum_2ESUC_2REP : \iota$ be given. Assume the following.

$$c_2Enum_2ESUC_2REP \in (\omega^{\omega}) \quad (12)$$

Let $c_2Enum_2EABS_2num : \iota$ be given. Assume the following.

$$c_2Enum_2EABS_2num \in (ty_2Enum_2Enum^{\omega}) \quad (13)$$

Definition 14 We define c_2Enum_2ESUC to be $\lambda V0m \in ty_2Enum_2Enum.(ap\ c_2Enum_2EABS_num$
 Let $c_2Enum_2EZERO_REP : \iota$ be given. Assume the following.

$$c_2Enum_2EZERO_REP \in \omega \tag{14}$$

Definition 15 We define c_2Enum_2E0 to be $(ap\ c_2Enum_2EABS_num\ c_2Enum_2EZERO_REP)$.

Definition 16 We define $c_2Ebool_2E_7E$ to be $(\lambda V0t \in 2.(ap\ (ap\ c_2Emin_2E_3D_3D_3E\ V0t)\ c_2Ebool_2E$

Definition 17 We define $c_2Eprim_rec_2E_3C$ to be $\lambda V0m \in ty_2Enum_2Enum.\lambda V1n \in ty_2Enum_2Enum$

Definition 18 We define $c_2Ebool_2E_5C_2F$ to be $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap\ (c_2Ebool_2E_21\ 2)\ (\lambda V2t \in$

Assume the following.

$$(\forall V0m \in ty_2Enum_2Enum.((V0m = c_2Enum_2E0) \vee (\exists V1n \in ty_2Enum_2Enum.(V0m = (ap\ c_2Enum_2ESUC\ V1n)))))) \tag{15}$$

Assume the following.

$$(\forall V0m \in ty_2Enum_2Enum.(\forall V1n \in ty_2Enum_2Enum.(p\ (ap\ (ap\ c_2Eprim_rec_2E_3C\ (ap\ c_2Enum_2ESUC\ V0m))\ (ap\ c_2Enum_2ESUC\ V1n))) \Leftrightarrow (p\ (ap\ (ap\ c_2Eprim_rec_2E_3C\ V0m)\ V1n)))))) \tag{16}$$

Assume the following.

$$True \tag{17}$$

Assume the following.

$$(\forall V0t1 \in 2.(\forall V1t2 \in 2.(((p\ V0t1) \Rightarrow (p\ V1t2)) \Rightarrow (((p\ V1t2) \Rightarrow (p\ V0t1)) \Rightarrow ((p\ V0t1) \Leftrightarrow (p\ V1t2)))))) \tag{18}$$

Assume the following.

$$(\forall V0t \in 2.(False \Rightarrow (p\ V0t))) \tag{19}$$

Assume the following.

$$(\forall V0t \in 2.((p\ V0t) \vee (\neg(p\ V0t)))) \tag{20}$$

Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow (\forall V0t \in 2.((\forall V1x \in A_27a.(p\ V0t) \Leftrightarrow (p\ V0t)))) \tag{21}$$

Assume the following.

$$(\forall V0t \in 2.(((p\ V0t) \Rightarrow False) \Rightarrow (\neg(p\ V0t)))) \tag{22}$$

Assume the following.

$$(\forall V0t \in 2.((\neg(p\ V0t)) \Rightarrow ((p\ V0t) \Rightarrow False))) \tag{23}$$

Assume the following.

$$\begin{aligned}
& (\forall V0t \in 2.(((True \wedge (p \ V0t)) \Leftrightarrow (p \ V0t)) \wedge (((p \ V0t) \wedge True) \Leftrightarrow \\
& (p \ V0t)) \wedge (((False \wedge (p \ V0t)) \Leftrightarrow False) \wedge (((p \ V0t) \wedge False) \Leftrightarrow False) \wedge \\
& (((p \ V0t) \wedge (p \ V0t)) \Leftrightarrow (p \ V0t)))))) \quad (24)
\end{aligned}$$

Assume the following.

$$\begin{aligned}
& (\forall V0t \in 2.(((True \vee (p \ V0t)) \Leftrightarrow True) \wedge (((p \ V0t) \vee True) \Leftrightarrow True) \wedge \\
& (((False \vee (p \ V0t)) \Leftrightarrow (p \ V0t)) \wedge (((p \ V0t) \vee False) \Leftrightarrow (p \ V0t)) \wedge (((p \ V0t) \vee \\
& (p \ V0t)) \Leftrightarrow (p \ V0t)))))) \quad (25)
\end{aligned}$$

Assume the following.

$$\begin{aligned}
& (\forall V0t \in 2.(((True \Rightarrow (p \ V0t)) \Leftrightarrow (p \ V0t)) \wedge (((p \ V0t) \Rightarrow True) \Leftrightarrow \\
& True) \wedge (((False \Rightarrow (p \ V0t)) \Leftrightarrow True) \wedge (((p \ V0t) \Rightarrow (p \ V0t)) \Leftrightarrow True) \wedge ((\\
& (p \ V0t) \Rightarrow False) \Leftrightarrow (\neg(p \ V0t)))))) \quad (26)
\end{aligned}$$

Assume the following.

$$\begin{aligned}
& ((\forall V0t \in 2.((\neg(\neg(p \ V0t))) \Leftrightarrow (p \ V0t)) \wedge (((\neg True) \Leftrightarrow False) \wedge \\
& ((\neg False) \Leftrightarrow True))) \quad (27)
\end{aligned}$$

Assume the following.

$$\begin{aligned}
& \forall A.27a.nonempty \ A.27a \Rightarrow (\forall V0x \in A.27a.((V0x = V0x) \Leftrightarrow \\
& True)) \quad (28)
\end{aligned}$$

Assume the following.

$$\begin{aligned}
& \forall A.27a.nonempty \ A.27a \Rightarrow (\forall V0x \in A.27a.(\forall V1y \in \\
& A.27a.((V0x = V1y) \Leftrightarrow (V1y = V0x)))) \quad (29)
\end{aligned}$$

Assume the following.

$$\begin{aligned}
& (\forall V0t \in 2.(((True \Leftrightarrow (p \ V0t)) \Leftrightarrow (p \ V0t)) \wedge (((p \ V0t) \Leftrightarrow True) \Leftrightarrow \\
& (p \ V0t)) \wedge (((False \Leftrightarrow (p \ V0t)) \Leftrightarrow (\neg(p \ V0t))) \wedge (((p \ V0t) \Leftrightarrow False) \Leftrightarrow (\neg(\\
& p \ V0t)))))) \quad (30)
\end{aligned}$$

Assume the following.

$$\begin{aligned}
& \forall A.27a.nonempty \ A.27a \Rightarrow (\forall V0t1 \in A.27a.(\forall V1t2 \in \\
& A.27a.(((ap \ (ap \ (ap \ (c.2Ebool.2ECOND \ A.27a) \ c.2Ebool.2ET) \ V0t1) \\
& V1t2) = V0t1) \wedge ((ap \ (ap \ (ap \ (c.2Ebool.2ECOND \ A.27a) \ c.2Ebool.2EF \\
& V0t1) \ V1t2) = V1t2)))))) \quad (31)
\end{aligned}$$

Assume the following.

$$\begin{aligned}
& \forall A.27a.nonempty \ A.27a \Rightarrow (\forall V0P \in (2^{A.27a}).((\neg(\exists V1x \in \\
& A.27a.(p \ (ap \ V0P \ V1x)))) \Leftrightarrow (\forall V2x \in A.27a.(\neg(p \ (ap \ V0P \ V2x)))))) \quad (32)
\end{aligned}$$

Assume the following.

$$(\forall V0A \in 2.(\forall V1B \in 2.(\forall V2C \in 2.(((p V0A) \vee (p V1B) \vee (p V2C))) \Leftrightarrow (((p V0A) \vee (p V1B)) \vee (p V2C)))))) \quad (33)$$

Assume the following.

$$(\forall V0A \in 2.(\forall V1B \in 2.(((p V0A) \vee (p V1B)) \Leftrightarrow ((p V1B) \vee (p V0A)))))) \quad (34)$$

Assume the following.

$$(\forall V0A \in 2.(\forall V1B \in 2.(((\neg((p V0A) \wedge (p V1B))) \Leftrightarrow ((\neg(p V0A) \vee \neg(p V1B)))) \wedge (((\neg(p V0A) \vee (p V1B)) \Leftrightarrow ((\neg(p V0A) \wedge \neg(p V1B)))))))))) \quad (35)$$

Assume the following.

$$(\forall V0t1 \in 2.(\forall V1t2 \in 2.(\forall V2t3 \in 2.(((p V0t1) \Rightarrow ((p V1t2) \Rightarrow (p V2t3))) \Leftrightarrow (((p V0t1) \wedge (p V1t2)) \Rightarrow (p V2t3)))))) \quad (36)$$

Assume the following.

$$(\forall V0x \in 2.(\forall V1x_{27} \in 2.(\forall V2y \in 2.(\forall V3y_{27} \in 2.(((p V0x) \Leftrightarrow (p V1x_{27})) \wedge ((p V1x_{27}) \Rightarrow ((p V2y) \Leftrightarrow (p V3y_{27})))) \Rightarrow (((p V0x) \Rightarrow (p V2y)) \Leftrightarrow ((p V1x_{27}) \Rightarrow (p V3y_{27})))))) \quad (37)$$

Assume the following.

$$\forall A_{27a}.nonempty A_{27a} \Rightarrow (\forall V0x \in A_{27a}.((ap (c.2Ecombin_2El A_{27a}) V0x) = V0x)) \quad (38)$$

Assume the following.

$$\forall A_{27a}.nonempty A_{27a} \Rightarrow (\forall V0h \in A_{27a}.(\forall V1t \in (ty_{2Elist_2Elist} A_{27a}).((ap (c.2Elist_2EHD A_{27a}) (ap (ap (c.2Elist_2ECONS A_{27a}) V0h) V1t)) = V0h))) \quad (39)$$

Assume the following.

$$\forall A_{27a}.nonempty A_{27a} \Rightarrow (((ap (c.2Elist_2ELENGTH A_{27a}) (c.2Elist_2ENIL A_{27a})) = c.2Enum_2E0) \wedge (\forall V0h \in A_{27a}.(\forall V1t \in (ty_{2Elist_2Elist} A_{27a}).((ap (c.2Elist_2ELENGTH A_{27a}) (ap (ap (c.2Elist_2ECONS A_{27a}) V0h) V1t)) = (ap c.2Enum_2ESUC (ap (c.2Elist_2ELENGTH A_{27a}) V1t)))))) \quad (40)$$

Assume the following.

$$\begin{aligned}
& \forall A.27a.nonempty\ A.27a \Rightarrow ((\forall V0P \in (2^{A.27a}).((ap\ (\\
& ap\ (c.2Elist.2EFILTER\ A.27a)\ V0P)\ (c.2Elist.2ENIL\ A.27a)) = (c.2Elist.2ENIL \\
& A.27a))) \wedge (\forall V1P \in (2^{A.27a}).(\forall V2h \in A.27a.(\forall V3t \in \\
& (ty.2Elist.2Elist\ A.27a).((ap\ (ap\ (c.2Elist.2EFILTER\ A.27a) \\
& V1P)\ (ap\ (ap\ (c.2Elist.2ECONS\ A.27a)\ V2h)\ V3t)) = (ap\ (ap\ (ap\ (c.2Ebool.2ECOND \\
& (ty.2Elist.2Elist\ A.27a))\ (ap\ V1P\ V2h))\ (ap\ (ap\ (c.2Elist.2ECONS \\
& A.27a)\ V2h)\ (ap\ (ap\ (c.2Elist.2EFILTER\ A.27a)\ V1P)\ V3t))))\ (ap\ (ap \\
& (c.2Elist.2EFILTER\ A.27a)\ V1P)\ V3t))))))
\end{aligned} \tag{41}$$

Assume the following.

$$\begin{aligned}
& \forall A.27a.nonempty\ A.27a \Rightarrow (\forall V0P \in (2^{(ty.2Elist.2Elist\ A.27a)}). \\
& (((p\ (ap\ V0P\ (c.2Elist.2ENIL\ A.27a))) \wedge (\forall V1t \in (ty.2Elist.2Elist \\
& A.27a).((p\ (ap\ V0P\ V1t)) \Rightarrow (\forall V2h \in A.27a.(p\ (ap\ V0P\ (ap\ (ap\ (\\
& c.2Elist.2ECONS\ A.27a)\ V2h)\ V1t)))))) \Rightarrow (\forall V3l \in (ty.2Elist.2Elist \\
& A.27a).(p\ (ap\ V0P\ V3l))))))
\end{aligned} \tag{42}$$

Assume the following.

$$\begin{aligned}
& \forall A.27a.nonempty\ A.27a \Rightarrow (\forall V0P \in (2^{A.27a}).(\forall V1L \in \\
& (ty.2Elist.2Elist\ A.27a).(\forall V2x \in A.27a.((p\ (ap\ (ap\ (c.2Ebool.2EIN \\
& A.27a)\ V2x)\ (ap\ (c.2Elist.2ELIST_TO_SET\ A.27a)\ (ap\ (ap\ (c.2Elist.2EFILTER \\
& A.27a)\ V0P)\ V1L)))) \Leftrightarrow ((p\ (ap\ V0P\ V2x)) \wedge (p\ (ap\ (ap\ (c.2Ebool.2EIN \\
& A.27a)\ V2x)\ (ap\ (c.2Elist.2ELIST_TO_SET\ A.27a)\ V1L))))))
\end{aligned} \tag{43}$$

Assume the following.

$$\begin{aligned}
& \forall A.27a.nonempty\ A.27a \Rightarrow \forall A.27b.nonempty\ A.27b \Rightarrow (\\
& \forall V0n \in ty.2Enum.2Enum.(\forall V1l \in A.27b.(\forall V2ls \in \\
& (ty.2Elist.2Elist\ A.27b).(((ap\ (c.2Elist.2EEL\ A.27a)\ c.2Enum.2E0) = \\
& (c.2Elist.2EHD\ A.27a)) \wedge ((ap\ (ap\ (c.2Elist.2EEL\ A.27b)\ (ap\ c.2Enum.2ESUC \\
& V0n))\ (ap\ (ap\ (c.2Elist.2ECONS\ A.27b)\ V1l)\ V2ls)) = (ap\ (ap\ (c.2Elist.2EEL \\
& A.27b)\ V0n)\ V2ls))))))
\end{aligned} \tag{44}$$

Assume the following.

$$\begin{aligned}
& \forall A.27a.nonempty\ A.27a \Rightarrow (\forall V0l \in (ty.2Elist.2Elist \\
& A.27a).(\forall V1x \in A.27a.((p\ (ap\ (ap\ (c.2Ebool.2EIN\ A.27a)\ V1x) \\
& (ap\ (c.2Elist.2ELIST_TO_SET\ A.27a)\ V0l))) \Leftrightarrow (\exists V2n \in ty.2Enum.2Enum. \\
& ((p\ (ap\ (ap\ c.2Eprim_rec.2E_3C\ V2n)\ (ap\ (c.2Elist.2ELENGTH\ A.27a) \\
& V0l))) \wedge (V1x = (ap\ (ap\ (c.2Elist.2EEL\ A.27a)\ V2n)\ V0l))))))
\end{aligned} \tag{45}$$

Assume the following.

$$\begin{aligned} \forall A_{27a}. \text{nonempty } A_{27a} \Rightarrow & (((p \text{ (ap (c.2Elist_2EALL_DISTINCT} \\ & A_{27a}) \text{ (c.2Elist_2ENIL } A_{27a}))) \Leftrightarrow \text{True}) \wedge (\forall V0h \in A_{27a}. (\\ \forall V1t \in & (\text{ty_2Elist_2Elist } A_{27a}). ((p \text{ (ap (c.2Elist_2EALL_DISTINCT} \\ & A_{27a}) \text{ (ap (ap (c.2Elist_2ECONS } A_{27a}) V0h) V1t))) \Leftrightarrow ((\neg(p \text{ (ap (ap} \\ & (\text{c.2Ebool_2EIN } A_{27a}) V0h) \text{ (ap (c.2Elist_2ELIST_TO_SET } A_{27a}) \\ & V1t)))) \wedge (p \text{ (ap (c.2Elist_2EALL_DISTINCT } A_{27a}) V1t)))))) \end{aligned} \quad (46)$$

Assume the following.

$$(\forall V0n \in \text{ty_2Enum_2Enum}. (\neg((\text{ap c.2Enum_2ESUC } V0n) = \text{c.2Enum_2E0}))) \quad (47)$$

Assume the following.

$$(\forall V0m \in \text{ty_2Enum_2Enum}. (\forall V1n \in \text{ty_2Enum_2Enum}. ((\text{ap c.2Enum_2ESUC } V0m) = (\text{ap c.2Enum_2ESUC } V1n)) \Leftrightarrow (V0m = V1n)))) \quad (48)$$

Assume the following.

$$(\forall V0n \in \text{ty_2Enum_2Enum}. (\neg(p \text{ (ap (ap c.2Eprim_rec_2E_3C} \\ V0n) \text{ c.2Enum_2E0})))) \quad (49)$$

Assume the following.

$$(\forall V0n \in \text{ty_2Enum_2Enum}. (p \text{ (ap (ap c.2Eprim_rec_2E_3C } \text{c.2Enum_2E0} \\ (\text{ap c.2Enum_2ESUC } V0n)))))) \quad (50)$$

Assume the following.

$$(\forall V0t \in 2. ((\neg(\neg(p \text{ } V0t))) \Leftrightarrow (p \text{ } V0t))) \quad (51)$$

Assume the following.

$$(\forall V0A \in 2. ((p \text{ } V0A) \Rightarrow ((\neg(p \text{ } V0A)) \Rightarrow \text{False}))) \quad (52)$$

Assume the following.

$$(\forall V0A \in 2. (\forall V1B \in 2. (((\neg((p \text{ } V0A) \vee (p \text{ } V1B))) \Rightarrow \text{False}) \Leftrightarrow \\ ((p \text{ } V0A) \Rightarrow \text{False}) \Rightarrow ((\neg(p \text{ } V1B)) \Rightarrow \text{False})))) \quad (53)$$

Assume the following.

$$(\forall V0A \in 2. (\forall V1B \in 2. (((\neg(\neg((p \text{ } V0A) \vee (p \text{ } V1B))) \Rightarrow \text{False}) \Leftrightarrow \\ ((p \text{ } V0A) \Rightarrow ((\neg(p \text{ } V1B)) \Rightarrow \text{False})))))) \quad (54)$$

Assume the following.

$$(\forall V0A \in 2. (((\neg(p \text{ } V0A)) \Rightarrow \text{False}) \Rightarrow (((p \text{ } V0A) \Rightarrow \text{False}) \Rightarrow \text{False}))) \quad (55)$$

Assume the following.

$$\begin{aligned}
& (\forall V0p \in 2. (\forall V1q \in 2. (\forall V2r \in 2. (((p V0p) \Leftrightarrow (\\
& (p V1q) \Leftrightarrow (p V2r))) \Leftrightarrow (((p V0p) \vee ((p V1q) \vee (p V2r))) \wedge (((p V0p) \vee ((\neg(\\
& p V2r)) \vee (\neg(p V1q)))) \wedge (((p V1q) \vee ((\neg(p V2r)) \vee (\neg(p V0p)))) \wedge ((p V2r) \vee \\
& ((\neg(p V1q)) \vee (\neg(p V0p))))))))))
\end{aligned} \tag{56}$$

Assume the following.

$$\begin{aligned}
& (\forall V0p \in 2. (\forall V1q \in 2. (\forall V2r \in 2. (((p V0p) \Leftrightarrow (\\
& (p V1q) \wedge (p V2r))) \Leftrightarrow (((p V0p) \vee ((\neg(p V1q)) \vee (\neg(p V2r)))) \wedge (((p V1q) \vee \\
& (\neg(p V0p))) \wedge ((p V2r) \vee (\neg(p V0p))))))
\end{aligned} \tag{57}$$

Assume the following.

$$\begin{aligned}
& (\forall V0p \in 2. (\forall V1q \in 2. (\forall V2r \in 2. (((p V0p) \Leftrightarrow (\\
& (p V1q) \vee (p V2r))) \Leftrightarrow (((p V0p) \vee (\neg(p V1q))) \wedge (((p V0p) \vee (\neg(p V2r))) \wedge \\
& ((p V1q) \vee ((p V2r) \vee (\neg(p V0p))))))
\end{aligned} \tag{58}$$

Assume the following.

$$\begin{aligned}
& (\forall V0p \in 2. (\forall V1q \in 2. (\forall V2r \in 2. (((p V0p) \Leftrightarrow (\\
& (p V1q) \Rightarrow (p V2r))) \Leftrightarrow (((p V0p) \vee (p V1q)) \wedge (((p V0p) \vee (\neg(p V2r))) \wedge ((\\
& \neg(p V1q)) \vee ((p V2r) \vee (\neg(p V0p))))))
\end{aligned} \tag{59}$$

Assume the following.

$$\begin{aligned}
& (\forall V0p \in 2. (\forall V1q \in 2. (((p V0p) \Leftrightarrow (\neg(p V1q))) \Leftrightarrow (((p V0p) \vee \\
& (p V1q)) \wedge ((\neg(p V1q)) \vee (\neg(p V0p))))))
\end{aligned} \tag{60}$$

Theorem 1

$$\begin{aligned}
& \forall A.27a.nonempty A.27a \Rightarrow (\forall V0P \in (2^{A.27a}). (\forall V1l \in \\
& (ty_2Elist_2Elist A.27a). (\forall V2n1 \in ty_2Enum_2Enum. (\forall V3n2 \in \\
& ty_2Enum_2Enum. (((p (ap (c_2Elist_2EALL_DISTINCT A.27a) (ap \\
& (ap (c_2Elist_2EFILTER A.27a) V0P) V1l))) \wedge ((p (ap (ap c_2Eprim_rec_2E_3C \\
& V2n1) (ap (c_2Elist_2ELENGTH A.27a) V1l))) \wedge ((p (ap (ap c_2Eprim_rec_2E_3C \\
& V3n2) (ap (c_2Elist_2ELENGTH A.27a) V1l))) \wedge ((p (ap V0P (ap (ap (\\
& c_2Elist_2EEL A.27a) V2n1) V1l))) \wedge ((ap (ap (c_2Elist_2EEL A.27a) \\
& V2n1) V1l) = (ap (ap (c_2Elist_2EEL A.27a) V3n2) V1l)))))) \Rightarrow (V2n1 = \\
& V3n2))))))
\end{aligned}$$