

# thm\_2Elist\_2EALL\_DISTINCT\_MAP

(TMNE1WxmiscDtgyq1XBQsTDgQ3sHK8KihLY)

October 26, 2020

**Definition 1** We define `c_2Emin_2E_3D` to be  $\lambda A. \lambda x \in A. \lambda y \in A. \text{inj\_o } (x = y)$  of type  $\iota \Rightarrow \iota$ .

**Definition 2** We define `c_2Ecombin_2EK` to be  $\lambda A. \lambda A_27a : \iota. \lambda A_27b : \iota. (\lambda V0x \in A_27a. (\lambda V1y \in A_27b. V0x))$

**Definition 3** We define `c_2Ecombin_2ES` to be  $\lambda A. \lambda A_27a : \iota. \lambda A_27b : \iota. \lambda A_27c : \iota. (\lambda V0f \in ((A_27c^{A_27b})^{A_27a}))$

**Definition 4** We define `c_2Ecombin_2EI` to be  $\lambda A. \lambda A_27a : \iota. (\text{ap } (\text{ap } (c_2Ecombin_2ES \ A_27a \ (A_27a^{A_27a}) \ A_27a)))$

**Definition 5** We define `c_2Emin_2E_40` to be  $\lambda A. \lambda P \in 2^A. \text{if } (\exists x \in A. P \ x) \text{ then } (the \ (\lambda x. x \in A \wedge P \ x))$  of type  $\iota \Rightarrow \iota$ .

**Definition 6** We define `c_2Ebool_2E_3F` to be  $\lambda A. \lambda A_27a : \iota. (\lambda V0P \in (2^{A_27a}). (\text{ap } V0P \ (\text{ap } (c_2Emin_2E_40 \ A_27a \ P))))$

Let `ty_2Elist_2Elist` :  $\iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A0. \text{nonempty } A0 \Rightarrow \text{nonempty } (ty\_2Elist\_2Elist \ A0) \quad (1)$$

Let `c_2Elist_2EMAP` :  $\iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A_27a. \text{nonempty } A_27a \Rightarrow \forall A_27b. \text{nonempty } A_27b \Rightarrow c\_2Elist\_2EMAP \ A_27a \ A_27b \in (((ty\_2Elist\_2Elist \ A_27b)^{(ty\_2Elist\_2Elist \ A_27a)})^{(A_27b^{A_27a})}) \quad (2)$$

Let `c_2Elist_2ELIST_TO_SET` :  $\iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A_27a. \text{nonempty } A_27a \Rightarrow c\_2Elist\_2ELIST\_TO\_SET \ A_27a \in ((2^{A_27a})^{(ty\_2Elist\_2Elist \ A_27a)}) \quad (3)$$

**Definition 7** We define `c_2Ebool_2EIN` to be  $\lambda A. \lambda A_27a : \iota. (\lambda V0x \in A_27a. (\lambda V1f \in (2^{A_27a}). (\text{ap } V1f \ V0x)))$

Let `c_2Elist_2ECONS` :  $\iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A_27a. \text{nonempty } A_27a \Rightarrow c\_2Elist\_2ECONS \ A_27a \in (((ty\_2Elist\_2Elist \ A_27a)^{(ty\_2Elist\_2Elist \ A_27a)})^{A_27a}) \quad (4)$$

**Definition 8** We define  $c\_2Ebool\_2ET$  to be  $(ap (ap (c\_2Emin\_2E\_3D (2^2)) (\lambda V0x \in 2.V0x)) (\lambda V1x \in 2.V1x))$   
Let  $c\_2Elist\_2ENIL : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.nonempty A\_27a \Rightarrow c\_2Elist\_2ENIL A\_27a \in (ty\_2Elist\_2Elist A\_27a) \quad (5)$$

Let  $c\_2Elist\_2EALL\_DISTINCT : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.nonempty A\_27a \Rightarrow c\_2Elist\_2EALL\_DISTINCT A\_27a \in (2^{(ty\_2Elist\_2Elist A\_27a)}) \quad (6)$$

**Definition 9** We define  $c\_2Ebool\_2E\_21$  to be  $\lambda A\_27a : \iota. (\lambda V0P \in (2^{A\_27a}). (ap (ap (c\_2Emin\_2E\_3D (2^{A\_27a})))$

**Definition 10** We define  $c\_2Ebool\_2EF$  to be  $(ap (c\_2Ebool\_2E\_21 2)) (\lambda V0t \in 2.V0t)$ .

**Definition 11** We define  $c\_2Emin\_2E\_3D\_3D\_3E$  to be  $\lambda P \in 2. \lambda Q \in 2. inj\_o (p P \Rightarrow p Q)$   
of type  $\iota$ .

**Definition 12** We define  $c\_2Ebool\_2E\_5C\_2F$  to be  $(\lambda V0t1 \in 2. (\lambda V1t2 \in 2. (ap (c\_2Ebool\_2E\_21 2)) (\lambda V2t \in 2. V2t)))$

**Definition 13** We define  $c\_2Ebool\_2E\_2F\_5C$  to be  $(\lambda V0t1 \in 2. (\lambda V1t2 \in 2. (ap (c\_2Ebool\_2E\_21 2)) (\lambda V2t \in 2. V2t)))$

**Definition 14** We define  $c\_2Ebool\_2E\_7E$  to be  $(\lambda V0t \in 2. (ap (ap c\_2Emin\_2E\_3D\_3D\_3E V0t) c\_2Ebool\_2E\_21 2))$

Assume the following.

$$True \quad (7)$$

Assume the following.

$$(\forall V0t1 \in 2. (\forall V1t2 \in 2. (((p V0t1) \Rightarrow (p V1t2)) \Rightarrow (((p V1t2) \Rightarrow (p V0t1)) \Rightarrow ((p V0t1) \Leftrightarrow (p V1t2)))))) \quad (8)$$

Assume the following.

$$(\forall V0t \in 2. (False \Rightarrow (p V0t))) \quad (9)$$

Assume the following.

$$(\forall V0t \in 2. ((p V0t) \vee (\neg (p V0t)))) \quad (10)$$

Assume the following.

$$\forall A\_27a.nonempty A\_27a \Rightarrow (\forall V0t \in 2. ((\forall V1x \in A\_27a. (p V0t) \Leftrightarrow (p V1x)))) \quad (11)$$

Assume the following.

$$(\forall V0t \in 2. (((p V0t) \Rightarrow False) \Rightarrow (\neg (p V0t)))) \quad (12)$$

Assume the following.

$$(\forall V0t \in 2.((\neg(p V0t)) \Rightarrow ((p V0t) \Rightarrow False))) \quad (13)$$

Assume the following.

$$\begin{aligned} & (\forall V0t \in 2.(((True \wedge (p V0t)) \Leftrightarrow (p V0t)) \wedge (((p V0t) \wedge True) \Leftrightarrow \\ & (p V0t)) \wedge (((False \wedge (p V0t)) \Leftrightarrow False) \wedge (((p V0t) \wedge False) \Leftrightarrow False) \wedge \\ & (((p V0t) \wedge (p V0t)) \Leftrightarrow (p V0t)))))) \end{aligned} \quad (14)$$

Assume the following.

$$\begin{aligned} & (\forall V0t \in 2.(((True \vee (p V0t)) \Leftrightarrow True) \wedge (((p V0t) \vee True) \Leftrightarrow True) \wedge \\ & (((False \vee (p V0t)) \Leftrightarrow (p V0t)) \wedge (((p V0t) \vee False) \Leftrightarrow (p V0t)) \wedge (((p V0t) \vee \\ & (p V0t)) \Leftrightarrow (p V0t)))))) \end{aligned} \quad (15)$$

Assume the following.

$$\begin{aligned} & (\forall V0t \in 2.(((True \Rightarrow (p V0t)) \Leftrightarrow (p V0t)) \wedge (((p V0t) \Rightarrow True) \Leftrightarrow \\ & True) \wedge (((False \Rightarrow (p V0t)) \Leftrightarrow True) \wedge (((p V0t) \Rightarrow (p V0t)) \Leftrightarrow True) \wedge (( \\ & (p V0t) \Rightarrow False) \Leftrightarrow (\neg(p V0t)))))) \end{aligned} \quad (16)$$

Assume the following.

$$\begin{aligned} & ((\forall V0t \in 2.((\neg(\neg(p V0t))) \Leftrightarrow (p V0t)) \wedge (((\neg True) \Leftrightarrow False) \wedge \\ & ((\neg False) \Leftrightarrow True))) \end{aligned} \quad (17)$$

Assume the following.

$$\forall A\_27a.nonempty \ A\_27a \Rightarrow (\forall V0x \in A\_27a.((V0x = V0x) \Leftrightarrow True)) \quad (18)$$

Assume the following.

$$\forall A\_27a.nonempty \ A\_27a \Rightarrow (\forall V0x \in A\_27a.(\forall V1y \in A\_27a.((V0x = V1y) \Leftrightarrow (V1y = V0x)))) \quad (19)$$

Assume the following.

$$\begin{aligned} & (\forall V0t \in 2.(((True \Leftrightarrow (p V0t)) \Leftrightarrow (p V0t)) \wedge (((p V0t) \Leftrightarrow True) \Leftrightarrow \\ & (p V0t)) \wedge (((False \Leftrightarrow (p V0t)) \Leftrightarrow (\neg(p V0t))) \wedge (((p V0t) \Leftrightarrow False) \Leftrightarrow (\neg( \\ & p V0t)))))) \end{aligned} \quad (20)$$

Assume the following.

$$\forall A\_27a.nonempty \ A\_27a \Rightarrow (\forall V0P \in (2^{A\_27a}).((\neg(\exists V1x \in A\_27a.(p (ap V0P V1x)))) \Leftrightarrow (\forall V2x \in A\_27a.(\neg(p (ap V0P V2x)))))) \quad (21)$$

Assume the following.

$$(\forall V0A \in 2.(\forall V1B \in 2.(((p V0A) \vee (p V1B)) \Leftrightarrow ((p V1B) \vee (p V0A)))) \quad (22)$$

Assume the following.

$$(\forall V0A \in 2. (\forall V1B \in 2. (((\neg((p V0A) \wedge (p V1B))) \Leftrightarrow ((\neg(p V0A)) \vee (\neg(p V1B)))))) \wedge (((\neg((p V0A) \vee (p V1B))) \Leftrightarrow ((\neg(p V0A)) \wedge (\neg(p V1B))))))))) \quad (23)$$

Assume the following.

$$(\forall V0t1 \in 2. (\forall V1t2 \in 2. (\forall V2t3 \in 2. (((p V0t1) \Rightarrow ((p V1t2) \Rightarrow (p V2t3))) \Leftrightarrow (((p V0t1) \wedge (p V1t2)) \Rightarrow (p V2t3)))))) \quad (24)$$

Assume the following.

$$(\forall V0x \in 2. (\forall V1x_{27} \in 2. (\forall V2y \in 2. (\forall V3y_{27} \in 2. (((p V0x) \Leftrightarrow (p V1x_{27})) \wedge ((p V1x_{27}) \Rightarrow ((p V2y) \Leftrightarrow (p V3y_{27})))))) \Rightarrow (((p V0x) \Rightarrow (p V2y)) \Leftrightarrow ((p V1x_{27}) \Rightarrow (p V3y_{27})))))) \quad (25)$$

Assume the following.

$$\forall A_{27a}. \text{nonempty } A_{27a} \Rightarrow (\forall V0x \in A_{27a}. ((\text{ap } (c_{2Ecombin\_2El} A_{27a}) V0x) = V0x)) \quad (26)$$

Assume the following.

$$\forall A_{27a}. \text{nonempty } A_{27a} \Rightarrow \forall A_{27b}. \text{nonempty } A_{27b} \Rightarrow ( (\forall V0f \in (A_{27b}^{A_{27a}}). ((\text{ap } (\text{ap } (c_{2Elist\_2EMAP} A_{27a} A_{27b}) V0f) (c_{2Elist\_2ENIL} A_{27a})) = (c_{2Elist\_2ENIL} A_{27b}))) \wedge (\forall V1f \in (A_{27b}^{A_{27a}}). (\forall V2h \in A_{27a}. (\forall V3t \in (ty_{2Elist\_2Elist} A_{27a})). ((\text{ap } (\text{ap } (c_{2Elist\_2EMAP} A_{27a} A_{27b}) V1f) (\text{ap } (\text{ap } (c_{2Elist\_2ECONS} A_{27a} V2h) V3t)) = (\text{ap } (\text{ap } (c_{2Elist\_2ECONS} A_{27b}) (\text{ap } V1f V2h)) (\text{ap } (\text{ap } (c_{2Elist\_2EMAP} A_{27a} A_{27b}) V1f) V3t))))))))) \quad (27)$$

Assume the following.

$$\forall A_{27a}. \text{nonempty } A_{27a} \Rightarrow (\forall V0P \in (2^{(ty_{2Elist\_2Elist} A_{27a})}). (((p (\text{ap } V0P (c_{2Elist\_2ENIL} A_{27a}))) \wedge (\forall V1t \in (ty_{2Elist\_2Elist} A_{27a}). ((p (\text{ap } V0P V1t)) \Rightarrow (\forall V2h \in A_{27a}. (p (\text{ap } V0P (\text{ap } (c_{2Elist\_2ECONS} A_{27a} V2h) V1t)))))) \Rightarrow (\forall V3l \in (ty_{2Elist\_2Elist} A_{27a}). (p (\text{ap } V0P V3l)))))) \quad (28)$$

Assume the following.

$$\forall A_{27a}. \text{nonempty } A_{27a} \Rightarrow \forall A_{27b}. \text{nonempty } A_{27b} \Rightarrow ( (\forall V0l \in (ty_{2Elist\_2Elist} A_{27a}). (\forall V1f \in (A_{27b}^{A_{27a}}). (\forall V2x \in A_{27b}. ((p (\text{ap } (\text{ap } (c_{2Ebool\_2EIN} A_{27b}) V2x) (\text{ap } (c_{2Elist\_2ELIST\_TO\_SET} A_{27b}) (\text{ap } (\text{ap } (c_{2Elist\_2EMAP} A_{27a} A_{27b}) V1f) V0l)))))) \Leftrightarrow (\exists V3y \in A_{27a}. ((V2x = (\text{ap } V1f V3y)) \wedge (p (\text{ap } (\text{ap } (c_{2Ebool\_2EIN} A_{27a}) V3y) (\text{ap } (c_{2Elist\_2ELIST\_TO\_SET} A_{27a}) V0l))))))))) \quad (29)$$

Assume the following.

$$\begin{aligned} \forall A.27a.nonempty\ A.27a \Rightarrow & (((p\ (ap\ (c.2Elist.2EALL\_DISTINCT \\ & A.27a)\ (c.2Elist.2ENIL\ A.27a))) \Leftrightarrow True) \wedge (\forall V0h \in A.27a. ( \\ \forall V1t \in (ty.2Elist.2Elist\ A.27a). & ((p\ (ap\ (c.2Elist.2EALL\_DISTINCT \\ & A.27a)\ (ap\ (ap\ (c.2Elist.2ECONS\ A.27a)\ V0h)\ V1t))) \Leftrightarrow ((\neg(p\ (ap\ (ap \\ & (c.2Ebool.2EIN\ A.27a)\ V0h)\ (ap\ (c.2Elist.2ELIST\_TO\_SET\ A.27a) \\ & V1t)))) \wedge (p\ (ap\ (c.2Elist.2EALL\_DISTINCT\ A.27a)\ V1t)))))) \end{aligned} \quad (30)$$

Assume the following.

$$(\forall V0t \in 2. ((\neg(\neg(p\ V0t))) \Leftrightarrow (p\ V0t))) \quad (31)$$

Assume the following.

$$(\forall V0A \in 2. ((p\ V0A) \Rightarrow ((\neg(p\ V0A)) \Rightarrow False))) \quad (32)$$

Assume the following.

$$\begin{aligned} (\forall V0A \in 2. (\forall V1B \in 2. (((\neg((p\ V0A) \vee (p\ V1B))) \Rightarrow False) \Leftrightarrow \\ ((p\ V0A) \Rightarrow False) \Rightarrow ((\neg(p\ V1B)) \Rightarrow False)))) \end{aligned} \quad (33)$$

Assume the following.

$$\begin{aligned} (\forall V0A \in 2. (\forall V1B \in 2. (((\neg((\neg(p\ V0A)) \vee (p\ V1B))) \Rightarrow False) \Leftrightarrow \\ ((p\ V0A) \Rightarrow ((\neg(p\ V1B)) \Rightarrow False)))) \end{aligned} \quad (34)$$

Assume the following.

$$(\forall V0A \in 2. (((\neg(p\ V0A)) \Rightarrow False) \Rightarrow (((p\ V0A) \Rightarrow False) \Rightarrow False))) \quad (35)$$

Assume the following.

$$\begin{aligned} (\forall V0p \in 2. (\forall V1q \in 2. (\forall V2r \in 2. (((p\ V0p) \Leftrightarrow ( \\ (p\ V1q) \Leftrightarrow (p\ V2r))) \Leftrightarrow (((p\ V0p) \vee ((p\ V1q) \vee (p\ V2r))) \wedge (((p\ V0p) \vee ((\neg \\ (p\ V2r)) \vee (\neg(p\ V1q)))) \wedge (((p\ V1q) \vee ((\neg(p\ V2r)) \vee (\neg(p\ V0p)))) \wedge ((p\ V2r) \vee \\ ((\neg(p\ V1q)) \vee (\neg(p\ V0p)))))))))) \end{aligned} \quad (36)$$

Assume the following.

$$\begin{aligned} (\forall V0p \in 2. (\forall V1q \in 2. (\forall V2r \in 2. (((p\ V0p) \Leftrightarrow ( \\ (p\ V1q) \vee (p\ V2r))) \Leftrightarrow (((p\ V0p) \vee (\neg(p\ V1q))) \wedge (((p\ V0p) \vee (\neg(p\ V2r))) \wedge \\ ((p\ V1q) \vee ((p\ V2r) \vee (\neg(p\ V0p)))))))))) \end{aligned} \quad (37)$$

Assume the following.

$$\begin{aligned} (\forall V0p \in 2. (\forall V1q \in 2. (\forall V2r \in 2. (((p\ V0p) \Leftrightarrow ( \\ (p\ V1q) \Rightarrow (p\ V2r))) \Leftrightarrow (((p\ V0p) \vee (p\ V1q)) \wedge (((p\ V0p) \vee (\neg(p\ V2r))) \wedge (( \\ \neg(p\ V1q)) \vee ((p\ V2r) \vee (\neg(p\ V0p)))))))))) \end{aligned} \quad (38)$$

Assume the following.

$$\begin{aligned} (\forall V0p \in 2. (\forall V1q \in 2. (((p\ V0p) \Leftrightarrow (\neg(p\ V1q))) \Leftrightarrow (((p\ V0p) \vee \\ (p\ V1q)) \wedge ((\neg(p\ V1q)) \vee (\neg(p\ V0p)))))) \end{aligned} \quad (39)$$

**Theorem 1**

$$\begin{aligned} & \forall A.27a.nonempty\ A.27a \Rightarrow \forall A.27b.nonempty\ A.27b \Rightarrow ( \\ & \quad \forall V0f \in (A.27b^{A.27a}). (\forall V1s \in (ty\_2Elist\_2Elist\ A.27a). \\ & \quad ((p\ (ap\ (c.2Elist\_2EALL\_DISTINCT\ A.27b)\ (ap\ (ap\ (c.2Elist\_2EMAP \\ & \quad A.27a\ A.27b)\ V0f)\ V1s))) \Rightarrow (p\ (ap\ (c.2Elist\_2EALL\_DISTINCT\ A.27a) \\ & \quad V1s)))))) \end{aligned}$$