

thm_2Elist_2EEL__APPEND_EQN
(TMcjgvHuBHhdimqNetS4NvqbbKskjfRFkKe)

October 26, 2020

Definition 1 We define $c_{\text{2Emin_2E_40}}$ to be $\lambda A. \lambda P \in 2^A. \text{if } (\exists x \in A. p \ (ap \ P \ x)) \text{ then } (\lambda x. x \in A \wedge p \text{ of type } \iota \Rightarrow \iota)$.

Definition 2 We define c_2Emin_2E3D to be $\lambda A. \lambda x \in A. \lambda y \in A. inj_o(x = y)$ of type $\iota \Rightarrow \iota$.

Definition 3 We define $c_2Ebool_2E_3F$ to be $\lambda A.27a : \iota.(\lambda V0P \in (2^{A_27a}).(ap\ V0P\ (ap\ (c_2Emin_2E_40\ A\ V0P)\ (c_2Eplus_2E_40\ A\ V0P)))$

Definition 4 We define $c_2\text{Emin_2E_3D_3D_3E}$ to be $\lambda P \in 2.\lambda Q \in 2.inj_o (p\ P \Rightarrow p\ Q)$ of type ι .

Definition 5 We define c_2Ebool_2ET to be $(ap\ (ap\ (c_2Emin_2E_3D\ (2^2))\ (\lambda V0x \in 2.V0x))\ (\lambda V1x \in 2.V1x))$

Definition 6 We define $c_2.Ebool_2E_21$ to be $\lambda A.27a : \iota.(\lambda V0P \in (2^{A-27a}).(ap\ ap\ (ap\ (c_2.Emin_2E_3D\ (2^{A-27a}\ P))))$

Definition 7 We define $c_2Ebool_2E_5C_2F$ to be $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap(c_2Ebool_2E_21 2))(\lambda V2t \in 2.$

Let $ty_2Enum_2Enum : \iota$ be given. Assume the following.

nonempty *ty_2Enum_2Enum* (1)

Let $c_2Earithmetic_2E_2D : \iota$ be given. Assume the following.

$$c_2Earithmetic_2E_2D \in ((ty_2Enum_2Enum ty_2Enum_2Enum) ty_2Enum_2Enum) \quad (2)$$

Definition 8 We define c_2Ebool_2EF to be $(ap\ (c_2Ebool_2E_21\ 2)\ (\lambda V0t \in 2.V0t))$.

Let $ty_2Elist_2Elist : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0.\text{nonempty } A0 \Rightarrow \text{nonempty } (\text{ty_2Elist_2Elist } A0) \quad (3)$$

Let $c_2Elist_2EAPPEND : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.\text{nonempty } A_27a \Rightarrow c_2Elist_2EAPPEND A_27a \in (((ty_2Elist_2Elist A_27a)^{(ty_2Elist_2Elist A_27a)})^{(ty_2Elist_2Elist A_27a)}) \quad (4)$$

Let $c_2Elist_2ELENGTH : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.\text{nonempty } A_27a \Rightarrow c_2Elist_2ELENGTH A_27a \in (ty_2Enum_2Enum^{(ty_2Elist_2Elist A_27a)}) \quad (5)$$

Let $c_2Elist_2ETL : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.\text{nonempty } A_27a \Rightarrow c_2Elist_2ETL A_27a \in ((ty_2Elist_2Elist A_27a)^{(ty_2Elist_2Elist A_27a)}) \quad (6)$$

Let $c_2Elist_2EHD : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.\text{nonempty } A_27a \Rightarrow c_2Elist_2EHD A_27a \in (A_27a^{(ty_2Elist_2Elist A_27a)}) \quad (7)$$

Let $c_2Elist_2EEEL : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.\text{nonempty } A_27a \Rightarrow c_2Elist_2EEEL A_27a \in ((A_27a^{(ty_2Elist_2Elist A_27a)})^{ty_2Enum_2Enum}) \quad (8)$$

Let $c_2Elist_2ECONS : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.\text{nonempty } A_27a \Rightarrow c_2Elist_2ECONS A_27a \in (((ty_2Elist_2Elist A_27a)^{(ty_2Elist_2Elist A_27a)})^{A_27a}) \quad (9)$$

Let $c_2Elist_2ENIL : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.\text{nonempty } A_27a \Rightarrow c_2Elist_2ENIL A_27a \in (ty_2Elist_2Elist A_27a) \quad (10)$$

Definition 11 We define $c_2Ebool_2E_7E$ to be $(\lambda V0t \in 2.(ap (ap c_2Emin_2E_3D_3D_3E V0t) c_2Ebool_2E))$

Let $c_2Enum_2EREP_num : \iota$ be given. Assume the following.

$$c_2Enum_2EREP_num \in (\omega^{ty_2Enum_2Enum}) \quad (11)$$

Let $c_2Enum_2ESUC_REP : \iota$ be given. Assume the following.

$$c_2Enum_2ESUC_REP \in (\omega^{\omega}) \quad (12)$$

Let $c_2Enum_2EABS_num : \iota$ be given. Assume the following.

$$c_2Enum_2EABS_num \in (ty_2Enum_2Enum^{\omega}) \quad (13)$$

Definition 12 We define c_2Enum_2ESUC to be $\lambda V0m \in ty_2Enum_2Enum.(ap c_2Enum_2EABS_num m)$

Let $c_2Enum_2EZERO_REP : \iota$ be given. Assume the following.

$$c_2Enum_2EZERO_REP \in \omega \quad (14)$$

Definition 13 We define c_2Enum_2E0 to be $(ap\ c_2Enum_2EABS_num\ c_2Enum_2EZERO_REP)$.

Definition 14 We define $c_2Eprim_rec_2E_3C$ to be $\lambda V0m \in ty_2Enum_2Enum. \lambda V1n \in ty_2Enum_2Enum.$

Assume the following.

$$(\forall V0m \in ty_2Enum_2Enum. ((V0m = c_2Enum_2E0) \vee (\exists V1n \in ty_2Enum_2Enum. (V0m = (ap\ c_2Enum_2ESUC\ V1n))))) \quad (15)$$

Assume the following.

$$(\forall V0m \in ty_2Enum_2Enum. (\forall V1n \in ty_2Enum_2Enum. (p\ (ap\ (ap\ c_2Eprim_rec_2E_3C\ (ap\ c_2Enum_2ESUC\ V0m))\ (ap\ c_2Enum_2ESUC\ V1n))) \Leftrightarrow (p\ (ap\ (ap\ c_2Eprim_rec_2E_3C\ V0m)\ V1n)))))) \quad (16)$$

Assume the following.

$$(\forall V0m \in ty_2Enum_2Enum. (((ap\ (ap\ c_2Earithmetic_2E_2D\ c_2Enum_2E0)\ V0m) = c_2Enum_2E0) \wedge ((ap\ (ap\ c_2Earithmetic_2E_2D\ V0m)\ c_2Enum_2E0) = V0m))) \quad (17)$$

Assume the following.

$$(\forall V0n \in ty_2Enum_2Enum. (\forall V1m \in ty_2Enum_2Enum. (ap\ (ap\ c_2Earithmetic_2E_2D\ (ap\ c_2Enum_2ESUC\ V0n))\ (ap\ c_2Enum_2ESUC\ V1m)) = (ap\ (ap\ c_2Earithmetic_2E_2D\ V0n)\ V1m)))) \quad (18)$$

Assume the following.

$$True \quad (19)$$

Assume the following.

$$(\forall V0t1 \in 2. (\forall V1t2 \in 2. (((p\ V0t1) \Rightarrow (p\ V1t2)) \Rightarrow (((p\ V1t2) \Rightarrow (p\ V0t1)) \Rightarrow ((p\ V0t1) \Leftrightarrow (p\ V1t2))))) \quad (20)$$

Assume the following.

$$(\forall V0t \in 2. (False \Rightarrow (p\ V0t))) \quad (21)$$

Assume the following.

$$\forall A_27a. nonempty\ A_27a \Rightarrow (\forall V0t \in 2. ((\forall V1x \in A_27a. (p\ V0t)) \Leftrightarrow (p\ V0t))) \quad (22)$$

Assume the following.

$$\forall A_27a. nonempty\ A_27a \Rightarrow (\forall V0x \in A_27a. ((V0x = V0x) \Leftrightarrow True)) \quad (23)$$

Assume the following.

$$\forall A_{27a}.nonempty\ A_{27a} \Rightarrow (\forall V0x \in A_{27a}.(\forall V1y \in A_{27a}.((V0x = V1y) \Leftrightarrow (V1y = V0x)))) \quad (24)$$

Assume the following.

$$(\forall V0t \in 2.(((True \Leftrightarrow (p\ V0t)) \Leftrightarrow (p\ V0t)) \wedge (((p\ V0t) \Leftrightarrow True) \Leftrightarrow (p\ V0t))) \wedge (((False \Leftrightarrow (p\ V0t)) \Leftrightarrow (\neg(p\ V0t))) \wedge (((p\ V0t) \Leftrightarrow False) \Leftrightarrow (\neg(p\ V0t))))) \quad (25)$$

Assume the following.

$$(\forall V0t1 \in 2.(\forall V1t2 \in 2.(\forall V2t3 \in 2.(((p\ V0t1) \Rightarrow ((p\ V1t2) \Rightarrow (p\ V2t3))) \Leftrightarrow (((p\ V0t1) \wedge (p\ V1t2)) \Rightarrow (p\ V2t3))))) \quad (26)$$

Assume the following.

$$\begin{aligned} & \forall A_{27a}.nonempty\ A_{27a} \Rightarrow (\forall V0P \in 2.(\forall V1Q \in 2. \\ & (\forall V2x \in A_{27a}.(\forall V3x_{27} \in A_{27a}.(\forall V4y \in A_{27a}. \\ & (\forall V5y_{27} \in A_{27a}.(((p\ V0P) \Leftrightarrow (p\ V1Q)) \wedge ((p\ V1Q) \Rightarrow (V2x = V3x_{27})) \wedge \\ & ((\neg(p\ V1Q)) \Rightarrow (V4y = V5y_{27}))) \Rightarrow ((ap\ (ap\ (ap\ (c_{2Ebool_2ECOND}\ A_{27a})\ V0P)\ V2x)\ V4y) = (ap\ (ap\ (ap\ (c_{2Ebool_2ECOND}\ A_{27a})\ V1Q)\ V3x_{27}) \\ & V5y_{27}))))))) \end{aligned} \quad (27)$$

Assume the following.

$$\begin{aligned} & \forall A_{27a}.nonempty\ A_{27a} \Rightarrow ((\forall V0t1 \in A_{27a}.(\forall V1t2 \in A_{27a}.((ap\ (ap\ (ap\ (c_{2Ebool_2ECOND}\ A_{27a})\ c_{2Ebool_2ET})\ V0t1) \\ & V1t2) = V0t1))) \wedge (\forall V2t1 \in A_{27a}.(\forall V3t2 \in A_{27a}.((ap\ (ap\ (c_{2Ebool_2ECOND}\ A_{27a})\ c_{2Ebool_2EF})\ V2t1) \\ & V3t2) = V3t2)))) \end{aligned} \quad (28)$$

Assume the following.

$$\begin{aligned} & \forall A_{27a}.nonempty\ A_{27a} \Rightarrow (\forall V0h \in A_{27a}.(\forall V1t \in \\ & (ty_{2Elist_2Elist}\ A_{27a}).((ap\ (c_{2Elist_2EH}\ A_{27a})\ (ap\ (ap\ (c_{2Elist_2ECONS}\ A_{27a})\ V0h)\ V1t)) = V0h))) \end{aligned} \quad (29)$$

Assume the following.

$$\begin{aligned} & \forall A_{27a}.nonempty\ A_{27a} \Rightarrow (((ap\ (c_{2Elist_2ETL}\ A_{27a})\ (c_{2Elist_2ENIL}\ A_{27a})) = (c_{2Elist_2ENIL}\ A_{27a})) \wedge (\forall V0h \in A_{27a}.(\forall V1t \in \\ & (ty_{2Elist_2Elist}\ A_{27a}).((ap\ (c_{2Elist_2ETL}\ A_{27a})\ (ap\ (ap\ (c_{2Elist_2ECONS}\ A_{27a})\ V0h)\ V1t)) = V1t)))) \end{aligned} \quad (30)$$

Assume the following.

$$\begin{aligned} \forall A_{27a}.nonempty\ A_{27a} \Rightarrow & ((\forall V0l \in (ty_2Elist_2Elist\ A_{27a}).((ap\ (ap\ (c_2Elist_2EAPPEND\ A_{27a})\ (c_2Elist_2ENIL\ A_{27a})) \\ & V0l) = V0l)) \wedge (\forall V1l1 \in (ty_2Elist_2Elist\ A_{27a}).(\forall V2l2 \in \\ & (ty_2Elist_2Elist\ A_{27a}).(\forall V3h \in A_{27a}.((ap\ (ap\ (c_2Elist_2EAPPEND\ A_{27a})\ (ap\ (ap\ (c_2Elist_2ECONS\ A_{27a})\ V3h)\ V1l1))\ V2l2) = (ap\ (ap\ (c_2Elist_2ECONS\ A_{27a})\ V3h)\ (ap\ (ap\ (c_2Elist_2EAPPEND\ A_{27a})\ V1l1)\ V2l2))))))) \\ &) \\ (31) \end{aligned}$$

Assume the following.

$$\begin{aligned} \forall A_{27a}.nonempty\ A_{27a} \Rightarrow & (((ap\ (c_2Elist_2ELENGTH\ A_{27a})\ (c_2Elist_2ENIL\ A_{27a})) = c_2Enum_2E0) \wedge (\forall V0h \in A_{27a}.(\\ & \forall V1t \in (ty_2Elist_2Elist\ A_{27a}).((ap\ (c_2Elist_2ELENGTH\ A_{27a})\ (ap\ (ap\ (c_2Elist_2ECONS\ A_{27a})\ V0h)\ V1t)) = (ap\ c_2Enum_2ESUC \\ & (ap\ (c_2Elist_2ELENGTH\ A_{27a})\ V1t))))))) \\ (32) \end{aligned}$$

Assume the following.

$$\begin{aligned} \forall A_{27a}.nonempty\ A_{27a} \Rightarrow & ((\forall V0l \in (ty_2Elist_2Elist\ A_{27a}).((ap\ (ap\ (c_2Elist_2EEEL\ A_{27a})\ c_2Enum_2E0)\ V0l) = (ap\ (\\ & c_2Elist_2EHD\ A_{27a})\ V0l))) \wedge (\forall V1l \in (ty_2Elist_2Elist\ A_{27a}).(\forall V2n \in ty_2Enum_2Enum.((ap\ (ap\ (c_2Elist_2EEEL\ A_{27a})\ (ap\ c_2Enum_2ESUC\ V2n))\ V1l) = (ap\ (ap\ (c_2Elist_2EEEL\ A_{27a})\ V2n)\ (ap\ (c_2Elist_2ETL\ A_{27a})\ V1l))))))) \\ (33) \end{aligned}$$

Assume the following.

$$\begin{aligned} \forall A_{27a}.nonempty\ A_{27a} \Rightarrow & (\forall V0P \in (2^{(ty_2Elist_2Elist\ A_{27a})}). \\ & (((p\ (ap\ V0P\ (c_2Elist_2ENIL\ A_{27a}))) \wedge (\forall V1t \in (ty_2Elist_2Elist\ A_{27a}).((p\ (ap\ V0P\ (ap\ (ap\ (\\ & c_2Elist_2ECONS\ A_{27a})\ V2h)\ V1t))))))) \Rightarrow (\forall V3l \in (ty_2Elist_2Elist\ A_{27a}).(p\ (ap\ V0P\ V3l)))))) \\ (34) \end{aligned}$$

Assume the following.

$$(\forall V0n \in ty_2Enum_2Enum.(\neg(p\ (ap\ (ap\ c_2Eprim_rec_2E_3C\ V0n)\ c_2Enum_2E0)))) \quad (35)$$

Assume the following.

$$\begin{aligned} (\forall V0n \in ty_2Enum_2Enum.(& p\ (ap\ (ap\ c_2Eprim_rec_2E_3C\ c_2Enum_2E0) \\ & (ap\ c_2Enum_2ESUC\ V0n)))) \quad (36) \end{aligned}$$

Theorem 1

$$\begin{aligned} \forall A_{.27a}.nonempty\ A_{.27a} \Rightarrow & (\forall V0l1 \in (ty_2Elist_2Elist \\ & A_{.27a}).(\forall V1l2 \in (ty_2Elist_2Elist\ A_{.27a}).(\forall V2n \in \\ & ty_2Enum_2Enum.((ap\ (ap\ (c_2Elist_2EEL\ A_{.27a})\ V2n)\ (ap\ (ap\ (c_2Elist_2EAPPEND \\ & A_{.27a})\ V0l1)\ V1l2)) = (ap\ (ap\ (ap\ (c_2Ebool_2ECOND\ A_{.27a})\ (ap\ (ap \\ & c_2Eprim_rec_2E_3C\ V2n)\ (ap\ (c_2Elist_2ELENGTH\ A_{.27a})\ V0l1))) \\ & (ap\ (ap\ (c_2Elist_2EEL\ A_{.27a})\ V2n)\ V0l1))\ (ap\ (ap\ (c_2Elist_2EEL \\ & A_{.27a})\ (ap\ (ap\ c_2Earithmetic_2E_2D\ V2n)\ (ap\ (c_2Elist_2ELENGTH \\ & A_{.27a})\ V0l1))))\ V1l2)))))) \end{aligned}$$