

thm_2Elist_2EEL_LENGTH_SNOC (TMK- TvJ1mXj8Zzuwqo3XUABk1wRh xvVS2inc)

October 26, 2020

Definition 1 We define $c_2Emin_2E_3D$ to be $\lambda A.\lambda x \in A.\lambda y \in A.inj_o (x = y)$ of type $\iota \Rightarrow \iota$.

Definition 2 We define c_2Ebool_2ET to be $(ap (ap (c_2Emin_2E_3D (2^2))) (\lambda V0x \in 2.V0x)) (\lambda V1x \in 2.V1x)$

Let $ty_2Enum_2Enum : \iota$ be given. Assume the following.

$$nonempty\ ty_2Enum_2Enum \tag{1}$$

Let $ty_2Elist_2Elist : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0.nonempty\ A0 \Rightarrow nonempty\ (ty_2Elist_2Elist\ A0) \tag{2}$$

Let $c_2Elist_2ELENGTH : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow c_2Elist_2ELENGTH\ A_27a \in (ty_2Enum_2Enum^{(ty_2Elist_2Elist\ A_27a)}) \tag{3}$$

Let $c_2Elist_2ETL : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow c_2Elist_2ETL\ A_27a \in ((ty_2Elist_2Elist\ A_27a)^{(ty_2Elist_2Elist\ A_27a)}) \tag{4}$$

Let $c_2Enum_2EREP_num : \iota$ be given. Assume the following.

$$c_2Enum_2EREP_num \in (\omega^{ty_2Enum_2Enum}) \tag{5}$$

Let $c_2Enum_2ESUC_REP : \iota$ be given. Assume the following.

$$c_2Enum_2ESUC_REP \in (\omega^{\omega}) \tag{6}$$

Let $c_2Enum_2EABS_num : \iota$ be given. Assume the following.

$$c_2Enum_2EABS_num \in (ty_2Enum_2Enum^{\omega}) \tag{7}$$

Definition 3 We define $c_2Ebool_2E_21$ to be $\lambda A_27a : \iota. (\lambda V0P \in (2^{A_27a}). (ap (ap (c_2Emin_2E_3D (2^{A_27a})))$

Definition 4 We define c_2Enum_2ESUC to be $\lambda V0m \in ty_2Enum_2Enum.(ap\ c_2Enum_2EABS_num$

Let $c_2Elist_2EHD : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow c_2Elist_2EHD\ A_27a \in (A_27a^{(ty_2Elist_2Elist\ A_27a)}) \quad (8)$$

Let $c_2Enum_2EZERO_REP : \iota$ be given. Assume the following.

$$c_2Enum_2EZERO_REP \in \omega \quad (9)$$

Definition 5 We define c_2Enum_2E0 to be $(ap\ c_2Enum_2EABS_num\ c_2Enum_2EZERO_REP)$.

Let $c_2Elist_2EEL : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow c_2Elist_2EEL\ A_27a \in ((A_27a^{(ty_2Elist_2Elist\ A_27a)})^{ty_2Enum_2Enum}) \quad (10)$$

Definition 6 We define $c_2Emin_2E_3D_3D_3E$ to be $\lambda P \in 2.\lambda Q \in 2.inj_o\ (p\ P \Rightarrow p\ Q)$ of type ι .

Let $c_2Elist_2ECONS : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow c_2Elist_2ECONS\ A_27a \in (((ty_2Elist_2Elist\ A_27a)^{(ty_2Elist_2Elist\ A_27a)})^{A_27a}) \quad (11)$$

Let $c_2Elist_2ENIL : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow c_2Elist_2ENIL\ A_27a \in (ty_2Elist_2Elist\ A_27a) \quad (12)$$

Let $c_2Elist_2ESNOC : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow c_2Elist_2ESNOC\ A_27a \in (((ty_2Elist_2Elist\ A_27a)^{(ty_2Elist_2Elist\ A_27a)})^{A_27a}) \quad (13)$$

Definition 7 We define $c_2Ebool_2E_2F_5C$ to be $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap\ (c_2Ebool_2E_21\ 2)\ (\lambda V2t \in 2.$

Assume the following.

$$True \quad (14)$$

Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow (\forall V0t \in 2.((\forall V1x \in A_27a.(p\ V0t) \Leftrightarrow (p\ V0t)))) \quad (15)$$

Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow (\forall V0x \in A_27a.((V0x = V0x) \Leftrightarrow True)) \quad (16)$$

Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow (\forall V0h \in A_27a. (\forall V1t \in (ty_2Elist_2Elist\ A_27a). ((ap\ (c_2Elist_2EHD\ A_27a)\ (ap\ (ap\ (c_2Elist_2ECONS\ A_27a)\ V0h)\ V1t)) = V0h))) \quad (17)$$

Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow (\forall V0h \in A_27a. (\forall V1t \in (ty_2Elist_2Elist\ A_27a). ((ap\ (c_2Elist_2ETL\ A_27a)\ (ap\ (ap\ (c_2Elist_2ECONS\ A_27a)\ V0h)\ V1t)) = V1t))) \quad (18)$$

Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow (((ap\ (c_2Elist_2ELENGTH\ A_27a)\ (c_2Elist_2ENIL\ A_27a)) = c_2Enum_2E0) \wedge (\forall V0h \in A_27a. (\forall V1t \in (ty_2Elist_2Elist\ A_27a). ((ap\ (c_2Elist_2ELENGTH\ A_27a)\ (ap\ (ap\ (c_2Elist_2ECONS\ A_27a)\ V0h)\ V1t)) = (ap\ c_2Enum_2ESUC\ (ap\ (c_2Elist_2ELENGTH\ A_27a)\ V1t))))))) \quad (19)$$

Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow ((\forall V0l \in (ty_2Elist_2Elist\ A_27a). ((ap\ (ap\ (c_2Elist_2EEL\ A_27a)\ c_2Enum_2E0)\ V0l) = (ap\ (c_2Elist_2EHD\ A_27a)\ V0l))) \wedge (\forall V1l \in (ty_2Elist_2Elist\ A_27a). (\forall V2n \in ty_2Enum_2Enum. ((ap\ (ap\ (c_2Elist_2EEL\ A_27a)\ (ap\ c_2Enum_2ESUC\ V2n))\ V1l) = (ap\ (ap\ (c_2Elist_2EEL\ A_27a)\ V2n)\ (ap\ (c_2Elist_2ETL\ A_27a)\ V1l))))))) \quad (20)$$

Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow (\forall V0P \in (2^{(ty_2Elist_2Elist\ A_27a)}). (((p\ (ap\ V0P\ (c_2Elist_2ENIL\ A_27a))) \wedge (\forall V1t \in (ty_2Elist_2Elist\ A_27a). ((p\ (ap\ V0P\ V1t)) \Rightarrow (\forall V2h \in A_27a. (p\ (ap\ V0P\ (ap\ (ap\ (c_2Elist_2ECONS\ A_27a)\ V2h)\ V1t))))))) \Rightarrow (\forall V3l \in (ty_2Elist_2Elist\ A_27a). (p\ (ap\ V0P\ V3l)))))) \quad (21)$$

Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow ((\forall V0x \in A_27a. ((ap\ (ap\ (c_2Elist_2ESNOC\ A_27a)\ V0x)\ (c_2Elist_2ENIL\ A_27a)) = (ap\ (ap\ (c_2Elist_2ECONS\ A_27a)\ V0x)\ (c_2Elist_2ENIL\ A_27a)))) \wedge (\forall V1x \in A_27a. (\forall V2x.27 \in A_27a. (\forall V3l \in (ty_2Elist_2Elist\ A_27a). ((ap\ (ap\ (c_2Elist_2ESNOC\ A_27a)\ V1x)\ (ap\ (ap\ (c_2Elist_2ECONS\ A_27a)\ V2x.27)\ V3l)) = (ap\ (ap\ (c_2Elist_2ECONS\ A_27a)\ V2x.27)\ (ap\ (ap\ (c_2Elist_2ESNOC\ A_27a)\ V1x)\ V3l))))))) \quad (22)$$

Theorem 1

$$\forall A_27a.nonempty\ A_27a \Rightarrow (\forall V0l \in (ty_2Elist_2Elist\ A_27a). (\forall V1x \in A_27a. ((ap\ (ap\ (c_2Elist_2EEL\ A_27a)\ (ap\ (c_2Elist_2ELENGTH\ A_27a)\ V0l))\ (ap\ (ap\ (c_2Elist_2ESNOC\ A_27a)\ V1x)\ V0l)) = V1x)))$$