

thm_2Elist_2EEL_SNOC

(TMP9Gn7x6Bvbmp1aR1fhXEymvK1Ch4UpKRA)

October 26, 2020

Definition 1 We define $c_2Emin_2E_3D$ to be $\lambda A. \lambda x \in A. \lambda y \in A. inj_o (x = y)$ of type $\iota \Rightarrow \iota$.

Definition 2 We define c_2Ebool_2ET to be $(ap (ap (c_2Emin_2E_3D (2^2)) (\lambda V0x \in 2.V0x)) (\lambda V1x \in 2.V1x))$

Definition 3 We define $c_2Ebool_2E_21$ to be $\lambda A_27a : \iota. (\lambda V0P \in (2^{A_27a}). (ap (ap (c_2Emin_2E_3D (2^{A_27a})) (\lambda V0x \in 2.V0x)) (\lambda V1x \in 2.V1x)))$

Definition 4 We define c_2Ebool_2EF to be $(ap (c_2Ebool_2E_21 2) (\lambda V0t \in 2.V0t))$.

Let $ty_2Enum_2Enum : \iota$ be given. Assume the following.

$$nonempty\ ty_2Enum_2Enum \quad (1)$$

Let $ty_2Elist_2Elist : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0. nonempty\ A0 \Rightarrow nonempty\ (ty_2Elist_2Elist\ A0) \quad (2)$$

Let $c_2Elist_2ELENGTH : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a. nonempty\ A_27a \Rightarrow c_2Elist_2ELENGTH\ A_27a \in (ty_2Enum_2Enum^{(ty_2Elist_2Elist\ A_27a)}) \quad (3)$$

Let $c_2Elist_2ETL : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a. nonempty\ A_27a \Rightarrow c_2Elist_2ETL\ A_27a \in ((ty_2Elist_2Elist\ A_27a)^{(ty_2Elist_2Elist\ A_27a)}) \quad (4)$$

Let $c_2Elist_2EHD : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a. nonempty\ A_27a \Rightarrow c_2Elist_2EHD\ A_27a \in (A_27a^{(ty_2Elist_2Elist\ A_27a)}) \quad (5)$$

Let $c_2Elist_2EEEL : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a. nonempty\ A_27a \Rightarrow c_2Elist_2EEEL\ A_27a \in ((A_27a^{(ty_2Elist_2Elist\ A_27a)})^{ty_2Enum_2Enum}) \quad (6)$$

Let $c_2Elist_2ECONS : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.\text{nonempty } A_27a \Rightarrow c_2Elist_2ECONS\ A_27a \in (((ty_2Elist_2Elist\\ A_27a)(ty_2Elist_2Elist\ A_27a))^{A_27a}) \quad (7)$$

Let $c_2Elist_2ENIL : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.\text{nonempty } A_27a \Rightarrow c_2Elist_2ENIL\ A_27a \in (\text{ty_2Elist_2Elist } A_27a) \quad (8)$$

Let $c_2Elist_2ESNOC : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.\text{nonempty } A_27a \Rightarrow c_2Elist_2ESNOC A_27a \in (((ty_2Elist_2Elist A_27a) \\ (ty_2Elist_2Elist A_27a))^{A_27a}) \quad (9)$$

Let $c_2Enum_2EREP_num : \iota$ be given. Assume the following.

$$c_2Enum_2EREP_num \in (\omega^{ty_2Enum_2Enum}) \quad (10)$$

Let $c_2Enum_2ESUC_REP : \iota$ be given. Assume the following.

$$c_2Enum_2ESUC_REP \in (\omega^\omega) \quad (11)$$

Let $c_2Enum_2EABS_num : \iota$ be given. Assume the following.

$$c_2Enum_2EABS_num \in (ty_2Enum_2Enum^{omega}) \quad (12)$$

Definition 5 We define c_2Enum_2ESUC to be $\lambda V0m \in ty_2Enum_2Enum.(ap\ c_2Enum_2EABS_num\ (V0m))$

Definition 6 We define c_2 to be $\lambda P \in 2. \lambda Q \in 2. inj_o (p \ P \Rightarrow p \ Q)$ of type ι .

Definition 7 We define $c_2Ebool_2E_2F_5C$ to be $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap(c_2Ebool_2E_21 2))(\lambda V2t \in 2.(\lambda V3t4 \in 2.(ap(c_2Ebool_2E_22 2))(\lambda V4t5 \in 2.(ap(c_2Ebool_2E_23 2))(\lambda V5t6 \in 2.(ap(c_2Ebool_2E_24 2))(\lambda V6t7 \in 2.(ap(c_2Ebool_2E_25 2))))))))$

Let $c_2Enum_2EZERO_REP : \iota$ be given. Assume the following.

$$c_2Enum_2ZERO_REP \in \omega$$

Definition 8 We define c_2Enum_2E0 to be $(ap\ c_2Enum_2EABS_num\ c_2Enum_2EZERO_REP)$.

Definition 9 We define $c_2Ebool_2E_7E$ to be $(\lambda V0t \in 2.(ap\ (ap\ c_2Emin_2E_3D_3D_3E\ V0t)\ c_2Ebool_2EF))$

Definition 10 We define $c_2 \in \text{Emin-2E-40}$ to be $\lambda A. \lambda P \in 2^A$, if $(\exists x \in A. p \ (ap \ P \ x))$ then (the $(\lambda x. x \in A \wedge$

Definition 11 We define $c_2 \in \mathbb{F}_{2^m}$ to be $\lambda A. 27a : \iota$ ($\lambda V0P \in (2^{A-27a})$) ($\lambda P \in (c_2 \mathbb{F}_{2^m})$)

Definition 12 We define $c : 2\text{Eprim} \rightarrow \text{rec } 2\text{E} \cdot 3\text{C}$ to be $\lambda V. 0m \in tu : 2\text{Enum} \cdot 2\text{Enum} \cdot \lambda V. 1n \in tu : 2\text{Enum} \cdot 2\text{Enum}$

Assume the following.

$$\begin{aligned} & (\forall V0m \in ty_2Enum_2Enum. (\forall V1n \in ty_2Enum_2Enum. (\\ & (p (ap (ap c_2Eprim_rec_2E_3C (ap c_2Enum_2ESUC V0m)) (ap c_2Enum_2ESUC \\ & V1n))) \Leftrightarrow (p (ap (ap c_2Eprim_rec_2E_3C V0m) V1n)))))) \end{aligned} \quad (14)$$

Assume the following.

$$True \quad (15)$$

Assume the following.

$$(\forall V0t1 \in 2. (\forall V1t2 \in 2. (((p V0t1) \Rightarrow (p V1t2)) \Rightarrow (((p \\ V1t2) \Rightarrow (p V0t1)) \Rightarrow ((p V0t1) \Leftrightarrow (p V1t2))))) \quad (16)$$

Assume the following.

$$(\forall V0t \in 2. (False \Rightarrow (p V0t))) \quad (17)$$

Assume the following.

$$\begin{aligned} & \forall A_27a. nonempty A_27a \Rightarrow (\forall V0t \in 2. ((\forall V1x \in \\ & A_27a. (p V0t)) \Leftrightarrow (p V0t))) \end{aligned} \quad (18)$$

Assume the following.

$$\begin{aligned} & (\forall V0t \in 2. (((True \Rightarrow (p V0t)) \Leftrightarrow (p V0t)) \wedge (((p V0t) \Rightarrow True) \Leftrightarrow \\ & True) \wedge (((False \Rightarrow (p V0t)) \Leftrightarrow True) \wedge (((p V0t) \Rightarrow (p V0t)) \Leftrightarrow True) \wedge ((\\ & (p V0t) \Rightarrow False) \Leftrightarrow (\neg (p V0t))))) \end{aligned} \quad (19)$$

Assume the following.

$$\begin{aligned} & \forall A_27a. nonempty A_27a \Rightarrow (\forall V0x \in A_27a. ((V0x = V0x) \Leftrightarrow \\ & True)) \end{aligned} \quad (20)$$

Assume the following.

$$\begin{aligned} & \forall A_27a. nonempty A_27a \Rightarrow (\forall V0h \in A_27a. (\forall V1t \in \\ & (ty_2Elist_2Elist A_27a). ((ap (c_2Elist_2EHD A_27a) (ap (ap (\\ & c_2Elist_2ECONS A_27a) V0h) V1t)) = V0h))) \end{aligned} \quad (21)$$

Assume the following.

$$\begin{aligned} & \forall A_27a. nonempty A_27a \Rightarrow (\forall V0h \in A_27a. (\forall V1t \in \\ & (ty_2Elist_2Elist A_27a). ((ap (c_2Elist_2ETL A_27a) (ap (ap (\\ & c_2Elist_2ECONS A_27a) V0h) V1t)) = V1t))) \end{aligned} \quad (22)$$

Assume the following.

$$\begin{aligned} & \forall A_27a. nonempty A_27a \Rightarrow (((ap (c_2Elist_2ELENGTH A_27a) \\ & (c_2Elist_2ENIL A_27a)) = c_2Enum_2E0) \wedge (\forall V0h \in A_27a. (\\ & \forall V1t \in (ty_2Elist_2Elist A_27a). ((ap (c_2Elist_2ELENGTH \\ & A_27a) (ap (ap (c_2Elist_2ECONS A_27a) V0h) V1t)) = (ap c_2Enum_2ESUC \\ & (ap (c_2Elist_2ELENGTH A_27a) V1t))))))) \end{aligned} \quad (23)$$

Assume the following.

$$\begin{aligned} \forall A_27a.\text{nonempty } A_27a \Rightarrow & ((\forall V0l \in (ty_2Elist_2Elist \\ A_27a).((ap (ap (c_2Elist_2EEL A_27a) c_2Enum_2E0) V0l) = (ap (\\ c_2Elist_2EHD A_27a) V0l))) \wedge (\forall V1l \in (ty_2Elist_2Elist \\ A_27a).(\forall V2n \in ty_2Enum_2Enum.((ap (ap (c_2Elist_2EEL \\ A_27a) (ap c_2Enum_2ESUC V2n)) V1l) = (ap (ap (c_2Elist_2EEL A_27a) \\ V2n) (ap (c_2Elist_2ETL A_27a) V1l))))))) \\ (24) \end{aligned}$$

Assume the following.

$$\begin{aligned} \forall A_27a.\text{nonempty } A_27a \Rightarrow & (\forall V0P \in (2^{(ty_2Elist_2Elist A_27a)}). \\ (((p (ap V0P (c_2Elist_2ENIL A_27a))) \wedge (\forall V1t \in (ty_2Elist_2Elist \\ A_27a).((p (ap V0P V1t)) \Rightarrow (\forall V2h \in A_27a.(p (ap V0P (ap (ap (\\ c_2Elist_2ECONS A_27a) V2h) V1t))))))) \Rightarrow (\forall V3l \in (ty_2Elist_2Elist \\ A_27a).(p (ap V0P V3l)))) \\ (25) \end{aligned}$$

Assume the following.

$$\begin{aligned} \forall A_27a.\text{nonempty } A_27a \Rightarrow & ((\forall V0x \in A_27a.((ap (ap (c_2Elist_2ESNOC \\ A_27a) V0x) (c_2Elist_2ENIL A_27a)) = (ap (ap (c_2Elist_2ECONS \\ A_27a) V0x) (c_2Elist_2ENIL A_27a)))) \wedge (\forall V1x \in A_27a.(\forall V2x_27 \in \\ A_27a.(\forall V3l \in (ty_2Elist_2Elist A_27a).((ap (ap (c_2Elist_2ESNOC \\ A_27a) V1x) (ap (ap (c_2Elist_2ECONS A_27a) V2x_27) V3l)) = (ap (\\ ap (c_2Elist_2ECONS A_27a) V2x_27) (ap (ap (c_2Elist_2ESNOC A_27a) \\ V1x) V3l))))))) \\ (26) \end{aligned}$$

Assume the following.

$$\begin{aligned} (\forall V0P \in (2^{ty_2Enum_2Enum}).(((p (ap V0P c_2Enum_2E0)) \wedge \\ (\forall V1n \in ty_2Enum_2Enum.((p (ap V0P V1n)) \Rightarrow (p (ap V0P (ap c_2Enum_2ESUC \\ V1n))))))) \Rightarrow (\forall V2n \in ty_2Enum_2Enum.(p (ap V0P V2n)))) \\ (27) \end{aligned}$$

Assume the following.

$$(\forall V0n \in ty_2Enum_2Enum.(\neg(p (ap (ap c_2Eprim_rec_2E_3C \\ V0n) c_2Enum_2E0)))) \quad (28)$$

Theorem 1

$$\begin{aligned} \forall A_27a.\text{nonempty } A_27a \Rightarrow & (\forall V0n \in ty_2Enum_2Enum. \\ \forall V1l \in (ty_2Elist_2Elist A_27a).((p (ap (ap c_2Eprim_rec_2E_3C \\ V0n) (ap (c_2Elist_2ELENGTH A_27a) V1l))) \Rightarrow (\forall V2x \in A_27a. \\ ((ap (ap (c_2Elist_2EEL A_27a) V0n) (ap (ap (c_2Elist_2ESNOC A_27a) \\ V2x) V1l)) = (ap (ap (c_2Elist_2EEL A_27a) V0n) V1l))))))) \end{aligned}$$