

thm_2Elist_2EEL_simp (TMVr- pan4xDXnkL1PcVE5kUqA7UvengLeWS6)

October 26, 2020

Let $ty_2Enum_2Enum : \iota$ be given. Assume the following.

$$nonempty\ ty_2Enum_2Enum \tag{1}$$

Definition 1 We define $c_2Emin_2E_3D$ to be $\lambda A.\lambda x \in A.\lambda y \in A.inj_o (x = y)$ of type $\iota \Rightarrow \iota$.

Definition 2 We define c_2Ebool_2ET to be $(ap (ap (c_2Emin_2E_3D (2^2)) (\lambda V0x \in 2.V0x)) (\lambda V1x \in 2.V1x))$

Definition 3 We define $c_2Ebool_2E_21$ to be $\lambda A_27a : \iota.(\lambda V0P \in (2^{A_27a}).(ap (ap (c_2Emin_2E_3D (2^{A_27a})))$

Definition 4 We define $c_2Earithmetic_2ENUMERAL$ to be $\lambda V0x \in ty_2Enum_2Enum.V0x$.

Let $c_2Enum_2EZERO_REP : \iota$ be given. Assume the following.

$$c_2Enum_2EZERO_REP \in \omega \tag{2}$$

Let $c_2Enum_2EABS_num : \iota$ be given. Assume the following.

$$c_2Enum_2EABS_num \in (ty_2Enum_2Enum^{\omega}) \tag{3}$$

Definition 5 We define c_2Enum_2E0 to be $(ap\ c_2Enum_2EABS_num\ c_2Enum_2EZERO_REP)$.

Let $c_2Enum_2EREP_num : \iota$ be given. Assume the following.

$$c_2Enum_2EREP_num \in (\omega^{ty_2Enum_2Enum}) \tag{4}$$

Let $c_2Enum_2ESUC_REP : \iota$ be given. Assume the following.

$$c_2Enum_2ESUC_REP \in (\omega^{\omega}) \tag{5}$$

Definition 6 We define c_2Enum_2ESUC to be $\lambda V0m \in ty_2Enum_2Enum.(ap\ c_2Enum_2EABS_num\ (ap\ c_2Enum_2EREP_num\ m))$

Let $c_2Earithmetic_2E_2B : \iota$ be given. Assume the following.

$$c_2Earithmetic_2E_2B \in ((ty_2Enum_2Enum^{ty_2Enum_2Enum})^{ty_2Enum_2Enum}) \tag{6}$$

Definition 7 We define $c_2Earithmetic_2EBIT1$ to be $\lambda V0n \in ty_2Enum_2Enum.(ap (ap c_2Earithmetic_2EBIT1 V0n))$

Definition 8 We define $c_2Earithmetic_2EBIT2$ to be $\lambda V0n \in ty_2Enum_2Enum.(ap (ap c_2Earithmetic_2EBIT2 V0n))$

Definition 9 We define c_2Ebool_2EF to be $(ap (c_2Ebool_2E_21 2)) (\lambda V0t \in 2.V0t)$.

Let $ty_2Elist_2Elist : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0.nonempty A0 \Rightarrow nonempty (ty_2Elist_2Elist A0) \quad (7)$$

Let $c_2Elist_2ETL : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty A_27a \Rightarrow c_2Elist_2ETL A_27a \in ((ty_2Elist_2Elist A_27a)^{(ty_2Elist_2Elist A_27a)}) \quad (8)$$

Let $c_2Elist_2EHD : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty A_27a \Rightarrow c_2Elist_2EHD A_27a \in (A_27a)^{(ty_2Elist_2Elist A_27a)} \quad (9)$$

Let $c_2Elist_2EEL : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty A_27a \Rightarrow c_2Elist_2EEL A_27a \in ((A_27a)^{(ty_2Elist_2Elist A_27a)})^{ty_2Enum_2Enum} \quad (10)$$

Definition 10 We define $c_2Emin_2E_40$ to be $\lambda A.\lambda P \in 2^A.$ **if** $(\exists x \in A.p (ap P x))$ **then** $(\lambda x.x \in A \wedge P x)$ of type $\iota \Rightarrow \iota$.

Definition 11 We define $c_2Emin_2E_3D_3D_3E$ to be $\lambda P \in 2.\lambda Q \in 2.inj_o (p P \Rightarrow p Q)$ of type ι .

Definition 12 We define $c_2Ebool_2E_2F_5C$ to be $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap (c_2Ebool_2E_21 2)) (\lambda V2t \in 2.V2t)))$

Definition 13 We define c_2Ebool_2ECOND to be $\lambda A_27a : \iota.(\lambda V0t \in 2.(\lambda V1t1 \in A_27a.(\lambda V2t2 \in A_27a.(ap (c_2Ebool_2ECOND V0t1 V1t1) V2t2))))$

Definition 14 We define $c_2Eprim_rec_2EPRE$ to be $\lambda V0m \in ty_2Enum_2Enum.(ap (ap (ap (c_2Ebool_2ECOND V0m) V0m) V0m) V0m))$

Assume the following.

$$\begin{aligned} & (\forall V0m \in ty_2Enum_2Enum.(\forall V1n \in ty_2Enum_2Enum. \\ & ((ap (ap c_2Earithmetic_2E_2B c_2Enum_2E0) V0m) = V0m) \wedge (((ap (\\ & ap c_2Earithmetic_2E_2B V0m) c_2Enum_2E0) = V0m) \wedge (((ap (ap c_2Earithmetic_2E_2B \\ & (ap c_2Enum_2ESUC V0m)) V1n) = (ap c_2Enum_2ESUC (ap (ap c_2Earithmetic_2E_2B \\ & V0m) V1n))) \wedge ((ap (ap c_2Earithmetic_2E_2B V0m) (ap c_2Enum_2ESUC \\ & V1n)) = (ap c_2Enum_2ESUC (ap (ap c_2Earithmetic_2E_2B V0m) V1n)))))))))) \end{aligned} \quad (11)$$

Assume the following.

$$True \quad (12)$$

Assume the following.

$$\begin{aligned}
& (\forall V0t \in 2.(((True \wedge (p \ V0t)) \Leftrightarrow (p \ V0t)) \wedge (((p \ V0t) \wedge True) \Leftrightarrow \\
& (p \ V0t)) \wedge (((False \wedge (p \ V0t)) \Leftrightarrow False) \wedge (((p \ V0t) \wedge False) \Leftrightarrow False) \wedge \\
& (((p \ V0t) \wedge (p \ V0t)) \Leftrightarrow (p \ V0t))))))
\end{aligned} \tag{13}$$

Assume the following.

$$\forall A.27a.nonempty \ A.27a \Rightarrow (\forall V0x \in A.27a.((V0x = V0x) \Leftrightarrow True)) \tag{14}$$

Assume the following.

$$\begin{aligned}
& \forall A.27a.nonempty \ A.27a \Rightarrow ((\forall V0l \in (ty.2Elist.2Elist \\
& A.27a).(ap \ (ap \ (c.2Elist.2EEL \ A.27a) \ c.2Enum.2E0) \ V0l) = (ap \ (\\
& \ c.2Elist.2EHD \ A.27a) \ V0l))) \wedge (\forall V1l \in (ty.2Elist.2Elist \\
& A.27a).(\forall V2n \in ty.2Enum.2Enum.((ap \ (ap \ (c.2Elist.2EEL \\
& A.27a) \ (ap \ c.2Enum.2ESUC \ V2n)) \ V1l) = (ap \ (ap \ (c.2Elist.2EEL \ A.27a) \\
& \ V2n) \ (ap \ (c.2Elist.2ETL \ A.27a) \ V1l))))))
\end{aligned} \tag{15}$$

Assume the following.

$$\begin{aligned}
& (((ap \ c.2Eprim_rec.2EPRE \ c.2Enum.2E0) = c.2Enum.2E0) \wedge (\forall V0m \in \\
& ty.2Enum.2Enum.((ap \ c.2Eprim_rec.2EPRE \ (ap \ c.2Enum.2ESUC \ V0m)) = \\
& \ V0m)))
\end{aligned} \tag{16}$$

Theorem 1

$$\begin{aligned}
& \forall A.27a.nonempty \ A.27a \Rightarrow (\forall V0n \in ty.2Enum.2Enum.(\\
& \ \forall V1l \in (ty.2Elist.2Elist \ A.27a).(((ap \ (ap \ (c.2Elist.2EEL \\
& \ A.27a) \ (ap \ c.2Earithmetic.2ENUMERAL \ (ap \ c.2Earithmetic.2EBIT1 \\
& \ V0n))) \ V1l) = (ap \ (ap \ (c.2Elist.2EEL \ A.27a) \ (ap \ c.2Eprim_rec.2EPRE \\
& \ (ap \ c.2Earithmetic.2ENUMERAL \ (ap \ c.2Earithmetic.2EBIT1 \ V0n)))) \\
& \ (ap \ (c.2Elist.2ETL \ A.27a) \ V1l))) \wedge ((ap \ (ap \ (c.2Elist.2EEL \ A.27a) \\
& \ (ap \ c.2Earithmetic.2ENUMERAL \ (ap \ c.2Earithmetic.2EBIT2 \ V0n))) \\
& \ V1l) = (ap \ (ap \ (c.2Elist.2EEL \ A.27a) \ (ap \ c.2Earithmetic.2ENUMERAL \\
& \ (ap \ c.2Earithmetic.2EBIT1 \ V0n))) \ (ap \ (c.2Elist.2ETL \ A.27a) \ V1l))))))
\end{aligned}$$