

thm_2Elist_2EEVERY2__sym
(TMEk3jjwJMzqaFH6TjoNVwVffhhbucqx4jv)

October 26, 2020

Definition 1 We define $c_2Emin_2E_3D$ to be $\lambda A.\lambda x \in A.\lambda y \in A.inj_o (x = y)$ of type $\iota \Rightarrow \iota$.

Definition 2 We define $c_2Ebool_2E_2T$ to be $(ap (ap (c_2Emin_2E_3D (2^2)) (\lambda V0x \in 2.V0x)) (\lambda V1x \in 2.V1x))$

Definition 3 We define $c_2Ebool_2E_21$ to be $\lambda A_27a : \iota.(\lambda V0P \in (2^{A_27a}).(ap (ap (c_2Emin_2E_3D (2^{A_27a}))$

Definition 4 We define $c_2Ebool_2E_2F$ to be $(ap (c_2Ebool_2E_21 2) (\lambda V0t \in 2.V0t))$.

Definition 5 We define $c_2Emin_2E_3D_3D_3E$ to be $\lambda P \in 2.\lambda Q \in 2.inj_o (p P \Rightarrow p Q)$ of type ι .

Definition 6 We define $c_2Ebool_2E_27E$ to be $(\lambda V0t \in 2.(ap (ap c_2Emin_2E_3D_3D_3E V0t) c_2Ebool_2E_2F$

Definition 7 We define $c_2Ebool_2E_5C_2E_2F$ to be $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap (c_2Ebool_2E_21 2) (\lambda V2t \in 2$

Let $ty_2Elist_2Elist : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0.nonempty A0 \Rightarrow nonempty (ty_2Elist_2Elist A0) \quad (1)$$

Let $ty_2Enum_2Enum : \iota$ be given. Assume the following.

$$nonempty ty_2Enum_2Enum \quad (2)$$

Let $c_2Elist_2EEL : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty A_27a \Rightarrow c_2Elist_2EEL A_27a \in ((A_27a^{(ty_2Elist_2Elist A_27a)})^{ty_2Enum_2Enum}) \quad (3)$$

Definition 8 We define $c_2Ebool_2E_2F_5C$ to be $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap (c_2Ebool_2E_21 2) (\lambda V2t \in 2$

Let $c_2Enum_2EREP_num : \iota$ be given. Assume the following.

$$c_2Enum_2EREP_num \in (\omega^{ty_2Enum_2Enum}) \quad (4)$$

Let $c_2Enum_2ESUC_REP : \iota$ be given. Assume the following.

$$c_2Enum_2ESUC_REP \in (\omega^{\omega}) \quad (5)$$

Let $c_2Enum_2EABS_num : \iota$ be given. Assume the following.

$$c_2Enum_2EABS_num \in (ty_2Enum_2Enum^{\omega}) \quad (6)$$

Definition 9 We define c_2Enum_2ESUC to be $\lambda V0m \in ty_2Enum_2Enum.(ap\ c_2Enum_2EABS_num$

Definition 10 We define $c_2Emin_2E_40$ to be $\lambda A.\lambda P \in 2^A.\text{if } (\exists x \in A.p\ (ap\ P\ x)) \text{ then } (the\ (\lambda x.x \in A)\lambda y$
of type $\iota \Rightarrow \iota$.

Definition 11 We define $c_2Ebool_2E_3F$ to be $\lambda A_27a : \iota.(\lambda V0P \in (2^{A_27a}).(ap\ V0P\ (ap\ (c_2Emin_2E_40$

Definition 12 We define $c_2Eprim_rec_2E_3C$ to be $\lambda V0m \in ty_2Enum_2Enum.\lambda V1n \in ty_2Enum_2Enum$

Let $c_2Elist_2ELIST_TO_SET : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow c_2Elist_2ELIST_TO_SET\ A_27a \in \left((2^{A_27a})^{(ty_2Elist_2Elist\ A_27a)} \right) \quad (7)$$

Definition 13 We define c_2Ebool_2EIN to be $\lambda A_27a : \iota.(\lambda V0x \in A_27a.(\lambda V1f \in (2^{A_27a}).(ap\ V1f\ V0x))$

Let $ty_2Epair_2Eprod : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0.nonempty\ A0 \Rightarrow \forall A1.nonempty\ A1 \Rightarrow nonempty\ (ty_2Epair_2Eprod\ A0\ A1) \quad (8)$$

Let $c_2Elist_2EZIP : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow c_2Elist_2EZIP\ A_27a\ A_27b \in \left((ty_2Elist_2Elist\ (ty_2Epair_2Eprod\ A_27a\ A_27b))^{(ty_2Epair_2Eprod\ (ty_2Elist_2Elist\ A_27a\ A_27b))} \right) \quad (9)$$

Let $c_2Elist_2EEVERY : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow c_2Elist_2EEVERY\ A_27a \in \left((2^{(ty_2Elist_2Elist\ A_27a)})^{(2^{A_27a})} \right) \quad (10)$$

Let $c_2Elist_2ELENGTH : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow c_2Elist_2ELENGTH\ A_27a \in (ty_2Enum_2Enum)^{(ty_2Elist_2Elist\ A_27a)} \quad (11)$$

Let $c_2Elist_2ELIST_REL : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow c_2Elist_2ELIST_REL\ A_27a\ A_27b \in \left((2^{(ty_2Elist_2Elist\ A_27b)})^{(ty_2Elist_2Elist\ A_27a)} \right)^{\left((2^{A_27b})^{A_27a} \right)} \quad (12)$$

Let $c_2Epair_2ESND : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow c_2Epair_2ESND\ A_27a\ A_27b \in (A_27b)^{(ty_2Epair_2Eprod\ A_27a\ A_27b)} \quad (13)$$

Let $c_2Epair_2EFST : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow c_2Epair_2EFST\ A_27a\ A_27b \in (A_27a)^{(ty_2Epair_2Eprod\ A_27a\ A_27b)} \quad (14)$$

Definition 14 We define $c_2Epair_2EUNCURRY$ to be $\lambda A_27a : \iota.\lambda A_27b : \iota.\lambda A_27c : \iota.\lambda V0f \in ((A_27c)^{A_27a})$

Let $c_2Epair_2EABS_prod : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow c_2Epair_2EABS_prod\ A_27a\ A_27b \in ((ty_2Epair_2Eprod\ A_27a\ A_27b)^{(2^{A_27b})^{A_27a}}) \quad (15)$$

Definition 15 We define $c_2Epair_2E_2C$ to be $\lambda A_27a : \iota.\lambda A_27b : \iota.\lambda V0x \in A_27a.\lambda V1y \in A_27b.(ap\ (c_2Epair_2EABS_prod\ A_27a\ A_27b)\ V0x\ V1y)$

Assume the following.

$$True \quad (16)$$

Assume the following.

$$(\forall V0t1 \in 2.(\forall V1t2 \in 2.(((p\ V0t1) \Rightarrow (p\ V1t2)) \Rightarrow (((p\ V1t2) \Rightarrow (p\ V0t1)) \Rightarrow ((p\ V0t1) \Leftrightarrow (p\ V1t2)))))) \quad (17)$$

Assume the following.

$$(\forall V0t \in 2.(((True \wedge (p\ V0t)) \Leftrightarrow (p\ V0t)) \wedge (((p\ V0t) \wedge True) \Leftrightarrow (p\ V0t)) \wedge (((False \wedge (p\ V0t)) \Leftrightarrow False) \wedge (((p\ V0t) \wedge False) \Leftrightarrow False) \wedge (((p\ V0t) \wedge (p\ V0t)) \Leftrightarrow (p\ V0t)))))) \quad (18)$$

Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow (\forall V0x \in A_27a.((V0x = V0x) \Leftrightarrow True)) \quad (19)$$

Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow (\forall V0x \in A_27a.(\forall V1y \in A_27a.((V0x = V1y) \Leftrightarrow (V1y = V0x)))) \quad (20)$$

Assume the following.

$$(\forall V0t \in 2.(((True \Leftrightarrow (p\ V0t)) \Leftrightarrow (p\ V0t)) \wedge (((p\ V0t) \Leftrightarrow True) \Leftrightarrow (p\ V0t)) \wedge (((False \Leftrightarrow (p\ V0t)) \Leftrightarrow \neg(p\ V0t)) \wedge (((p\ V0t) \Leftrightarrow False) \Leftrightarrow \neg(p\ V0t)))))) \quad (21)$$

Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow (\forall V0P \in (2^{A_27a}).(\forall V1Q \in 2.((\forall V2x \in A_27a.((p\ (ap\ V0P\ V2x)) \Rightarrow (p\ V1Q))) \Leftrightarrow ((\exists V3x \in A_27a.(p\ (ap\ V0P\ V3x)) \Rightarrow (p\ V1Q)))))) \quad (22)$$

Assume the following.

$$(\forall V0A \in 2.(\forall V1B \in 2.(\forall V2C \in 2.(((p\ V0A) \vee (p\ V1B) \vee (p\ V2C)) \Leftrightarrow (((p\ V0A) \vee (p\ V1B)) \vee (p\ V2C)))))) \quad (23)$$

Assume the following.

$$(\forall V0A \in 2.(\forall V1B \in 2.(((p V0A) \vee (p V1B)) \Leftrightarrow ((p V1B) \vee (p V0A)))) \quad (24)$$

Assume the following.

$$(\forall V0A \in 2.(\forall V1B \in 2.(((p V0A) \Rightarrow (p V1B)) \Leftrightarrow ((\neg(p V0A)) \vee (p V1B)))) \quad (25)$$

Assume the following.

$$(\forall V0t1 \in 2.(\forall V1t2 \in 2.(\forall V2t3 \in 2.(((p V0t1) \Rightarrow ((p V1t2) \Rightarrow (p V2t3))) \Leftrightarrow (((p V0t1) \wedge (p V1t2)) \Rightarrow (p V2t3)))))) \quad (26)$$

Assume the following.

$$(\forall V0x \in 2.(\forall V1x_{.27} \in 2.(\forall V2y \in 2.(\forall V3y_{.27} \in 2.(((p V0x) \Leftrightarrow (p V1x_{.27})) \wedge ((p V1x_{.27}) \Rightarrow ((p V2y) \Leftrightarrow (p V3y_{.27})))))) \Rightarrow ((p V0x) \Rightarrow (p V2y)) \Leftrightarrow ((p V1x_{.27}) \Rightarrow (p V3y_{.27})))))) \quad (27)$$

Assume the following.

$$\forall A_{.27a}.nonempty A_{.27a} \Rightarrow (\forall V0f \in (2^{A_{.27a}}).(\forall V1v \in A_{.27a}.((\forall V2x \in A_{.27a}.((V2x = V1v) \Rightarrow (p (ap V0f V2x)))) \Leftrightarrow (p (ap V0f V1v)))))) \quad (28)$$

Assume the following.

$$\forall A_{.27a}.nonempty A_{.27a} \Rightarrow (\forall V0P \in (2^{A_{.27a}}).(\forall V1l \in (ty_{.2Elist_{.2Elist}} A_{.27a}).((p (ap (ap (c_{.2Elist_{.2EVERY}} A_{.27a}) V0P) V1l)) \Leftrightarrow (\forall V2e \in A_{.27a}.((p (ap (ap (c_{.2Ebool_{.2EIN}} A_{.27a}) V2e) (ap (c_{.2Elist_{.2ELIST_TO_SET}} A_{.27a}) V1l))) \Rightarrow (p (ap V0P V2e)))))))))) \quad (29)$$

Assume the following.

$$\forall A_{.27a}.nonempty A_{.27a} \Rightarrow \forall A_{.27b}.nonempty A_{.27b} \Rightarrow (\forall V0l1 \in (ty_{.2Elist_{.2Elist}} A_{.27a}).(\forall V1l2 \in (ty_{.2Elist_{.2Elist}} A_{.27b}).(\forall V2p \in (ty_{.2Epair_{.2Eprod}} A_{.27a} A_{.27b}).(((ap (c_{.2Elist_{.2ELENGTH}} A_{.27a}) V0l1) = (ap (c_{.2Elist_{.2ELENGTH}} A_{.27b}) V1l2)) \Rightarrow ((p (ap (ap (c_{.2Ebool_{.2EIN}} (ty_{.2Epair_{.2Eprod}} A_{.27a} A_{.27b})) V2p) (ap (c_{.2Elist_{.2ELIST_TO_SET}} (ty_{.2Epair_{.2Eprod}} A_{.27a} A_{.27b})) (ap (c_{.2Elist_{.2EZIP}} A_{.27a} A_{.27b}) (ap (ap (c_{.2Epair_{.2E_2C}} (ty_{.2Elist_{.2Elist}} A_{.27a}) (ty_{.2Elist_{.2Elist}} A_{.27b})) V0l1) V1l2)))))) \Leftrightarrow (\exists V3n \in ty_{.2Enum_{.2Enum}}.((p (ap (ap c_{.2Eprim_rec_{.2E_3C}} V3n) (ap (c_{.2Elist_{.2ELENGTH}} A_{.27a}) V0l1))) \wedge (V2p = (ap (ap (c_{.2Epair_{.2E_2C}} A_{.27a} A_{.27b}) (ap (ap (c_{.2Elist_{.2EEL}} A_{.27a}) V3n) V0l1)) (ap (ap (c_{.2Elist_{.2EEL}} A_{.27b}) V3n) V1l2)))))))))) \quad (30)$$

Assume the following.

$$\begin{aligned}
& \forall A.27a.nonempty\ A.27a \Rightarrow \forall A.27b.nonempty\ A.27b \Rightarrow (\\
& \quad \forall V0l1 \in (ty_2Elist_2Elist\ A.27a). (\forall V1l2 \in (ty_2Elist_2Elist \\
& \quad A.27b). (\forall V2f \in ((2^{A.27b})^{A.27a}). ((p\ (ap\ (ap\ (ap\ (c.2Elist_2ELIST_REL \\
& \quad A.27a\ A.27b)\ V2f)\ V0l1)\ V1l2))) \Leftrightarrow ((ap\ (c.2Elist_2ELENGTH\ A.27a) \\
V0l1) = (ap\ (c.2Elist_2ELENGTH\ A.27b)\ V1l2)) \wedge (p\ (ap\ (ap\ (c.2Elist_2EVERY \\
& \quad (ty_2Epair_2Eprod\ A.27a\ A.27b))\ (ap\ (c.2Epair_2EUNCURRY\ A.27a \\
& \quad A.27b\ 2)\ V2f))\ (ap\ (c.2Elist_2EZIP\ A.27a\ A.27b)\ (ap\ (ap\ (c.2Epair_2E_2C \\
& \quad (ty_2Elist_2Elist\ A.27a)\ (ty_2Elist_2Elist\ A.27b))\ V0l1)\ V1l2))))))))) \\
& \hspace{15em} (31)
\end{aligned}$$

Assume the following.

$$\begin{aligned}
& \forall A.27a.nonempty\ A.27a \Rightarrow \forall A.27b.nonempty\ A.27b \Rightarrow (\\
& \quad \forall V0x \in A.27a. (\forall V1y \in A.27b. (\forall V2a \in A.27a. (\forall V3b \in \\
& \quad A.27b. (((ap\ (ap\ (c.2Epair_2E_2C\ A.27a\ A.27b)\ V0x)\ V1y) = (ap\ (ap \\
& \quad (c.2Epair_2E_2C\ A.27a\ A.27b)\ V2a)\ V3b))) \Leftrightarrow ((V0x = V2a) \wedge (V1y = V3b)))))) \\
& \hspace{15em} (32)
\end{aligned}$$

Assume the following.

$$\begin{aligned}
& \forall A.27a.nonempty\ A.27a \Rightarrow \forall A.27b.nonempty\ A.27b \Rightarrow \forall A.27c. \\
& \quad nonempty\ A.27c \Rightarrow (\forall V0f \in ((A.27c^{A.27b})^{A.27a}). (\forall V1x \in \\
& \quad A.27a. (\forall V2y \in A.27b. ((ap\ (ap\ (c.2Epair_2EUNCURRY\ A.27a \\
& \quad A.27b\ A.27c)\ V0f)\ (ap\ (ap\ (c.2Epair_2E_2C\ A.27a\ A.27b)\ V1x)\ V2y))) = \\
& \quad (ap\ (ap\ V0f\ V1x)\ V2y)))) \\
& \hspace{15em} (33)
\end{aligned}$$

Assume the following.

$$\begin{aligned}
& \forall A.27a.nonempty\ A.27a \Rightarrow \forall A.27b.nonempty\ A.27b \Rightarrow (\\
& \quad \forall V0P \in (2^{(ty_2Epair_2Eprod\ A.27a\ A.27b)}). ((\forall V1p \in \\
& \quad (ty_2Epair_2Eprod\ A.27a\ A.27b). (p\ (ap\ V0P\ V1p))) \Leftrightarrow (\forall V2p_1 \in \\
& \quad A.27a. (\forall V3p_2 \in A.27b. (p\ (ap\ V0P\ (ap\ (ap\ (c.2Epair_2E_2C \\
& \quad A.27a\ A.27b)\ V2p_1)\ V3p_2)))))) \\
& \hspace{15em} (34)
\end{aligned}$$

Theorem 1

$$\begin{aligned}
& \forall A.27a.nonempty\ A.27a \Rightarrow \forall A.27b.nonempty\ A.27b \Rightarrow (\\
& \quad \forall V0R1 \in ((2^{A.27b})^{A.27a}). (\forall V1R2 \in ((2^{A.27a})^{A.27b}). \\
& \quad ((\forall V2x \in A.27a. (\forall V3y \in A.27b. ((p\ (ap\ (ap\ V0R1\ V2x)\ V3y)) \Rightarrow \\
& \quad (p\ (ap\ (ap\ V1R2\ V3y)\ V2x)))))) \Rightarrow (\forall V4x \in (ty_2Elist_2Elist\ A.27a). \\
& \quad (\forall V5y \in (ty_2Elist_2Elist\ A.27b). ((p\ (ap\ (ap\ (ap\ (c.2Elist_2ELIST_REL \\
& \quad A.27a\ A.27b)\ V0R1)\ V4x)\ V5y)) \Rightarrow (p\ (ap\ (ap\ (ap\ (c.2Elist_2ELIST_REL \\
& \quad A.27b\ A.27a)\ V1R2)\ V5y)\ V4x))))))))) \\
& \hspace{15em}
\end{aligned}$$