

thm\_2Elist\_2EVERY2\_\_trans  
(TMQ5Mcxrn7tea28yMwRkpET7TN2E9TJQVnV)

October 26, 2020

**Definition 1** We define  $c\_2Emin\_2E\_3D$  to be  $\lambda A.\lambda x \in A.\lambda y \in A.inj\_o (x = y)$  of type  $\iota \Rightarrow \iota$ .

**Definition 2** We define  $c\_2Ebool\_2ET$  to be  $(ap (ap (c\_2Emin\_2E\_3D (2^2)) (\lambda V0x \in 2.V0x)) (\lambda V1x \in 2.V1x))$

Let  $ty\_2Elist\_2Elist : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A0.nonempty A0 \Rightarrow nonempty (ty\_2Elist\_2Elist A0) \quad (1)$$

Let  $ty\_2Enum\_2Enum : \iota$  be given. Assume the following.

$$nonempty ty\_2Enum\_2Enum \quad (2)$$

Let  $c\_2Elist\_2EEL : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.nonempty A\_27a \Rightarrow c\_2Elist\_2EEL A\_27a \in ((A\_27a^{(ty\_2Elist\_2Elist A\_27a)})^{ty\_2Enum\_2Enum}) \quad (3)$$

**Definition 3** We define  $c\_2Ebool\_2E\_21$  to be  $\lambda A\_27a : \iota.(\lambda V0P \in (2^{A\_27a}).(ap (ap (c\_2Emin\_2E\_3D (2^{A\_27a}))$

**Definition 4** We define  $c\_2Ebool\_2EF$  to be  $(ap (c\_2Ebool\_2E\_21 2) (\lambda V0t \in 2.V0t))$ .

**Definition 5** We define  $c\_2Emin\_2E\_3D\_3D\_3E$  to be  $\lambda P \in 2.\lambda Q \in 2.inj\_o (p P \Rightarrow p Q)$  of type  $\iota$ .

**Definition 6** We define  $c\_2Ebool\_2E\_7E$  to be  $(\lambda V0t \in 2.(ap (ap c\_2Emin\_2E\_3D\_3D\_3E V0t) c\_2Ebool\_2EF$

**Definition 7** We define  $c\_2Ebool\_2E\_2F\_5C$  to be  $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap (c\_2Ebool\_2E\_21 2) (\lambda V2t \in 2.V2t))$

Let  $c\_2Enum\_2EREP\_num : \iota$  be given. Assume the following.

$$c\_2Enum\_2EREP\_num \in (\omega^{ty\_2Enum\_2Enum}) \quad (4)$$

Let  $c\_2Enum\_2ESUC\_REP : \iota$  be given. Assume the following.

$$c\_2Enum\_2ESUC\_REP \in (\omega^{\omega}) \quad (5)$$

Let  $c\_2Enum\_2EABS\_num : \iota$  be given. Assume the following.

$$c\_2Enum\_2EABS\_num \in (ty\_2Enum\_2Enum^{\omega}) \quad (6)$$

**Definition 8** We define  $c\_2Enum\_2ESUC$  to be  $\lambda V0m \in ty\_2Enum\_2Enum.(ap\ c\_2Enum\_2EABS\_num$

**Definition 9** We define  $c\_2Emin\_2E40$  to be  $\lambda A.\lambda P \in 2^A.\mathbf{if} (\exists x \in A.p (ap\ P\ x)) \mathbf{then}$  (the  $(\lambda x.x \in A \wedge p$   
of type  $\iota \Rightarrow \iota$ ).

**Definition 10** We define  $c\_2Ebool\_2E3F$  to be  $\lambda A\_27a : \iota.(\lambda V0P \in (2^{A\_27a}).(ap\ V0P (ap (c\_2Emin\_2E40$

**Definition 11** We define  $c\_2Eprim\_rec\_2E3C$  to be  $\lambda V0m \in ty\_2Enum\_2Enum.\lambda V1n \in ty\_2Enum\_2Enum$

Let  $c\_2Elist\_2ELIST\_TO\_SET : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow c\_2Elist\_2ELIST\_TO\_SET\ A\_27a \in ((2^{A\_27a})^{(ty\_2Elist\_2Elist\ A\_27a)}) \quad (7)$$

**Definition 12** We define  $c\_2Ebool\_2EIN$  to be  $\lambda A\_27a : \iota.(\lambda V0x \in A\_27a.(\lambda V1f \in (2^{A\_27a}).(ap\ V1f\ V0x))$

Let  $ty\_2Epair\_2Eprod : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A0.nonempty\ A0 \Rightarrow \forall A1.nonempty\ A1 \Rightarrow nonempty\ (ty\_2Epair\_2Eprod\ A0\ A1) \quad (8)$$

Let  $c\_2Elist\_2EZIP : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow \forall A\_27b.nonempty\ A\_27b \Rightarrow c\_2Elist\_2EZIP\ A\_27a\ A\_27b \in ((ty\_2Elist\_2Elist\ (ty\_2Epair\_2Eprod\ A\_27a\ A\_27b))^{(ty\_2Epair\_2Eprod\ (ty\_2Elist\_2Elist\ A\_27a\ A\_27b))}) \quad (9)$$

Let  $c\_2Elist\_2EEVERY : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow c\_2Elist\_2EEVERY\ A\_27a \in ((2^{(ty\_2Elist\_2Elist\ A\_27a)})^{(2^{A\_27a})}) \quad (10)$$

Let  $c\_2Elist\_2ELENGTH : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow c\_2Elist\_2ELENGTH\ A\_27a \in (ty\_2Enum\_2Enum^{(ty\_2Elist\_2Elist\ A\_27a)}) \quad (11)$$

Let  $c\_2Elist\_2ELIST\_REL : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow \forall A\_27b.nonempty\ A\_27b \Rightarrow c\_2Elist\_2ELIST\_REL\ A\_27a\ A\_27b \in (((2^{(ty\_2Elist\_2Elist\ A\_27b)})^{(ty\_2Elist\_2Elist\ A\_27a)})^{(2^{A\_27b})^{A\_27a}}) \quad (12)$$

Let  $c\_2Epair\_2ESND : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow \forall A\_27b.nonempty\ A\_27b \Rightarrow c\_2Epair\_2ESND\ A\_27a\ A\_27b \in (A\_27b^{(ty\_2Epair\_2Eprod\ A\_27a\ A\_27b)}) \quad (13)$$

Let  $c\_2Epair\_2EFST : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow \forall A\_27b.nonempty\ A\_27b \Rightarrow c\_2Epair\_2EFST\ A\_27a\ A\_27b \in (A\_27a^{(ty\_2Epair\_2Eprod\ A\_27a\ A\_27b)}) \quad (14)$$

**Definition 13** We define  $c\_2Epair\_2EUNCURRY$  to be  $\lambda A\_27a : \iota.\lambda A\_27b : \iota.\lambda A\_27c : \iota.\lambda V0f \in ((A\_27c^{A\_27a})^{A\_27b})^{A\_27c}$ .  
Let  $c\_2Epair\_2EABS\_prod : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\begin{aligned} \forall A\_27a.nonempty\ A\_27a \Rightarrow \forall A\_27b.nonempty\ A\_27b \Rightarrow c\_2Epair\_2EABS\_prod \\ A\_27a\ A\_27b \in ((ty\_2Epair\_2Eprod\ A\_27a\ A\_27b)^{(2^{A\_27b})^{A\_27a}}) \end{aligned} \quad (15)$$

**Definition 14** We define  $c\_2Epair\_2E\_2C$  to be  $\lambda A\_27a : \iota.\lambda A\_27b : \iota.\lambda V0x \in A\_27a.\lambda V1y \in A\_27b.(ap\ (c\_2Epair\_2EABS\_prod\ A\_27a\ A\_27b)\ (V0x\ V1y))$

**Definition 15** We define  $c\_2Ebool\_2E\_5C\_2F$  to be  $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap\ (c\_2Ebool\_2E\_21\ 2)\ (V0t1\ V1t2))))$ .  
Assume the following.

$$True \quad (16)$$

Assume the following.

$$(\forall V0t1 \in 2.(\forall V1t2 \in 2.(((p\ V0t1) \Rightarrow (p\ V1t2)) \Rightarrow (((p\ V1t2) \Rightarrow (p\ V0t1)) \Rightarrow ((p\ V0t1) \Leftrightarrow (p\ V1t2)))))) \quad (17)$$

Assume the following.

$$\begin{aligned} (\forall V0t \in 2.(((True \wedge (p\ V0t)) \Leftrightarrow (p\ V0t)) \wedge (((p\ V0t) \wedge True) \Leftrightarrow \\ (p\ V0t)) \wedge (((False \wedge (p\ V0t)) \Leftrightarrow False) \wedge (((p\ V0t) \wedge False) \Leftrightarrow False) \wedge \\ (((p\ V0t) \wedge (p\ V0t)) \Leftrightarrow (p\ V0t)))))) \end{aligned} \quad (18)$$

Assume the following.

$$\begin{aligned} (\forall V0t \in 2.(((True \Rightarrow (p\ V0t)) \Leftrightarrow (p\ V0t)) \wedge (((p\ V0t) \Rightarrow True) \Leftrightarrow \\ True) \wedge (((False \Rightarrow (p\ V0t)) \Leftrightarrow True) \wedge (((p\ V0t) \Rightarrow (p\ V0t)) \Leftrightarrow True) \wedge (( \\ (p\ V0t) \Rightarrow False) \Leftrightarrow (\neg(p\ V0t)))))) \end{aligned} \quad (19)$$

Assume the following.

$$\begin{aligned} ((\forall V0t \in 2.((\neg(\neg(p\ V0t))) \Leftrightarrow (p\ V0t)) \wedge (((\neg True) \Leftrightarrow False) \wedge \\ ((\neg False) \Leftrightarrow True))) \end{aligned} \quad (20)$$

Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow (\forall V0x \in A\_27a.((V0x = V0x) \Leftrightarrow True)) \quad (21)$$

Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow (\forall V0x \in A\_27a.(\forall V1y \in A\_27a.((V0x = V1y) \Leftrightarrow (V1y = V0x)))) \quad (22)$$

Assume the following.

$$\begin{aligned} (\forall V0t \in 2.(((True \Leftrightarrow (p\ V0t)) \Leftrightarrow (p\ V0t)) \wedge (((p\ V0t) \Leftrightarrow True) \Leftrightarrow \\ (p\ V0t)) \wedge (((False \Leftrightarrow (p\ V0t)) \Leftrightarrow (\neg(p\ V0t))) \wedge (((p\ V0t) \Leftrightarrow False) \Leftrightarrow (\neg \\ p\ V0t)))))) \end{aligned} \quad (23)$$

Assume the following.

$$\begin{aligned} & \forall A\_27a.nonempty\ A\_27a \Rightarrow (\forall V0P \in (2^{A\_27a}). (\forall V1Q \in \\ & 2. ((\forall V2x \in A\_27a. ((p\ (ap\ V0P\ V2x)) \Rightarrow (p\ V1Q))) \Leftrightarrow ((\exists V3x \in \\ & A\_27a. (p\ (ap\ V0P\ V3x)) \Rightarrow (p\ V1Q)))))) \end{aligned} \quad (24)$$

Assume the following.

$$\begin{aligned} & (\forall V0A \in 2. (\forall V1B \in 2. (\forall V2C \in 2. (((p\ V0A) \vee ( \\ & (p\ V1B) \vee (p\ V2C))) \Leftrightarrow (((p\ V0A) \vee (p\ V1B)) \vee (p\ V2C)))))) \end{aligned} \quad (25)$$

Assume the following.

$$\begin{aligned} & (\forall V0A \in 2. (\forall V1B \in 2. (((p\ V0A) \vee (p\ V1B)) \Leftrightarrow ((p\ V1B) \vee \\ & (p\ V0A)))))) \end{aligned} \quad (26)$$

Assume the following.

$$\begin{aligned} & (\forall V0A \in 2. (\forall V1B \in 2. (((p\ V0A) \Rightarrow (p\ V1B)) \Leftrightarrow ((\neg(p\ V0A)) \vee \\ & (p\ V1B)))))) \end{aligned} \quad (27)$$

Assume the following.

$$\begin{aligned} & (\forall V0t1 \in 2. (\forall V1t2 \in 2. (\forall V2t3 \in 2. (((p\ V0t1) \Rightarrow \\ & ((p\ V1t2) \Rightarrow (p\ V2t3))) \Leftrightarrow (((p\ V0t1) \wedge (p\ V1t2)) \Rightarrow (p\ V2t3)))))) \end{aligned} \quad (28)$$

Assume the following.

$$\begin{aligned} & (\forall V0x \in 2. (\forall V1x\_27 \in 2. (\forall V2y \in 2. (\forall V3y\_27 \in \\ & 2. (((((p\ V0x) \Leftrightarrow (p\ V1x\_27)) \wedge ((p\ V1x\_27) \Rightarrow ((p\ V2y) \Leftrightarrow (p\ V3y\_27)))) \Rightarrow \\ & (((p\ V0x) \Rightarrow (p\ V2y)) \Leftrightarrow ((p\ V1x\_27) \Rightarrow (p\ V3y\_27)))))))))) \end{aligned} \quad (29)$$

Assume the following.

$$\begin{aligned} & \forall A\_27a.nonempty\ A\_27a \Rightarrow (\forall V0f \in (2^{A\_27a}). (\forall V1v \in \\ & A\_27a. ((\forall V2x \in A\_27a. ((V2x = V1v) \Rightarrow (p\ (ap\ V0f\ V2x)))) \Leftrightarrow (p\ ( \\ & ap\ V0f\ V1v)))))) \end{aligned} \quad (30)$$

Assume the following.

$$\begin{aligned} & \forall A\_27a.nonempty\ A\_27a \Rightarrow (\forall V0P \in (2^{A\_27a}). (\forall V1l \in \\ & (ty\_2Elist\_2Elist\ A\_27a). ((p\ (ap\ (ap\ (c\_2Elist\_2EVERY\ A\_27a) \\ & V0P)\ V1l)) \Leftrightarrow (\forall V2e \in A\_27a. ((p\ (ap\ (ap\ (c\_2Ebool\_2EIN\ A\_27a) \\ & V2e)\ (ap\ (c\_2Elist\_2ELIST\_TO\_SET\ A\_27a)\ V1l))) \Rightarrow (p\ (ap\ V0P\ V2e)))))) \end{aligned} \quad (31)$$

Assume the following.

$$\begin{aligned}
& \forall A.27a.nonempty\ A.27a \Rightarrow \forall A.27b.nonempty\ A.27b \Rightarrow ( \\
& \quad \forall V0l1 \in (ty\_2Elist\_2Elist\ A.27a). (\forall V1l2 \in (ty\_2Elist\_2Elist \\
& \quad A.27b). (\forall V2p \in (ty\_2Epair\_2Eprod\ A.27a\ A.27b). ((ap\ (c\_2Elist\_2ELENGTH \\
& \quad A.27a)\ V0l1) = (ap\ (c\_2Elist\_2ELENGTH\ A.27b)\ V1l2)) \Rightarrow ((p\ (ap\ (ap \\
& \quad (c\_2Ebool\_2EIN\ (ty\_2Epair\_2Eprod\ A.27a\ A.27b))\ V2p)\ (ap\ (c\_2Elist\_2ELIST\_TO\_SET \\
& \quad (ty\_2Epair\_2Eprod\ A.27a\ A.27b))\ (ap\ (c\_2Elist\_2EZIP\ A.27a\ A.27b) \\
& \quad (ap\ (ap\ (c\_2Epair\_2E\_2C\ (ty\_2Elist\_2Elist\ A.27a)\ (ty\_2Elist\_2Elist \\
& \quad A.27b))\ V0l1)\ V1l2)))))) \Leftrightarrow (\exists V3n \in ty\_2Enum\_2Enum. ((p\ (ap \\
& \quad (ap\ c\_2Eprim\_rec\_2E\_3C\ V3n)\ (ap\ (c\_2Elist\_2ELENGTH\ A.27a)\ V0l1))) \wedge \\
& \quad (V2p = (ap\ (ap\ (c\_2Epair\_2E\_2C\ A.27a\ A.27b)\ (ap\ (ap\ (c\_2Elist\_2EEL \\
& \quad A.27a)\ V3n)\ V0l1))\ (ap\ (ap\ (c\_2Elist\_2EEL\ A.27b)\ V3n)\ V1l2))))))))) \\
& \hspace{15em} (32)
\end{aligned}$$

Assume the following.

$$\begin{aligned}
& \forall A.27a.nonempty\ A.27a \Rightarrow \forall A.27b.nonempty\ A.27b \Rightarrow ( \\
& \quad \forall V0l1 \in (ty\_2Elist\_2Elist\ A.27a). (\forall V1l2 \in (ty\_2Elist\_2Elist \\
& \quad A.27b). (\forall V2f \in ((2^{A.27b})^{A.27a}). ((p\ (ap\ (ap\ (ap\ (c\_2Elist\_2ELIST\_REL \\
& \quad A.27a\ A.27b)\ V2f)\ V0l1)\ V1l2)) \Leftrightarrow (((ap\ (c\_2Elist\_2ELENGTH\ A.27a) \\
& \quad V0l1) = (ap\ (c\_2Elist\_2ELENGTH\ A.27b)\ V1l2)) \wedge (p\ (ap\ (ap\ (c\_2Elist\_2EVERY \\
& \quad (ty\_2Epair\_2Eprod\ A.27a\ A.27b))\ (ap\ (c\_2Epair\_2EUNCURRY\ A.27a \\
& \quad A.27b\ 2)\ V2f))\ (ap\ (c\_2Elist\_2EZIP\ A.27a\ A.27b)\ (ap\ (ap\ (c\_2Epair\_2E\_2C \\
& \quad (ty\_2Elist\_2Elist\ A.27a)\ (ty\_2Elist\_2Elist\ A.27b))\ V0l1)\ V1l2))))))))) \\
& \hspace{15em} (33)
\end{aligned}$$

Assume the following.

$$\begin{aligned}
& \forall A.27a.nonempty\ A.27a \Rightarrow \forall A.27b.nonempty\ A.27b \Rightarrow ( \\
& \quad \forall V0x \in A.27a. (\forall V1y \in A.27b. (\forall V2a \in A.27a. (\forall V3b \in \\
& \quad A.27b. (((ap\ (ap\ (c\_2Epair\_2E\_2C\ A.27a\ A.27b)\ V0x)\ V1y) = (ap\ (ap \\
& \quad (c\_2Epair\_2E\_2C\ A.27a\ A.27b)\ V2a)\ V3b)) \Leftrightarrow ((V0x = V2a) \wedge (V1y = V3b)))))) \\
& \hspace{15em} (34)
\end{aligned}$$

Assume the following.

$$\begin{aligned}
& \forall A.27a.nonempty\ A.27a \Rightarrow \forall A.27b.nonempty\ A.27b \Rightarrow \forall A.27c. \\
& \quad nonempty\ A.27c \Rightarrow (\forall V0f \in ((A.27c)^{A.27b})^{A.27a}). (\forall V1x \in \\
& \quad A.27a. (\forall V2y \in A.27b. ((ap\ (ap\ (c\_2Epair\_2EUNCURRY\ A.27a \\
& \quad A.27b\ A.27c)\ V0f)\ (ap\ (ap\ (c\_2Epair\_2E\_2C\ A.27a\ A.27b)\ V1x)\ V2y)) = \\
& \quad (ap\ (ap\ V0f\ V1x)\ V2y)))))) \\
& \hspace{15em} (35)
\end{aligned}$$

Assume the following.

$$\begin{aligned}
& \forall A.27a.nonempty\ A.27a \Rightarrow \forall A.27b.nonempty\ A.27b \Rightarrow ( \\
& \quad \forall V0P \in (2^{(ty\_2Epair\_2Eprod\ A.27a\ A.27b)}). ((\forall V1p \in \\
& \quad (ty\_2Epair\_2Eprod\ A.27a\ A.27b). (p\ (ap\ V0P\ V1p))) \Leftrightarrow (\forall V2p\_1 \in \\
& \quad A.27a. (\forall V3p\_2 \in A.27b. (p\ (ap\ V0P\ (ap\ (ap\ (c\_2Epair\_2E\_2C \\
& \quad A.27a\ A.27b)\ V2p\_1)\ V3p\_2)))))) \\
& \hspace{15em} (36)
\end{aligned}$$

Assume the following.

$$(\forall V0t \in 2.((\neg(\neg(p V0t))) \Leftrightarrow (p V0t))) \quad (37)$$

Assume the following.

$$(\forall V0A \in 2.((p V0A) \Rightarrow ((\neg(p V0A)) \Rightarrow \text{False}))) \quad (38)$$

Assume the following.

$$(\forall V0A \in 2.(\forall V1B \in 2.(((\neg((\neg(p V0A) \vee (p V1B))) \Rightarrow \text{False}) \Leftrightarrow ((p V0A) \Rightarrow \text{False}) \Rightarrow ((\neg(p V1B)) \Rightarrow \text{False})))))) \quad (39)$$

Assume the following.

$$(\forall V0A \in 2.(\forall V1B \in 2.(((\neg(\neg(\neg(p V0A)) \vee (p V1B))) \Rightarrow \text{False}) \Leftrightarrow ((p V0A) \Rightarrow ((\neg(p V1B)) \Rightarrow \text{False})))))) \quad (40)$$

Assume the following.

$$(\forall V0A \in 2.(((\neg(p V0A)) \Rightarrow \text{False}) \Rightarrow (((p V0A) \Rightarrow \text{False}) \Rightarrow \text{False}))) \quad (41)$$

Assume the following.

$$(\forall V0p \in 2.(\forall V1q \in 2.(\forall V2r \in 2.(((p V0p) \Leftrightarrow ((p V1q) \Leftrightarrow (p V2r))) \Leftrightarrow (((p V0p) \vee ((p V1q) \vee (p V2r))) \wedge (((p V0p) \vee ((\neg(p V2r)) \vee (\neg(p V1q)))) \wedge (((p V1q) \vee ((\neg(p V2r)) \vee (\neg(p V0p)))) \wedge ((p V2r) \vee ((\neg(p V1q)) \vee (\neg(p V0p))))))))))))) \quad (42)$$

Assume the following.

$$(\forall V0p \in 2.(\forall V1q \in 2.(\forall V2r \in 2.(((p V0p) \Leftrightarrow ((p V1q) \wedge (p V2r))) \Leftrightarrow (((p V0p) \vee ((\neg(p V1q)) \vee (\neg(p V2r)))) \wedge (((p V1q) \vee (\neg(p V0p))) \wedge ((p V2r) \vee (\neg(p V0p)))))))))) \quad (43)$$

Assume the following.

$$(\forall V0p \in 2.(\forall V1q \in 2.(\forall V2r \in 2.(((p V0p) \Leftrightarrow ((p V1q) \vee (p V2r))) \Leftrightarrow (((p V0p) \vee (\neg(p V1q))) \wedge (((p V0p) \vee (\neg(p V2r))) \wedge ((p V1q) \vee ((p V2r) \vee (\neg(p V0p)))))))))) \quad (44)$$

Assume the following.

$$(\forall V0p \in 2.(\forall V1q \in 2.(\forall V2r \in 2.(((p V0p) \Leftrightarrow ((p V1q) \Rightarrow (p V2r))) \Leftrightarrow (((p V0p) \vee (p V1q)) \wedge (((p V0p) \vee (\neg(p V2r))) \wedge ((\neg(p V1q)) \vee ((p V2r) \vee (\neg(p V0p)))))))))) \quad (45)$$

Assume the following.

$$(\forall V0p \in 2.(\forall V1q \in 2.(((p V0p) \Leftrightarrow (\neg(p V1q))) \Leftrightarrow (((p V0p) \vee (p V1q)) \wedge ((\neg(p V1q)) \vee (\neg(p V0p)))))) \quad (46)$$

Assume the following.

$$(\forall V0p \in 2.(\forall V1q \in 2.((\neg((p V0p) \Rightarrow (p V1q))) \Rightarrow (p V0p)))) \quad (47)$$

Assume the following.

$$(\forall V0p \in 2.(\forall V1q \in 2.((\neg((p V0p) \Rightarrow (p V1q))) \Rightarrow (\neg(p V1q)))) \quad (48)$$

Assume the following.

$$(\forall V0p \in 2.(\forall V1q \in 2.((\neg((p V0p) \vee (p V1q))) \Rightarrow (\neg(p V0p)))) \quad (49)$$

Assume the following.

$$(\forall V0p \in 2.(\forall V1q \in 2.((\neg((p V0p) \vee (p V1q))) \Rightarrow (\neg(p V1q)))) \quad (50)$$

Assume the following.

$$(\forall V0p \in 2.((\neg(\neg(p V0p))) \Rightarrow (p V0p))) \quad (51)$$

**Theorem 1**

$$\begin{aligned} & \forall A\_27a.nonempty \ A\_27a \Rightarrow (\forall V0R \in ((2^{A\_27a})^{A\_27a}). \\ & ((\forall V1x \in A\_27a.(\forall V2y \in A\_27a.(\forall V3z \in A\_27a. \\ & (((p (ap (ap V0R V1x) V2y)) \wedge (p (ap (ap V0R V2y) V3z))) \Rightarrow (p (ap (ap V0R \\ & V1x) V3z)))))) \Rightarrow (\forall V4x \in (ty\_2Elist\_2Elist \ A\_27a).(\forall V5y \in \\ & (ty\_2Elist\_2Elist \ A\_27a).(\forall V6z \in (ty\_2Elist\_2Elist \ A\_27a). \\ & (((p (ap (ap (ap (c\_2Elist\_2ELIST\_REL \ A\_27a \ A\_27a) \ V0R) \ V4x) \ V5y)) \wedge \\ & (p (ap (ap (ap (c\_2Elist\_2ELIST\_REL \ A\_27a \ A\_27a) \ V0R) \ V5y) \ V6z))) \Rightarrow \\ & (p (ap (ap (ap (c\_2Elist\_2ELIST\_REL \ A\_27a \ A\_27a) \ V0R) \ V4x) \ V6z)))))))))) \end{aligned}$$