

# thm\_2Elist\_2EFILTER\_\_COND\_\_REWRITE (TMUA1GT8SKAjGvRK5mexGkLsnqiRTrhYQq3)

October 26, 2020

**Definition 1** We define `c_2Emin_2E_3D` to be  $\lambda A. \lambda x \in A. \lambda y \in A. \text{inj\_o } (x = y)$  of type  $\iota \Rightarrow \iota$ .

**Definition 2** We define `c_2Ebool_2ET` to be  $(\text{ap } (\text{ap } (\text{c\_2Emin\_2E\_3D } (2^2))) (\lambda V0x \in 2. V0x)) (\lambda V1x \in 2. V1x)$

**Definition 3** We define `c_2Ebool_2E_21` to be  $\lambda A\_27a : \iota. (\lambda V0P \in (2^{A\_27a}). (\text{ap } (\text{ap } (\text{c\_2Emin\_2E\_3D } (2^{A\_27a}))))$

**Definition 4** We define `c_2Ebool_2EF` to be  $(\text{ap } (\text{c\_2Ebool\_2E\_21 } 2)) (\lambda V0t \in 2. V0t)$ .

**Definition 5** We define `c_2Emin_2E_3D_3D_3E` to be  $\lambda P \in 2. \lambda Q \in 2. \text{inj\_o } (P \Rightarrow Q)$  of type  $\iota$ .

**Definition 6** We define `c_2Ebool_2E_7E` to be  $(\lambda V0t \in 2. (\text{ap } (\text{ap } (\text{c\_2Emin\_2E\_3D\_3D\_3E } V0t)) \text{c\_2Ebool\_2EF}))$

**Definition 7** We define `c_2Ebool_2E_2F_5C` to be  $(\lambda V0t1 \in 2. (\lambda V1t2 \in 2. (\text{ap } (\text{c\_2Ebool\_2E\_21 } 2)) (\lambda V2t \in 2. V2t)))$

**Definition 8** We define `c_2Emin_2E_40` to be  $\lambda A. \lambda P \in 2^A. \text{if } (\exists x \in A. p (\text{ap } P x)) \text{ then } (the (\lambda x. x \in A \wedge p x))$  of type  $\iota \Rightarrow \iota$ .

**Definition 9** We define `c_2Ebool_2ECOND` to be  $\lambda A\_27a : \iota. (\lambda V0t \in 2. (\lambda V1t1 \in A\_27a. (\lambda V2t2 \in A\_27a. (ap$

Let `ty_2Elist_2Elist` :  $\iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A0. \text{nonempty } A0 \Rightarrow \text{nonempty } (\text{ty\_2Elist\_2Elist } A0) \quad (1)$$

Let `c_2Elist_2ECONS` :  $\iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a. \text{nonempty } A\_27a \Rightarrow \text{c\_2Elist\_2ECONS } A\_27a \in (((\text{ty\_2Elist\_2Elist } A\_27a)^{(\text{ty\_2Elist\_2Elist } A\_27a)})^{A\_27a}) \quad (2)$$

Let `c_2Elist_2ENIL` :  $\iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a. \text{nonempty } A\_27a \Rightarrow \text{c\_2Elist\_2ENIL } A\_27a \in (\text{ty\_2Elist\_2Elist } A\_27a) \quad (3)$$

Let  $c\_2Elist\_2EFILTER : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow c\_2Elist\_2EFILTER\ A\_27a \in (((ty\_2Elist\_2Elist\ A\_27a)^{(ty\_2Elist\_2Elist\ A\_27a)})^{(2^{A\_27a})}) \quad (4)$$

Assume the following.

$$True \quad (5)$$

Assume the following.

$$(\forall V0t1 \in 2. (\forall V1t2 \in 2. (((p\ V0t1) \Rightarrow (p\ V1t2)) \Rightarrow (((p\ V1t2) \Rightarrow (p\ V0t1)) \Rightarrow ((p\ V0t1) \Leftrightarrow (p\ V1t2)))))) \quad (6)$$

Assume the following.

$$(\forall V0t \in 2. (False \Rightarrow (p\ V0t))) \quad (7)$$

Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow (\forall V0t \in 2. ((\forall V1x \in A\_27a. (p\ V0t)) \Leftrightarrow (p\ V0t))) \quad (8)$$

Assume the following.

$$(\forall V0t \in 2. (((True \wedge (p\ V0t)) \Leftrightarrow (p\ V0t)) \wedge (((p\ V0t) \wedge True) \Leftrightarrow (p\ V0t)) \wedge (((False \wedge (p\ V0t)) \Leftrightarrow False) \wedge (((p\ V0t) \wedge False) \Leftrightarrow False) \wedge (((p\ V0t) \wedge (p\ V0t)) \Leftrightarrow (p\ V0t)))))) \quad (9)$$

Assume the following.

$$(\forall V0t \in 2. (((True \Rightarrow (p\ V0t)) \Leftrightarrow (p\ V0t)) \wedge (((p\ V0t) \Rightarrow True) \Leftrightarrow True) \wedge (((False \Rightarrow (p\ V0t)) \Leftrightarrow True) \wedge (((p\ V0t) \Rightarrow (p\ V0t)) \Leftrightarrow True) \wedge (((p\ V0t) \Rightarrow False) \Leftrightarrow (\neg(p\ V0t)))))) \quad (10)$$

Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow (\forall V0x \in A\_27a. ((V0x = V0x) \Leftrightarrow True)) \quad (11)$$

Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow (\forall V0x \in A\_27a. (\forall V1y \in A\_27a. ((V0x = V1y) \Leftrightarrow (V1y = V0x)))) \quad (12)$$

Assume the following.

$$(\forall V0t \in 2. (((True \Leftrightarrow (p\ V0t)) \Leftrightarrow (p\ V0t)) \wedge (((p\ V0t) \Leftrightarrow True) \Leftrightarrow (p\ V0t)) \wedge (((False \Leftrightarrow (p\ V0t)) \Leftrightarrow (\neg(p\ V0t))) \wedge (((p\ V0t) \Leftrightarrow False) \Leftrightarrow (\neg(p\ V0t)))))) \quad (13)$$

Assume the following.

$$\begin{aligned} & \forall A\_27a.nonempty\ A\_27a \Rightarrow (\forall V0t1 \in A\_27a. (\forall V1t2 \in \\ & A\_27a. (((ap\ (ap\ (ap\ (c\_2Ebool\_2ECOND\ A\_27a)\ c\_2Ebool\_2ET)\ V0t1) \\ & V1t2) = V0t1) \wedge ((ap\ (ap\ (ap\ (c\_2Ebool\_2ECOND\ A\_27a)\ c\_2Ebool\_2EF) \\ & V0t1)\ V1t2) = V1t2)))))) \end{aligned} \quad (14)$$

Assume the following.

$$\begin{aligned} & (\forall V0t1 \in 2. (\forall V1t2 \in 2. (\forall V2t3 \in 2. (((p\ V0t1) \Rightarrow \\ & ((p\ V1t2) \Rightarrow (p\ V2t3))) \Leftrightarrow (((p\ V0t1) \wedge (p\ V1t2)) \Rightarrow (p\ V2t3)))))) \end{aligned} \quad (15)$$

Assume the following.

$$\begin{aligned} & (\forall V0x \in 2. (\forall V1x\_27 \in 2. (\forall V2y \in 2. (\forall V3y\_27 \in \\ & 2. (((p\ V0x) \Leftrightarrow (p\ V1x\_27)) \wedge ((p\ V1x\_27) \Rightarrow ((p\ V2y) \Leftrightarrow (p\ V3y\_27)))))) \Rightarrow \\ & (((p\ V0x) \Rightarrow (p\ V2y)) \Leftrightarrow ((p\ V1x\_27) \Rightarrow (p\ V3y\_27)))))) \end{aligned} \quad (16)$$

Assume the following.

$$\begin{aligned} & \forall A\_27a.nonempty\ A\_27a \Rightarrow (\forall V0P \in 2. (\forall V1Q \in 2. \\ & (\forall V2x \in A\_27a. (\forall V3x\_27 \in A\_27a. (\forall V4y \in A\_27a. \\ & (\forall V5y\_27 \in A\_27a. (((p\ V0P) \Leftrightarrow (p\ V1Q)) \wedge (((p\ V1Q) \Rightarrow (V2x = V3x\_27)) \wedge \\ & ((\neg(p\ V1Q)) \Rightarrow (V4y = V5y\_27)))))) \Rightarrow ((ap\ (ap\ (ap\ (c\_2Ebool\_2ECOND\ A\_27a) \\ & V0P)\ V2x)\ V4y) = (ap\ (ap\ (ap\ (c\_2Ebool\_2ECOND\ A\_27a)\ V1Q)\ V3x\_27) \\ & V5y\_27))))))))) \end{aligned} \quad (17)$$

Assume the following.

$$\begin{aligned} & \forall A\_27a.nonempty\ A\_27a \Rightarrow ((\forall V0P \in (2^{A\_27a}). ((ap\ ( \\ & ap\ (c\_2Elist\_2EFILTER\ A\_27a)\ V0P)\ (c\_2Elist\_2ENIL\ A\_27a)) = (c\_2Elist\_2ENIL \\ & A\_27a))) \wedge (\forall V1P \in (2^{A\_27a}). (\forall V2h \in A\_27a. (\forall V3t \in \\ & (ty\_2Elist\_2Elist\ A\_27a). ((ap\ (ap\ (c\_2Elist\_2EFILTER\ A\_27a) \\ & V1P)\ (ap\ (ap\ (c\_2Elist\_2ECONS\ A\_27a)\ V2h)\ V3t)) = (ap\ (ap\ (ap\ (c\_2Ebool\_2ECOND \\ & (ty\_2Elist\_2Elist\ A\_27a))\ (ap\ V1P\ V2h))\ (ap\ (ap\ (c\_2Elist\_2ECONS \\ & A\_27a)\ V2h)\ (ap\ (ap\ (c\_2Elist\_2EFILTER\ A\_27a)\ V1P)\ V3t))))))\ (ap\ (ap \\ & (c\_2Elist\_2EFILTER\ A\_27a)\ V1P)\ V3t)))))) \end{aligned} \quad (18)$$

**Theorem 1**

$$\begin{aligned} & \forall A\_27a.nonempty\ A\_27a \Rightarrow (\forall V0P \in (2^{A\_27a}). (\forall V1l \in \\ & (ty\_2Elist\_2Elist\ A\_27a). (((ap\ (ap\ (c\_2Elist\_2EFILTER\ A\_27a) \\ & V0P)\ (c\_2Elist\_2ENIL\ A\_27a)) = (c\_2Elist\_2ENIL\ A\_27a)) \wedge ((\forall V2h \in \\ & A\_27a. ((p\ (ap\ V0P\ V2h)) \Rightarrow ((ap\ (ap\ (c\_2Elist\_2EFILTER\ A\_27a)\ V0P) \\ & (ap\ (ap\ (c\_2Elist\_2ECONS\ A\_27a)\ V2h)\ V1l)) = (ap\ (ap\ (c\_2Elist\_2ECONS \\ & A\_27a)\ V2h)\ (ap\ (ap\ (c\_2Elist\_2EFILTER\ A\_27a)\ V0P)\ V1l)))))) \wedge (\forall V3h \in \\ & A\_27a. ((\neg(p\ (ap\ V0P\ V3h))) \Rightarrow ((ap\ (ap\ (c\_2Elist\_2EFILTER\ A\_27a) \\ & V0P)\ (ap\ (ap\ (c\_2Elist\_2ECONS\ A\_27a)\ V3h)\ V1l)) = (ap\ (ap\ (c\_2Elist\_2EFILTER \\ & A\_27a)\ V0P)\ V1l)))))) \end{aligned}$$