

thm_2Elist_2EFLAT__APPEND
(TMPfJK6nhMGCHyoipCqxGf6v5oP9V9UYSdR)

October 26, 2020

Definition 1 We define $c_2Emin_2E_3D$ to be $\lambda A.\lambda x \in A.\lambda y \in A.inj_o (x = y)$ of type $\iota \Rightarrow \iota$.

Definition 2 We define c_2Ebool_2ET to be $(ap (ap (c_2Emin_2E_3D (2^2))) (\lambda V0x \in 2.V0x)) (\lambda V1x \in 2.V1x)$

Let $ty_2Elist_2Elist : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0.nonempty A0 \Rightarrow nonempty (ty_2Elist_2Elist A0) \quad (1)$$

Let $c_2Elist_2EFLAT : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty A_27a \Rightarrow c_2Elist_2EFLAT A_27a \in ((ty_2Elist_2Elist A_27a)^{(ty_2Elist_2Elist (ty_2Elist_2Elist A_27a))}) \quad (2)$$

Let $c_2Elist_2ECONS : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty A_27a \Rightarrow c_2Elist_2ECONS A_27a \in (((ty_2Elist_2Elist A_27a)^{(ty_2Elist_2Elist A_27a)})^{A_27a}) \quad (3)$$

Let $c_2Elist_2ENIL : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty A_27a \Rightarrow c_2Elist_2ENIL A_27a \in (ty_2Elist_2Elist A_27a) \quad (4)$$

Definition 3 We define $c_2Emin_2E_3D_3D_3E$ to be $\lambda P \in 2.\lambda Q \in 2.inj_o (p P \Rightarrow p Q)$ of type ι .

Definition 4 We define $c_2Ebool_2E_21$ to be $\lambda A_27a : \iota.(\lambda V0P \in (2^{A_27a}).(ap (ap (c_2Emin_2E_3D (2^{A_27a}))$

Definition 5 We define $c_2Ebool_2E_2F_5C$ to be $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap (c_2Ebool_2E_21 2)) (\lambda V2t \in 2$

Let $c_2Elist_2EAPPEND : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty A_27a \Rightarrow c_2Elist_2EAPPEND A_27a \in (((ty_2Elist_2Elist A_27a)^{(ty_2Elist_2Elist A_27a)})^{(ty_2Elist_2Elist A_27a)}) \quad (5)$$

Assume the following.

$$True \quad (6)$$

Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow (\forall V0t \in 2. ((\forall V1x \in A_27a.(p\ V0t)) \Leftrightarrow (p\ V0t))) \quad (7)$$

Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow (\forall V0x \in A_27a. ((V0x = V0x) \Leftrightarrow True)) \quad (8)$$

Assume the following.

$$\begin{aligned} \forall A_27a.nonempty\ A_27a \Rightarrow & ((\forall V0l \in (ty_2Elist_2Elist\ A_27a). ((ap\ (ap\ (c_2Elist_2EAPPEND\ A_27a)\ (c_2Elist_2ENIL\ A_27a)) \\ & V0l) = V0l)) \wedge (\forall V1l1 \in (ty_2Elist_2Elist\ A_27a). (\forall V2l2 \in \\ & (ty_2Elist_2Elist\ A_27a). (\forall V3h \in A_27a. ((ap\ (ap\ (c_2Elist_2EAPPEND \\ & A_27a)\ (ap\ (ap\ (c_2Elist_2ECONS\ A_27a)\ V3h)\ V1l1))\ V2l2) = (ap\ (ap \\ & (c_2Elist_2ECONS\ A_27a)\ V3h)\ (ap\ (ap\ (c_2Elist_2EAPPEND\ A_27a) \\ & V1l1)\ V2l2))))))) \end{aligned} \quad (9)$$

Assume the following.

$$\begin{aligned} \forall A_27a.nonempty\ A_27a \Rightarrow & (((ap\ (c_2Elist_2EFLAT\ A_27a)\ (c_2Elist_2ENIL\ (ty_2Elist_2Elist\ A_27a))) = (c_2Elist_2ENIL \\ & A_27a)) \wedge (\forall V0h \in (ty_2Elist_2Elist\ A_27a). (\forall V1t \in \\ & (ty_2Elist_2Elist\ (ty_2Elist_2Elist\ A_27a)). ((ap\ (c_2Elist_2EFLAT \\ & A_27a)\ (ap\ (ap\ (c_2Elist_2ECONS\ (ty_2Elist_2Elist\ A_27a)\ V0h) \\ & V1t)) = (ap\ (ap\ (c_2Elist_2EAPPEND\ A_27a)\ V0h)\ (ap\ (c_2Elist_2EFLAT \\ & A_27a)\ V1t)))))) \end{aligned} \quad (10)$$

Assume the following.

$$\begin{aligned} \forall A_27a.nonempty\ A_27a \Rightarrow & (\forall V0P \in (2^{(ty_2Elist_2Elist\ A_27a)}). \\ & (((p\ (ap\ V0P\ (c_2Elist_2ENIL\ A_27a))) \wedge (\forall V1t \in (ty_2Elist_2Elist \\ & A_27a). ((p\ (ap\ V0P\ V1t)) \Rightarrow (\forall V2h \in A_27a. (p\ (ap\ V0P\ (ap\ (ap\ (\\ & c_2Elist_2ECONS\ A_27a)\ V2h)\ V1t)))))) \Rightarrow (\forall V3l \in (ty_2Elist_2Elist \\ & A_27a). (p\ (ap\ V0P\ V3l)))))) \end{aligned} \quad (11)$$

Assume the following.

$$\begin{aligned} \forall A_27a.nonempty\ A_27a \Rightarrow & (\forall V0l1 \in (ty_2Elist_2Elist\ A_27a). (\forall V1l2 \in (ty_2Elist_2Elist\ A_27a). (\forall V2l3 \in \\ & (ty_2Elist_2Elist\ A_27a). ((ap\ (ap\ (c_2Elist_2EAPPEND\ A_27a) \\ & V0l1)\ (ap\ (ap\ (c_2Elist_2EAPPEND\ A_27a)\ V1l2)\ V2l3)) = (ap\ (ap\ (c_2Elist_2EAPPEND \\ & A_27a)\ (ap\ (ap\ (c_2Elist_2EAPPEND\ A_27a)\ V0l1)\ V1l2))\ V2l3)))))) \end{aligned} \quad (12)$$

Theorem 1

$$\begin{aligned} \forall A_{27a}. \text{nonempty } A_{27a} \Rightarrow & (\forall V0l1 \in (\text{ty_2Elist_2Elist} \\ & (\text{ty_2Elist_2Elist } A_{27a})). (\forall V1l2 \in (\text{ty_2Elist_2Elist} \\ & (\text{ty_2Elist_2Elist } A_{27a})). ((\text{ap } (c_2Elist_2EFLAT } A_{27a}) (\text{ap } (\\ & \text{ap } (c_2Elist_2EAPPEND } (\text{ty_2Elist_2Elist } A_{27a})) V0l1) V1l2)) = \\ & (\text{ap } (\text{ap } (c_2Elist_2EAPPEND } A_{27a}) (\text{ap } (c_2Elist_2EFLAT } A_{27a}) \\ & V0l1)) (\text{ap } (c_2Elist_2EFLAT } A_{27a}) V1l2)))) \end{aligned}$$