

# thm\_2Elist\_2EFOLDL\_\_CONG

(TMWKAa3M38YvuX3atNX6TTmUa5ak6RtHTmN)

October 26, 2020

**Definition 1** We define  $c\_2Emin\_2E\_3D$  to be  $\lambda A.\lambda x \in A.\lambda y \in A.inj\_o (x = y)$  of type  $\iota \Rightarrow \iota$ .

**Definition 2** We define  $c\_2Ebool\_2ET$  to be  $(ap (ap (c\_2Emin\_2E\_3D (2^2)) (\lambda V0x \in 2.V0x)) (\lambda V1x \in 2.V1x))$

**Definition 3** We define  $c\_2Ebool\_2E\_21$  to be  $\lambda A\_27a : \iota.(\lambda V0P \in (2^{A\_27a}).(ap (ap (c\_2Emin\_2E\_3D (2^{A\_27a}))$

**Definition 4** We define  $c\_2Ebool\_2EF$  to be  $(ap (c\_2Ebool\_2E\_21 2) (\lambda V0t \in 2.V0t))$ .

**Definition 5** We define  $c\_2Emin\_2E\_3D\_3D\_3E$  to be  $\lambda P \in 2.\lambda Q \in 2.inj\_o (p P \Rightarrow p Q)$  of type  $\iota$ .

**Definition 6** We define  $c\_2Ebool\_2E\_7E$  to be  $(\lambda V0t \in 2.(ap (ap c\_2Emin\_2E\_3D\_3D\_3E V0t) c\_2Ebool\_2EF$

Let  $ty\_2Elist\_2Elist : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A0.nonempty A0 \Rightarrow nonempty (ty\_2Elist\_2Elist A0) \quad (1)$$

Let  $c\_2Elist\_2EFOLDL : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\begin{aligned} \forall A\_27a.nonempty A\_27a \Rightarrow \forall A\_27b.nonempty A\_27b \Rightarrow c\_2Elist\_2EFOLDL \\ A\_27a A\_27b \in (((A\_27b)^{(ty\_2Elist\_2Elist A\_27a)})^{A\_27b})^{((A\_27b)^{A\_27a})^{A\_27b}} \end{aligned} \quad (2)$$

**Definition 7** We define  $c\_2Ebool\_2E\_5C\_2F$  to be  $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap (c\_2Ebool\_2E\_21 2) (\lambda V2t \in 2.V2t$

Let  $c\_2Elist\_2ECONS : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.nonempty A\_27a \Rightarrow c\_2Elist\_2ECONS A\_27a \in (((ty\_2Elist\_2Elist A\_27a)^{(ty\_2Elist\_2Elist A\_27a)})^{A\_27a}) \quad (3)$$

Let  $c\_2Elist\_2ENIL : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.nonempty A\_27a \Rightarrow c\_2Elist\_2ENIL A\_27a \in (ty\_2Elist\_2Elist A\_27a) \quad (4)$$

Let  $c\_2Elist\_2ELIST\_TO\_SET : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.nonempty A\_27a \Rightarrow c\_2Elist\_2ELIST\_TO\_SET A\_27a \in ((2^{A\_27a})^{(ty\_2Elist\_2Elist A\_27a)}) \quad (5)$$

**Definition 8** We define  $c\_2Ebool\_2EIN$  to be  $\lambda A\_27a : \iota. (\lambda V0x \in A\_27a. (\lambda V1f \in (2^{A\_27a}). (ap\ V1f\ V0x)))$

**Definition 9** We define  $c\_2Ebool\_2E\_2F\_5C$  to be  $(\lambda V0t1 \in 2. (\lambda V1t2 \in 2. (ap\ (c\_2Ebool\_2E\_21\ 2)\ (\lambda V2t \in 2.$

Assume the following.

$$True \tag{6}$$

Assume the following.

$$\begin{aligned} & (\forall V0t \in 2. (((True \wedge (p\ V0t)) \Leftrightarrow (p\ V0t)) \wedge (((p\ V0t) \wedge True) \Leftrightarrow \\ & (p\ V0t)) \wedge (((False \wedge (p\ V0t)) \Leftrightarrow False) \wedge (((p\ V0t) \wedge False) \Leftrightarrow False) \wedge \\ & (((p\ V0t) \wedge (p\ V0t)) \Leftrightarrow (p\ V0t)))))) \end{aligned} \tag{7}$$

Assume the following.

$$\begin{aligned} & (\forall V0t \in 2. (((True \vee (p\ V0t)) \Leftrightarrow True) \wedge (((p\ V0t) \vee True) \Leftrightarrow True) \wedge \\ & (((False \vee (p\ V0t)) \Leftrightarrow (p\ V0t)) \wedge (((p\ V0t) \vee False) \Leftrightarrow (p\ V0t)) \wedge (((p\ V0t) \vee \\ & (p\ V0t)) \Leftrightarrow (p\ V0t)))))) \end{aligned} \tag{8}$$

Assume the following.

$$\forall A\_27a. nonempty\ A\_27a \Rightarrow (\forall V0x \in A\_27a. ((V0x = V0x) \Leftrightarrow True)) \tag{9}$$

Assume the following.

$$\begin{aligned} & (\forall V0t \in 2. (((True \Leftrightarrow (p\ V0t)) \Leftrightarrow (p\ V0t)) \wedge (((p\ V0t) \Leftrightarrow True) \Leftrightarrow \\ & (p\ V0t)) \wedge (((False \Leftrightarrow (p\ V0t)) \Leftrightarrow \neg(p\ V0t)) \wedge (((p\ V0t) \Leftrightarrow False) \Leftrightarrow \neg( \\ & p\ V0t)))))) \end{aligned} \tag{10}$$

Assume the following.

$$\begin{aligned} & \forall A\_27a. nonempty\ A\_27a \Rightarrow \forall A\_27b. nonempty\ A\_27b \Rightarrow ( \\ & (\forall V0f \in ((A\_27b^{A\_27a})^{A\_27b}). (\forall V1e \in A\_27b. ((ap\ ( \\ & ap\ (ap\ (c\_2Elist\_2EFOLDL\ A\_27a\ A\_27b)\ V0f)\ V1e)\ (c\_2Elist\_2ENIL \\ & A\_27a)) = V1e))) \wedge (\forall V2f \in ((A\_27b^{A\_27a})^{A\_27b}). (\forall V3e \in \\ & A\_27b. (\forall V4x \in A\_27a. (\forall V5l \in (ty\_2Elist\_2Elist\ A\_27a). \\ & ((ap\ (ap\ (ap\ (c\_2Elist\_2EFOLDL\ A\_27a\ A\_27b)\ V2f)\ V3e)\ (ap\ (ap\ (c\_2Elist\_2ECONS \\ & A\_27a)\ V4x)\ V5l)) = (ap\ (ap\ (ap\ (c\_2Elist\_2EFOLDL\ A\_27a\ A\_27b)\ V2f) \\ & (ap\ (ap\ V2f\ V3e)\ V4x))\ V5l)))))) \end{aligned} \tag{11}$$

Assume the following.

$$\begin{aligned} & \forall A\_27a. nonempty\ A\_27a \Rightarrow (\forall V0P \in (2^{(ty\_2Elist\_2Elist\ A\_27a)}). \\ & (((p\ (ap\ V0P\ (c\_2Elist\_2ENIL\ A\_27a))) \wedge (\forall V1t \in (ty\_2Elist\_2Elist \\ & A\_27a). ((p\ (ap\ V0P\ V1t)) \Rightarrow (\forall V2h \in A\_27a. (p\ (ap\ V0P\ (ap\ (ap\ ( \\ & c\_2Elist\_2ECONS\ A\_27a)\ V2h)\ V1t)))))) \Rightarrow (\forall V3l \in (ty\_2Elist\_2Elist \\ & A\_27a). (p\ (ap\ V0P\ V3l)))))) \end{aligned} \tag{12}$$

Assume the following.

$$\begin{aligned}
& \forall A\_27a.nonempty\ A\_27a \Rightarrow ((\forall V0x \in A\_27a. ((p\ (ap\ (ap \\
& (c\_2Ebool\_2EIN\ A\_27a)\ V0x)\ (ap\ (c\_2Elist\_2ELIST\_TO\_SET\ A\_27a) \\
& (c\_2Elist\_2ENIL\ A\_27a)))) \Leftrightarrow False)) \wedge (\forall V1x \in A\_27a. (\forall V2h \in \\
& A\_27a. (\forall V3t \in (ty\_2Elist\_2Elist\ A\_27a). ((p\ (ap\ (ap\ (c\_2Ebool\_2EIN \\
& A\_27a)\ V1x)\ (ap\ (c\_2Elist\_2ELIST\_TO\_SET\ A\_27a)\ (ap\ (ap\ (c\_2Elist\_2ECONS \\
& A\_27a)\ V2h)\ V3t)))) \Leftrightarrow ((V1x = V2h) \vee (p\ (ap\ (ap\ (c\_2Ebool\_2EIN\ A\_27a) \\
& V1x)\ (ap\ (c\_2Elist\_2ELIST\_TO\_SET\ A\_27a)\ V3t)))))))))
\end{aligned} \tag{13}$$

**Theorem 1**

$$\begin{aligned}
& \forall A\_27a.nonempty\ A\_27a \Rightarrow \forall A\_27b.nonempty\ A\_27b \Rightarrow ( \\
& \forall V0l \in (ty\_2Elist\_2Elist\ A\_27a). (\forall V1l\_27 \in (ty\_2Elist\_2Elist \\
& A\_27a). (\forall V2b \in A\_27b. (\forall V3b\_27 \in A\_27b. (\forall V4f \in \\
& ((A\_27b^{A\_27a})^{A\_27b}). (\forall V5f\_27 \in ((A\_27b^{A\_27a})^{A\_27b}). \\
& (((V0l = V1l\_27) \wedge ((V2b = V3b\_27) \wedge (\forall V6x \in A\_27a. (\forall V7a \in \\
& A\_27b. ((p\ (ap\ (ap\ (c\_2Ebool\_2EIN\ A\_27a)\ V6x)\ (ap\ (c\_2Elist\_2ELIST\_TO\_SET \\
& A\_27a)\ V1l\_27)))) \Rightarrow ((ap\ (ap\ V4f\ V7a)\ V6x) = (ap\ (ap\ V5f\_27\ V7a)\ V6x)))))) \Rightarrow \\
& ((ap\ (ap\ (ap\ (c\_2Elist\_2EFOLDL\ A\_27a\ A\_27b)\ V4f)\ V2b)\ V0l) = (ap\ ( \\
& ap\ (ap\ (c\_2Elist\_2EFOLDL\ A\_27a\ A\_27b)\ V5f\_27)\ V3b\_27)\ V1l\_27)))))))))
\end{aligned}$$