

thm_2Elist_2EFOLDL__UNION__BIGUNION (TMT8VJbgHLinY47CB6UP2fU641BKmu6KqSr)

October 26, 2020

Definition 1 We define $c_2Emin_2E_3D$ to be $\lambda A.\lambda x \in A.\lambda y \in A.inj_o (x = y)$ of type $\iota \Rightarrow \iota$.

Definition 2 We define c_2Ebool_2ET to be $(ap (ap (c_2Emin_2E_3D (2^2)) (\lambda V0x \in 2.V0x)) (\lambda V1x \in 2.V1x))$

Let $ty_2Elist_2Elist : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0.nonempty A0 \Rightarrow nonempty (ty_2Elist_2Elist A0) \quad (1)$$

Let $c_2Elist_2ELIST_TO_SET : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty A_27a \Rightarrow c_2Elist_2ELIST_TO_SET A_27a \in ((2^{A_27a})^{(ty_2Elist_2Elist A_27a)}) \quad (2)$$

Let $c_2Elist_2EFOLDL : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty A_27a \Rightarrow \forall A_27b.nonempty A_27b \Rightarrow c_2Elist_2EFOLDL A_27a A_27b \in (((A_27b)^{(ty_2Elist_2Elist A_27a)})^{A_27b})^{((A_27b)^{A_27a})^{A_27b}} \quad (3)$$

Let $c_2Elist_2ECONS : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty A_27a \Rightarrow c_2Elist_2ECONS A_27a \in (((ty_2Elist_2Elist A_27a)^{(ty_2Elist_2Elist A_27a)})^{A_27a}) \quad (4)$$

Let $c_2Elist_2ENIL : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty A_27a \Rightarrow c_2Elist_2ENIL A_27a \in (ty_2Elist_2Elist A_27a) \quad (5)$$

Definition 3 We define $c_2Emin_2E_3D_3D_3E$ to be $\lambda P \in 2.\lambda Q \in 2.inj_o (p P \Rightarrow p Q)$ of type ι .

Definition 4 We define $c_2Ebool_2E_21$ to be $\lambda A_27a : \iota.(\lambda V0P \in (2^{A_27a}).(ap (ap (c_2Emin_2E_3D (2^{A_27a}))$

Definition 5 We define $c_2Ebool_2E_2F_5C$ to be $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap (c_2Ebool_2E_21 2)) (\lambda V2t \in 2$

Definition 6 We define c_2Ebool_2EIN to be $\lambda A_27a : \iota. (\lambda V0x \in A_27a. (\lambda V1f \in (2^{A_27a}). (ap\ V1f\ V0x)))$

Let $ty_2Epair_2Eprod : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0.nonempty\ A0 \Rightarrow \forall A1.nonempty\ A1 \Rightarrow nonempty\ (ty_2Epair_2Eprod\ A0\ A1) \quad (6)$$

Let $c_2Epair_2EABS_prod : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow c_2Epair_2EABS_prod\ A_27a\ A_27b \in ((ty_2Epair_2Eprod\ A_27a\ A_27b)^{(2^{A_27b}})^{A_27a}) \quad (7)$$

Definition 7 We define c_2Epair_2E2C to be $\lambda A_27a : \iota. \lambda A_27b : \iota. \lambda V0x \in A_27a. \lambda V1y \in A_27b. (ap\ (c_2Epair_2EABS_prod\ A_27a\ A_27b)\ V0x\ V1y)$

Let $c_2Epred_set_2EGSPEC : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow c_2Epred_set_2EGSPEC\ A_27a\ A_27b \in ((2^{A_27a})^{(ty_2Epair_2Eprod\ A_27a\ 2)^{A_27b}}) \quad (8)$$

Definition 8 We define $c_2Epred_set_2EIMAGE$ to be $\lambda A_27a : \iota. \lambda A_27b : \iota. \lambda V0f \in (A_27b^{A_27a}). \lambda V1s \in (2^{A_27b})$

Definition 9 We define c_2Ebool_2EF to be $(ap\ (c_2Ebool_2E21\ 2)\ (\lambda V0t \in 2. V0t))$.

Definition 10 We define $c_2Epred_set_2EEMPTY$ to be $\lambda A_27a : \iota. (\lambda V0x \in A_27a. c_2Ebool_2EF)$.

Definition 11 We define $c_2Ebool_2E5C_2F$ to be $(\lambda V0t1 \in 2. (\lambda V1t2 \in 2. (ap\ (c_2Ebool_2E21\ 2)\ (\lambda V2t \in 2. V2t))))$

Definition 12 We define $c_2Epred_set_2EUNION$ to be $\lambda A_27a : \iota. \lambda V0s \in (2^{A_27a}). \lambda V1t \in (2^{A_27a}). (ap\ (c_2Ebool_2E5C_2F)\ V0s\ V1t)$

Definition 13 We define $c_2Epred_set_2EINSERT$ to be $\lambda A_27a : \iota. \lambda V0x \in A_27a. \lambda V1s \in (2^{A_27a}). (ap\ (c_2Ebool_2E5C_2F)\ V0x\ V1s)$

Definition 14 We define c_2Emin_2E40 to be $\lambda A. \lambda P \in 2^A. \text{if } (\exists x \in A. p\ (ap\ P\ x)) \text{ then } (the\ (\lambda x. x \in A) \text{ of type } \iota \Rightarrow \iota)$.

Definition 15 We define c_2Ebool_2E3F to be $\lambda A_27a : \iota. (\lambda V0P \in (2^{A_27a}). (ap\ V0P\ (ap\ (c_2Emin_2E40)\ V0P)))$

Definition 16 We define $c_2Epred_set_2EBIGUNION$ to be $\lambda A_27a : \iota. \lambda V0P \in (2^{(2^{A_27a})}). (ap\ (c_2Epred_set_2EUNION)\ V0P)$

Assume the following.

$$True \quad (9)$$

Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow (\forall V0x \in A_27a. ((V0x = V0x) \Leftrightarrow True)) \quad (10)$$

Assume the following.

$$\begin{aligned} & \forall A.27a.nonempty\ A.27a \Rightarrow \forall A.27b.nonempty\ A.27b \Rightarrow (\\ & \quad \forall V0h \in A.27b. (\forall V1t \in (ty_2Elist_2Elist\ A.27b). (\\ & \quad (ap\ (c_2Elist_2ELIST_TO_SET\ A.27a)\ (c_2Elist_2ENIL\ A.27a)) = \\ & \quad (c_2Epred_set_2EEMPTY\ A.27a)) \wedge ((ap\ (c_2Elist_2ELIST_TO_SET \\ & A.27b)\ (ap\ (ap\ (c_2Elist_2ECONS\ A.27b)\ V0h)\ V1t)) = (ap\ (ap\ (c_2Epred_set_2EINSERT \\ & A.27b)\ V0h)\ (ap\ (c_2Elist_2ELIST_TO_SET\ A.27b)\ V1t)))))) \\ & \hspace{15em} (11) \end{aligned}$$

Assume the following.

$$\begin{aligned} & \forall A.27a.nonempty\ A.27a \Rightarrow \forall A.27b.nonempty\ A.27b \Rightarrow (\\ & \quad (\forall V0f \in ((A.27b^{A.27a})^{A.27b}). (\forall V1e \in A.27b. (ap\ (\\ & \quad ap\ (ap\ (c_2Elist_2EFOLDL\ A.27a\ A.27b)\ V0f)\ V1e)\ (c_2Elist_2ENIL \\ & \quad A.27a)) = V1e)) \wedge (\forall V2f \in ((A.27b^{A.27a})^{A.27b}). (\forall V3e \in \\ & \quad A.27b. (\forall V4x \in A.27a. (\forall V5l \in (ty_2Elist_2Elist\ A.27a). \\ & ((ap\ (ap\ (ap\ (c_2Elist_2EFOLDL\ A.27a\ A.27b)\ V2f)\ V3e)\ (ap\ (ap\ (c_2Elist_2ECONS \\ & A.27a)\ V4x)\ V5l)) = (ap\ (ap\ (ap\ (c_2Elist_2EFOLDL\ A.27a\ A.27b)\ V2f)\ \\ & \quad (ap\ (ap\ V2f\ V3e)\ V4x))\ V5l)))))) \\ & \hspace{15em} (12) \end{aligned}$$

Assume the following.

$$\begin{aligned} & \forall A.27a.nonempty\ A.27a \Rightarrow (\forall V0P \in (2^{(ty_2Elist_2Elist\ A.27a)}). \\ & \quad (((p\ (ap\ V0P\ (c_2Elist_2ENIL\ A.27a))) \wedge (\forall V1t \in (ty_2Elist_2Elist \\ & \quad A.27a). (p\ (ap\ V0P\ V1t))) \Rightarrow (\forall V2h \in A.27a. (p\ (ap\ V0P\ (ap\ (ap\ (\\ & \quad c_2Elist_2ECONS\ A.27a)\ V2h)\ V1t)))))) \Rightarrow (\forall V3l \in (ty_2Elist_2Elist \\ & \quad A.27a). (p\ (ap\ V0P\ V3l)))) \\ & \hspace{15em} (13) \end{aligned}$$

Assume the following.

$$\begin{aligned} & \forall A.27a.nonempty\ A.27a \Rightarrow (\forall V0s \in (2^{A.27a}). (\forall V1t \in \\ & \quad (2^{A.27a}). (\forall V2u \in (2^{A.27a}). ((ap\ (ap\ (c_2Epred_set_2EUNION \\ & \quad A.27a)\ V0s)\ (ap\ (ap\ (c_2Epred_set_2EUNION\ A.27a)\ V1t)\ V2u)) = (\\ & \quad ap\ (ap\ (c_2Epred_set_2EUNION\ A.27a)\ (ap\ (ap\ (c_2Epred_set_2EUNION \\ & \quad A.27a)\ V0s)\ V1t))\ V2u)))) \\ & \hspace{15em} (14) \end{aligned}$$

Assume the following.

$$\begin{aligned} & \forall A.27a.nonempty\ A.27a \Rightarrow ((\forall V0s \in (2^{A.27a}). ((ap\ (\\ & \quad ap\ (c_2Epred_set_2EUNION\ A.27a)\ (c_2Epred_set_2EEMPTY\ A.27a)) \\ & \quad V0s) = V0s)) \wedge (\forall V1s \in (2^{A.27a}). ((ap\ (ap\ (c_2Epred_set_2EUNION \\ & \quad A.27a)\ V1s)\ (c_2Epred_set_2EEMPTY\ A.27a)) = V1s))) \\ & \hspace{15em} (15) \end{aligned}$$

Assume the following.

$$\begin{aligned} & \forall A.27a.nonempty\ A.27a \Rightarrow \forall A.27b.nonempty\ A.27b \Rightarrow (\\ & \quad \forall V0f \in (A.27b^{A.27a}). ((ap\ (ap\ (c_2Epred_set_2EIMAGE\ A.27a \\ & \quad A.27b)\ V0f)\ (c_2Epred_set_2EEMPTY\ A.27a)) = (c_2Epred_set_2EEMPTY \\ & \quad A.27b))) \\ & \hspace{15em} (16) \end{aligned}$$

Assume the following.

$$\begin{aligned} \forall A.27a.nonempty\ A.27a \Rightarrow \forall A.27b.nonempty\ A.27b \Rightarrow (\\ \forall V0f \in (A.27b^{A.27a}).(\forall V1x \in A.27a.(\forall V2s \in (\\ 2^{A.27a}).((ap\ (ap\ (c.2Epred_set_2EIMAGE\ A.27a\ A.27b)\ V0f)\ (ap \\ (ap\ (c.2Epred_set_2EINSERT\ A.27a)\ V1x)\ V2s)) = (ap\ (ap\ (c.2Epred_set_2EINSERT \\ A.27b)\ (ap\ V0f\ V1x))\ (ap\ (ap\ (c.2Epred_set_2EIMAGE\ A.27a\ A.27b) \\ V0f)\ V2s)))))) \end{aligned} \quad (17)$$

Assume the following.

$$\begin{aligned} \forall A.27a.nonempty\ A.27a \Rightarrow ((ap\ (c.2Epred_set_2EBIGUNION \\ A.27a)\ (c.2Epred_set_2EEMPTY\ (2^{A.27a}))) = (c.2Epred_set_2EEMPTY \\ A.27a)) \end{aligned} \quad (18)$$

Assume the following.

$$\begin{aligned} \forall A.27a.nonempty\ A.27a \Rightarrow (\forall V0s \in (2^{A.27a}).(\forall V1P \in \\ (2^{(2^{A.27a})}).((ap\ (c.2Epred_set_2EBIGUNION\ A.27a)\ (ap\ (ap \\ (c.2Epred_set_2EINSERT\ (2^{A.27a})\ V0s)\ V1P)) = (ap\ (ap\ (c.2Epred_set_2EUNION \\ A.27a)\ V0s)\ (ap\ (c.2Epred_set_2EBIGUNION\ A.27a)\ V1P)))))) \end{aligned} \quad (19)$$

Theorem 1

$$\begin{aligned} \forall A.27a.nonempty\ A.27a \Rightarrow \forall A.27b.nonempty\ A.27b \Rightarrow (\\ \forall V0f \in ((2^{A.27b})^{A.27a}).(\forall V1ls \in (ty_2Elist_2Elist \\ A.27a).(\forall V2s \in (2^{A.27b}).((ap\ (ap\ (ap\ (c.2Elist_2EFOLDL \\ A.27a\ (2^{A.27b}))\ (\lambda V3s \in (2^{A.27b}).(\lambda V4x \in A.27a.(ap\ (ap \\ (c.2Epred_set_2EUNION\ A.27b)\ V3s)\ (ap\ V0f\ V4x))))))\ V2s)\ V1ls) = \\ (ap\ (ap\ (c.2Epred_set_2EUNION\ A.27b)\ V2s)\ (ap\ (c.2Epred_set_2EBIGUNION \\ A.27b)\ (ap\ (ap\ (c.2Epred_set_2EIMAGE\ A.27a\ (2^{A.27b}))\ V0f)\ (ap \\ (c.2Elist_2ELIST_TO_SET\ A.27a)\ V1ls)))))) \end{aligned}$$