

# thm\_2Elist\_2EFOLDL\_\_UNION\_\_BIGUNION\_\_paired (TMQhY1VMjj5QWV3D2RwgyKyGX8hhDtgCSGs)

October 26, 2020

**Definition 1** We define  $c\_2Emin\_2E\_3D$  to be  $\lambda A.\lambda x \in A.\lambda y \in A.inj\_o (x = y)$  of type  $\iota \Rightarrow \iota$ .

**Definition 2** We define  $c\_2Ebool\_2ET$  to be  $(ap (ap (c\_2Emin\_2E\_3D (2^2)) (\lambda V0x \in 2.V0x)) (\lambda V1x \in 2.V1x))$

Let  $ty\_2Elist\_2Elist : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A0.nonempty A0 \Rightarrow nonempty (ty\_2Elist\_2Elist A0) \quad (1)$$

Let  $c\_2Elist\_2ELIST\_TO\_SET : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.nonempty A\_27a \Rightarrow c\_2Elist\_2ELIST\_TO\_SET A\_27a \in ((2^{A\_27a})^{(ty\_2Elist\_2Elist A\_27a)}) \quad (2)$$

Let  $c\_2Elist\_2EFOLDL : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.nonempty A\_27a \Rightarrow \forall A\_27b.nonempty A\_27b \Rightarrow c\_2Elist\_2EFOLDL A\_27a A\_27b \in (((A\_27b)^{(ty\_2Elist\_2Elist A\_27a)})^{A\_27b})^{((A\_27b)^{A\_27a})^{A\_27b}} \quad (3)$$

Let  $c\_2Elist\_2ECONS : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.nonempty A\_27a \Rightarrow c\_2Elist\_2ECONS A\_27a \in (((ty\_2Elist\_2Elist A\_27a)^{(ty\_2Elist\_2Elist A\_27a)})^{A\_27a}) \quad (4)$$

Let  $c\_2Elist\_2ENIL : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.nonempty A\_27a \Rightarrow c\_2Elist\_2ENIL A\_27a \in (ty\_2Elist\_2Elist A\_27a) \quad (5)$$

**Definition 3** We define  $c\_2Emin\_2E\_3D\_3D\_3E$  to be  $\lambda P \in 2.\lambda Q \in 2.inj\_o (p P \Rightarrow p Q)$  of type  $\iota$ .

**Definition 4** We define  $c\_2Emin\_2E\_40$  to be  $\lambda A.\lambda P \in 2^A$ . **if**  $(\exists x \in A.p (ap P x))$  **then** (the  $(\lambda x.x \in A \wedge p x)$  of type  $\iota \Rightarrow \iota$ ).

**Definition 5** We define  $c\_2Ebool\_2E\_3F$  to be  $\lambda A\_27a : \iota.(\lambda V0P \in (2^{A\_27a}).(ap V0P (ap (c\_2Emin\_2E\_40 A\_27a) P)))$ .  
Let  $ty\_2Epair\_2Eprod : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A0.nonempty A0 \Rightarrow \forall A1.nonempty A1 \Rightarrow nonempty (ty\_2Epair\_2Eprod A0 A1) \quad (6)$$

**Definition 6** We define  $c\_2Ebool\_2E\_21$  to be  $\lambda A\_27a : \iota.(\lambda V0P \in (2^{A\_27a}).(ap (ap (c\_2Emin\_2E\_3D (2^{A\_27a}) P) P)))$ .

**Definition 7** We define  $c\_2Ebool\_2E\_2F\_5C$  to be  $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap (c\_2Ebool\_2E\_21 2) (\lambda V2t \in 2.(ap (c\_2Emin\_2E\_3D (2^{A\_27a}) P) P))))$ .  
Let  $c\_2Epair\_2EABS\_prod : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.nonempty A\_27a \Rightarrow \forall A\_27b.nonempty A\_27b \Rightarrow c\_2Epair\_2EABS\_prod A\_27a A\_27b \in ((ty\_2Epair\_2Eprod A\_27a A\_27b)^{(2^{A\_27b})^{A\_27a}}) \quad (7)$$

**Definition 8** We define  $c\_2Epair\_2E\_2C$  to be  $\lambda A\_27a : \iota.\lambda A\_27b : \iota.\lambda V0x \in A\_27a.\lambda V1y \in A\_27b.(ap (c\_2Emin\_2E\_3D (2^{A\_27a}) P) P))$ .  
Let  $c\_2Epair\_2ESND : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.nonempty A\_27a \Rightarrow \forall A\_27b.nonempty A\_27b \Rightarrow c\_2Epair\_2ESND A\_27a A\_27b \in (A\_27b^{(ty\_2Epair\_2Eprod A\_27a A\_27b)}) \quad (8)$$

Let  $c\_2Epair\_2EFST : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.nonempty A\_27a \Rightarrow \forall A\_27b.nonempty A\_27b \Rightarrow c\_2Epair\_2EFST A\_27a A\_27b \in (A\_27a^{(ty\_2Epair\_2Eprod A\_27a A\_27b)}) \quad (9)$$

**Definition 9** We define  $c\_2Epair\_2EUNCURRY$  to be  $\lambda A\_27a : \iota.\lambda A\_27b : \iota.\lambda A\_27c : \iota.\lambda V0f \in ((A\_27c)^{A\_27b})$ .

**Definition 10** We define  $c\_2Ebool\_2EIN$  to be  $\lambda A\_27a : \iota.(\lambda V0x \in A\_27a.(\lambda V1f \in (2^{A\_27a}).(ap V1f V0x)))$ .

Let  $c\_2Epred\_set\_2EGSPEC : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.nonempty A\_27a \Rightarrow \forall A\_27b.nonempty A\_27b \Rightarrow c\_2Epred\_set\_2EGSPEC A\_27a A\_27b \in ((2^{A\_27a})^{(ty\_2Epair\_2Eprod A\_27a 2)^{A\_27b}}) \quad (10)$$

**Definition 11** We define  $c\_2Epred\_set\_2EIMAGE$  to be  $\lambda A\_27a : \iota.\lambda A\_27b : \iota.\lambda V0f \in (A\_27b)^{A\_27a}.\lambda V1s \in 2$ .

**Definition 12** We define  $c\_2Ebool\_2EF$  to be  $(ap (c\_2Ebool\_2E\_21 2) (\lambda V0t \in 2.V0t))$ .

**Definition 13** We define  $c\_2Epred\_set\_2EEMPTY$  to be  $\lambda A\_27a : \iota.(\lambda V0x \in A\_27a.c\_2Ebool\_2EF)$ .

**Definition 14** We define `c_2Ebool_2E_5C_2F` to be  $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap (c_2Ebool_2E_21 2) (\lambda V2t \in 2.$

**Definition 15** We define `c_2Epred_set_2EUNION` to be  $\lambda A_27a : \iota.\lambda V0s \in (2^{A_27a}).\lambda V1t \in (2^{A_27a}).(ap (c_2Epred\_set\_2EUNION A_27a V0s V1t))$

**Definition 16** We define `c_2Epred_set_2EINSERT` to be  $\lambda A_27a : \iota.\lambda V0x \in A_27a.\lambda V1s \in (2^{A_27a}).(ap (c_2Epred\_set\_2EINSERT A_27a V0x V1s))$

**Definition 17** We define `c_2Epred_set_2EBIGUNION` to be  $\lambda A_27a : \iota.\lambda V0P \in (2^{(2^{A_27a})}).(ap (c_2Epred\_set\_2EBIGUNION A_27a V0P))$

Assume the following.

$$True \tag{11}$$

Assume the following.

$$\forall A_27a.nonempty A_27a \Rightarrow (\forall V0x \in A_27a.((V0x = V0x) \Leftrightarrow True)) \tag{12}$$

Assume the following.

$$\begin{aligned} & \forall A_27a.nonempty A_27a \Rightarrow \forall A_27b.nonempty A_27b \Rightarrow ( \\ & \quad \forall V0h \in A_27b.(\forall V1t \in (ty\_2Elist\_2Elist A_27b).(( \\ & \quad (ap (c_2Elist\_2ELIST\_TO\_SET A_27a) (c_2Elist\_2ENIL A_27a)) = \\ & \quad (c_2Epred\_set\_2EEMPTY A_27a)) \wedge ((ap (c_2Elist\_2ELIST\_TO\_SET \\ & A_27b) (ap (ap (c_2Elist\_2ECONS A_27b) V0h) V1t)) = (ap (ap (c_2Epred\_set\_2EINSERT \\ & A_27b) V0h) (ap (c_2Elist\_2ELIST\_TO\_SET A_27b) V1t)))))) \tag{13} \end{aligned}$$

Assume the following.

$$\begin{aligned} & \forall A_27a.nonempty A_27a \Rightarrow \forall A_27b.nonempty A_27b \Rightarrow ( \\ & \quad (\forall V0f \in ((A_27b^{A_27a})^{A_27b}).(\forall V1e \in A_27b.((ap ( \\ & \quad ap (ap (c_2Elist\_2EFOLDL A_27a A_27b) V0f) V1e) (c_2Elist\_2ENIL \\ & \quad A_27a)) = V1e))) \wedge (\forall V2f \in ((A_27b^{A_27a})^{A_27b}).(\forall V3e \in \\ & \quad A_27b.(\forall V4x \in A_27a.(\forall V5l \in (ty\_2Elist\_2Elist A_27a). \\ & \quad ((ap (ap (ap (c_2Elist\_2EFOLDL A_27a A_27b) V2f) V3e) (ap (ap (c_2Elist\_2ECONS \\ & \quad A_27a) V4x) V5l)) = (ap (ap (ap (c_2Elist\_2EFOLDL A_27a A_27b) V2f) \\ & \quad (ap (ap V2f V3e) V4x)) V5l)))))) \tag{14} \end{aligned}$$

Assume the following.

$$\begin{aligned} & \forall A_27a.nonempty A_27a \Rightarrow (\forall V0P \in (2^{(ty\_2Elist\_2Elist A_27a)}). \\ & \quad (((p (ap V0P (c_2Elist\_2ENIL A_27a))) \wedge (\forall V1t \in (ty\_2Elist\_2Elist \\ & \quad A_27a).((p (ap V0P V1t)) \Rightarrow (\forall V2h \in A_27a.(p (ap V0P (ap (ap ( \\ & \quad c_2Elist\_2ECONS A_27a) V2h) V1t)))))) \Rightarrow (\forall V3l \in (ty\_2Elist\_2Elist \\ & \quad A_27a).(p (ap V0P V3l)))))) \tag{15} \end{aligned}$$

Assume the following.

$$\begin{aligned} & \forall A_27a.nonempty A_27a \Rightarrow \forall A_27b.nonempty A_27b \Rightarrow ( \\ & \quad \forall V0x \in (ty\_2Epair\_2Eprod A_27a A_27b).(\exists V1q \in A_27a. \\ & \quad (\exists V2r \in A_27b.(V0x = (ap (ap (c_2Epair\_2E_2C A_27a A_27b) \\ & \quad V1q) V2r)))) \tag{16} \end{aligned}$$

Assume the following.

$$\begin{aligned}
& \forall A.27a.nonempty\ A.27a \Rightarrow \forall A.27b.nonempty\ A.27b \Rightarrow \forall A.27c. \\
& \quad nonempty\ A.27c \Rightarrow (\forall V0f \in ((A.27c^{A.27b})^{A.27a}).(\forall V1x \in \\
& \quad A.27a.(\forall V2y \in A.27b.((ap\ (ap\ (c.2Epair\_2EUNCURRY\ A.27a \\
& \quad A.27b\ A.27c)\ V0f)\ (ap\ (ap\ (c.2Epair\_2E\_2C\ A.27a\ A.27b)\ V1x)\ V2y))) = \\
& \quad (ap\ (ap\ V0f\ V1x)\ V2y))))))
\end{aligned} \tag{17}$$

Assume the following.

$$\begin{aligned}
& \forall A.27a.nonempty\ A.27a \Rightarrow (\forall V0s \in (2^{A.27a}).(\forall V1t \in \\
& \quad (2^{A.27a}).(\forall V2u \in (2^{A.27a}).((ap\ (ap\ (c.2Epred\_set\_2EUNION \\
& \quad A.27a)\ V0s)\ (ap\ (ap\ (c.2Epred\_set\_2EUNION\ A.27a)\ V1t)\ V2u))) = ( \\
& \quad ap\ (ap\ (c.2Epred\_set\_2EUNION\ A.27a)\ (ap\ (ap\ (c.2Epred\_set\_2EUNION \\
& \quad A.27a)\ V0s)\ V1t))\ V2u))))))
\end{aligned} \tag{18}$$

Assume the following.

$$\begin{aligned}
& \forall A.27a.nonempty\ A.27a \Rightarrow ((\forall V0s \in (2^{A.27a}).((ap\ ( \\
& \quad ap\ (c.2Epred\_set\_2EUNION\ A.27a)\ (c.2Epred\_set\_2EEMPTY\ A.27a)) \\
& \quad V0s) = V0s)) \wedge (\forall V1s \in (2^{A.27a}).((ap\ (ap\ (c.2Epred\_set\_2EUNION \\
& \quad A.27a)\ V1s)\ (c.2Epred\_set\_2EEMPTY\ A.27a)) = V1s)))
\end{aligned} \tag{19}$$

Assume the following.

$$\begin{aligned}
& \forall A.27a.nonempty\ A.27a \Rightarrow \forall A.27b.nonempty\ A.27b \Rightarrow ( \\
& \quad \forall V0f \in (A.27b^{A.27a}).((ap\ (ap\ (c.2Epred\_set\_2EIMAGE\ A.27a \\
& \quad A.27b)\ V0f)\ (c.2Epred\_set\_2EEMPTY\ A.27a)) = (c.2Epred\_set\_2EEMPTY \\
& \quad A.27b)))
\end{aligned} \tag{20}$$

Assume the following.

$$\begin{aligned}
& \forall A.27a.nonempty\ A.27a \Rightarrow \forall A.27b.nonempty\ A.27b \Rightarrow ( \\
& \quad \forall V0f \in (A.27b^{A.27a}).(\forall V1x \in A.27a.(\forall V2s \in ( \\
& \quad 2^{A.27a}).((ap\ (ap\ (c.2Epred\_set\_2EIMAGE\ A.27a\ A.27b)\ V0f)\ (ap \\
& \quad (ap\ (c.2Epred\_set\_2EINSERT\ A.27a)\ V1x)\ V2s)) = (ap\ (ap\ (c.2Epred\_set\_2EINSERT \\
& \quad A.27b)\ (ap\ V0f\ V1x))\ (ap\ (ap\ (c.2Epred\_set\_2EIMAGE\ A.27a\ A.27b) \\
& \quad V0f)\ V2s))))))
\end{aligned} \tag{21}$$

Assume the following.

$$\begin{aligned}
& \forall A.27a.nonempty\ A.27a \Rightarrow ((ap\ (c.2Epred\_set\_2EBIGUNION \\
& \quad A.27a)\ (c.2Epred\_set\_2EEMPTY\ (2^{A.27a}))) = (c.2Epred\_set\_2EEMPTY \\
& \quad A.27a))
\end{aligned} \tag{22}$$

Assume the following.

$$\begin{aligned} & \forall A\_27a.nonempty\ A\_27a \Rightarrow (\forall V0s \in (2^{A\_27a}). (\forall V1P \in \\ & (2^{(2^{A\_27a})}). ((ap\ (c\_2Epred\_set\_2EBIGUNION\ A\_27a)\ (ap\ (ap \\ & (c\_2Epred\_set\_2EINSERT\ (2^{A\_27a})\ V0s)\ V1P))) = (ap\ (ap\ (c\_2Epred\_set\_2EUNION \\ & A\_27a)\ V0s)\ (ap\ (c\_2Epred\_set\_2EBIGUNION\ A\_27a)\ V1P)))))) \end{aligned} \quad (23)$$

**Theorem 1**

$$\begin{aligned} & \forall A\_27a.nonempty\ A\_27a \Rightarrow \forall A\_27b.nonempty\ A\_27b \Rightarrow \forall A\_27c. \\ & nonempty\ A\_27c \Rightarrow (\forall V0f \in (((2^{A\_27c})^{A\_27b})^{A\_27a}). (\forall V1ls \in \\ & (ty\_2Elist\_2Elist\ (ty\_2Epair\_2Eprod\ A\_27a\ A\_27b)). (\forall V2s \in \\ & (2^{A\_27c}). ((ap\ (ap\ (ap\ (c\_2Elist\_2EFOLDL\ (ty\_2Epair\_2Eprod\ A\_27a \\ & A\_27b)\ (2^{A\_27c}))\ (\lambda V3s \in (2^{A\_27c}). (ap\ (c\_2Epair\_2EUNCURRY \\ & A\_27a\ A\_27b\ (2^{A\_27c}))\ (\lambda V4x \in A\_27a. (\lambda V5y \in A\_27b. (ap\ (ap \\ & (c\_2Epred\_set\_2EUNION\ A\_27c)\ V3s)\ (ap\ (ap\ V0f\ V4x)\ V5y)))))))) \\ & V2s)\ V1ls) = (ap\ (ap\ (c\_2Epred\_set\_2EUNION\ A\_27c)\ V2s)\ (ap\ (c\_2Epred\_set\_2EBIGUNION \\ & A\_27c)\ (ap\ (ap\ (c\_2Epred\_set\_2EIMAGE\ (ty\_2Epair\_2Eprod\ A\_27a \\ & A\_27b)\ (2^{A\_27c}))\ (ap\ (c\_2Epair\_2EUNCURRY\ A\_27a\ A\_27b\ (2^{A\_27c})) \\ & V0f))\ (ap\ (c\_2Elist\_2ELIST\_TO\_SET\ (ty\_2Epair\_2Eprod\ A\_27a \\ & A\_27b)\ V1ls)))))))))) \end{aligned}$$