

thm_2Elist_2EGENLIST__FUN__EQ (TMKxkWcEqEAaYYpssinujnxv3yFL6z6U1rq)

October 26, 2020

Definition 1 We define $c_2Emin_2E_3D$ to be $\lambda A.\lambda x \in A.\lambda y \in A.inj_o (x = y)$ of type $\iota \Rightarrow \iota$.

Definition 2 We define $c_2Ebool_2E_21$ to be $(ap (ap (c_2Emin_2E_3D (2^2)) (\lambda V0x \in 2.V0x)) (\lambda V1x \in 2.V1x))$

Definition 3 We define $c_2Ebool_2E_21$ to be $\lambda A_27a : \iota.(\lambda V0P \in (2^{A_27a}).(ap (ap (c_2Emin_2E_3D (2^{A_27a}))$

Definition 4 We define $c_2Ebool_2E_21$ to be $(ap (c_2Ebool_2E_21 2) (\lambda V0t \in 2.V0t))$.

Definition 5 We define $c_2Emin_2E_3D_3D_3E$ to be $\lambda P \in 2.\lambda Q \in 2.inj_o (p P \Rightarrow p Q)$ of type ι .

Definition 6 We define $c_2Ebool_2E_21$ to be $(\lambda V0t \in 2.(ap (ap c_2Emin_2E_3D_3D_3E V0t) c_2Ebool_2E_21))$

Definition 7 We define $c_2Ebool_2E_21$ to be $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap (c_2Ebool_2E_21 2) (\lambda V2t \in 2.V2t)))$

Let $ty_2Elist_2Elist : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0.nonempty A0 \Rightarrow nonempty (ty_2Elist_2Elist A0) \tag{1}$$

Let $ty_2Enum_2Enum : \iota$ be given. Assume the following.

$$nonempty ty_2Enum_2Enum \tag{2}$$

Let $c_2Elist_2ELENGTH : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty A_27a \Rightarrow c_2Elist_2ELENGTH A_27a \in (ty_2Enum_2Enum^{(ty_2Elist_2Elist A_27a)}) \tag{3}$$

Let $c_2Elist_2EGENLIST : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty A_27a \Rightarrow c_2Elist_2EGENLIST A_27a \in (((ty_2Elist_2Elist A_27a)^{ty_2Enum_2Enum})^{(A_27a^{ty_2Enum_2Enum})}) \tag{4}$$

Let $c_2Elist_2EEL : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty A_27a \Rightarrow c_2Elist_2EEL A_27a \in ((A_27a^{(ty_2Elist_2Elist A_27a)})^{ty_2Enum_2Enum}) \tag{5}$$

Let $c_2Enum_2EREP_num : \iota$ be given. Assume the following.

$$c_2Enum_2EREP_num \in (\omega^{ty_2Enum_2Enum}) \quad (6)$$

Let $c_2Enum_2ESUC_REP : \iota$ be given. Assume the following.

$$c_2Enum_2ESUC_REP \in (\omega^{\omega}) \quad (7)$$

Let $c_2Enum_2EABS_num : \iota$ be given. Assume the following.

$$c_2Enum_2EABS_num \in (ty_2Enum_2Enum^{\omega}) \quad (8)$$

Definition 8 We define c_2Enum_2ESUC to be $\lambda V0m \in ty_2Enum_2Enum. (ap\ c_2Enum_2EABS_num$

Definition 9 We define $c_2Emin_2E_40$ to be $\lambda A. \lambda P \in 2^A. \mathbf{if} (\exists x \in A. p (ap\ P\ x)) \mathbf{then}$ (the $(\lambda x. x \in A \wedge p$
of type $\iota \Rightarrow \iota$).

Definition 10 We define $c_2Ebool_2E_3F$ to be $\lambda A_27a : \iota. (\lambda V0P \in (2^{A_27a}). (ap\ V0P (ap (c_2Emin_2E_40$

Definition 11 We define $c_2Eprim_rec_2E_3C$ to be $\lambda V0m \in ty_2Enum_2Enum. \lambda V1n \in ty_2Enum_2Enum$

Assume the following.

$$True \quad (9)$$

Assume the following.

$$\forall A_27a. \mathit{nonempty}\ A_27a \Rightarrow (\forall V0t \in 2. ((\forall V1x \in A_27a. (p\ V0t)) \Leftrightarrow (p\ V0t))) \quad (10)$$

Assume the following.

$$\begin{aligned} & (\forall V0t \in 2. (((True \wedge (p\ V0t)) \Leftrightarrow (p\ V0t)) \wedge (((p\ V0t) \wedge True) \Leftrightarrow \\ & (p\ V0t)) \wedge (((False \wedge (p\ V0t)) \Leftrightarrow False) \wedge (((p\ V0t) \wedge False) \Leftrightarrow False) \wedge \\ & (((p\ V0t) \wedge (p\ V0t)) \Leftrightarrow (p\ V0t)))))) \quad (11) \end{aligned}$$

Assume the following.

$$\forall A_27a. \mathit{nonempty}\ A_27a \Rightarrow (\forall V0x \in A_27a. ((V0x = V0x) \Leftrightarrow True)) \quad (12)$$

Assume the following.

$$\forall A_27a. \mathit{nonempty}\ A_27a \Rightarrow (\forall V0x \in A_27a. (\forall V1y \in A_27a. ((V0x = V1y) \Leftrightarrow (V1y = V0x)))) \quad (13)$$

Assume the following.

$$\begin{aligned} & (\forall V0t \in 2. (((True \Leftrightarrow (p\ V0t)) \Leftrightarrow (p\ V0t)) \wedge (((p\ V0t) \Leftrightarrow True) \Leftrightarrow \\ & (p\ V0t)) \wedge (((False \Leftrightarrow (p\ V0t)) \Leftrightarrow \neg(p\ V0t)) \wedge (((p\ V0t) \Leftrightarrow False) \Leftrightarrow \neg(\\ & p\ V0t)))))) \quad (14) \end{aligned}$$

Assume the following.

$$(\forall V0t1 \in 2.(\forall V1t2 \in 2.(\forall V2t3 \in 2.(((p V0t1) \Rightarrow ((p V1t2) \Rightarrow (p V2t3))) \Leftrightarrow (((p V0t1) \wedge (p V1t2)) \Rightarrow (p V2t3)))))) \quad (15)$$

Assume the following.

$$(\forall V0x \in 2.(\forall V1x_{.27} \in 2.(\forall V2y \in 2.(\forall V3y_{.27} \in 2.(((p V0x) \Leftrightarrow (p V1x_{.27})) \wedge ((p V1x_{.27}) \Rightarrow ((p V2y) \Leftrightarrow (p V3y_{.27})))))) \Rightarrow ((p V0x) \Rightarrow (p V2y)) \Leftrightarrow ((p V1x_{.27}) \Rightarrow (p V3y_{.27})))))) \quad (16)$$

Assume the following.

$$\begin{aligned} & \forall A_{.27a}.nonempty A_{.27a} \Rightarrow (\forall V0l1 \in (ty_{.2Elist_{.2Elist}} A_{.27a}).(\forall V1l2 \in (ty_{.2Elist_{.2Elist}} A_{.27a}).((V0l1 = V1l2) \Leftrightarrow \\ & (((ap (c_{.2Elist_{.2ELENGTH}} A_{.27a}) V0l1) = (ap (c_{.2Elist_{.2ELENGTH}} A_{.27a}) V1l2)) \wedge (\forall V2x \in ty_{.2Enum_{.2Enum}}.((p (ap (ap c_{.2Eprim_rec_{.2E.3C}} V2x) (ap (c_{.2Elist_{.2ELENGTH}} A_{.27a}) V0l1))) \Rightarrow ((ap (ap (c_{.2Elist_{.2EEL}} A_{.27a}) V2x) V0l1) = (ap (ap (c_{.2Elist_{.2EEL}} A_{.27a}) V2x) V1l2)))))))))) \quad (17) \end{aligned}$$

Assume the following.

$$\begin{aligned} & \forall A_{.27a}.nonempty A_{.27a} \Rightarrow (\forall V0f \in (A_{.27a}^{ty_{.2Enum_{.2Enum}}}). \\ & (\forall V1n \in ty_{.2Enum_{.2Enum}}.((ap (c_{.2Elist_{.2ELENGTH}} A_{.27a}) (ap (ap (c_{.2Elist_{.2EGENLIST}} A_{.27a}) V0f) V1n)) = V1n))) \quad (18) \end{aligned}$$

Assume the following.

$$\begin{aligned} & \forall A_{.27a}.nonempty A_{.27a} \Rightarrow (\forall V0f \in (A_{.27a}^{ty_{.2Enum_{.2Enum}}}). \\ & (\forall V1n \in ty_{.2Enum_{.2Enum}}.(\forall V2x \in ty_{.2Enum_{.2Enum}}. \\ & (p (ap (ap c_{.2Eprim_rec_{.2E.3C}} V2x) V1n)) \Rightarrow ((ap (ap (c_{.2Elist_{.2EEL}} A_{.27a}) V2x) (ap (ap (c_{.2Elist_{.2EGENLIST}} A_{.27a}) V0f) V1n)) = (ap V0f V2x)))))) \quad (19) \end{aligned}$$

Theorem 1

$$\begin{aligned} & \forall A_{.27a}.nonempty A_{.27a} \Rightarrow (\forall V0n \in ty_{.2Enum_{.2Enum}}. \\ & (\forall V1f \in (A_{.27a}^{ty_{.2Enum_{.2Enum}}}).(\forall V2g \in (A_{.27a}^{ty_{.2Enum_{.2Enum}}}). \\ & (((ap (ap (c_{.2Elist_{.2EGENLIST}} A_{.27a}) V1f) V0n) = (ap (ap (c_{.2Elist_{.2EGENLIST}} A_{.27a}) V2g) V0n)) \Leftrightarrow (\forall V3x \in ty_{.2Enum_{.2Enum}}.((p (ap (ap c_{.2Eprim_rec_{.2E.3C}} V3x) V0n)) \Rightarrow ((ap V1f V3x) = (ap V2g V3x)))))))))) \end{aligned}$$